CHAPTER 1

INTRODUCTION

Snapdeal is an Indian e-commerce company founded in 2010 by Kunal Bahl and Rohit Bansal. It started as a daily deals platform but quickly expanded into a full-fledged online marketplace. Here's a brief history of Snapdeal:

1. 2010: Foundation

Founded:Kunal Bahl and Rohit Bansal.
Initial Focus: Daily deals and coupons.
Business Model: The company began by offering deals on various products and services through a subscription-based model.

2. 2011-2012: Growth and Expansion

Shift to Marketplace:Snapdeal transitioned from a deals platform to a full-fledged e-commerce marketplace, allowing third-party sellers to list their products.
Funding: Received initial funding from venture capital firms, which helped in scaling operations and expanding product categories.

3. 2013-2014: Rapid Expansion

Product Categories: Expanded into various product categories including electronics, fashion, and home goods.
Funding Rounds: Attracted significant investment from venture capitalists, including a $50 million funding round led by Bessemer Venture Partners and Nexus Venture Partners.
Acquisitions: Acquired several companies to bolster its technology and product offerings, including the acquisition of the fashion e-commerce site, Exclusively.in, in 2014.

4. 2015-2016: Market Leadership and Competition

Market Position: Became one of India's leading e-commerce platforms, competing with major players like Flipkart and Amazon India.
Funding: Raised a substantial amount of capital in multiple rounds, including a $200 million funding round led by Alibaba, Foxconn, and others.
Snapdeal 2.0: Launched a new version of its platform to enhance user experience and integrate new features.

5. 2017-2018: Challenges and Restructuring

Struggles: Faced increasing competition from Flipkart and Amazon, which affected its market share and profitability.
Restructuring: The company undertook restructuring efforts to streamline operations and cut costs. This included layoffs and shutting down certain non-core businesses.

6. 2019-2020: Focus on Core Business

Strategic Focus: Concentrated on its core e-commerce business and sought to improve profitability and operational efficiency.
New Initiatives: Emphasized enhancing its technology platform and customer service.

1.1 WHAT IS SOFTWARE TESTING

Software testing is a critical process in software development aimed at evaluating the functionality, performance, usability, and security of a software application. Its primary goal is to ensure that the software meets specified requirements and operates correctly under various conditions. By creating and executing test cases, testers verify the software's behaviour, identify defects or bugs, and validate its reliability before release.

Testing can be automated or manual and includes techniques like unit testing, integration testing, regression testing, and user acceptance testing. Ultimately, effective testing helps indelivering high-quality, user-friendly, and secure software products, reducing the risk of failures in production and enhancing overall user satisfaction.

1.2 TYPES OF SOFTWARE TESTING

There are several types of software testing, each serving different purposes in ensuring the quality and reliability of software products.
Here are some common types,

UNIT TESTING

Unit testing focuses on verifying the smallest parts of an application, such as functions or methods, in isolation from the rest of the system. The main aim is to validate that each unit of the software performs as expected.
Developers typically perform unit testing using automated test frameworks like JUnit for Java, NUnit for .NET, and PyTest for Python.

Advantages:
• Helps identify and fix bugs early in the development process.
• Facilitates easier debugging and code refactoring.
• Ensures that individual components work correctly before integration.

INTEGRATION TESTING

Integration testing examines how different software modules work together as a group It ensures that integrated components function correctly as a cohesive unit.

Common approaches include top-down (testing higher-level components first), bottom-up (testing lower-level components first), and hybrid integration.

Advantages:

• Identifies interface issues between modules.

• Detects integration errors early.

• Improves system reliability by ensuring components interact as expected.

SYSTEM TESTING

System testing involves testing the complete and integrated software system as a whole to ensure it meets specified requirements. It evaluates the system's compliance with functional and non-functional requirements, including performance, security, and usability.

Tests are conducted in an environment similar to the production environment to simulate real-world usage scenarios.

Advantages:

- Ensures the software meets end-user expectations and business goals.
- Provides comprehensive validation of the entire system.

ACCEPTANCE TESTING

Acceptance testing, also known as user acceptance testing (UAT), validates the software's readiness for deployment from an end-user's perspective. It confirms that the software meets business requirements and functions as intended in the user's operational environment. Types:

• **ALPHA TESTING:** Internal testing by the organization.

• **BETA TESTING:** External testing by a selected group of users.

Advantages:

• Ensures stakeholder satisfaction and validates business objectives.

• Identifies final adjustments needed before release.

REGRESSION TESTING

Regression testing verifies that recent changes or additions to the software haven't adversely affected existing functionality. It ensures that previously working features remain intact after code modifications, bug fixes, or enhancements. Approach: Automated regression tests are often employed to re-run test cases efficiently and consistently.

Advantages:

• Prevents regression bugs from reaching production.

• Maintains software quality over time.

• Supports continuous integration and delivery practices.

PERFORMANCE TESTING

Performance testing evaluates the software's responsiveness, stability, and scalability under expected workload conditions. It identifies performance bottlenecks, measures response times, and assesses resource usage (CPU, memory, network) to ensure optimal system performance.

Types:

• Load testing: Measuring system performance under normal and peak loads.

• Stress testing: Testing system behavior under extreme conditions.

• Scalability testing: Testing system ability to scale with increased load.

Advantages:

• Optimizes system performance.

• Enhances user experience.

• Supports capacity planning and scalability efforts.

SECURITY TESTING

Security testing identifies vulnerabilities and weaknesses in the software's security mechanisms. It ensures that sensitive data is protected from unauthorized access, breaches, and malicious attacks.

Approach:

• Penetration Testing: Ethical hacking to find security flaws.

• Vulnerability Scanning: Automated tools to scan for known vulnerabilities.

• Security Audits: Comprehensive reviews of security policies and procedures.

Advantages:

• Mitigates security risks.

• Safeguards user data.

• Enhances overall system trustworthiness and compliance.

USABILITY TESTING

Usability testing assesses the software's ease of use and intuitiveness from the end-user's perspective.

It ensures that the software interface is user-friendly, efficient, and meets usability standards. Conducting usability studies, user feedback surveys, and heuristic evaluations.

Advantages:

• Improves user satisfaction.

• Reduces training time and support costs.

• Enhances user adoption rates.

1.3 ABOUT THE PROJECT

This project involves the automation of the SNAPDEAL website using Python, leveraging various Python libraries and the Selenium WebDriver.

The primary goal of this automation is to streamline and enhance the user experience by performing repetitive tasks efficiently and accurately.

Python is chosen for its simplicity and extensive support for automation tasks. **Selenium** is used as the core library to interact with web elements on the SNAPDEAL website, providing the capability to simulate user actions such as clicking, typing, and navigating through webpages.

This documentation details the steps and methodologies used to achieve the automation, including setting up the environment, writing scripts to automate specific tasks, handling dynamic web elements, and managing exceptions.

The project demonstrates the power of combining Python's programming capabilities with Selenium's web automation features to create a robust and scalable automation solution.

1.4 OBJECTIVES

• AUTOMATE BROWSING AND SEARCHING

Develop scripts to automatically browse and search for items on SNAPDEAL, reducing the manual effort required for these tasks.

• ENHANCE EFFICIENCY

Streamline repetitive actions such as logging in, adding items to the cart, and checking out, to save time and improve user efficiency.

• ENSURE ACCURACY

Implement error handling and validation mechanisms to ensure accurate interactions with the eBay website, minimizing the risk of mistakes during automated tasks.

• USER-FRIENDLY INTERFACE

Design the automation script to be user-friendly, allowing even those with minimal technical knowledge to utilize its features effectively.

• MAINTAINABILITY AND SCALABILITY

Write clean, modular, and well-documented code to ensure the project is easy to maintain and can be scaled or modified to accommodate future requirements or additional functionalities.

• PERFORMANCE MONITORING

Include features to monitor the performance of the automation process, identifying potential bottlenecks and areas for improvement.

1.5 TECHNOLOGIES USED

• PROGRAMMING LANGUAGE

PYTHON : The primary language for developing the automation scripts due to its simplicity, readability, and extensive library support.

• WEB AUTOMATION FRAMEWORK

SELENIUM : A powerful tool for automating web browsers, allowing interaction with the SNAPDEAL website as a human would.

• LIBRARIES AND MODULES

SELENIUM WEBDRIVER : To control the browser and perform actions like clicking, typing, and navigating.

LOGGING : Python's built-in logging module for tracking the script's actions and errors.

• INTERFACE

CLI (COMMAND-LINE INTERFACE) : Basic interaction through the terminal or command prompt.

• DEVELOPMENT ENVIRONMENT

VSCODE: A versatile and lightweight code editor.

PYCHARM: A code will run using PyCharm also, we can use vs code and also PyCharm to code editor.

CHAPTER 2

IMPLEMENTATION

2.1 IMPORTING NECESSARY LIBRRIES

The scripts starts by importing the necessary libraries:

```
import time
import pyautogui as pg
from selenium import webdriver
from selenium.webdriver.common.by import By
from selenium.webdriver.common.keys import Keys
```

The libraries imported are:

Selenium: The main Selenium library for automating web browsers.

Webdriver: The webdriver library for interacting with web browsers.

Time: A built-in Python library for working with time-related functions.

By: A library for **specifying** the type of element to find on a web page (e.g., by ID, by class name, etc.).

Select: A library for working with dropdown menus.

INSTALLATION REQUIRED FOR THIS LIBRARIES:

In terminal which is in vs code editor or PyCharm install by using,

- Pip install selenium
- Pip install webdriver-manager
- Pip install pytest
- Pip install selenium pyautogui

2.2 CREATING CHROME OPTIONS AND DRIVER INSTANCE

```
def Snapdeal():
    # Initialize Chrome WebDriver
    driver = web driver. Chrome ()
    driver. maximize window ()
```

WebDriver Manager automatically downloads and installs the correct Chrome Driver executable based on the system's architecture and Chrome version.

The script then maximizes the browser window using the driver.maximize_window() method.

OPENING EBAY WEBSITE AND MAXIMIZING THE BROWSER WINDOW

The script opens the eBay website using the driver.get() method:

```
try:
    # Navigate to Snapdeal login page
    driver.get("https://in.Snapdeal.com/in/en/account/login?action=logn")
    time. sleep (8)
```

2.3 LOGIN OR REGISTER TO SNAPDEAL

The script LOGIN OR REGISTER to SNAPDEAL by giving the phone number and otp, after that to register, entering the first name, last name, email, and set the password, clicking the Continue button, and then again login to Snapdeal by entering the phone number or email and password, and clicking the Submit button again: The script uses WebDriver Wait to wait for the elements to become clickable or visible before interacting with them.

☐ **Go to the Snapdeal Website or App:**
- **Website:** Open [Snapdeal's official website](#) on your browser.
- **App:** Open the Snapdeal app on your mobile device.

☐ **Find the Login Button:**
- On the website, click the "Login" button usually found at the top right corner of the homepage.
- On the app, tap the profile icon or the "Login" option, typically located in the app's menu or on the home screen.

□ **Enter Your Credentials:**

- **Email/Mobile Number:** Enter the registered email address or mobile number.
- **Password:** Input your password.

□ **Click or Tap Login:**

- Press the "Login" button to access your account.

□ **Two-Factor Authentication (if enabled):**

- You might be prompted to enter a code sent to your registered mobile number or email.

CHAPTER 3

SOURCE CODE AND OUTPUTS

3.1 SOURCE CODE

```
import time
import pyautogui as pg
from selenium import webdriver
from selenium.webdriver.common.by import By
from selenium.webdriver.common.keys import Keys
def Snapdeal():
    # Initialize Chrome WebDriver
    driver = web driver. Chrome ()
    driver. maximize window ()

    try:
    # Navigate to Snapdeal login page
    driver.get("https://in.Snapdeal.com/in/en/account/login?action=logn")
    time. sleep (8)

        # Enter phone number
        phone_entry =
driver.find_element(By.XPATH,'/html/body/div[1]/div[1]/main/div/div/div/div/div[2]/div/div/
div/div/form/div[1]/div[2]/input')
        phone_entry.send_keys("8747938311")
        time.sleep(5000)

        # Request OTP
        req_otp =
driver.find_element(By.XPATH,'/html/body/div[1]/div[1]/main/div/div/div/div/div[2]/div/div/
div/div/form/button/div/div')
        req_otp.click()
        time.sleep(1500)
```

```
# Open search bar and search for a product
search_open =
driver.find_element(By.XPATH,'/html/body/div[1]/div[1]/div[1]/nav/div/div/button[1]/div[2]/div')
search_open.click()
time.sleep(3)


search_bar = driver.find_element(By.NAME, 'Search')
search_bar.send_keys('SNAPDEAL x one8 Core V2 Unisex Cap')
time.sleep(2)
search_bar.send_keys(Keys.ENTER)
time.sleep(10)


# Scroll using PyAutoGUI (for demonstration)
pg.scroll(-400)


# Click on the product link
product_link = driver.find_element(By.PARTIAL_LINK_TEXT, 'SNAPDEAL x one8 CoreV2 Unisex Cap')
product_link.click()
time.sleep(10)


# Scroll using PyAutoGUI (for demonstration)
pg.scroll(-650)


# Add to cart
atc_button =
driver.find_element(By.XPATH,'/html/body/div[2]/div[1]/main/div/section/div[1]/section[2]/div/div[7]/div[2]/button[1]')
atc_button.click()
time.sleep(6)


# Keep the browser open until user interaction
input("Enter a key to exit...")
```

```
finally:
    # Close the browser session
    driver.quit()


if __name__ == "__main__":
    Snapdeal()
```

Selenium-based Test Suite for SNAPDEAL Website:

Test Case 01: Homepage and Navigation

1. **Verify Homepage Load**: Open the SNAPDEAL website. Confirm that the homepageloadswithout errors.
2. **Navigation Menu**: Click on each menu item (e.g., Men, Women, Kids, Sale). Ensure that the corresponding pages load correctly.
3. **Search Bar**: Enter a valid search query (e.g., "running shoes"). Verify that relevant products appear in the search results.

Test Case 02: Product Details Page (PDP)

1. **Product Availability**: Navigate to a product page. Check if product details (name, price, description) are displayed.
2. **Size and Color Selection**: Select different sizes and colors. Confirm that the product image updates accordingly.
3. **Add to Cart**: Click the "Add to Cart" button. Verify that the cart updates with the selected product.

Test Case 03: Shopping Cart and Checkout

1. **Cart Summary**: Go to the shopping cart. Validate the product details (name, price, quantity).
2. **Proceed to Checkout**: Click the "Checkout" button. Ensure that the checkout process begins.

Test Case 04: User Account and Login

1. **Login Page**: Navigate to the login page. Verify that the login form is displayed.
2. **Valid Credentials**: Enter valid login credentials. Confirm successful login.

3. **Invalid Credentials**: Attempt login with incorrect credentials. Check for appropriate error messages.

Test Case 05: Payment and Order Confirmation

1. **Payment Options**: Proceed to the payment page. Verify that payment options (credit card, PayPal, etc.) are available.

2. **Place Order**: Complete the payment process. Confirm that the order is placed successfully.

3. **Order Confirmation Email**: Check if an order confirmation email is received.

Test Case 06: Invalid Inputs

1. **Out-of-Stock Products**: Test what happens when a user tries to add an out-of-stock product to their cart. Verify that appropriate messages (e.g., "Product currently unavailable") are displayed.

2. **Search Bar**: Enter an invalid search query (e.g., special characters, excessively long query). Confirm that the website handles it gracefully.

3. **Login Credentials**: Test with incorrect or incomplete login credentials. Ensure proper error messages are shown.

Test Case 07: Boundary Conditions

1. **Quantity Limits**: Add the maximum allowed quantity of a product to the cart. Verify that the cart behaves correctly.

2. **Price Ranges**: Test products at different price points (e.g., very low-priced or high-priced items). Confirm that calculations (subtotal, tax, total) are accurate.

Test Case 08: Localization

Currency and Language: Change the website's currency (if supported). Ensure that prices update correctly. Switch the language and verify translations.

Test Case 09: Mobile Devices

1. **Responsive Design**: Access the website from various mobile devices (phones, tablets). Check if the layout adapts correctly.

2. **Touch Interactions**: Test touch gestures (swipe, pinch) on product images and buttons.

Test Case 10: Security

1. **Cross-Site Scripting (XSS)**: Attempt to inject malicious scripts into input fields. Confirm that the website sanitizes user inputs.

2. **Authentication Bypass**: Try accessing restricted pages without logging in. Ensure proper access controls are in place.

3.2 OUTPUTS

FIG 1.1: LOGIN PAGE

**FIG 1.2: DASHBOARD OF MY ACCOUNT**

FIG 1.3: SCROLLING FUNCTION

**FIG 1.4: DETAILS OF SELECTED
GROUP**

FIG 1.5: AUTOMATED SEARCH IN SEARCH BAR

FIG 1.6: SELECT MY PROFILE TO VIEW WISHLIST AND LOGOUT

CONCLUSION

This SNAPDEAL automation project leverages the power of Python and Selenium to simplify andstreamline interactions with the SNAPDEAL website. By automating repetitive tasks such as browsing, searching, and purchasing items, the project aims to save time and reduce manual effort. The use of robust error handling, logging, and security measures ensures accuracy and reliability in the automation process.

The project's modular design and well-documented code base make it maintainable and scalable, allowing for future enhancements and modifications. Through careful consideration of user experience, performance monitoring, and compliance with SNAPDEAL's terms of service,this project provides a practical and efficient solution for automating SNAPDEAL tasks.

In conclusion, Snapdeal is a global sportswear brand with a comprehensive range of productscatering to both athletic and casual consumers. The company's commitment to innovation, marketing, and sustainability has positioned it as a key player in the competitive sportswearindustry.

Overall, this SNAPDEAL automation project demonstrates the potential of automation in improving productivity and efficiency, offering valuable insights and tools for users looking to optimize their e-commerce activities.

REFERENCES

- Code creation:
  [https://youtu.be/CwLrdjgsJjU?si=M9LttQ8WJtJ9il_R]

- Documentation:
  Official Documentation:[https://docs.python.org/] and based on the creation of website.