

# Write Test

205 sec.

[Home](#) [Write Test](#) [Write Program](#) [Result](#) [Change](#)

[Password](#) [Logout](#)

1.

const myRef=React.useRef(100)

myRef.current ?

- ☐ undefined
- ☒ 100
- ☐ null
- ☐ Error

**Ans: B**

2.

axios.get(-) method return type

- ☒ Promise Object
- ☐ object
- ☐ Array
- ☐ Number

**Ans: A**

3.

In React, event handler method called by passing how many arguments ?

- ☒ one
- ☐ two
- ☐ three
- ☐ zero

**Ans: A**

205 sec.

4.

In React component JSX can we apply inline style using below syntax

JSX:

```
<div style="color:red">Sachin</div>
```

☐ Yes

☒ No

**Ans: B**

5.

```
const App=({name})=>{  
  return <div>{name.length}</div>  
}
```

```
App.defaultProps={  
  name:"UV"  
}
```

```
<App name="Sachin" />
```

☐ 0

☐ 2

☒ 6

**Ans: C**

6.

The type of data which is stored in redux store?

☒ object

☐ array

☐ number

**Ans: A**

205 sec.

7.

```
const App=({name})=>{  
  return <div>{name.length}</div>  
}  
App.defaultProps={  
  name:"UV"  
}  
<App />
```

- ☐ 0  
☒ 2

**Ans: B**

8.

React is a library or framework?

- ☒ library  
☐ framework

**Ans: A**

9.

```
const [data,setData]=React.useState(0);
```

Can we pass function as an argument to setData function ?

- ☐ No  
☒ Yes

**Ans: B**

10.

In React event handler method called by passing one argument , what is the argument? **205 sec.**

- ☐ array
- ☐ number
- ☒ SyntheticBaseEvent
- ☐ None of the above

**Ans: C**

11.

How we can prevent component unwanted rerenderings ?

- ☒ React.memo
- ☐ React.useMemo
- ☐ React.useCallback
- ☐ React.useTransition

**Ans: A**

12.

Can we forward reference(useRef()) one component to another component?

- ☒ Yes
- ☐ No

**Ans: A**

13.

useState returns an array, that array contains how many elements ?

- ☐ 0
- ☐ 1
- ☒ 2
- ☐ 3

**Ans: C**

205 sec.

14.

```
const App=(props)=>{
```

```
}
```

```
<App n1="10"></App>
```

How we can retrieve n1 value inside the App component

- ☒ props.n1  
☐ props

**Ans: A**

15.

We can pass the data from parent to all direct or indirect childrens using context API?

- ☒ Yes  
☐ No

**Ans: A**

16.

We can pass the data from child to all direct or indirect parents using context API ?

- ☐ Yes  
☒ No

**Ans: B**

17.

```
React.useEffect(()=>
```

},[cnt])

205 sec.

In the above code snippet, when the callback method called ?

- ☒ in mounting phase
- ☒ for every cnt state variable value updationn
- ☐ for any state variable updation
- ☐ Above All

**Ans: AB**

18.

```
const App=(props)=>{
```

```
}
```

In the above App props parameter is which type ?

- ☐ number
- ☐ array
- ☒ object
- ☐ string

**Ans: C**

19.

In React component JSX can we apply inline style using below syntax

JSX:

```
<div style={{color:"red"}}>Sachin</div>
```

- ☒ Yes
- ☐ No

**Ans: A**

20.

205 sec.

```
const myRef=React.useRef()
```

what is the values of myRef.current ?

- ☐ null  
☒ undefined

**Ans: B**

WRITE AGAIN