

Write Test

176 sec.

[Home](#) [Write Test](#) [Write Program](#) [Result](#) [Change](#)

[Password](#) [Logout](#)

1.

Can we create more than one context in react application ?

- ☒ Yes
☐ No

Ans: A

2.

```
const [data,setData]=React.useState(0);
```

```
for(let i=0;i<5;i++){  
  setData(data+1)  
}
```

what is the value of data

- ☐ 0
☐ 5
☒ 1
☐ Error

Ans: C

3.

```
React.useEffect(()=>
```

```
  ,[cnt])
```

In the above code snippet, when the callback method called ?

176 sec.

- ☒ in mounting phase
- ☒ for every cnt state variable value updationn
- ☐ for any state variable updation
- ☐ Above All

Ans: AB

4.

JSX stands for ?

- ☐ Java and XML
- ☒ JavaScript and XML
- ☐ XML and JS

Ans: B

5.

useEffect hook take max how many arguments ?

- ☐ 1
- ☒ 2
- ☐ 3
- ☐ 4

Ans: B

6.

Which lib used to recognize

```
const App={()=>{
```

```
}
```

App as a component ?

- ☒ react lib

176 sec.

- ☐ ReactDOM lib
- ☐ Babel lib
- ☐ reactStrap lib

Ans: A

7.

How we can come to know the performance of react component

- ☒ using Profiler
- ☐ using Portal

Ans: A

8.

Using which attribute key we can provide the data to the context ?

- ☐ name
- ☒ value
- ☐ data
- ☐ object

Ans: B

9.

```
React.useEffect(()=>
  return ()=>{
    console.log("called");
  }
},[])
```

In the above code snippet, when the “called” text printed in the console?

- ☐ in Mounting Phase
- ☐ in Updating Phase
- ☒ in Unmounting Phase
- ☐ All the above

Ans: C

176 sec.

10.

```
const App=({name}){  
  return <div>{name.length}</div>  
}
```

<App />

- ☒ 0
☐ error

Ans: B

11.

useRef hook return type ?

- ☒ object
☐ array
☐ number
☐ string

Ans: A

12.

React is a library or framework?

- ☒ library
☐ framework

Ans: A

13.

is JSX code will compile ?

- ☒ Yes
- ☐ No

176 sec.

Ans: A

14.

Which lib used to render content inside the container in React ?

- ☐ react lib
- ☒ ReactDOM lib
- ☐ Babel lib
- ☐ reactStrap lib

Ans: B

15.

Can we forward reference(useRef()) one component to another component?

- ☒ Yes
- ☐ No

Ans: A

16.

In React event handler should a function or function call ?

- ☒ function
- ☐ function call

Ans: A

17.

How we can prevent component unwanted rerenderings ?

- ☒ React.memo
- ☐ React.useMemo

- ☐ React.useCallback
- ☐ React.useTransition

176 sec.

Ans: A

18.

```
React.useEffect(()=>
  ,[cnt,name])
```

In the above code snippet, when the callback method called ?

- ☒ in mounting phase
- ☒ cnt state variable updation
- ☒ name prop value updation
- ☐ every state or prop variables updation

Ans: ABC

19.

The code written, to prepare the content inside the react component ?

- ☒ JSX
- ☐ HTML
- ☐ JavaScript
- ☐ XML

Ans: A

20.

fetch method return type ?

- ☒ Promise Object
- ☐ Number
- ☐ Function
- ☐ Array

Ans: A

WRITE AGAIN

176 sec.