

Write Test

435 sec.

[Home](#) [Write Test](#) [Write Program](#) [Result](#) [Change](#)

[Password](#) [Logout](#)

1.

In the developer console window if we execute

loc

what is the output

- ☐ null
- ☐ ""
- ☒ loc is not defined
- ☐ None of the above

Ans: C

2.

localStorage data type

- ☒ object
- ☐ array

Ans: A

3.

```
class A{  
  n1=10  
  n2=20  
  sum(){  
    console.log(this.n1+this["n2"]);  
  },  
}
```

Hi...Buddy

How can I help you ?

435 sec.

```
}  
const obj=new A()  
  
obj.sum()
```

- ☒ 30
☐ Error

Ans: A

4.
null+false

- ☒ 0
☐ 1
☐ ""
☐ None

Ans: A

5.
functional scope

- ☐ var
☒ let
☒ const

Ans: A

6.
const arr=[2,22,222]

var x=arr.includes(333)

x?

- ☐ -1
☐ true

Hi...Buddy

How can I help you ?

- ☐ 0
☒ false

435 sec.

Ans: D

7.

if array indexOf method returns negative number, it means element inside the array or not ?

- ☐ Yes
☒ No

Ans: A

8.

```
var a=10;
```

```
var b=20
```

```
a==20 || console.log("NIT");
```

is NIT print in console ?

- ☒ Yes
☐ No

Ans: A

9.

```
var loc;
```

```
loc.length
```

what is the error message?

- ☒ Cannot read property of undefined
☐ Cannot read property of null

Hi...Buddy

How can I help you ?

☐ None of the above

435 sec.

Ans: A

10.

```
function f1(){
```

```
}
```

```
function f2(){
```

```
}
```

f1()+f2() ?

☐ undefined

☒ NaN

☐ Error

☐ 0

Ans: B

11.

```
class A{
```

```
  constructor(){
```

```
    console.log("A")
```

```
  }
```

```
}
```

```
class B extends A{
```

```
  constructor(){
```

```
    console.log("B")
```

```
  }
```

```
}
```

```
var obj=new B()
```

Hi...Buddy

How can I help you ?

In the console, which message will print ?

435 sec.

- ☐ A
- ☐ B
- ☒ B and A
- ☐ Error

Ans: D

12.

```
(function(){  
  console.log("called")  
})();  
output?
```

- ☒ called
- ☐ Runtime Error
- ☐ Syntax Error
- ☐ None of the above

Ans: A

13.

Below which methods are inside localstoreage ?

- ☒ setItem
- ☒ getItem
- ☒ removeItem
- ☒ clear

Ans: ABCD

14.

```
function f1(){  
  const n1=n2=100
```

Hi...Buddy

How can I help you ?

435 sec.

```
}  
f1()  
console.log(n1)  
output ?
```

- ☐ 0
- ☐ 100
- ☒ n1 is not defined
- ☐ ""

Ans: C

15.

```
function A(){  
  console.log("A");  
  this.n1=10  
  this.n2=20  
}  
var obj=new A()  
what message print in the console ?
```

- ☐ undefined
- ☐ null
- ☒ A
- ☐ Error

Ans: C

16.

is syntax is same for insert and update the data inside the JSON object ?

- ☐ No
- ☒ Yes

Ans: B

Hi...Buddy

How can I help you ?

435 sec.

17.

To send request from client to server , what mandatory inputs are required ?

- ☒ url
- ☒ request method
- ☐ request headers

Ans: AB

18.

```
function f1(){  
  let n1=10  
  if(true){  
    console.log(n1)  
  }  
}  
f1()  
output ?
```

- ☐ 0
- ☐ ""
- ☐ n1 is not defined
- ☒ 10

Ans: D

19.

Below which methods inside the document returns element object ?

- ☐ querySelectorAll
- ☒ querySelector
- ☒ getElementById
- ☐ getElementsByTagName

Hi...Buddy

How can I help you ?

Ans: BC

435 sec.

20.

How many ways can pass asynchronous action results back to caller ?

- ☒ callbacks
- ☒ promises
- ☒ observable
- ☐ class

Ans: ABC

WRITE AGAIN

Hi...Buddy

How can I help you ?