

Write Test

164 sec.

[Home](#) [Write Test](#) [Write Program](#) [Result](#) [Change](#)[Password](#) [Logout](#)

1.

How we can prevent component unwanted rerenderings ?

- ☒ React.memo
- ☐ React.useMemo
- ☐ React.useCallback
- ☐ React.useTransision

Ans: A

2.

React Hooks are introduced for which components ?

- ☐ class
- ☒ function

Ans: B

3.

Can we forward reference(useRef()) one component to another component?

- ☒ Yes
- ☐ No

Ans: A

4.

Props are read only in react ?

Hi...Buddy
How can I help you ?

164 sec.

- ☒ Yes
☐ No

Ans: A

5.

In React, event name should be in the camelCase ?

- ☒ Yes
☐ No

Ans: A

6.

How we can pass the data from child component to parent component ?

- ☒ callbacks
☐ props
☐ refs
☐ updater

Ans: A

7.

```
const App={()=>{
```

```
}
```

App() - App is a function

new App() - App is a class

<App />- App is a ?

- ☐ function
☐ class
☒ component

Ans: C

Hi...Buddy
How can I help you ?

164 sec.

8.

Using which method we can get the forwarded reference ?

- ☐ React.getRef
☒ React.forwardRef

Ans: B

9.

```
React.useEffect(()=>
  },[cnt])
```

In the above code snippet, when the callback method called ?

- ☒ in mounting phase
☒ for every cnt state variable value updationn
☐ for any state variable updation
☐ Above All

Ans: AB

10.

Below which statement is valid ?

- ☒ useCallback works at function level
☒ useMemo works at variable level
☒ React.memo works at component level
☒ useState used to manage the state of the variable at application level

Ans: ABC

11.

Below which statement is valid

- ☒ using useReducer hook, we can manage the state at application level
☒ using useReducer hook, we can manage the state at component level

Hi...Buddy
How can I help you ?

☒ using useContext we can consume the data from context

164 sec.

Ans: ABCD

12.

const myRef=React.useRef(100)

myRef.current ?

- ☐ undefined
- ☒ 100
- ☐ null
- ☐ Error

Ans: B

13.

is JSX code will compile ?

- ☒ Yes
- ☐ No

Ans: A

14.

fetch method return type ?

- ☒ Promise Object
- ☐ Number
- ☐ Function
- ☐ Array

Ans: A

15.

Hi...Buddy
How can I help you ?

In React event handler method called by passing one argument , what is the argument? **164 sec.**

- ☐ array
- ☐ number
- ☒ SyntheticBaseEvent
- ☐ None of the above

Ans: C

16.

```
const App=({name})=>{  
  return <div>{name.length}</div>  
}  
App.defaultProps={  
  name:"UV"  
}  
<App name="Sachin" />
```

- ☐ 0
- ☐ 2
- ☒ 6

Ans: C

17.

Below using which hook, we can manage the state at application level ?

- ☐ useState
- ☐ useRef
- ☒ useReducer
- ☐ useMemo

Ans: C

Hi...Buddy
How can I help you ?

18.

Why we go for redux ?

164 sec.

- ☒ statemanagement at application level
- ☐ statemanagement at component level

Ans: A

19.

Below which hook we used to handle lifecycle phases in React ?

- ☐ useState
- ☒ useEffect
- ☐ useRef
- ☐ useMemo

Ans: B

20.

How we can hold the data which is coming from outside to the component ?

- ☐ refs
- ☒ props
- ☐ context
- ☐ updater

Ans: B

WRITE AGAIN

Hi...Buddy
How can I help you ?