

# Write Test

407 sec.

[Home](#) [Write Test](#) [Write Program](#) [Result](#) [Change](#)

[Password](#) [Logout](#)

1.

Promise can emit Multiple values ?

- ☐ Yes  
☒ No

**Ans: B**

2.

```
setTimeout(()=>{  
  console.log("Hello");  
},10000)
```

when "Hello" text will print inside the console ?

- ☐ after 1sec  
☒ after 10sec  
☐ Immediatly  
☐ after 10min

**Ans: B**

3.

```
var arr=[22,33,44,55]
```

```
arr.map((val)=>{  
  return val>35  
})
```

?

407 sec.

- ☒ [false, false, true, true]
- ☐ [22,33,44,55]
- ☐ None Of the Above

**Ans: A**

4.

is syntax is same for insert and update the data inside the JSON object ?

- ☐ No
- ☒ Yes

**Ans: B**

5.

```
class A{  
  n1=10;  
  n2=20;  
  constructor(){  
    console.log("A")  
  }  
}
```

var obj=new A();

In the console , which message will print ?

- ☒ A
- ☐ undefined
- ☐ null
- ☐ Error

**Ans: A**

6.

407 sec.

```
var a1=[1,2,3]
var a2=[5,6,7]
var a3=[...a1,...a2]
console.log(a3)
```

output in console ?

- ☐ Invalid syntax
- ☒ [1,2,3,5,6,7]
- ☐ [1,2,3,5]
- ☐ [1,5,6,7]

**Ans: B**

7.

Lexical scope is owns the parent scope ?

- ☒ Yes
- ☐ No

**Ans: A**

8.

How to reload the page

- ☐ location.refresh
- ☒ location.reload

**Ans: B**

9.

array forEach return type

- ☐ number
- ☐ array
- ☐ string
- ☒ not return anything

Ans: D

407 sec.

10.

In the developer console window if we execute

loc

what is the output

- ☐ null
- ☐ ""
- ☒ loc is not defined
- ☐ None of the above

Ans: C

11.

Default value for the variable in JavaScript?

- ☒ undefined
- ☐ null
- ☐ 0
- ☐ ""

Ans: A

12.

```
try{  
    console.log(1);  
    var loc;  
    console.log(loc.length)  
}catch(e){  
    console.log("catch");  
}
```

407 sec.

```
finally{  
  console.log("finally")  
}
```

output in console. ?

- ☒ 1 catch finally
- ☐ 1 finally
- ☐ catch finally
- ☐ catch finally 1

**Ans: A**

13.

```
function f1(){  
  function f2(){  
    console.log(10)  
  }  
  return f2()  
}
```

var x=f1()

x value is

- ☐ 10
- ☒ undefined
- ☐ Error

**Ans: B**

14.

```
var arr=[22,33,44,55]
```

```
arr.filter((val)=>{  
  return val>35
```

407 sec.

})

?

- ☒ [44,55]
- ☐ 44,55
- ☐ Error

**Ans: A**

15.

true || true = true

true || false = true

false || true = true

false || false =false

is above Statements are correct ?

- ☒ Yes
- ☐ No

**Ans: A**

16.

var arr=[22,33,44,55]

var val=arr.splice(1,1)

val ?

- ☐ [1]
- ☐ [33]
- ☐ undefined
- ☒ [22,44,55]

Ans: B

407 sec.

17.

in JavaScript Promise is which type

- ☐ function
- ☒ functional class

Ans: B

18.

const regEx=/^[0-9]{10}\$/

above express matches which pattern ?

- ☐ 3223322323
- ☒ 3223322323abcd
- ☐ 322332abcd

Ans: A

19.

JavaScript is a dynamically typed programming Language?

- ☒ Yes
- ☐ No

Ans: A

20.

```
var a="";  
if(a){  
  console.log("statements");  
}
```

statements printed or not ?

407 sec.

- ☒ No  
☐ Yes

Ans: A

WRITE AGAIN