

Write Test

198 sec.

[Home](#) [Write Test](#) [Write Program](#) [Result](#) [Change](#)

[Password](#) [Logout](#)

1.

In React component JSX can we apply inline style using below syntax

JSX:

```
<div style="color:red">Sachin</div>
```

☐ Yes

☒ No

Ans: B

2.

```
const App=({name})=>{  
  return <div>{name.length}</div>  
}  
App.defaultProps={  
  name:"UV"  
}  
<App name="Sachin" />
```

☐ 0

☐ 2

☒ 6

Ans: C

3.

How we can prevent component unwanted rerenderings ?

198 sec.

- ☒ React.memo
- ☐ React.useMemo
- ☐ React.useCallback
- ☐ React.useTransition

Ans: A

4.

useRef hook return type ?

- ☒ object
- ☐ array
- ☐ number
- ☐ string

Ans: A

5.

useState hook takes maximum how many arguments ?

- ☐ 0
- ☒ 1
- ☐ 2
- ☐ 3

Ans: B

6.

In React event handler should a function or function call ?

- ☒ function
- ☐ function call

Ans: A

7.

In React event handler method called by passing one argument , what is the argument? **198 sec.**

- ☐ array
- ☐ number
- ☒ SyntheticBaseEvent
- ☐ None of the above

Ans: C

8.

How we can pass the data from child component to parent component ?

- ☒ callbacks
- ☐ props
- ☐ refs
- ☐ updater

Ans: A

9.

All hooks in react are which type ?

- ☐ number
- ☒ function
- ☐ array
- ☐ object

Ans: B

10.

While loading the component, how many ways we can pass the data ?

`<App></App >`

- ☒ as a children
- ☒ as an attribute
- ☐ as a props
- ☐ as a callback

Ans: AB

198 sec.

11.

useState hook return type ?

- ☐ number
- ☒ array
- ☐ object
- ☐ string

Ans: B

12.

const myRef=React.useRef(100)

myRef.current ?

- ☐ undefined
- ☒ 100
- ☐ null
- ☐ Error

Ans: B

13.

const [data,setData]=React.useState(0);

Can we pass function as an argument to setData function ?

- ☐ No
- ☒ Yes

Ans: B

14.

Can we forward reference(useRef()) one component to another component?

198 sec.

- ☒ Yes
- ☐ No

Ans: A

15.

We can pass the data from parent to all direct or indirect childrens using context API?

- ☒ Yes
- ☐ No

Ans: A

16.

React.useRef() returns one object, which contains which default property.

- ☐ name
- ☐ ref
- ☒ current
- ☐ value

Ans: C

17.

How we can come to know the performance of react component

- ☒ using Profiler
- ☐ using Portal

Ans: A

18.

How we can prepare the templates in React ?

198 sec.

- ☒ using components
- ☐ using classes
- ☐ using functions

Ans: A

19.

```
React.useEffect(()=>
{
})
```

In the above code snippet, when the callback method called ?

- ☒ in Mounting phase
- ☒ In Updating phase
- ☐ in unmouting phase
- ☐ Above All

Ans: AB

20.

fetch method return type ?

- ☒ Promise Object
- ☐ Number
- ☐ Function
- ☐ Array

Ans: A

WRITE AGAIN