Write Test

292 sec.

Home Write Test Write Program Result Change

Password Logout

```
1.
using which method we can create new element?

document.newElement
document.createElement
document.element
Ans: B
```

```
2.
function A(){
this.n1=10:
this.n2=20;
this.sum=function(){
 console.log(this.n1+this.n2);
}
}
A.prototype.sub=function(){
console.log(this.n1-this.n2)
}
var obj=new A();
obj.sub()
Error
-10
                                                          Hi...Buddy
○ NaN
Ans: B
                                                          How can I help you?
```

3. 292 sec.

In JavaScript Overriding will work or not?

```
yes no
```

Ans: A

```
4.
var arr=[22,33,44,55]

arr.find((val)=>{
  return val>35
})

?

44
44,55
[44,55]
Ans: A
```

```
5.
f1()

function f1(){
  console.log("called");
}

what is output

error
  called

Ans: B

Hi...Buddy
How can I help you?
```

6.

Below which methods are inside document object

getElementById
getId
querySelector
getDocument

Ans: AC

```
7.
Can we set the expiry time for the cookies?

No
Yes

Ans: B
```

```
8.
function fn(){
  console.log(this)
}
fn.call({x:10})
output in console is ?

  window
  document
  Error
  {x:10}
Ans: D
```

9.

Hi...Buddy
How can I help you?

```
function fn(n1,n2){
  console.log(n1+n2);
}
fn(10)

output ?

NaN

undefined

10
Error

Ans: A
```

```
function fn(){
  return [10,20]
}
const [a,b]=fn()
a value ?

Invalid syntax
a is not defined
10
b is not defined

Ans: C
```

Immediatly
after 10min

Ans: B

292 sec.

```
12.
class A{
constructor(){
 console.log("A")
}
class B extends A{
}
var obj=new B()
In the console, which message will print?
Error
A
undefined
None of the above
Ans: B
```

```
13.
array join method return type?

string
array
number
object
Ans: A
```

Hi...Buddy
How can I help you?

```
const obj=new Promise(function(a,b){
    a(100)
    b(20)
})
const res=await obj;
res ?

100
20
Error
undefined
Ans: A
```

```
15.

var arr=[1,2,3]

arr.push(4,5,6)

arr?

[1,2,3,4,5,6]
[1,2,3]
[4,5,6]
[4,5,6,1,2,3]

Ans: A
```

```
16.

const obj=new Promise((a,b)=>{
    a(100)
})

obj

then((data)=>{
    Hi...Buddy
How can I help you?
```

Write Test

```
})
catch((data)=>{
console.log("catch",data)
})
finally(()=>{
console.log("finally")
})

output in console?

then,100 and finally
catch,100 and finally
then,100
catch,100
Ans: A

292 sec.
292 sec.
292 sec.
292 sec.
292 sec.
293 sec.
294 sec.
295 sec.
296 sec.
297 sec.
298 sec.
299 sec.
290 sec
```

```
17.

console.log(1)

setTimeout(()=>{

console.log(2)

},0)

console.log(3)

output order in console

123

132

321

312

Ans: B
```

18.

Hi...Buddy
How can I help you?

```
function f1(){
    let n1=n2=100
}
f1()
console.log(n2)
output ?

    0
    100
    ""
    n2 is not defined
Ans: B
```

```
19.
var a=[]
if(a){
console.log("statements");
}
statements printed or not ?

No
Yes
Ans: B
```

```
20.
function f1(){
  if(true){
    const n1=10;
  }
console.log(n1)
}
```

f1()
output ?

10
0

WRITE AGAIN

Ans: D

n1 is not defined

Hi...Buddy
How can I help you?