Dalen of the hand loutily off to see off.

Greated Virtual Machine with the

Procedure:

Procedure:

Open Created Virtual Machine, which was done

Make Sure your Virtual machine is shut

down and not running.

the Virtual machine you want to modify from the list of Virtual machines.

meny.

To the "Settings" Window, click on the "Systems" tab on the left-hand side:

Linder the "Motherboard" tab, you can modify the amount of RAM to 1098 that is allocated to your Virtual machine by siding the "Base Memory" Slider or entering the Value 2598 manually in the text box.

the "storage" Hab on the lett-hand side of the "Settings" Window.

Select the Virtual hard disk you want to modify from the list of storage devices, and click on the "Attributes" button.

-> In the "Attributes" Window, You can modify the size of the Virtual hard disk by sliding the "size" slider or entering the ville manually ! the text box. -> After making your desired changes, who diek "ok" to save your modifications. That's 'y low changed to the BAM and storage for your Virtual machine Should now be reflected the next fime Gyou start the Wirtual Machine . 1990 00 the Virtual machine you within to machines singling got Sannapaneni Pavan; V Devices , NoboriN "Mennory: 9.198. Memory : 9.268 Processors:2 processors: 2 broodradtold | adt rabel -- SPOI of MAS to theore with the home +lard Disk (scs1): 4 9B. Netword Adaptor: NAT Virtual Machine sound Card : Auto détect / Délails Display: - Auto detect States: Powered of no spile de bron loulity configuration file : of 12 bound 15 of tardware Compatibility : Mobile premary CP address to Result: Using VMware Workstation pro, We Successfully Modified (to) RAM and Blorage of Created Virlual Machine

