

logistic Regression 3

In [1]:

```
import numpy as np
import pandas as pd
from sklearn import preprocessing
import matplotlib.pyplot as plt
# plt.rc("font", size=14)
import seaborn as sns
sns.set(style="white") #white background style for seaborn plots
sns.set(style="whitegrid", color_codes=True)
import warnings
warnings.simplefilter(action='ignore')
```

In [2]:

```
train_df = pd.read_csv(r"C:\Users\sowmika\Downloads\train.gender_submission.csv")
train_df
```

Out[2]:

PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fa
0	1	0	3Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171	7.25
1	2	1	1Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	0	PC 17599	71.28
2	3	1	3Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282	7.92
3	4	1	1Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803	53.10
4	5	0	3Allen, Mr. William Henry	male	35.0	0	0	373450	8.05
...
886	887	0	2Montvila, Rev. Juozas	male	27.0	0	0	211536	13.00
887	888	1	1Graham, Miss. Margaret Edith	female	19.0	0	0	112053	30.00
888	889	0	3Johnston, Miss. Catherine Helen "Carrie"	female	NaN	1	2	W./C. 6607	23.45
889	890	1	1Behr, Mr. Karl Howell	male	26.0	0	0	111369	30.00
890	891	0	3Dooley, Mr. Patrick	male	32.0	0	0	370376	7.75

891 rows × 12 columns



In [3]:

```
test_df = pd.read_csv(r"C:\Users\sowmika\Downloads\test.gender_submission.csv")
test_df
```

Out[3]:

	PassengerId	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cat
0	892	3	Kelly, Mr. James	male	34.5	0	0	330911	7.8292	N
1	893	3	Wilkes, Mrs. James (Ellen Needs)	female	47.0	1	0	363272	7.0000	N
2	894	2	Myles, Mr. Thomas Francis	male	62.0	0	0	240276	9.6875	N
3	895	3	Wirz, Mr. Albert	male	27.0	0	0	315154	8.6625	N
4	896	3	Hirvonen, Mrs. Alexander (Helga E Lindqvist)	female	22.0	1	1	3101298	12.2875	N
...
413	1305	3	Spector, Mr. Woolf	male	NaN	0	0	A.5. 3236	8.0500	N
414	1306	1	Oliva y Ocana, Dona. Fermina	female	39.0	0	0	PC 17758	108.9000	C1
415	1307	3	Saether, Mr. Simon Sivertsen	male	38.5	0	0	SOTON/O.Q. 3101262	7.2500	N
416	1308	3	Ware, Mr. Frederick	male	NaN	0	0	359309	8.0500	N
417	1309	3	Peter, Master. Michael J	male	NaN	1	1	2668	22.3583	N

418 rows × 11 columns

In [4]:

```
train_df.shape
```

Out[4]:

(891, 12)

In [5]:

```
test_df.shape
```

Out[5]:

```
(418, 11)
```

In [6]:

```
train_df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 891 entries, 0 to 890
Data columns (total 12 columns):
#   Column          Non-Null Count  Dtype
---  -
0   PassengerId      891 non-null    int64
1   Survived         891 non-null    int64
2   Pclass          891 non-null    int64
3   Name             891 non-null    object
4   Sex              891 non-null    object
5   Age              714 non-null    float64
6   SibSp            891 non-null    int64
7   Parch           891 non-null    int64
8   Ticket           891 non-null    object
9   Fare             891 non-null    float64
10  Cabin            204 non-null    object
11  Embarked         889 non-null    object
dtypes: float64(2), int64(5), object(5)
memory usage: 83.7+ KB
```

In [7]:

```
test_df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 418 entries, 0 to 417
Data columns (total 11 columns):
#   Column          Non-Null Count  Dtype
---  -
0   PassengerId      418 non-null    int64
1   Pclass           418 non-null    int64
2   Name             418 non-null    object
3   Sex              418 non-null    object
4   Age              332 non-null    float64
5   SibSp            418 non-null    int64
6   Parch           418 non-null    int64
7   Ticket           418 non-null    object
8   Fare             417 non-null    float64
9   Cabin            91 non-null     object
10  Embarked         418 non-null    object
dtypes: float64(2), int64(4), object(5)
memory usage: 36.0+ KB
```

To Find The Missing Values

In [8]:

```
train_df.isnull().sum()
```

Out[8]:

```
PassengerId      0
Survived          0
Pclass           0
Name             0
Sex              0
Age             177
SibSp            0
Parch           687
Ticket           0
Fare             0
Cabin           687
Embarked         2
dtype: int64
```

In [9]:


```
test_df.isnull().sum()
```

Out[9]:

```
PassengerId      0
Pclass           0
Name             0
Sex              0
Age             86
SibSp            0
Parch           327
Ticket           0
Fare             1
Cabin           327
Embarked         0
dtype: int64
```

In [10]:

```
ax = train_df["Age"].hist(bins=15, density=True, stacked=True, color='cyan', alpha=0.6)
train_df["Age"].plot(kind='density', color='teal')
ax.set(xlabel='Age')
plt.xlim(-10,85)
plt.show()
```



In [11]:

```
print(train_df["Age"].mean(skipna=True))
print(train_df["Age"].median(skipna=True))
```

```
29.69911764705882
28.0
```

In [12]:

```
print((train_df['Cabin'].isnull().sum()/train_df.shape[0]*100))
```

```
77.10437710437711
```

In [13]:

```
print((train_df['Embarked'].isnull().sum()/train_df.shape[0]*100))
```

```
0.22446689113355783
```

In [14]:

```
print('Boarded passengers grouped by port of embarkation (C = Cherbourg, Q = Queenstown, S = Southampton)')
print(train_df['Embarked'].value_counts())
sns.countplot(x='Embarked', data=train_df, palette='Set2')
plt.show()
```

Boarded passengers grouped by port of embarkation (C = Cherbourg, Q = Queenstown, S=Southampton):


Embarked

S 644

C 168

Q 77

Name: count, dtype: int64



In [15]:

```
train_data = train_df.copy()
train_data["Age"].fillna(train_df["Age"].median(skipna=True), inplace=True)
train_data["Embarked"].fillna(train_df['Embarked'].value_counts().idxmax(), inplace=True)
train_data.drop('Cabin', axis=1, inplace=True)
```

In [16]:

```
train_data.isnull().sum()
```

Out[16]:

```
PassengerId    0
Survived        0
Pclass          0
Name            0
Sex             0
Age            0
SibSp           0
Parch           0
Ticket          0
Fare            0
Embarked        0
dtype: int64
```

In [17]:

```
train_data.head()
```


Out[17]:

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare
0	1	0	3	Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171	7.2500
1	2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	0	PC 17599	71.2833
2	3	1	3	Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282	7.9250
3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803	53.1000
4	5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450	8.0500



In [18]:

```
plt.figure(figsize=(15,8))
ax = train_df["Age"].hist(bins=15, density=True, stacked=True, color='teal', alpha=0.6)
train_df["Age"].plot(kind='density', color='teal')
ax = train_data["Age"].hist(bins=15, density=True, stacked=True, color='orange', alpha=0.6)
train_data["Age"].plot(kind='density', color='orange')
ax.legend(['Raw Age', 'Adjusted Age'])
ax.set(xlabel='Age')
plt.xlim(-10,85)
plt.show()
```



In [19]:

```
train_data['TravelAlone']=np.where((train_data["SibSp"]+train_data["Parch"])>0, 0, 1)
train_data.drop('SibSp', axis=1, inplace=True)
train_data.drop('Parch', axis=1, inplace=True)
```

In [20]:

```
#create categorical variables and drop some variables
training=pd.get_dummies(train_data, columns=["Pclass", "Embarked", "Sex"])
training.drop('Sex_female', axis=1, inplace=True)
training.drop('PassengerId', axis=1, inplace=True)
training.drop('Name', axis=1, inplace=True)
training.drop('Ticket', axis=1, inplace=True)
final_train = training
final_train.head()
```

Out[20]:

	Survived	Age	Fare	TravelAlone	Pclass_1	Pclass_2	Pclass_3	Embarked_C	Embark
0	0	22.0	7.2500	0	False	False	True	False	
1	1	38.0	71.2833	0	True	False	False	True	
2	1	26.0	7.9250	1	False	False	True	False	
3	1	35.0	53.1000	0	True	False	False	False	
4	0	35.0	8.0500	1	False	False	True	False	

In [21]:

```
test_df.isnull().sum()
```

Out[21]:

```
PassengerId    0
Pclass         0
Name           0
Sex            0
Age           86
SibSp          0
Parch          0
Ticket         0
Fare           1
Cabin        327
Embarked       0
dtype: int64
```

In [22]:

```
test_data = test_df.copy()
test_data["Age"].fillna(train_df["Age"].median(skipna=True), inplace=True)
test_data["Fare"].fillna(train_df["Fare"].median(skipna=True), inplace=True)
test_data.drop('Cabin', axis=1, inplace=True)
test_data['TravelAlone']=np.where((test_data["SibSp"]+test_data["Parch"])>0, 0, 1)
test_data.drop('SibSp', axis=1, inplace=True)
test_data.drop('Parch', axis=1, inplace=True)
testing = pd.get_dummies(test_data, columns=["Pclass", "Embarked", "Sex"])
testing.drop('Sex_female', axis=1, inplace=True)
testing.drop('PassengerId', axis=1, inplace=True)
testing.drop('Name', axis=1, inplace=True)
testing.drop('Ticket', axis=1, inplace=True)
final_test = testing
final_test.head()
```


Out[22]:

	Age	Fare	TravelAlone	Pclass_1	Pclass_2	Pclass_3	Embarked_C	Embarked_Q	Em
0	34.5	7.8292	1	False	False	True	False	True	
1	47.0	7.0000	0	False	False	True	False	False	
2	62.0	9.6875	1	False	True	False	False	True	
3	27.0	8.6625	1	False	False	True	False	False	
4	22.0	12.2875	0	False	False	True	False	False	




In [23]:

```
plt.figure(figsize=(15,8))
ax = sns.kdeplot(final_train["Age"][final_train.Survived == 1], color="green", shade=True)
sns.kdeplot(final_train["Age"][final_train.Survived == 0], color="lightcoral", shade=True)
plt.legend(['Survived', 'Died'])
plt.title('Density Plot of Age for Surviving Population and Deceased Population')
ax.set(xlabel='Age')
plt.xlim(-10,85)
plt.show()
```



In [24]:

```
plt.figure(figsize=(20,8))
avg_survival_byage = final_train[["Age", "Survived"]].groupby(['Age'], as_index=False).m
g = sns.barplot(x='Age', y='Survived', data=avg_survival_byage, color="LightSeaGreen")
plt.show()
```



In [25]:

```
final_train['IsMinor']=np.where(final_train['Age']<=16, 1, 0)
print(final_train['IsMinor'])
```

```
0      0
1      0
2      0
3      0
4      0
..
886    0
887    0
888    0
889    0
890    0
```

Name: IsMinor, Length: 891, dtype: int32

In [26]:


```
final_test['IsMinor']=np.where(final_test['Age']<=16, 1, 0)
print(final_test['IsMinor'])
```

```
0      0
1      0
2      0
3      0
4      0
..
413    0
414    0
415    0
416    0
417    0
```

Name: IsMinor, Length: 418, dtype: int32


In [27]:

```
sns.barplot(x='TravelAlone', y='Survived', data=final_train, color="mediumturquoise")  
plt.show()
```



In [29]:

```
import seaborn as sns
import matplotlib.pyplot as plt
# Assuming 'train_df' is your DataFrame containing the data
sns.barplot(x='Sex', y='Survived', data=train_df, color='aquamarine')
plt.show()
```



In []: