

(Columns 1-4 of 5)

#	time	Computer	User	ParentImage
1	2026-06-15 12:41:43.584		NOT_TRANSLATED WINDOWS10\pavani	C:\ Windows\ System32\ cmd.exe
2	2026-06-15 12:41:36.794		NOT_TRANSLATED WINDOWS10\pavani	C:\ Windows\ System32\Wi ndowsPowerS hellv1.0\ powershell. exe
3	2026-06-15 12:41:31.408		NOT_TRANSLATED WINDOWS10\pavani	C:\ Windows\ System32\Wi ndowsPowerS hellv1.0\ powershell. exe
4	2026-06-15 12:41:25.481		NOT_TRANSLATED WINDOWS10\pavani	C:\ Windows\ System32\Wi ndowsPowerS hellv1.0\ powershell. exe
5	2026-06-15 10:58:28.593		NOT_TRANSLATED WINDOWS10\pavani	C:\ Windows\ System32\ wscript.exe
6	2026-06-14 16:27:53.099		NOT_TRANSLATED WINDOWS10\pavani	C:\ Windows\ System32\ cmd.exe
7	2026-06-14 16:27:45.130		NOT_TRANSLATED WINDOWS10\pavani	C:\ Windows\ System32\Wi ndowsPowerS hellv1.0\ powershell. exe
8	2026-06-14 16:27:38.559		NOT_TRANSLATED WINDOWS10\pavani	C:\ Windows\ System32\Wi ndowsPowerS hellv1.0\ powershell. exe
9	2026-06-14 16:27:32.242		NOT_TRANSLATED WINDOWS10\pavani	C:\ Windows\ System32\Wi ndowsPowerS hellv1.0\ powershell. exe

(Column 5 of 5)

#	CommandLine
1	powershell.exe -e JgAgACgAZwBjAG0AIAAoAccAaQBIHsAMAB9ACcAIAAiAGYAlAAAnAHg AJwApACkAIAAoACIAVwByACIAKwAiAGkAdAAiACsAlgBIAC0ASAAiACsAlgBvAHMAdAAgACcASA AiACsAlgBIAGwAlgArACIAbABvACwAIABmAHIAIgArACIAbwBtACAAUAAiACsAlgBvAHcAlgArACIA ZQByAFMAIgArACIAaAAiACsAlgBIAGwAbAAhACcAlgApAA==
2	"powershell.exe" & {Out-ATHPowerShellCommandLineParameter - CommandLineSwitchType Hyphen -EncodedCommandParamVariation E - UseEncodedArguments -EncodedArgumentsParamVariation EncodedArguments -Execute - ErrorAction Stop}
3	"powershell.exe" & {Out-ATHPowerShellCommandLineParameter - CommandLineSwitchType Hyphen -EncodedCommandParamVariation E -Execute - ErrorAction Stop}
4	"powershell.exe" & {Out-ATHPowerShellCommandLineParameter - CommandLineSwitchType Hyphen -CommandParamVariation C -UseEncodedArguments - EncodedArgumentsParamVariation EA -Execute -ErrorAction Stop}
5	"C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe" -command \$ net_adapter=(Get-NetAdapter -IncludeHidden); \$output= (\$net_adapter); \$ output += (\$net_adapter fl *); \$output += (Get- NetAdapterAdvancedProperty fl); \$net_adapter_bindings=(Get-NetAdapterBinding - IncludeHidden); \$output += (\$net_adapter_bindings); \$output += (\$ net_adapter_bindings fl); \$output += (Get-NetIpConfiguration -Detailed); \$ output += (Get-DnsClientNrptPolicy); \$output += (Resolve-DnsName bing.com); \$output += (ping bing.com -4); \$output += (ping bing.com -6); \$ output += (Test-NetConnection bing.com -InformationLevel Detailed); \$output + = (Test-NetConnection bing.com -InformationLevel Detailed -CommonTCPPort HTTP) ; \$output += (Get-NetRoute); \$output += (Get-NetIPaddress); \$output + = (Get-NetLbfoTeam); \$output += (Get-Service -Name:VMMS); \$output + = (Get-VMSwitch); \$output += "(Get-VMNetworkAdapter -all)"; \$output + = (Get-DnsClientNrptPolicy); \$output += (Get-WindowsOptionalFeature -Online) ; \$output += (Get-Service fl); \$pnp_devices = (Get-PnpDevice); \$ output += (\$pnp_devices); \$output += (\$pnp_devices Get- PnpDeviceProperty -KeyName DEVPKEY_Device_InstanceId, DEVPKEY_Device_DevNodeStatus,DEVPKEY_Device_ProblemCode); \$output Out-File configPowershellInfo.log
6	powershell.exe -e JgAgACgAZwBjAG0AIAAoAccAaQBIHsAMAB9ACcAIAAiAGYAlAAAnAHg AJwApACkAIAAoACIAVwByACIAKwAiAGkAdAAiACsAlgBIAC0ASAAiACsAlgBvAHMAdAAgACcASA AiACsAlgBIAGwAlgArACIAbABvACwAIABmAHIAIgArACIAbwBtACAAUAAiACsAlgBvAHcAlgArACIA ZQByAFMAIgArACIAaAAiACsAlgBIAGwAbAAhACcAlgApAA==
7	"powershell.exe" & {Out-ATHPowerShellCommandLineParameter - CommandLineSwitchType Hyphen -EncodedCommandParamVariation E - UseEncodedArguments -EncodedArgumentsParamVariation EncodedArguments -Execute - ErrorAction Stop}
8	"powershell.exe" & {Out-ATHPowerShellCommandLineParameter - CommandLineSwitchType Hyphen -EncodedCommandParamVariation E -Execute - ErrorAction Stop}
9	"powershell.exe" & {Out-ATHPowerShellCommandLineParameter - CommandLineSwitchType Hyphen -CommandParamVariation C -UseEncodedArguments - EncodedArgumentsParamVariation EA -Execute -ErrorAction Stop}

(Columns 1-4 of 5)

#	time	Computer	User	ParentImage
10	2026-06-14 16:23:07.256		NOT_TRANSLATED WINDOWS10\pavani	C:\ Windows\ System32\ wscript.exe

(Column 5 of 5)

#	CommandLine
10	"C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe" -command \$net_adapter=(Get-NetAdapter -IncludeHidden); \$output+= (\$net_adapter); \$output += (\$net_adapter fl *); \$output += (Get-NetAdapterAdvancedProperty fl); \$net_adapter_bindings=(Get-NetAdapterBinding -IncludeHidden); \$output += (\$net_adapter_bindings); \$output += (\$net_adapter_bindings fl); \$output += (Get-NetIpConfiguration -Detailed); \$output += (Get-DnsClientNrptPolicy); \$output += (Resolve-DnsName bing.com); \$output += (ping bing.com -4); \$output += (ping bing.com -6); \$output += (Test-NetConnection bing.com -InformationLevel Detailed); \$output += (Test-NetConnection bing.com -InformationLevel Detailed -CommonTCPPort HTTP); \$output += (Get-NetRoute); \$output += (Get-NetIPAddress); \$output += (Get-NetLBfoTeam); \$output += (Get-Service -Name:VMMS); \$output += (Get-VMSwitch); \$output += "(Get-VMNetworkAdapter -all)"; \$output += (Get-DnsClientNrptPolicy); \$output += (Get-WindowsOptionalFeature -Online); \$output += (Get-Service fl); \$pnp_devices = (Get-PnpDevice); \$output += (\$pnp_devices); \$output += (\$pnp_devices Get-PnpDeviceProperty -KeyName DEVPKEY_Device_InstanceId, DEVPKEY_Device_DevNodeStatus, DEVPKEY_Device_ProblemCode); \$output Out-File config\PowershellInfo.log

MITRE_T1003_LSASS_Credential_Dumping

No results found.

Suspicious Encoded Powershell Execution - T1059.001

Suspicious Encoded Powershell Execution - T1059.001 (Columns 1-4 of 5)

#	time	Computer	User	ParentImage
1	2026-06-15 12:41:43.584		NOT_TRANSLATED WINDOWS10\pavani	C:\Windows\System32\cmd.exe
2	2026-06-15 12:41:36.794		NOT_TRANSLATED WINDOWS10\pavani	C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe
3	2026-06-15 12:41:31.408		NOT_TRANSLATED WINDOWS10\pavani	C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe
4	2026-06-15 12:41:25.481		NOT_TRANSLATED WINDOWS10\pavani	C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe

Suspicious Encoded Powershell Execution - T1059.001 (Column 5 of 5)

#	CommandLine
1	powershell.exe -e JgAgACgAZwBjAG0AIAAoACcAaQBIAHsAMAB9ACcAIAAIAAGYAIAAnAHg AJwApACkAIAAoACIAVwByACIAKwAiAGkAdAAIACsAlgBIAC0ASAAIACsAlgBvAHMAAdAAgACcASA AIAcSAlgBIAGwAlgArACIAbABvACwAIABmAHIAIgArACIAbwBtACAAUAAIACsAlgBvAHcAlgArACIA ZQByAFMAIgArACIAaAAIACsAlgBIAGwAbAAhACcAlgApAA==
2	"powershell.exe" & {Out-ATHPowerShellCommandLineParameter - CommandLineSwitchType Hyphen -EncodedCommandParamVariation E - UseEncodedArguments -EncodedArgumentsParamVariation EncodedArguments -Execute - ErrorAction Stop}
3	"powershell.exe" & {Out-ATHPowerShellCommandLineParameter - CommandLineSwitchType Hyphen -EncodedCommandParamVariation E -Execute - ErrorAction Stop}
4	"powershell.exe" & {Out-ATHPowerShellCommandLineParameter - CommandLineSwitchType Hyphen -CommandParamVariation C -UseEncodedArguments - EncodedArgumentsParamVariation EA -Execute -ErrorAction Stop}

Suspicious Encoded Powershell Execution - T1059.001 (Columns 1-4 of 5)

#	time	Computer	User	ParentImage
5	2026-06-15 10:58:28.593		NOT_TRANSLATED WINDOWS10\pavani	C:\ Windows\ System32\ wscript.exe
6	2026-06-14 16:27:53.099		NOT_TRANSLATED WINDOWS10\pavani	C:\ Windows\ System32\ cmd.exe
7	2026-06-14 16:27:45.130		NOT_TRANSLATED WINDOWS10\pavani	C:\ Windows\ System32\Wi ndowsPowerS hellv1.0\ powershell. exe
8	2026-06-14 16:27:38.559		NOT_TRANSLATED WINDOWS10\pavani	C:\ Windows\ System32\Wi ndowsPowerS hellv1.0\ powershell. exe
9	2026-06-14 16:27:32.242		NOT_TRANSLATED WINDOWS10\pavani	C:\ Windows\ System32\Wi ndowsPowerS hellv1.0\ powershell. exe

2026-06-15 14:50:20 India Standard Time

Suspicious Encoded Powershell Execution - T1059.001 (Column 5 of 5)

#	CommandLine
	"C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe" -command \$net_adapter=(Get-NetAdapter -IncludeHidden); \$output= (\$net_adapter); \$output += (\$net_adapter fl *); \$output += (Get-NetAdapterAdvancedProperty fl); \$net_adapter_bindings=(Get-NetAdapterBinding -IncludeHidden); \$output += (\$net_adapter_bindings); \$output += (\$net_adapter_bindings fl); \$output += (Get-NetIpConfiguration -Detailed); \$output += (Get-DnsClientNrptPolicy); \$output += (Resolve-DnsName bing.com); \$output += (ping bing.com -4); \$output += (ping bing.com -6); \$output += (Test-NetConnection bing.com -InformationLevel Detailed); \$output += (Test-NetConnection bing.com -InformationLevel Detailed -CommonTCPPort HTTP); \$output += (Get-NetRoute); \$output += (Get-NetIPAddress); \$output += (Get-NetLBfoTeam); \$output += (Get-Service -Name:VMMS); \$output += (Get-VMSwitch); \$output += "(Get-VMNetworkAdapter -all)"; \$output += (Get-DnsClientNrptPolicy); \$output += (Get-WindowsOptionalFeature -Online); \$output += (Get-Service fl); \$pnp_devices = (Get-PnpDevice); \$output += (\$pnp_devices); \$output += (\$pnp_devices Get-PnpDeviceProperty -KeyName DEVPKEY_Device_InstanceId, DEVPKEY_Device_DevNodeStatus,DEVPKEY_Device_ProblemCode); \$output Out-File config\PowershellInfo.log
5	powershell.exe -e JgAgACgAZwBjAG0AIAAoACcAaQBIAHsAMAB9ACcAIAAiAGYAIAAnAHgAJwApACkAIAAoACIAVwByACIAKwAiAGkAdAAiACsAlgBIAC0ASAAiACsAlgBvAHMAdAAgACcASAAiACsAlgBIAGwAlgArACIAbABvACwAIABmAHIAlgArACIAbwBtACAAUAiACsAlgBvAHcAlgArACIAZQByAFMAIgArACIAaAAiACsAlgBIAGwAbAAhACcAlgApAA==
7	"powershell.exe" & {Out-ATHPowerShellCommandLineParameter -CommandLineSwitchType Hyphen -EncodedCommandParamVariation E -UseEncodedArguments -EncodedArgumentsParamVariation EncodedArguments -Execute -ErrorAction Stop}
8	"powershell.exe" & {Out-ATHPowerShellCommandLineParameter -CommandLineSwitchType Hyphen -EncodedCommandParamVariation E -Execute -ErrorAction Stop}
9	"powershell.exe" & {Out-ATHPowerShellCommandLineParameter -CommandLineSwitchType Hyphen -CommandParamVariation C -UseEncodedArguments -EncodedArgumentsParamVariation EA -Execute -ErrorAction Stop}

Suspicious Encoded Powershell Execution - T1059.001 (Columns 1-4 of 5)

#	time	Computer	User	ParentImage
10	2026-06-14 16:23:07.256		NOT_TRANSLATED WINDOWS10\pavani	C:\Windows\System32\wscript.exe

Suspicious Encoded Powershell Execution - T1059.001 (Column 5 of 5)

#	CommandLine
10	<pre>"C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe" -command \$ net_adapter=(Get-NetAdapter -IncludeHidden); \$output= (\$net_adapter); \$ output += (\$net_adapter fl *); \$output += (Get- NetAdapterAdvancedProperty fl); \$net_adapter_bindings=(Get-NetAdapterBinding - IncludeHidden); \$output += (\$net_adapter_bindings); \$output += (\$ net_adapter_bindings fl); \$output += (Get-NetIpConfiguration -Detailed); \$ output += (Get-DnsClientNrptPolicy); \$output += (Resolve-DnsName bing.com); \$output += (ping bing.com -4); \$output += (ping bing.com -6); \$ output += (Test-NetConnection bing.com -InformationLevel Detailed); \$output + = (Test-NetConnection bing.com -InformationLevel Detailed -CommonTCPPort HTTP) ; \$output += (Get-NetRoute); \$output += (Get-NetIPaddress); \$output + = (Get-NetLbfoTeam); \$output += (Get-Service -Name:VMMS); \$output + = (Get-VMSwitch); \$output += "(Get-VMNetworkAdapter -all)"; \$output + = (Get-DnsClientNrptPolicy); \$output += (Get-WindowsOptionalFeature -Online) ; \$output += (Get-Service fl); \$pnp_devices = (Get-PnpDevice); \$ output += (\$pnp_devices); \$output += (\$pnp_devices Get- PnpDeviceProperty -KeyName DEVPKEY_Device_InstanceId, DEVPKEY_Device_DevNodeStatus,DEVPKEY_Device_ProblemCode); \$output Out-File config\PowershellInfo.log</pre>