ROVER/HIRE

Hire a rover. Check every move.

BUILT ON

Hedera™ x OG

HEDERA · X402 · HCS · ERC-8004


OG COMPUTE (TEE) · OG STORAGE

PAY IN USDC ON HEDERA · BASE · SOLANA

ROVER/HIRE

ARCHITECTURE · THE WHOLE SYSTEM

Hedera × 0G



1. **Claude hires a rover**
   You ask Claude for an inspection and say which chain pays: Hedera, Base or Solana. Its buyer agent finds the rovers listed on Hedera.

2. **Haggle, then log the deal**
   The buyer haggles with each rover's shop. Rover-A takes the deal; it goes on a Hedera topic.

3. **0G decides the move**
   The rover sends a camera frame to an AI in 0G's secure hardware. The answer comes back signed, and the rover checks the signature.

4. **Pay before it moves**
   Claude's wallet pays 0.015 USDC on the chain you chose, and the payment goes on a Hedera topic. The shop lets the rover make one move.

5. **The wheels turn**
   Brain, proof and money all hold, so the rover moves. Without any one of them, it stays still.

6. **Every step saved on 0G**
   Each step is saved to 0G Storage and its fingerprint is written on 0G's chain.


7. **Photos paid on delivery**
   The rover takes a photo of the right parcel. Claude pays 0.06 USDC and sees it in the chat.

8. **Anyone can check**
   The replay site re-checks every step, signature and payment, on whichever chain paid. Claude leaves a review on Hedera.

ROVER/HIRE

ON HEDERA · ERC-8004 · A2A · X402 · HCS · AGENT KIT

Hedera




USDC PAYMENT · SAVED RECORD · PAID PHOTO · MESSAGE · CHECKED · HEDERA

1. **Find rovers on ERC-8004**
   Claude's buyer agent reads Hedera's ERC-8004 registry: Rover-A (#137, real) and Rover-B (#138, simulated).
2. **Haggle over A2A**
   Rover-A asks 0.02 + 0.08 USDC and accepts 0.015 + 0.06. Rover-B asks too much and is declined.
3. **Log the deal on HCS**
   The deal summary goes on a public HCS topic, through the Hedera Agent Kit.
4. **402: pay to move**
   Before every move the shop answers HTTP 402 with the price. No payment, no move.
5. **x402 pays in USDC**
   The buyer signs a USDC transfer. Blocky402 settles it on Hedera and pays the HBAR fee. Base and Solana work the same way.
6. **Paid, so it moves**
   The shop sees the payment and gives the rover exactly one move.
7. **Public logs on HCS**
   The rover's money and the buyer's spending go on their own topics, whichever chain paid. Each message carries the last one's hash.
8. **Photos paid on delivery**
   A photo costs 0.06 USDC, paid only once it is delivered to Claude's chat.
9. **A review on ERC-8004**
   The buyer scores the rover on the reputation registry, with a payment as proof.
10. **Anyone can check**
    Every payment is public on the mirror node. The replay site checks each move was paid first.

ROVER/HIRE

ON 0G · COMPUTE (TEE) · STORAGE · GALILEO



1 **One frame in**
The rover sends one camera frame and a fresh nonce through 0G's router to an AI in a TEE.

2 **One signed move out**
The AI picks one move. The answer is sealed and signed inside Intel TDX hardware (TeeML).

3 **The rover checks the proof**
The rover reads the signer from 0G's mainnet registry. The signature must match, or nothing moves.

4 **Then it moves**
Only a signed, checked answer can turn the wheels (once the move is paid, on Hedera, Base or Solana).

5 **A blind number check**
Before a photo, 0G reads the parcel's number without being told which one is wanted.

6 **Every step becomes a record**
The frame's hash, the answer, its signature and the payment, chained to the record before.

7 **Saved on 0G Storage**
A batch goes to 0G Storage every minute; its root is anchored on 0G Galileo.


8 **Anyone can replay it**
The replay site downloads every batch, re-hashes it and checks every signature. Change one byte and it fails.

SIGNED ANSWER · CAMERA FRAME · SAVED RECORD · CHECKED · 0G

ROVER/HIRE

STATION-A ON HEDERA · ERC-8004 · X402 · HCS

Hedera



1 **Find Station-A on ERC-8004**
Claude's buyer agent reads the ERC-8004 registry. Station-A (#139) sells climate, light and motion readings, and its card names the key that signs them.

2 **402: pay to read**
The agent asks Station-A's shop for a reading. The shop answers HTTP 402 with the price: 0.001 USDC.

3 **x402 pays in USDC**
The buyer signs a 0.001 USDC transfer from Claude's wallet, on the chain you chose (Hedera, Base or Solana), and sends it with the request.

4 **The station reads and signs**
Only now does the shop ask the station. Station-A reads its sensors and signs the reading with its own key.

5 **Charged only on success**
The reading came back, so the payment settles on its chain. A failed or stale read answers an error and is never charged.

6 **The sale on HCS**
The sale goes on Station-A's public topic: the payment, the payer and the reading's hash. Each message carries the last one's hash.


7 **Checked, then delivered**
The agent checks the signature against Station-A's key, that the reading is fresh and possible, then shows it in Claude's chat.

8 **Anyone can check**
Every sale is public on the mirror node. The Station-A page re-checks the chain of sales, and each payment on the chain that paid it, in your browser.

ROVER/HIRE

PAY ON ANY CHAIN · HEDERA · BASE · SOLANA

Hedera × 0G



1 **Find who's for hire on Hedera**
Claude's buyer agent reads the ERC-8004 registry on Hedera. Each card lists where it can be paid: Hedera, Base and Solana. The buyer pays an address only if the shop names the same one.

2 **One 402, three ways to pay**
The shop answers HTTP 402 with the same price on all three chains, all USDC, all testnets.

3 **Pay on the chain you choose**
Your AI asks you which chain on every purchase and never picks for you; here you say Base. The agent signs a USDC transfer from that wallet, within the same limits.

4 **Settled once**
x402.org settles it on Base and pays the gas. A payment the shop has already seen is refused, so one payment buys one thing.

5 **Paid, so it moves**
Money is final before the wheels turn, whatever the chain. 0G still makes and signs every decision.

6 **Recorded on Hedera**
Every payment goes on the HCS log with its chain and that chain's transaction. Hedera stays the one record of who paid whom.

7 **Anyone can check**
The log on HashScan points to each payment on BaseScan, the Solana Explorer or HashScan, and the replay site checks them.

USDC PAYMENT · SIGNED ANSWER · SAVED RECORD · MESSAGE · CHECKED · HEDERA · BASE · SOLANA · 0G