

ASSIGNMENT – 1

Q1)

```
CREATE DATABASES spj;
```

```
mysql> use spj
```

```
Database changed
```

```
mysql> CREATE TABLE Suppliers (
```

```
-> `s#` CHAR(5) NOT NULL,
```

```
-> Sname CHAR(20),
```

```
-> status SMALLINT,
```

```
-> city CHAR(15)
```

```
-> );
```

```
mysql> show tables;
```

```
+-----+
| Tables_in_spj |
+-----+
| suppliers     |
+-----+
```

```
1 row in set (0.00 sec)
```

```
mysql> DESC suppliers;
```

```
+-----+-----+-----+-----+-----+-----+
| Field | Type  | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| s#    | char(5) | NO   |     | NULL    |       |
| Sname | char(20) | YES  |     | NULL    |       |
| status | smallint | YES  |     | NULL    |       |
```

```
| city | char(15) | YES | | NULL | |
```

```
+-----+-----+-----+-----+-----+
```

4 rows in set (0.01 sec)

```
mysql> INSERT INTO suppliers VALUES('S1', 'Smith', 20, 'London');
```

Query OK, 1 row affected (0.00 sec)

```
mysql> INSERT INTO suppliers VALUES('S2', 'Jones', 10, 'Paris');
```

Query OK, 1 row affected (0.01 sec)

```
mysql> INSERT INTO suppliers VALUES('S3', 'Blake', 30, 'Paris');
```

Query OK, 1 row affected (0.00 sec)

```
mysql> INSERT INTO suppliers VALUES('S4', 'Clark', 20, 'London');
```

Query OK, 1 row affected (0.01 sec)

```
mysql> INSERT INTO suppliers VALUES('S5', 'Adams', 30, 'Athens');
```

Query OK, 1 row affected (0.00 sec)

```
mysql> SELECT * FROM suppliers;
+----+-----+-----+-----+
| s# | Sname | status | city |
+----+-----+-----+-----+
| S1 | Smith | 20 | London |
| S1 | Smith | 20 | London |
| S2 | Jones | 10 | Paris |
| S3 | Blake | 30 | Paris |
| S4 | Clark | 20 | London |
| S5 | Adams | 30 | Athens |
+----+-----+-----+-----+
6 rows in set (0.00 sec)
```

Q 2)

```
mysql> CREATE TABLE Parts(`p#` CHAR(6) NOT NULL, Pname CHAR(20), color CHAR(6), weight
SMALLINT, city CHAR(15));
```

Query OK, 0 rows affected (0.02 sec)

```
mysql> INSERT INTO Parts VALUES('p1', 'Nut', 'Red', 12, 'London');
```

Query OK, 1 row affected (0.01 sec)

```
mysql> INSERT INTO Parts VALUES('p2', 'Bolt', 'Green', 17, 'Paris');
```

Query OK, 1 row affected (0.00 sec)

```
mysql> INSERT INTO Parts VALUES('p3', 'Screw', 'Blue', 17, 'Rome');
```

Query OK, 1 row affected (0.00 sec)

```
mysql> INSERT INTO Parts VALUES('p4', 'Screw', 'Blue', 14, 'London');
```

Query OK, 1 row affected (0.00 sec)

```
mysql> INSERT INTO Parts VALUES('p5', 'Cam', 'Blue', 12, 'Paris');
```

Query OK, 1 row affected (0.01 sec)

```
mysql> INSERT INTO Parts VALUES('p6', 'Cog', 'Red', 19, 'London');
```

Query OK, 1 row affected (0.00 sec)

```
mysql> SELECT * FROM Parts;
```

p#	Pname	color	weight	city
p1	Nut	Red	12	London
p2	Bolt	Green	17	Paris
p3	Screw	Blue	17	Rome
p4	Screw	Blue	14	London
p5	Cam	Blue	12	Paris
p6	Cog	Red	19	London

Q3)

```
mysql> CREATE TABLE Jobs;
```

ERROR 4028 (HY000): A table must have at least one visible column.

```
mysql> CREATE TABLE Jobs(`J#`, CHAR(4), NOT NULL, Jname CHAR(10), City CHAR(15));
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near ', CHAR(4), NOT NULL, Jname CHAR(10), City CHAR(15))' at line 1

```
mysql> CREATE TABLE Jobs(`J#`, CHAR(4) NOT NULL, Jname CHAR(10), City CHAR(15));
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near ', CHAR(4) NOT NULL, Jname CHAR(10), City CHAR(15))' at line 1

```
mysql> CREATE TABLE Jobs(`J#` CHAR(4) NOT NULL, Jname CHAR(10), City CHAR(15));
```

Query OK, 0 rows affected (0.02 sec)

```
mysql> INSERT INTO Jobs VALUES('J1', 'Sorts', 'Paris');
```

Query OK, 1 row affected (0.01 sec)

```
mysql> INSERT INTO Jobs VALUES('J2', 'Punch', 'Rome');
```

Query OK, 1 row affected (0.01 sec)

```
mysql> INSERT INTO Jobs VALUES('J3', 'Reader', 'Athens');
```

Query OK, 1 row affected (0.01 sec)

```
mysql> INSERT INTO Jobs VALUES('J4', 'Console', 'Athens');
```

Query OK, 1 row affected (0.00 sec)

```
mysql> INSERT INTO Jobs VALUES('J5', 'Collator', 'London');
```

Query OK, 1 row affected (0.00 sec)

```
mysql> INSERT INTO Jobs VALUES('J6', 'Terminal', 'Oslo');
```

Query OK, 1 row affected (0.01 sec)

```
mysql> INSERT INTO Jobs VALUES('J7', 'Tape', 'London');
```

Query OK, 1 row affected (0.01 sec)

```
mysql> SELECT * FROM Jobs;
+----+-----+-----+
| J# | Jname   | City   |
+----+-----+-----+
| J1 | Sorts   | Paris  |
| J2 | Punch   | Rome   |
| J3 | Reader  | Athens |
| J4 | Console | Athens |
| J5 | Collator | London |
| J6 | Terminal | Oslo   |
| J7 | Tape    | London |
+----+-----+-----+
7 rows in set (0.00 sec)
```

Q4)

```
mysql> CREATE TABLE SP (
```

```
-> `S#` CHAR(4) NOT NULL,
```

```
-> `P#` CHAR(4) NOT NULL,
```

```
-> `J#` CHAR(4) NOT NULL,
```

```
-> QTY INT
```

```
-> );
```

Query OK, 0 rows affected (0.02 sec)

```
mysql> INSERT INTO SP (`S#`, `P#`, `J#`, QTY)
```

```
-> VALUES
```

```
-> ('S1', 'P1', 'J1', 200),
```

```
-> ('S1', 'P1', 'J4', 700),
```

```
-> ('S2', 'P3', 'J1', 400),
```

```
-> ('S2', 'P3', 'J2', 200),  
-> ('S2', 'P3', 'J3', 200),  
-> ('S2', 'P3', 'J4', 500),  
-> ('S2', 'P3', 'J5', 600),  
-> ('S2', 'P3', 'J6', 400),  
-> ('S2', 'P3', 'J7', 800),  
-> ('S2', 'P5', 'J2', 100),  
-> ('S3', 'P3', 'J1', 200),  
-> ('S3', 'P4', 'J2', 500),  
-> ('S4', 'P6', 'J3', 300),  
-> ('S4', 'P6', 'J7', 300),  
-> ('S5', 'P2', 'J2', 300),  
-> ('S5', 'P2', 'J4', 100),  
-> ('S5', 'P5', 'J5', 500),  
-> ('S5', 'P5', 'J7', 100),  
-> ('S5', 'P6', 'J2', 200),  
-> ('S5', 'P1', 'J4', 100),  
-> ('S5', 'P3', 'J4', 200),  
-> ('S5', 'P4', 'J4', 800),  
-> ('S5', 'P5', 'J4', 400),  
-> ('S5', 'P6', 'J4', 500);
```

Query OK, 24 rows affected (0.01 sec)

Records: 24 Duplicates: 0 Warnings: 0

```
mysql> SELECT * FROM sp;
+----+-----+-----+-----+
| S# | P# | J# | QTY |
+----+-----+-----+-----+
| S1 | P1 | J1 | 200 |
| S1 | P1 | J4 | 700 |
| S2 | P3 | J1 | 400 |
| S2 | P3 | J2 | 200 |
| S2 | P3 | J3 | 200 |
| S2 | P3 | J4 | 500 |
| S2 | P3 | J5 | 600 |
| S2 | P3 | J6 | 400 |
| S2 | P3 | J7 | 800 |
| S2 | P5 | J2 | 100 |
| S3 | P3 | J1 | 200 |
| S3 | P4 | J2 | 500 |
| S4 | P6 | J3 | 300 |
| S4 | P6 | J7 | 300 |
| S5 | P2 | J2 | 300 |
| S5 | P2 | J4 | 100 |
| S5 | P5 | J5 | 500 |
| S5 | P5 | J7 | 100 |
| S5 | P6 | J2 | 200 |
| S5 | P1 | J4 | 100 |
| S5 | P3 | J4 | 200 |
| S5 | P4 | J4 | 800 |
| S5 | P5 | J4 | 400 |
| S5 | P6 | J4 | 500 |
+----+-----+-----+-----+
24 rows in set (0.00 sec)

mysql> |
```

5)

```
mysql> USE he_db;
```

ERROR 1049 (42000): Unknown database 'he_db'

```
mysql> USE hr_db;
```

Database changed

```
mysql> SOURCE C:\Users\ASUS\OneDrive\Desktop\Assignment\RDBMS_ASSIGNMENT\new-hr-
db.sql
```

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.01 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.14 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.01 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 25 rows affected (0.01 sec)

Records: 25 Duplicates: 0 Warnings: 0

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.01 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.08 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.01 sec)

Query OK, 0 rows affected (0.02 sec)

Query OK, 27 rows affected (0.03 sec)

Records: 27 Duplicates: 0 Warnings: 0

Query OK, 0 rows affected (0.03 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.01 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.30 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 107 rows affected (0.03 sec)

Records: 107 Duplicates: 0 Warnings: 0

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.02 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.11 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 10 rows affected (0.01 sec)

Records: 10 Duplicates: 0 Warnings: 0

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.06 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.01 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 19 rows affected (0.00 sec)

Records: 19 Duplicates: 0 Warnings: 0

Query OK, 0 rows affected (0.02 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.01 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.10 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 23 rows affected (0.01 sec)

Records: 23 Duplicates: 0 Warnings: 0

Query OK, 0 rows affected (0.01 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.07 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 5 rows affected (0.01 sec)

Records: 5 Duplicates: 0 Warnings: 0

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

```
mysql> SHOW tables;
+-----+
| Tables_in_hr_db |
+-----+
| countries        |
| departments      |
| employees        |
| job_history       |
| jobs             |
| locations         |
| regions          |
+-----+
7 rows in set (0.02 sec)
```

```
mysql> CREATE DATABASE hr;
```

```
mysql> USE hr;
```

```
mysql> SOURCE C:\Users\adity\Downloads\dbt-main\dbt-main\databases\new-hr-db.sql
```

```
mysql> CREATE DATABASE hr;
Query OK, 1 row affected (0.01 sec)
```

```
mysql> USE hr;
Database changed
```

```
mysql> SOURCE C:\Users\adity\Downloads\dbt-main\dbt-main\databases\new-hr-db.sql
```

```
mysql> CREATE DATABASE sales;
```

```
mysql> USE sales;
```

```
mysql> SOURCE C:\Users\adity\Downloads\dbt-main\dbt-main\databases\sales-db.sql
```

```
mysql> CREATE DATABASE sales;
Query OK, 1 row affected (0.02 sec)
```

```
mysql> USE sales;
Database changed
```

```
mysql> SOURCE C:\Users\adity\Downloads\dbt-main\dbt-main\databases\sales-db.sql
```

```
mysql> USE hr;
```

```
mysql> SHOW TABLES;
```

```
mysql> USE hr;
Database changed
mysql> SHOW TABLES;
+-----+
| Tables_in_hr |
+-----+
| countries     |
| departments   |
| employees     |
| job_history   |
| jobs          |
| locations     |
| regions       |
+-----+
7 rows in set (0.04 sec)
```

```
root>SELECT * FROM countries;
+-----+-----+-----+
| COUNTRY_ID | COUNTRY_NAME | REGION_ID |
+-----+-----+-----+
| AR         | Argentina    | 20        |
| AU         | Australia    | 40        |
| BE         | Belgium      | 10        |
| BR         | Brazil       | 20        |
| CA         | Canada       | 20        |
| CH         | Switzerland  | 10        |
| CN         | China        | 30        |
| DE         | Germany      | 10        |
| DK         | Denmark      | 10        |
| EG         | Egypt        | 50        |
| FR         | France       | 10        |
| GB         | United Kingdom of Great Britain and Nort | 10        |
| IL         | Israel       | 30        |
| IT         | Italy        | 30        |
```

```
root>SELECT * FROM departments;
+-----+-----+-----+-----+
| DEPARTMENT_ID | DEPARTMENT_NAME | MANAGER_ID | LOCATION_ID |
+-----+-----+-----+-----+
| 10             | Administration  | 200        | 1700        |
| 20             | Marketing       | 201        | 1800        |
| 30             | Purchasing      | 114        | 1700        |
| 40             | Human Resources | 203        | 2400        |
| 50             | Shipping        | 121        | 1500        |
| 60             | IT              | 103        | 1400        |
| 70             | Public Relations| 204        | 2700        |
| 80             | Sales           | 145        | 2500        |
| 90             | Executive       | 100        | 1700        |
| 100            | Finance         | 108        | 1700        |
| 110            | Accounting      | 205        | 1700        |
| 120            | Treasury        | NULL       | 1700        |
| 130            | Corporate Tax   | NULL       | 1700        |
| 140            | Control And Credit | NULL      | 1700        |
| 150            | Shareholder Services | NULL      | 1700        |
```



```
root>SELECT * FROM employees;
```

EMPLOYEE_ID	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER	HIRE_DATE	JOB_ID	SALARY	COMMISSION_PCT	MANAGER_ID	DEPARTMENT_ID
100	Steven	King	SKING	1.515.555.0100	2013-06-17	AD_PRES	24000.00	NULL	NULL	90
101	Neena	Yang	NYANG	1.515.555.0101	2015-09-21	AD_VP	17000.00	NULL	100	90
102	Lex	Garcia	LGARCIA	1.515.555.0102	2011-01-13	AD_VP	17000.00	NULL	100	90
103	Alexander	James	AJAMES	1.590.555.0103	2016-01-03	IT_PROG	9000.00	NULL	102	60
104	Bruce	Miller	BMILLER	1.590.555.0104	2017-05-21	IT_PROG	6000.00	NULL	103	60
105	David	Williams	DWILLIAMS	1.590.555.0105	2015-06-25	IT_PROG	4800.00	NULL	103	60
106	Valli	Jackson	VJACKSON	1.590.555.0106	2016-02-05	IT_PROG	4800.00	NULL	103	60
107	Diana	Nguyen	DNGUYEN	1.590.555.0107	2017-02-07	IT_PROG	4200.00	NULL	103	60
108	Nancy	Gruenberg	NGRUENBE	1.515.555.0108	2012-08-17	FI_MGR	12008.00	NULL	101	100
109	Daniel	Faviet	DFAVIET	1.515.555.0109	2012-08-16	FI_ACCOUNT	9000.00	NULL	108	100
110	John	Chen	JCHEN	1.515.555.0110	2015-09-28	FI_ACCOUNT	8200.00	NULL	108	100
111	Ismael	Sciarra	ISCIARRA	1.515.555.0111	2015-09-30	FI_ACCOUNT	7700.00	NULL	108	100
112	Jose Manuel	Urman	JMURMAN	1.515.555.0112	2016-03-07	FI_ACCOUNT	7800.00	NULL	108	100

```
root>SELECT * FROM job_history;
```

EMPLOYEE_ID	START_DATE	END_DATE	JOB_ID	DEPARTMENT_ID
101	2007-09-21	2011-10-27	AC_ACCOUNT	110
101	2011-10-28	2015-03-15	AC_MGR	110
102	2011-01-13	2016-07-24	IT_PROG	60
114	2016-03-24	2017-12-31	ST_CLERK	50
122	2017-01-01	2017-12-31	ST_CLERK	50
176	2016-03-24	2016-12-31	SA_REP	80
176	2017-01-01	2017-12-31	SA_MAN	80
200	2005-09-17	2011-06-17	AD_ASST	90
200	2012-07-01	2016-12-31	AC_ACCOUNT	90
201	2014-02-17	2017-12-19	MK_REP	20

10 rows in set (0.00 sec)

```
root>SELECT * FROM jobs;
```

JOB_ID	JOB_TITLE	MIN_SALARY	MAX_SALARY
AC_ACCOUNT	Public Accountant	4200	9000
AC_MGR	Accounting Manager	8200	16000
AD_ASST	Administration Assistant	3000	6000
AD_PRES	President	20080	40000
AD_VP	Administration Vice President	15000	30000
FI_ACCOUNT	Accountant	4200	9000
FI_MGR	Finance Manager	8200	16000
HR_REP	Human Resources Representative	4000	9000
IT_PROG	Programmer	4000	10000
MK_MAN	Marketing Manager	9000	15000
MK_REP	Marketing Representative	4000	9000
PR_REP	Public Relations Representative	4500	10500
PU_CLERK	Purchasing Clerk	2500	5500
PU_MAN	Purchasing Manager	8000	15000
SA_MAN	Sales Manager	10000	20080
SA_REP	Sales Representative	6000	12008
SH_CLERK	Shipping Clerk	2500	5500
ST_CLERK	Stock Clerk	2008	5000
ST_MAN	Stock Manager	5500	8500

19 rows in set (0.00 sec)

```

root>SELECT * FROM locations;
+-----+-----+-----+-----+-----+-----+
| LOCATION_ID | STREET_ADDRESS | POSTAL_CODE | CITY | STATE_PROVINCE | COUNTRY_ID |
+-----+-----+-----+-----+-----+-----+
| 1000 | 1297 Via Cola di Rie | 00989 | Roma | NULL | IT |
| 1100 | 93091 Calle della Testa | 10934 | Venice | NULL | IT |
| 1200 | 2017 Shinjuku-ku | 1689 | Tokyo | Tokyo Prefecture | JP |
| 1300 | 9450 Kamiya-cho | 6823 | Hiroshima | NULL | JP |
| 1400 | 2014 Jabberwocky Rd | 26192 | Southlake | Texas | US |
| 1500 | 2011 Interiors Blvd | 99236 | South San Francisco | California | US |
| 1600 | 2007 Zagora St | 50090 | South Brunswick | New Jersey | US |
| 1700 | 2004 Charade Rd | 98199 | Seattle | Washington | US |
| 1800 | 147 Spadina Ave | M5V 2L7 | Toronto | Ontario | CA |
| 1900 | 6092 Boxwood St | YSW 9T2 | Whitehorse | Yukon | CA |

```

```

root>SELECT * FROM regions;
+-----+-----+
| REGION_ID | REGION_NAME |
+-----+-----+
| 50 | Africa |
| 20 | Americas |
| 30 | Asia |
| 10 | Europe |
| 40 | Oceania |
+-----+-----+
5 rows in set (0.00 sec)

```

```

root>use sales;
Database changed
root>show tables from sales;
+-----+
| Tables_in_sales |
+-----+
| customers |
| orders |
| salespeople |
+-----+
3 rows in set (0.00 sec)

```

```
root>SELECT * FROM customers;
```

cnum	cname	city	rating	snum
2001	Hoffman	London	100	1001
2002	Giovanni	Rome	200	1003
2003	Liu	San Jose	200	1002
2004	Grass	Berlin	300	1002
2006	Clemens	London	100	1001
2008	Cisneros	San Jose	300	1007
2007	Pereira	Rome	100	1004

```
7 rows in set (0.00 sec)
```

```
root>SELECT * FROM orders;
```

onum	amt	odate	cnum	snum
3001	18.69	1990-10-03	2008	1007
3003	767.19	1990-10-03	2001	1001
3002	1900.10	1990-10-03	2007	1004
3005	5160.45	1990-10-03	2003	1002
3006	1098.16	1990-10-03	2008	1007
3009	1713.23	1990-10-04	2002	1003
3007	75.75	1990-10-04	2004	1002
3008	4723.00	1990-10-04	2006	1001
3010	309.95	1990-10-04	2004	1002
3011	9891.88	1990-10-04	2006	1001

```
10 rows in set (0.00 sec)
```

```
root>SELECT * FROM salespeople;
```

snum	sname	city	comm
1001	Peel	London	0.12
1002	Serres	San Jose	0.13
1004	Motika	London	0.11
1007	Rifkin	Barcelona	0.15
1003	Axelrod	New York	0.10

```
5 rows in set (0.00 sec)
```

```
root>|
```