

```
type="regular" >
  <color>FFFFFF</color>
  <color>171321</color>
  <color>FCA326</color>
  <color>FC6D26</color>
  <color>E24329</color>
  <color>A989F5</color>
  <color>7759C2</color>
  <color>CEB3EF</color>
  <color>5943B6</color>
  <color>2F2A6B</color>
  <color>232150</color>
  <color>FDF1DD</color>
  <color>FFB9C9</color>
  <color>C5F4EC</color>
  <color>6FDAC9</color>
  <color>10B1B1</color>
  <color>D1D0D3</color>
  <color>A2A1A6</color>
  <color>74717A</color>
  <color>45424D</color>
  <color>2B2838</color>
</color-palette>
```

```
<color-palette name="GitLab Palette 1" type="regular">
```

```
<color>2078D0</color>
<color>2D9ED8</color>
<color>FCA326</color>
<color>FFCC02</color>
<color>1DA855</color>
<color>A989F5</color>
<color>6B4FBB</color>
<color>FC6D26</color>
<color>B7D5F4</color>
<color>E24329</color>
<color>7759C2</color>
<color>6FDAC9</color>
<color>ff9d73</color>
<color>AEA5D6</color>
<color>5829CB</color>
<color>54448A</color>
<color>F9980D</color>
<color>FF675F</color>
<color>CEB3EF</color>
<color>E38701</color>
<color>FB722D</color>
<color>4CEACC</color>
<color>FFD1BF</color>
<color>FFB9C9</color>
<color>D0C5E2</color>
```

<color>D1D0D3</color>
<color>BFBFBF</color>
<color>A2A1A6</color>
<color>74717A</color>
<color>45424D</color>
</color-palette>

<color-palette name="GitLab Palette 1 Darker" type="regular">
<color>075FB6</color>
<color>1485BF</color>
<color>E4890C</color>
<color>E6B200</color>
<color>048F3C</color>
<color>9070DC</color>
<color>5236A1</color>
<color>E3540E</color>
<color>E6B8A6</color>
<color>C82911</color>
<color>5F40A9</color>
<color>55C2B0</color>
<color>E68359</color>
<color>958CBD</color>
<color>E6A0B0</color>
<color>3A2B71</color>
<color>E07F00</color>
<color>E64D46</color>
<color>B59BD6</color>
<color>CB6F00</color>
<color>E25914</color>
<color>33D1B2</color>
<color>9EBCDB</color>
<color>3F0FB2</color>
<color>B7ACC9</color>
<color>B8B7BA</color>
<color>A6A6A6</color>
<color>89888C</color>
<color>5A5862</color>
<color>2B2934</color>
</color-palette>

<color-palette name="GitLab Oranges Purples Greys" type="regular">
<color>e24329</color>
<color>FCA326</color>
<color>fc6d26</color>
<color>7759c2</color>
<color>b693f0</color>
<color>54448A</color>
<color>B3B1B6</color>
<color>171321</color>
<color>45404B</color>

```
</color-palette>
```

```
<color-palette name="Transparent" type="regular">
```

```
<color>FFFFFF00</color>
```

```
</color-palette>
```

```
</preferences>
```

```
</workbook>
```

```
</details>
```

4. Save Preferences.tps file and close

5. Restart Tableau and the palette should now be available at the bottom of the list

For more information see Tableau's Color Palette.

Rounding

To round or not to round? Know your audience. Present numbers suitable for your target audience and analysis use cases.

- Executive-level charts do not normally require multiple digits of precision and rounding to the nearest ten, hundred, or thousand is sufficient.
- Depending on the chart, 1 or 2 significant digits on percentages may be required for totals to equal 100%.
- In general except for currency, numbers should be displayed in their full form.

Currency

- All currency is presented in USD.
- At \$10,000 and above, each 000 is replaced with a k; example \$10k instead of \$10,000.
- At \$1,000,000 and above, each 000,000 is replaced with a m; example \$10m instead of \$10,000,000.

For any numeric values of a 1000 million or more, be mindful of international differences in the definition of billion.

Data and Time

Fiscal Dates should be extracted from the DIMDATE dimension table.

Date formats must adhere to the GitLab Writing Style Guidelines:

- Dates are yyyy-mm-dd
- Time is presented as a 24 hour clock using UTC
- Fiscal Quarter is Qn, example Q1
- Fiscal Year is FYyy, example FY21. 2021 would denote the calendar year.
- Fiscal Year and Quarter is FYyy-Qn, example FY21-Q2

Recorded and Calculated Data

Data is prepared for presentation, or reporting, for a specific target audience and use case. Recorded Data is the basis for all Calculated Data.

mermaid

graph LR;

A[(Recorded Data)] --> B(Target Audience & Use Case);

B --> |Estimation Factor| C[Estimated];

B --> |Most-likely Scenarios| D[Forecasted];

B --> |What-if Scenarios| E[Predicted];

- Recorded Data - "Factual" data which originates from a verifiable source and observable events. To aid in verification, recorded data commonly includes audit metadata such as the name of data creator/source, the date and time of data capture, and the location where the event occurred.
- Estimated Data - calculated data based on Recorded data plus an Estimation Factor. The Estimation Factor is typically based on historical data trends over a meaningful and relevant period of time. Estimation is widely used across all industries and domains.
- Forecasted Data - calculated data based on historical Recorded data plus assessments based on "most-likely" future scenarios. Forecasting is commonly used in Financial Planning.
- Predicted Data - calculated data based on historical Recorded data plus assessments based on "what-if" future scenarios.

Presentation

Recorded data does not require special labeling, but Calculated data does. Calculated data should always be:

- clearly labeled, such as in the chart title and legend (E.g. use "Estimated Seats" instead of "Seats")
- clearly identified in the chart elements (E.g. use different line styles when mixing Calculation types on the same chart)

SECTION: enterprise-data/platform/tableau/tableau-developer-guide/tips-and-tricks-for-developers/_index.md

Date Handling

Tableau has many ways for handling and visualizing dates - but due to those many options, it can be handy to have some tricks for the best way to do it, especially if you have custom needs.

Date Handling in Production Dashboards

Due to the unique challenges of having a fiscal year start date in February and missing fiscal year date calculations in Tableau, we have developed simple date handling guidelines that can

expedite and simplify the process of date filtering and creating date axes for charts. We have created a workbook that contains all of the following calculations and joins and some sample data. This can be found in the Templates folder, under the name Developers Guide Example Workbook.

Date Unification

If you have more than one data source in your workbook, the first thing to do is to unify the dates around a date spine. This means using a calendar table. If you are at GitLab, you can find the dimdate table in the common schema of the prod database. Join each of the tables that you need to use to the dimdate table on the date you want to use for the date spine using `dimdate.dateactual = yourtable.yourdate`. [Click here](#) to see documentation on the dimdate table.

Even if you are not using multiple tables/ dates, it is still recommended to use the dimdate table, because it contains useful information about dates which can be used for filters and controls. For example, if you wanted to use a standard filtering method of comparing the quarter of a date with today's date to filter out any data from a previous quarter, you might use:

Current Period: `DATETRUNC('quarter',Date Actual) = DATETRUNC('quarter',TODAY())`.

However, this will truncate your data down to the non-fiscal quarter, such as truncating 11/11/23 down to 10/1/2023. This will lead to incorrect fiscal sorting and filtering of data. Using the dimdate table, however, allows you to use the following calculation:

Current Period: `[First Day of Fiscal Quarter] = [Current First Day of Fiscal Quarter]`. This is far simpler than the alternative without a date table, which would include a series of `DATEADD` and `DATETRUNC` calculations thoughtfully stacked on top of each other.

Adding a Report Date

Many times, end-users would appreciate being able to change "today" in their reports. For example, they may want to be able to view a report as of the last day of the previous quarter. The addition of a date parameter called report date can improve your user experience in this area. However, this creates issues when you need to compare your report date to your dateactual from the calendar table, because you do not have the built in date information for your report date that you do for the dateactual field. Here is what the parameter creation looks like:

There is a simple fix to this issue, which is similar to how Row Level Security works (which can be found later in this guide). To add date information such as Fiscalquartername and Firstdayoffiscalquarter for the Report Date parameter, follow the following steps to re-join and then filter a second iteration of the dimdate table onto the regular data model.

Create a New DimDate Table

1. First, open up your Data Source pane in your workbook and in the left-hand connections bar and navigate to the dimdate table.

1. Add dimdate to the data model, you can use a relationship, but make sure to join it to the same table that contains your primary date information (such as dateactual). Tableau will automatically name the new table DIMDATE1. You need to create a relationship (or join if you

choose to use a physical join) that will evaluate as true all the time. Since you are working with a limited number of date fields, one option is to use your FirstDayofYear and LastDayofYear fields.

1. To create a custom relationship calculation, click on the noodle that connects the two tables, and in the dropdown where you would normally select the field, click on the bottom where it says "Create Relationship Calculation"

1. Use the calculation `MONTH([First Day Of Year]) <= MONTH([Last Day Of Year (Dim Date1)])`. Anecdotaly, you may experience slightly better performance if you add a second line that is just `1 = 1`. Without creating a new column in the source tables, you cannot just use a custom calculation of `1 = 1` on its own. It should look like this:

Be very careful that you use the first and last days of the year in this calculation, not the first and last days of the fiscal year.

The purpose of the `MONTH([First Day Of Year]) <= MONTH([Last Day Of Year (Dim Date1)])` calculation is that it will evaluate as true every time, no matter what filters are applied. This is true of the additional `1=1` methodology. This ensures that the report date information you are creating will be added to every row of data in the dataset, allowing you to access the Report Date parameter information at any time. It works similarly to a cross-join in SQL.

1. You now have two dimdate tables, but you only want one row of information from the second table. Next, we will create a filter that will filter the DIMDATE1 table down to just one row of data- the data that corresponds to the Report Date which you (and your end-user) have selected.

1. Click out of the Data Source pane and into a blank sheet of the workbook. Create a new calculation that you can use later to filter your table and call it Report Date Filter: `[Date Actual (Dim Date1)] = [Report Date]`. Do not apply it to your worksheet - you will use it elsewhere.

1. Return to your Data Source Pane, and find the "Add" button under the "Filters" heading, in the top right corner.

1. Select "Add" and "Add" again, and a pop-up will give you your choice of field to select. Search for the "Report Date Filter" field and select it. On the next window, select "True" and hit "ok". You should now see this filter in your Data Source Filters list. Hit ok.

!]](images/image-5.png)

1. Open a sheet of the workbook, and test to see if your filter worked. If it worked, you should see that for every Date Actual in the data set, there should be just one value for the Dateactual1 from the DIMDATE1 table.

1. If you are using a live connection, you are ready to go. You and your end-user can switch the date of the report date as needed, and the dimdate1 table will update accordingly each time.

1. If you are using an extracted data connection, there is one more important step. Before publishing these changes, you need to make sure that the data extract will include the information that you and your end-user would need if you changed the report date. Referring to

Tableau's order of operations, the filter on the data needs to come after the Extract Filter, or the extract will not include any data for dates other than the one selected when it extracts. This means that the filter needs to be a Data Source filter only. By default, Tableau may add your Data Source filter to the Extract Filters list.

1. In the Data Source Pane, in the area where you select between a Live and Extracted connection, select "Edit". You will see that under the filter list, Report Date Filter is selected and keeping only true. Click on that, and select Remove. Then hit ok.

1. Notice that your extract will contain all data, but under "Filters", it has the number 1. This means that you have removed the extract filter, but kept the data source filter.

You can now leverage the full dimdate table for filtering and sorting your data! You may wish to rename fields from the DimDate1 table to make it more clear that these fields are specific to the Report Date. You can also optionally hide any unneeded columns, such as anything from the Dimdate1 table relating to the "Current Date".

Axis Dates

In Tableau, you can customize your Fiscal Year Start Date of any date field.

However, this is not a foolproof solution. There are many instances where using a string date on the axis of bar and line charts will be much more effective than using native date fields. For example, if you want to create a simple discrete bar chart but allow your end-user to switch between monthly, quarterly, and yearly data, there is no straightforward way to do that in the same sheet. Normally you would need to create a "sheet swapper" on your dashboard, and selectively show or hide certain sheets based on which date granularity is desired.

Instead, you can create one date axis which automatically updates depending on your date granularity. Assuming you have already joined dimdate to your data model, take the following steps.

1. Create the Select Time Period Parameter.
2. Use the following code in a calculated field called Axis Dates:

<details markdown=1>

<summary>Axis Dates</summary>

text

```
IF [Select Time Period] = 'year' THEN  
    "FY " + STR([Fiscal Year])
```

```
ELSEIF [Select Time Period] = 'quarter'  
    THEN [Fiscal Quarter Name Fy]
```

```
ELSEIF [Select Time Period] = 'week'  
    THEN STR([Fiscal Year]) + "- " + STR([Week Of Fiscal Quarter Normalised])
```

```
ELSE //STR([Fiscal Year]) + "- "+
```

```
STR([Fiscal Month Name])
END
```

</details>

1. You now have a simple date axis which you can use with bar charts and line charts.

1. One issue you may encounter, however, is that the dates will sort themselves alphabetically. If you are using the dimdate table, there is a simple solution to this as well. There is a field called dateid in the dimdate table which gives every day a unique id, counting upwards. So the dateid of tomorrow will always be one greater than today.

1. Bring the Axis Dates field out onto Rows or Columns, and then access the Sort option by right clicking on the field and finding "Sort...". Then change the default to sort "By Field", find "Date id", and then use an aggregation such as "Average".

Now you have a date axis which will dynamically allow you and your end-user to switch between date granularities on the same worksheet, while maintaining maximal control over the way the view looks and functions.

Date Filtering

The addition of a DimDate table and consideration of a dynamic date axis creates an opportunity to use dynamic date filtering. A date filter can be created by leveraging the dimdate table with the Select Time Period parameter.

To create this date filter, you will need to create one more parameter for end-user input, or simply decide on a date range that you want the fix the filter to. If you create a Date Interval parameter which can be placed on the dashboard, then the end-user has control on how many periods they want to see at a time on time series graphs, such as bar and line charts.

Once you have done so, the following dynamic date filter will work to filter the data:

<details markdown=1>

<summary>Date Filter - Dynamic</summary>

text

```
IF [Select Time Period] = 'month' THEN
```

```
    DATETRUNC('day',[Date Actual]) <= DATETRUNC('day',[Report Date])
```

```
    AND DATETRUNC('month',[Date Actual]) > DATEADD('month', -[Date Interval],
```

```
    DATETRUNC('month',[Report Date]))
```

```
ELSEIF [Select Time Period] = 'quarter' THEN
```

```
    DATETRUNC('day',[Date Actual]) <= DATETRUNC('day',[Report Date]) // earlier than report date
```

```
    AND
```

```
    DATETRUNC('month',[First Day Of Fiscal Quarter] ) > DATEADD('month', (-[Date Interval]3),
```



```
DATETRUNC('month',[First Day Of Fiscal Quarter (Dim Date1)]))
```

```
ELSE
```

```
    DATETRUNC('day',[Date Actual]) <= DATETRUNC('day',[Report Date])
```

```
    AND
```

```
    [First Day Of Fiscal Year] > DATEADD('month', -[Date Interval]12, [First Day Of Fiscal Year (Dim Date1)])
```

```
END
```

</details>

Current and Previous Period Calculations

To add onto the date filter, if you create T/F fields called Current Period and Previous Period, then you can use these in conjunction with measures and dimensions to create fields such as Current Period Sales. This can then be used in Tooltips, Big Numbers, to create fixed Period over Period fields, and for analytics lines.

There are two ways to create these calculations. The first option is to cut the data off at the current day of the fiscal period (month/quarter/year), so that you are comparing the time periods evenly. For example, comparing the first 13 days of this quarter to only the first 13 days of last quarter. This is what these calculations would look like:

<details markdown=1>

<summary>Fiscal Date Filters</summary>

Is Fiscal Period to Date Dynamic

text

```
IF [Select Time Period] = 'year' THEN
```

```
    [Day Of Fiscal Year] <= [Day Of Fiscal Year (Dim Date1)] // Cuts data off at the day of the report date
```

```
ELSEIF [Select Time Period] = 'quarter' THEN
```

```
    [Day Of Fiscal Quarter] <= [Day Of Fiscal Quarter (Dim Date1)] // Cuts data off at the day of the report date
```

```
ELSE
```

```
    [Day Of Month] <= [Day Of Month (Dim Date1)] // Cuts data off at the day of the report date
```

```
END
```

Current Period

text

```
IF [Select Time Period] = 'year' THEN
```

```
[First Day Of Fiscal Year] = [First Day Of Fiscal Year (Dim Date1)] // in the same year
    AND DATETRUNC('day',[Date Actual]) <= DATETRUNC('day',[Report Date]) // Cuts data
off at the day of the report date
```

```
ELSEIF [Select Time Period] = 'quarter' THEN
```

```
    [First Day Of Fiscal Quarter] = [First Day Of Fiscal Quarter (Dim Date1)] // in the same
quarter
```

```
        AND DATETRUNC('day',[Date Actual]) <= DATETRUNC('day',[Report Date]) // Cuts data
off at the day of the report date
```

```
ELSE
```

```
DATETRUNC('month',[Date Actual]) = DATETRUNC('month',[Report Date]) // in the same month
```

```
    AND DATETRUNC('day',[Date Actual]) <= DATETRUNC('day',[Report Date]) // Cuts data
off at the day of the report date
```

```
END
```

Previous Period

text

```
IF [Select Time Period] = 'year' THEN
```

```
    [First Day Of Fiscal Year] = DATEADD('year',-1,[First Day Of Fiscal Year (Dim Date1)])
```

```
    AND [Is Fiscal Period To Date Dynamic]
```

```
ELSEIF [Select Time Period] = 'quarter' THEN
```

```
    [First Day Of Fiscal Quarter] = DATEADD('month',-3,[First Day Of Fiscal Quarter (Dim
Date1)])
```

```
    AND [Is Fiscal Period To Date Dynamic]
```

```
ELSE
```

```
DATETRUNC('month',[Date Actual]) = DATEADD('month',-1,DATETRUNC('month',[Report Date]))
```

```
AND [Is Fiscal Period To Date Dynamic]// Cuts data off at the day of the report date
```

```
END
```

The other option is to take the total current and previous periods. These calculations will look like the following:

Current Period (Total)

text

```
IF [Select Time Period] = 'year' THEN
```

```
    [First Day Of Fiscal Year] = [First Day Of Fiscal Year (Dim Date1)] // in the same year
```

```
ELSEIF [Select Time Period] = 'quarter' THEN
```

```
    [First Day Of Fiscal Quarter] = [First Day Of Fiscal Quarter (Dim Date1)] // in the same
quarter
```

```
ELSE
DATETRUNC('month',[Date Actual]) = DATETRUNC('month',[Report Date]) // in the same month

END
```

Previous Period (Total)

text

```
IF [Select Time Period] = 'year' THEN
    [First Day Of Fiscal Year] = DATEADD('year',-1,[First Day Of Fiscal Year (Dim Date1)])
```

```
ELSEIF [Select Time Period] = 'quarter' THEN
    [First Day Of Fiscal Quarter] = DATEADD('month',-3,[First Day Of Fiscal Quarter (Dim Date1)])
```

```
ELSE
DATETRUNC('month',[Date Actual]) = DATEADD('month',-1,DATETRUNC('month',[Report Date]))
```

```
END
```

</details>

A use-case you may find for using each of these on the same sheet is when you want to get information about your Actual Sales up until the Report Date this quarter, but you want to compare those to the Total Sales Target for the quarter - so filtering all of the data to stop at the report date would result in an incomplete target.

Additional Tricks

These tricks are non-essential to this method of date handling, but might help you improve the UI of the workbook, or at least save time with creating filters.

Non-additive or Semi-additive Data

This tip is less straight-forward, but has been tested carefully. Please contribute with updates if you have a simpler method. Filtering non-additive data can be challenging, especially because at GitLab we often want to see data from a "final" month only most of the time, but if we are in a non-final month for a quarter or year (such as March), we still want to see the live data for that time period. To further complicate this, if we change our report date to be February, we would not want to show the March data any longer, because then Tableau would add February + March's numbers together, which would be an error for non-additive data.

The following calculation will circumnavigate those issues.

<details markdown=1>

<summary>m/q/y filters for KPI's</summary>

m/q/y filters for KPI's

text

```
IF [Select Time Period] = 'quarter' THEN
( [Month Of Fiscal Year] % 3 = 0 // last month of quarter
  AND [First Day Of Fiscal Quarter] < [First Day Of Fiscal Quarter (Dim Date1)] //
  Earlier than this quarter
) // For all previous quarters, it is the last month of the quarter.

OR ([Fiscal Year] = [Fiscal Year (Dim Date1)] AND [Month Of Fiscal Year] = [Month Of Fiscal
Year (Dim Date1)] )
// For this quarter, it is the same month as the report date

ELSEIF
[Select Time Period] = 'year' THEN
  [Month Of Fiscal Year] = 12 OR (YEAR([Date Actual]) = YEAR([Report Date]) AND [Month Of
Fiscal Year] = [Month Of Fiscal Year (Dim Date1)])

ELSEIF [Select Time Period] = 'month' THEN TRUE

END
```

</details>

Then, create another field for your non-additive KPI, such as ARR. Use the following code:

<details markdown=1>

<summary>KPI - m/q/y</summary>

text

```
IF [m/q/y Filters for KPI's]
  THEN [ARR] END
```

</details>

This can be used for every non-additive KPI, which will make creating and maintaining them simpler.

Enabling Year Over Year Table Calculations for a Full Date Range

If you would like to create a table or chart with Period over Period calculations involved, then Tableau will only be able to use the data that is in the view (on the worksheet) to perform those table calculations. For further documentation on table calculations, check [here](#)

This means that your leading values in the table will not have any data available to them to create the table calculations.

Let's say you wanted to make a bar chart of Sales, but you wanted to embed the Period over Period information into the tooltips. If you only include one year's worth of data in the filter, then Tableau will not be able to calculate any year over year calculations, because it cannot "see" the prior year's data. There are ways to hard code around this, but there is a simple solution that you can use to "trick" Tableau into allowing the period over period calculations you want, at any date granularity.

The solution is to create a date filter that effectively doubles the date range that you are looking for in the workbook, and then use another table calculation to filter out the leading values. Using a second table calculation to show the correct number of time periods in the view will retain the underlying data that Tableau needs to create year over year calculations, while keeping the view looking as intended.

1. First, create a dynamic date filter that doubles the date range. Apply this as "True". There are two options to modify the filter from earlier, you can filter the data to cut off at the day of the report date, or you can filter the data to cut off at the same period as the report date. For example, if you filter the data to cut off at the day of the report date it might stop on November 13th, 2023. However, filtering the data to cut off at the same period as the report date, then if the report date is November 13th and the date granularity is set to quarter, then any data in the dataset for November 1- January 31st will show in the view (with a fiscal year start date in February).

<details markdown=1>

<summary>Date Filters</summary>

Dynamic Date Filter for PoP (to report date)

text

```
IF [Select Time Period] = 'month' THEN (
    DATETRUNC('day',[Date Actual]) <= DATETRUNC('day',[Report Date]) //sooner than the day of
report date and
    AND DATETRUNC('month',[Date Actual]) > DATEADD('month', (-[Date Interval]2),
DATETRUNC('month',[Report Date])) //after the month of the date interval 2 back in time

)
```

```
ELSEIF [Select Time Period] = 'quarter' THEN
    ( DATETRUNC('day',[Date Actual]) <= DATETRUNC('day',[Report Date]) AND // earlier than the
report date
    DATETRUNC('month',[First Day Of Fiscal Quarter] ) > DATEADD('month', ((-[Date
Interval]-4)3), DATETRUNC('month',[First Day Of Fiscal Quarter (Dim Date1)])) // sooner than
the number of quarters back (months 3 because of fiscal quarters)

)
```

```
ELSEIF [Select Time Period] = 'year' THEN
```

```

    ( DATETRUNC('day',[Date Actual]) <= DATETRUNC('day',[Report Date]) AND // earlier than the
report date
    [First Day Of Fiscal Year] > DATEADD('month',-[Date Interval]12,[First Day Of Fiscal
Year (Dim Date1)]) // the same year or sooner than the report date -interval (12mos)

)

END

```

Dynamic Date Filter for PoP (total periods)

```

text
IF [Select Time Period] = 'month' THEN (
    DATETRUNC('month',[Date Actual]) <= DATETRUNC('month',[Report Date]) //sooner than or = to
the month of the report date
    AND DATETRUNC('month',[Date Actual]) > DATEADD('month', (-[Date Interval]2),
DATETRUNC('month',[Report Date])) //after the month of the date interval 2 back in time

)

ELSEIF [Select Time Period] = 'quarter' THEN
    ([First Day Of Fiscal Quarter] <= [First Day Of Fiscal Quarter (Dim Date1)] AND // sooner
than or = to the quarter of the report dateearlier than the report date
    DATETRUNC('month',[First Day Of Fiscal Quarter] ) > DATEADD('month', ((-[Date
Interval]-4)3), DATETRUNC('month',[First Day Of Fiscal Quarter (Dim Date1)])) // sooner than
the number of quarters back (months 3 because of fiscal quarters)

)

ELSEIF [Select Time Period] = 'year' THEN
    ([First Day Of Fiscal Year] <= [First Day Of Fiscal Year (Dim Date1)] AND // sooner than or
= to the year of the report date
    [First Day Of Fiscal Year] > DATEADD('month',-[Date Interval]12,[First Day Of Fiscal
Year (Dim Date1)]) // the same year or sooner than the report date -interval (12mos)

)

END

```

</details>

1. Next, create the filter that will adjust the view to only show the date range that you selected originally.

<details markdown=1>

<summary>View Filter</summary>

Don't Show Leading Values Filter

text

```
IF [Select Time Period] = 'quarter' THEN  
FIRST() <= -4  
ELSEIF [Select Time Period] = 'month' THEN FIRST() <= -12  
ELSE FIRST() <= -1  
END
```

</details>

1. Now you can use table calculations to create each of your date granularities' table calculations. To allow these to change dynamically based on your selected date granularity, you can use the following calculations, using Sales as an example KPI.

1. First create your table calculations to offset by 1 time period, 4 time periods, and 12 time periods:

<details markdown=1>

<summary>Time Period Table Calculations</summary>

Sales -1

text

```
(ZN(SUM([Sales])) - LOOKUP(ZN(SUM([Sales])), -1)) / ABS(LOOKUP(ZN(SUM([Sales])), -1))
```

Sales -4

text

```
(ZN(SUM([Sales])) - LOOKUP(ZN(SUM([Sales])), -4)) / ABS(LOOKUP(ZN(SUM([Sales])), -4))
```

Sales -12

text

```
(ZN(SUM([Sales])) - LOOKUP(ZN(SUM([Sales])), -12)) / ABS(LOOKUP(ZN(SUM([Sales])), -12))
```

1. Now create the Period over Period calculations:

Sales MoM

text

```
IF [Select Time Period] = 'month' THEN [Sales -1] END
```

Sales QoQ

```

text
IF [Select Time Period] = 'month' THEN [Sales -4]
ELSEIF [Select Time Period] = 'quarter' THEN [Sales -1]
END

```

Sales YoY

```

text
IF [Select Time Period] = 'month' THEN [Sales -12]
ELSEIF [Select Time Period] = 'quarter' THEN [Sales -4]
ELSEIF [Select Time Period] = 'year' THEN [Sales -1]
END

```

</details>

1. As a bonus, if you want to include each of these in a tooltip and be able to include a "month over month" label that disappears when the date granularity is quarter or year, here are the labels you can create labels.

<details markdown=1>

<summary>Labels</summary>

MoM Label

```

text
IF [Select Time Period] = 'month' THEN ", and the month over month change was: " // "MoM
change: "
END

```

QoQ Label

```

text
IF [Select Time Period] = 'month' OR [Select Time Period] = 'quarter' THEN ", the quarter over
quarter change was: " // "QoQ Change: "
END

```

1. To put those together, the tooltip would have the following code, centered and formatted:

```

text
In <Axis Dates> the Sales were <SUM(Sales)>.
The Year over Year change was <AGG(Sales YoY)><ATTR(QoQ Label)><AGG(Sales QoQ)><ATTR(MoM
label)><AGG(Sales MoM)>.

```

</details>

The output of this tooltip would look like this:

Design Tips

Some additional design tips that may help your workbook creation efficiency.

Using Containers for Developing Dashboards

When you are building dashboards in Tableau, you can add sheets to the dashboard using two options - a "floating" sheet, or a "tiled" container. A floating sheet can be dropped anywhere on the dashboard and the size can be adjusted by using the sides, a tiled container needs to "snap" onto the background and needs to fit to the size of the larger container it is contained within.

Beginners in Tableau tend to go straight to using floating containers for everything, but you will find if you talk with people who are very experienced in Tableau, they will recommend always using containers.

There are many benefits to using containers, and it is in your best interest to get used to developing dashboards using containers, and never floating worksheets. The only situation that an item may benefit from "floating" on the dashboard is when it is a color legend or a dropdown item, that you want to put on top of a chart or a title.

Here is a helpful short video with more information about containers.

Here are some reasons to use containers:

1. If you use a "floating" style for every worksheet, when you publish the workbook to the Cloud/ Server, some of your items may move a few inches in any direction for your end-user, depending on the size of their monitor/display.

1. If you can learn to use a parameter to "turn off" and "turn on" a few related sheets, based on what is selected (so that only one worksheet is shown at a time), then containers are essential.

Let's say you want to show table that either has information on 'Sales', 'Revenue', or 'Profit', and you create a parameter that has those three options as selections. You can create one worksheet for each of those three KPI's, and put a filter onto each worksheet so only one is "turned on" (showing) at a time, based on the parameter selection.

You would then take all three worksheets and put them into the same container (horizontal container or vertical container), and hide the "title" on each of the worksheets. This way, all three worksheets will always show up in the exact same location on the dashboard, and you do not have to mess around with trying to line them up perfectly as floating containers. When each of them "turn on", they will slide "open" to fill the entire Parent container that has all three worksheets in it. Your container will always be in the same spot, and so the worksheet within it will always be in the same spot.

1. Many people use containers to group information. For example, you may have a bar chart with a legend, and a related table all tiled into one parent container. You might decide to move

this. group of items from the left side of the dashboard, to the right. You can select the parent container and slide all three items over together, if you are using a container.

Add GitLab Colors

You can add a color palette to Tableau Desktop so that any time you need to choose colors for your visualizations, you have access to GitLab's colors in the color menu. Find more instructions [here](#)

Using Dual Axis Charts

Creating a chart with two axes can help unlock the flexibility and customization that Tableau is built for. The top uses are displaying more than one axis on screen with greater flexibility, and a hack for better control over on-screen labels. You can find more documentation on creating and using dual axis charts [here](#).

Two Axes

Have you ever wanted to show a bar chart and a line chart on screen together? Tableau is great at that - you can overlay one over the other using a dual axis chart. Don't forget to consider if you want to synchronize the axes! That means, if you want both axes to start and end at the same place.

Many people have discovered a dual axis chart already for two measures, but did you know that they can be useful for creating labels?

For example, if you have a stacked bar chart on screen (just one measure), and you want to add a label, Tableau will label each segment of the bar. But let's say you want to label the whole bar, not each segment! You can use a dual axis chart & remove the color from the back of the two bars to get your desired label!

Dashboard Actions for an Upgraded User Experience

Dashboard actions can add functionality, smooth out the user experience, and make your dashboards seem "more advanced". The different options are as follows.

If you ever see a dashboard do something neat and unexpected, it is likely a creative use of a dashboard action.

Some things to know:

- You can link a dashboard item to go to a URL. A common use is to link Opportunities on a dashboard table right to their actual Salesforce URL.
- The Filter action is the most used action, in my experience. Being able to have one part of the dashboard dynamically respond to a user's click to filter to a subset of the data is very common and useful. Here is a helpful YouTube video on filter actions.

- **Go to Sheet** is a handy way to create a more intuitive user experience for navigating between dashboard tabs in your workbook. For example if your user is on an **executive summary**, you could set up a **Go to Sheet** action that when they click on a bar chart of **Users per Product** it brings them to a deep dive dashboard about Users and Products. Here is a helpful video on Go to Sheet actions.

- The **highlight** action is not often used, but can be powerful. You can set it so that when a user hovers over/ clicks on the **Product = Ultimate** bar of a bar chart, every other spot that **Product = Ultimate** on the dashboard highlights itself. This is especially handy when you have a table in your dashboard. YouTube video on highlight actions.

- The **Change Parameter** action is commonly used on Tableau Public to let a user click on a button or image & have a resulting dashboard change. This is prettier than having the user choose from a parameter dropdown. It's also usually more work than it is worth for a normal business dashboard. Here is an advanced video on using a parameter to intuitively filter your dashboard, and here is a blog post about creating clickable buttons using this action.

An example of using a parameter action to create a button can be found in this dashboard where you can click on (**Sales**, **Profit**, **Orders**), and it will change the dashboard to that KPI. This avoids using a standard parameter drop-down.

Extensions

Tableau has extensions which are available to enhance the process of developing in Tableau and make it easier. For example, you can now make a Sankey Chart in a few clicks, when this used to take a tremendous amount of complex logic.

Tableau Tables

A very helpful extension for building simple tables is the Tableau Tables extension, which was released in autumn of 2024. It makes the creation, maintenance, and sorting of tables easier than the standard table option. It even supports easily adding bar charts or conditional formatting right into a text table.

This extension does have limitations for more advanced and customized tables- for example the conditional formatting of the tables is limited in function for now, and may not be able to meet the customization needs that can currently be accomplished with more complex "hacks". However, for the relatively simple table with straightforward needs for text, bars, and heat-map style cells in columns, this extension supports those needs.

Here is a video showing you how to set-up and use a Tableau Table using the extension. It walks through adding bars, heatmap-style cells, conditional formatting, renaming columns, sorting columns, adding filters, and displaying a "download cross-tab" button.

Developer Tips and Tricks

A collection of tips and tricks to make the Tableau development experience faster and easier. These will also frequently be featured in TableauTipTuesday in the data-tableau Slack channel.

1. You can duplicate a pill on any worksheet (column, row, or item on the Marks Card - 'pills' are either blue or green and they are the field you are using). Simply hold down command (cmd) and click and drag the blue or green pill, and instead of moving it, it will be duplicated.

2. When you drag a field into the view for the first time, you can choose the aggregation/measure type by holding down the option key (Mac) as you drag and drop the field. For date fields, this will pop up a window asking about the date granularity (such as year, month, day, month/day/year). This saves time because the default option is 'Year', and you have to let the view load before changing the granularity.

This also works on non-measure fields. For example, if you hold option while dragging Opportunity Id into the view, it will give you the option to drop it as COUNT(Opportunity Id).

3. You can easily drag measures into and out of calculated fields - which saves you time. When creating a new calculated field, if the field you want is already on your worksheet you can drag the field from the worksheet, into the calculated field. Or, in reverse, you can highlight a measure or dimension in a calculated field and drag it and it will drag onto your worksheet.

4. Table calculations - you can create a table calculation using the normal method of adding a table calculation to an existing measure. Then, open up a box for a new calculated field, and drag that measure with a table calculation on it into the box. Now you have the formula of the table calculation in a reusable calculated field! You can also adjust the calculated field from here - for example, making a Period over Period calculation look back 4 periods instead of 1.

5. You can test out selected portions of calculated fields in Tableau to make sure each piece is working as expected by simply dragging the test you want to test onto a worksheet! Just go into a calculated field, highlight the piece you want to test, hold Command (Cmd), and drag the text to any part of a worksheet. You can see an example here at tip 9.

6. You can alias a dimension so that the name of the field in your data pane stays the same, but end users see an alias when they view the worksheet/dashboard. You can do this by right clicking on the header which shows the name you would like to alias, and then selecting "Edit Alias". This alias will persist in the view across all worksheets.

7. Aliasing a measure is a little more tricky than aliasing a dimension, as you can't right click on the header and rename it that way. Instead, you can follow the process outlined in Tip 1 of this article.

1. Double click on the "pill" of the field - so the name of the field on the Row shelf, Columns shelf, or Marks Card. This will change it from a green colored "pill", to the text editing version with the field name surrounded by brackets "[Field Name]".

2. Put your cursor at the start of the field to start typing before the name of the field.

3. Type // (like making a comment in a calculated field)

4. Put a space after the // and then type your desired alias.

5. Hold Shift and press Enter. You will see just the [Field Name] again.

6. Release Shift and press Enter one more time.

7. Your column should be aliased now! Note this alias will persist on every worksheet of your workbook.

<details>

<summary>Example Code</summary>

text
// Aliased Name
[Field Name]

</details>

SECTION: enterprise-data/platform/tableau/tableau-project-leaders-guide/_index.md

A GitLab Tableau Project Leader is responsible for managing Tableau content within their assigned department. Their primary role is to ensure the integrity, security, and effectiveness of the department's data and reporting. They oversee dashboards, workbooks, and data sources within the project, ensuring they meet organizational standards and are properly maintained.

Project Leaders collaborate with developers to manage content in Production, whether by promoting new content or updating existing content. They play a key role in maintaining high-quality reporting and ensuring that the department's data assets are reliable and accessible. Here is the contact list for Tableau Department Project Leads.

Project Lead Responsibilities

1. Data Department Leader:

Know Your Data: Understand the data sources, schemas, and models your team uses. Ensure data accuracy, relevance, and alignment with business goals.

Understand the Workbooks & Dashboards: Have a thorough knowledge of the Tableau data sources, workbooks, and dashboards in your project. Ensure that they meet business requirements and are up to date.

2. Validating and Approving Content:

Promotion Process with Issues: Have all Tableau content promotions Production use the Tableau GitLab Issue using the template Tableau Publish to Production.

Production Validation: Before promoting content to Production, ensure the data is accurate and meets the business's needs. Double-check that the content is a trusted and validated source.

Single Source of Truth: Ensure usage of single source of truth (SSOT) for Certified and Published data sources. Also ensure that production content has one place for the users to access trusted dashboards and reports. Minimize redundant or conflicting workbooks that might confuse end users.

3. Data Security and Compliance:

Protecting Sensitive Data: Help safeguard sensitive data, including SAFE, MNPI (Material Non-Public Information), Restricted, and Personal Data. Ensure that sensitive workbooks and data sources are only accessible by authorized individuals.

Publishing a Workbook to Production for the First Time

Project Leaders have the ability to promote workbooks to Production. This process ensures only validated, accurate content reaches production, maintaining high standards for users. After a content promotion issues has been reviewed and approved Project Leads should fulfill by completing the following:

1. Select Move by navigating to the ellipse to the right of the workbook
1. From the pop-up window select the appropriate department folder for the workbook promotion. Be sure to place sensitive workbooks in SAFE or restricted folders.
1. If the workbook title contains \[Draft\], rename the workbook and remove Draft from the title. The workbook may have a tag Draft which should also be removed by clicking the ellipse and selecting Tags. The associated tag can then be removed by clicking the X next to the tag.

Publishing Over an Existing Production Workbook (Updating Content)

When updating content in production it is best to overwrite what is in Production. This will keep the content revision history, preserve metadata, viewership counts, and custom views intact.

1. Select Edit Workbook
1. Click on Publish As
1. Please make sure to name the workbook JUST AS it is currently named and select the corresponding Production folder.
1. Updating in this manner will retain revision history, viewership counts, and custom views. Although updating this way will place the workbook in your name. To change the owner to the original developer complete the following:
 1. Click the ellipse next to the workbook title and click Change Owner
 1. Select the proper owner for the workbook
 1. When workbook ownership is changed in Tableau, for security reasons Tableau will drop data source credentials. In order to resolve this
 1. On the Workbook click Data Sources
 1. Click the ellipse next to each data source
 1. Click Edit Connection
 1. From the pop-up click Embedded credentials in the connection
 1. From the drop down select your name and select Save

1. When updating a workbook to Production the original workbook in Development will remain. This is a duplicate workbook which can cause confusion for which content to use. This workbook can be removed by either archival or deletion. To Archive ask the BI Team to move to Archive. When deleting ensure you are removing the correct workbook and also know that deleted content cannot be restored.

SECTION: entity/_index.md

SECTION: entity/entity-specific-employment-policies.md

Introduction

There is a directory for team members employed through a GitLab entity to locate employment-related policies specific to their country of residence included with the team member policies listed on the 'People Policies' page of the handbook. These policies do not supersede GitLab Inc.'s Code of Business Conduct & Ethics.

SECTION: entity/gmbh-germany.md

{{% panel header="This is a Secure Document" header-bg="orange" %}}

Per the stated Roles & Responsibilities, changes to this page must be approved or merged by a code owner. All contributions are welcome and encouraged.

{{% /panel %}}

Scope

These standards apply to all GitLab team members hired through GitLab GmbH, which has a registered address at Elsenheimerstraße 7, München 80687, Germany.

Roles & Responsibilities

Role	Responsibility
------	----------------

-----	-----
-------	-------

GitLab Team Members	Responsible for understanding and following the requirements in this document
---------------------	---

People, Legal, Payroll, Total Rewards, Absence	Responsible for implementing and executing this document
--	--

People, Legal, Payroll, Total Rewards, Absence (Code owners)	Responsible for approving changes to this document
--	--

Works council

GitLab GmbH has a works council (Betriebsrat). The works council serves the primary functions of balancing the fundamental rights of employer and employees, and ensuring participation and co-determination, as works councils must be consulted about specific issues and have the right to make proposals to management.

For any questions, please contact DE-works council@gitlab.com. Please refer to our internal handbook for more information on how the works council operates.

Germany-Specific Team Member Benefits

Currently, GitLab provides the below additional benefits, in addition to mandatory state requirements. General GitLab benefits still apply. As part of the guiding principles, we will

continuously review our benefits design and offerings available through GitLab in Germany.

Join the gitlab-germany channel in Slack for questions.

Eye Exam and Glasses Reimbursement

Under The Occupational Health and Safety Act, employers must provide computer glasses when medically necessary to perform the job. If an eye exam determines that a team member needs glasses solely and exclusively for VDU (visual display unit i.e. computer screen) use, GitLab will reimburse towards the cost of a basic pair of frames and lenses (i.e. not designer frames) up to 150 Euro.

The team member needs to provide documentation (a prescription) from the optician that confirms if the lenses are specifically required for reading a display screen only and not required for general day to day use.

Please submit your prescription to Total Rewards for approval. Once approved, please send your receipts to Navan for reimbursement.

German Supplemental Pension Plans

GitLab has introduced two supplemental Pension Plans for our Germany Team Members. GitLab offers a Support fund (effective 2023-04, GitLab contributions only) and a Direct Insurance Pension Plan (effective 2023-05, Team Member contributions with GitLab matching up to 1% via Allianz). Please see the below "Plan Design" section for additional plan details.

For an overview of the Pension Plan please see the GitLab German Pension Plan Deck.

The plans are administered by our German Brokers at WTW. Please see below and the attached flier for additional details on the plan.

Team members can also email this form directly to WTW to obtain further support for the insurance tariff for salary sacrifice or request a consultation appointment with a WTW expert if needed:

Dagmar Hirner
T +49 611 794 4462
E meinebAV@wtwco.com

1. Effective 2023-04 Support Fund Enrollment: Current full-time eligible Team Members will automatically be enrolled into the Support Fund as of 2023-04. Eligible full-time New Team Members will automatically be enrolled in the Support Fund, with their effective date being the following month their start date (new team members in 2023-05, will be enrolled starting in 2023-06). If for any reason a Team Member wishes to opt out of the Support Fund, please notify Total-Rewards@gitlab.com.

1. Starting 2023-05 Direct Insurance Enrollment: Team Members who wish to enroll in the Direct Insurance Plan starting on 2023-05 or on a future month will need to:

- (1) Complete the Direct Insurance agreement with your desired contribution
- (2) Send it to Total-Rewards@gitlab.com and meinebAV@wtwco.com before the 5th of the month. Following receipt, the Benefits Team will countersign and send to WTW to confirm your enrollment.

- Please note: you can choose to update your elections or enroll in the Direct Insurance Plan at any time throughout the year. If a team member notifies Total Rewards before the 5th of the month that they want to join or change their Direct Insurance Plan election - their enrollment/changes will be reflected on the 1st of the current month. If they notify TR after the 5th of the month, enrollment/changes will be reflected the 1st of the following month.

- If there are any questions regarding the Direct Insurance plan or specific inquiries on your enrollment - please reach out our Pension Plan designated expert, meinebAV@wtwco.com, who will be able to further support via email or schedule a call/meeting/consultation, cc'ing total-rewards@gitlab.com

- Team members can also email this form directly to WTW (meinebAV@wtwco.com) to obtain a quote for the salary sacrifice on the direct insurance plan.

- Team Members should expect a contract (for their reference/records) from Allianz via post mail within 8 weeks of enrollment. If a team member does not receive a contract within the first 2 months of enrollment, please contact meinebAV@wtwco.com.

Plan Design

Direct Insurance: GitLab will match up to 1% of pensionable income, max 1% of SSCC towards team member's salary sacrifice contributions.

- Employee contributions: The team member can elect an amount up to ~7% of the SCC maximum

- Employer :Contributions GitLab Employer contributions will match only 1%. Please note: team members must elect at least 1% to receive the Employer Match.

Support Fund: GitLab will also contribute 1% of pensionable income up to SSCC, plus 6% of pensionable salary above the SSCC.

- Employer contributions only

Fixed Adjustments: Salary is based on Annual Base salary; it is a fixed Salary and does not change throughout the year. Contributions are paid out monthly, but calculations are based on annual salary.

New Joiners to the plan will always be automatically enrolled effective the following month.

Support Fund Enrollment

Support Fund Enrollment: Current Team Members will automatically be enrolled into the Support Fund as of April 2023. New Team Members will automatically be enrolled in the Support Fund, with their effective date being the following month after their start. If for any reason a Team Member wishes to opt out of the Support Fund, please notify Total-Rewards@gitlab.com.

Total Rewards will notify the Non-US Payroll Team, who will start deductions from your paycheck and WTW will notify Allianz to enroll you into the plan. Team Members should expect a contract from Allianz via post mail within 8 weeks of enrollment.

If a team member does not receive a contract within the first 2 months of enrollment, please contact .meinebAV@wtwco.com

Enrolling or Changing Your Contributions into Direct Insurance

Team members interested in enrolling into the Direct Insurance Plan will need to complete the Direct Insurance agreement with your desired contribution and send it to Rewards@gitlab.com and meinebAV@wtwco.com before the 5th of the month. Following receipt, the Benefits Team will countersign and confirm with WTW on your updated contribution change. As a reminder team members must elect at least 1% to receive the Employer Match.

If a Team member notifies Total Rewards before the 5th of the month that they want to change their Direct Insurance Plan contributions, changes will be reflected on the 1st of the current month. If they notify Total Rewards after the 5th of the month enrollment/changes will be reflected the 1st of the following month. Total Rewards will inform WTW and Non-US Payroll of the change and when to update the change.

The team member will receive a new version of the contract (may take up to 8 weeks to receive the new contract), however in the meantime Payroll will update the contribution amount.

Options for existing direct insurance contracts with prior employer

There are two different options on how to handle existing direct insurance contracts:

- There is a legal claim to the transfer of the value of the existing insurance (transfer of actuarial reserve) if, for example, it is a direct insurance that was concluded as a new commitment as of 01.01.2005. However, the transfer is only possible within 15 months of leaving the previous employer. In this case, a new insurance policy is taken out on the basis of current legal principles. This may change the existing insurance cover. The value of the existing insurance will be included in the new insurance to be taken out.
- Optionally, the existing contract can be continued privately contributory or non-contributory (in this case, GitLab will not take over the existing contract) and the employee takes out a new contract within the group contract with GitLab.

Team Members On Leave

For the Direct Insurance plan, Team Members on Leave, including unpaid, maternity, and paternity and extended Long Term Sickness (42 continuous calendar days of sick leave- 6 weeks) are not eligible to contribute on the plans while on leave.

For the Support Fund, during times the team member is not paid pensionable salary, support fund contributions will stop, with the exception of paid maternity and paternity leave.

Contributions will cease the month after the team member goes on leave. · For example if the team member goes on leave on May 2nd (i.e. they are active on the 1st of the month) they can continue the contribution for that month, the next month (June 1st) we will stop contribution. Contributions will start again the following month after the team member returns from leave.

Team Member Leaving the Company

When a team member leaves the company, Total-Rewards will notify Allianz of the GitLab alumni's leave date. The alumni can then expect a letter from Allianz with instructions on how to update the insurer of the pension plan from GitLab to the Team Member. Please contact meinebAV@wtwco.com, if you have any questions or may not have received your letter from Allianz.

German Social Security System

GitLab and team members contributions to pension, health insurance, care in old age insurance and unemployment insurance are mandatory, as required by the state system. The payments are calculated each month by payroll and are shown on the employee pay-slips.

Further information can also be found on the Germany Trade & Invest Website.

Personal Accident Insurance

Effective July 1, 2022 GitLab provides team members in Germany Personal Accident Insurance Coverage with Allianz Versicherungs-AG. All team members are automatically enrolled.

Direct Entitlement is excluded from the plan, meaning the premiums are only taxed in the event of a claim payment. Insured value for death due to an accident is 1x annual salary- limited to 500,000 Euros, the insured value for dismemberment due to an accident is 2x annual salary for a 100% claim - limited to 1,000,000 Euros. For additional details please find the Fact Sheet in English and the Fact Sheet in German.

In the unfortunate event of an accident, please find the Group Personal Accident Flier in German & in English with information on how to report an accident and start a claim.

Accidents at work that are fatal or lead to an inability to work for more than 3 days must be reported within three days of the accident to our Berufsgenossenschaft VBG.

1. If you had an accident, please review the criteria by reviewing the Information panel to clarify if the accident is insured as a work accident

1. If it meets the criteria for a work accident, please fill in this form and report your accident to the Absence Management Team by emailing the form to leaves@gitlab.com. Fields 2 and 28 will get completed by the Absence Management Team.

1. The Absence Management Team will notify the VBG about the accident report and inform the specialist for occupational safety.

Further things to note:

The injured team member has the right to a copy of the accident report and can request the final document by emailing leaves@gitlab.com.

Life Insurance

GitLab does not plan to offer different Life Insurance Benefits because team members can access employer insurance and government pension schemes to help with payments in the event of a death of a family member. The GitLab Life Insurance plan still applies.

GitLab GmbH Germany Leave Policy

GitLab GmbH Germany Parental Leave

To initiate your Parental Leave, submit the dates in Workday by selecting Parental Leave under the Leaves dropdown menu. This will prompt the Absence Management team to process your leave. You can find out more information about our Parental Leave policy [here](#).

Statutory Leave Entitlement

Maternity Protection

Maternity Leave

Regardless of the length of service, under the Maternity Protection Act, pregnant team members are entitled to 6 weeks of leave prior to their estimated due date with full pay (Maternity pay). If a birthing parent does not give birth on the expected day, the period of protection before childbirth is shortened or extended accordingly. Team members may choose to opt-out of the six-week maternity protection period before their due date. This declaration can be revoked at any time with effect for the future.

The Maternity Protection period after the delivery is 8 weeks following the birth (or 12 weeks in case of multiple or premature birth and if the child is medically diagnosed with a disability within the meaning of sec. 2 para. 1 sentence 1 of Book 9 of the Social Code (Neuntes Buch Sozialgesetzbuch) before the end of eight weeks after delivery). Team members may not opt-out of the maternity protection period following childbirth. In case of premature delivery, the period of protection after delivery is extended by the period of reduction of the period of protection before delivery; if the child has been diagnosed with a disability in the sense described above, the period of protection after delivery is extended only if the birthing parent applies for it. The team member will receive full payment during this period. GitLab may receive reimbursement of these payments from the team member's health insurance carrier. Please notify the Absence Management team at leaves@domain of your health insurance carrier name and your insurance number.

Under the Maternity Protection Act, a breastfeeding birthing parent may request time off during the first 12 months after delivery for the time necessary for breastfeeding, but at least twice a day for half an hour or once a day for one hour; the birthing parent retains the wage claim against the employer during the period of breastfeeding.

Parental Leave

All team members who are or become parents are entitled to take up to three years of Parental Leave.

Regardless of the length of service, under German law employees may take up to three years of Parental Leave following the child's birth, adoption or foster care placement. The entitlement is valid until a child reaches the age of three years. A period of up to 24 months may be taken between the child's third birthday and the completion of his or her eighth year of life. The Parental Leave can be distributed over three time periods, without approval of the employer. Distribution over further periods is possible only with the employer's consent.

In case a birthing parent takes Parental Leave subsequently to the child's birth, the period of Maternity Leave is not credited for the Parental Leave. For expecting birthing parents, they may take the Maternity Protection period followed by Parental Leave. GitLab will provide full Parental Leave pay (provided the team member meets the eligibility criteria) for up to 16 weeks of the total leave (not including the Maternity Protection period). The team member may apply for state benefits for the remainder of their Parental Leave.

Maternity Leave Payment

- If you are a member of the statutory health insurance, you are entitled to a maximum maternity allowance of 13 euros per day during the Maternity Protection Period. GitLab will supplement your pay so that you receive 100% of your salary for the duration of the Maternity Protection Period.
- If you are privately insured and receive a daily sickness allowance during the Maternity Protection Period, GitLab will supplement your pay so that you receive 100% of your salary for the duration of the Maternity Protection Period.
- If you are privately insured and will not receive a daily sickness allowance, you may qualify for a one-time payment of up to 210 euros from the Federal Social Security Office. GitLab will supplement your pay so that you receive 100% of your salary for the duration of the Maternity Protection Period.
- GitLab may receive reimbursement of these payments from the team member's health insurance carrier. Please provide the Absence Management team at leaves@domain with the name of your insurance provider and Versichertennummer (insurance number).
- The Absence Management team will then send payroll the team member's insurance details.
- If you wish to take Parental Leave directly after your Maternity Protection Period ends, you may do so. If eligible, GitLab will pay up to 16 weeks of your total leave (not including the Maternity Protection period), the rest will be unpaid.

Table for birthing person

```
<table style="width: 100%; border-collapse: collapse; text-align: center; font-size: 14px;">
  <thead>
    <tr>
      <th style="border: 1px solid ddd; padding: 8px;">Period / Point in Time</th>
      <th style="border: 1px solid ddd; padding: 8px;">Beginning of Pregnancy</th>
      <th style="border: 1px solid ddd; padding: 8px;">Notification to Employer</th>
      <th style="border: 1px solid ddd; padding: 8px;">Remaining Pregnancy Time</th>
      <th style="border: 1px solid ddd; padding: 8px;">6 Weeks Before Due Date</th>
      <th style="border: 1px solid ddd; padding: 8px;">Day of Birth</th>
      <th style="border: 1px solid ddd; padding: 8px;">8 Weeks After Birth</th>
      <th style="border: 1px solid ddd; padding: 8px;">After Maternity Protection Ends</th>
      <th style="border: 1px solid ddd; padding: 8px;">Up to 12 Months After Birth</th>
      <th style="border: 1px solid ddd; padding: 8px;">Max. Until Child's 3rd Birthday</th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <td style="border: 1px solid ddd; padding: 8px;">Salary (As per German Law)</td>
      <td colspan="3" style="border: 1px solid ddd; padding: 8px; background-color:
e6f3ff;">Regular salary</td>
      <td colspan="5">
```