

ng Influenced Pipeline dashboard.

You can learn how everything fits together in this overview video [Internal].

Everything is a Campaign

Critical to measuring content effectiveness is ensuring engagement is measurable and this is achievable by using Calls-To-Action (CTAs) with UTM & Salesforce campaigns. We use UTM campaigns for the content we publish on external channels like 3rd party blogs, YouTube, Forum, Talks, etc. We do not use UTM campaigns, even when short linked with Campaign Manager or any other URL shortener, on GitLab channels like the GitLab blog, website, documentation, or handbook.

The Marketing Campaigns Dashboard uses utmbudget to track campaigns and how they lead to touchpoints, lead, MQL (Qualified Leads) and eventually ARR. This makes it very important to ensure the right utmbudget is used for CTAs. If you use the CommunityApps Campaign Manager, the appropriate utmbudget is automatically added for you by putting the link under the right team. You can access the Developer Relations team page with this link.

For campaigns we influence, it's important to ask for their UTM or Salesforce campaign names and update the devrelinfluencedcampaigns sheet of the DevRel Content Asset inventory, without this step, the Marketing Campaigns Dashboard will not include the campaign as part of those influenced by Developer Relations. To make it easier tracking campaigns the team influences, we use the DevRel-Influenced label across the gitlab-com GitLab group.

Developer Relations Influenced Campaigns

The Developer Relations team contribute to several campaigns across GitLab. To measure the impact of these contributions, we keep track of DevRel influenced campaigns in the devrelinfluencedcampaigns sheet of the Content Asset Inventory. This sheet serves as a data source for the "DevRel" influenced filter to show campaigns influenced by the team on the Marketing Campaigns Dashboard.

There are 2 filters applicable to the Developer Relations team: Developer Relations budget holder and the DevRel Influence type filters.

Developer Relations Integrated budget holder filter

The "Developer Relations" option under the "Integrated Budget Holder" filter shows data for campaign touchpoints generated with the teams' use of devrel, or cmt for old campaigns, for utmbudget. These are only applicable to links we share ourselves, mostly using CommunityApps. When you use CommunityApps to create a short link under the DevRel team, the utmbudget is automatically added when tracking is enabled.

DevRel Influence Type Filter

To access the "DevRel Influence Type" filter, click on "Advanced filters" on the "Campaign Drill Down" tab of the Marketing Campaigns Dashboard. The DevRel Influence Type filter shows all campaigns influenced by the Developer Relations team, including those with the devrel UTM campaign budget code. Uncheck the "No DevRel Influence" check box to filter the dashboard. You can also filter by specific influence types to further filter the results. The "Owned" filter are touchpoints data from the devrel budget holder.

Content Asset Inventory

A common bottleneck to tracking the effectiveness of content is having a source where the content is listed and indexed with relevant metadata. While individual content types like blog posts can be sourced from the medium on which they are published, it is often difficult to filter automatically for a specific team or group. The workaround is to have a spreadsheet where all the content is aggregated for further use, this is the role the Content Asset Inventory spreadsheet plays. Our Looker Studio and Tableau dashboards use the Asset inventory as a data source. The sheets in the spreadsheet are:

- youtubeviewsgitlab: Videos published on GitLab owned YouTube channels.
- devrelblogpostviews: Blog posts published on GitLab's blog by members of the Developer Relations team.
- devrelinfluencedcampaigns: Campaigns influenced by members of the Developer Relations team.
- External Videos: Videos created by or in collaboration with a member of the Developer Relations team and published on a non-GitLab owned YouTube channel or a platform other than YouTube.

YouTube2Sheets

YouTube2Sheets is a ruby script that runs twice daily at noon and midnight UTC. It takes a list of YouTube playlists provided in a JSON Config file, connects to the YouTube API, fetches all the videos in the playlists along with their meta data and stores them in the Google sheet specified for each playlist.

The idea behind this script is to create an semi-automated way to keep track of videos published on YouTube. For this to work, the videos need to be organized in playlists and the playlists should be added to the JSON Config file. The format of the file is as follows:

```
json
[
  {
    "playlistid":"PL05xxxxx", //The ID of the YouTube playlist to fetch videos from.
    "spreadsheetid":"1WLuayxxxx", //The ID of the Google Spreadsheet the meta data of
    videos will be stored.
    "sheetname":"Sheet1", //The name of the the Sheet in the Google Spreadsheet where the
    video data should be stored.
    "task":"Developer Relations - DA", // An name for the list, useful in cases where the
    spreadsheet is used for multiple playlists.
    "description":"Developer Advocacy Team"
  }
]
```

]

The video meta data are stored in the spreadsheets in the following format:

	A	B	C	D	E	F	G	H
1	Video ID	Task/Team Name	Channel Title	Playlist Title	Video URL	Video Title	Publication Date	GitLab Publication Quarter
2	OSDhL5ME	Developer Relations - DA	GitLab Unfiltered	Developer Advocacy Team	https://www.youtube.com/watch?v=OSDhL5ME	5. everyone can contribute cafe: HashiCorp Waypoint	2020-05-27T22:43:09.000Z	FY21Q2

The spreadsheet data in the spreadsheet can be used as is for any further automation or process. In the case of the Developer Relations team, the data is fed into the youtubeviewsgitlab sheet of the Content Asset Inventory spreadsheet.

CommunityApps - Campaign Manager

The CommunityApps Campaign Manager enables the team to manage the use of UTM campaigns in line with the Marketing UTM strategy. You can learn more about the application here. The key role of CommunityApps in the Content Effectiveness workflow is to ensure the right UTM campaign codes are used and, in turn, their usage will be picked up by the data automation that powers the Marketing Campaigns Dashboard on Tableau.

Looker Reports

The Looker Studio reports was created as a quick first iteration before they are migrated to Tableau. The data sources used to build the reports are:

- Google Analytics 4 API
- YouTube API
- youtubeviewsgitlab sheet in the Content Inventory
- devrelblogpostviews sheet

Using the 4 data sources, 3 blends were created, the DevRel Filtered Youtube Data Source, DevRel Filtered Youtube (Official Channel) Data Source and DevRel Filtered Blog. A Blend in Looker Studio lets you combine multiple data sources in the same visualization.

DevRel Filtered Youtube Data Source and DevRel Filtered Youtube (Official Channel) Data Source blends the data from the youtubeviewsgitlab sheet and the YouTube API using the External Video ID from the API and the videoid column from then sheet, in an Inner join. The DevRel Filtered Youtube (Official Channel) Data Source is authenticated using John Coghlan's Google account to the official channel and DevRel Filtered Youtube Data Source to the Unfiltered channel using the same account. The DevRel Filtered Blog blends data from the devrelblogpostviews and Google Analytics (GA4) API.

Here is an example of a blend:

Multilingual YouTube Views Report

Some of the videos published on GitLab.com are dubbed in languages like Spanish & Portuguese. To understand how they perform against the English version, we have the Multilingual YouTube Views Report in Looker Studio.

This report uses the `youtuberviewsgitlab` sheet in the Content Inventory Sheet by introducing the `videotopic` column. The column is used to group a set of videos with same content but in different languages. For example, in the image below, you will see the same `videotopic` is specified for the English, Spanish and Portuguese versions of the listed videos. This process is manual. Once the videos have been synced by Youtube2Sheets, you'll need to update the sheets and fill in the `videotopics` for videos you want in the multilingual report.

This configuration only supports videos published on the Official GitLab YouTube Channel. If you are publishing new videos, make sure they are in the appropriate English, Portuguese and Spanish playlists. If you are creating a new language playlist, add the playlist to the Youtube2Sheets Configuration file and specify the language.

Maintenance guide

This section details how the different components of the Content Effectiveness workflow link together and how to maintain them.

Maintenance

Campaigns

- Use the Campaign Manager to generate shortlinks or full campaign links and use them in your campaigns.
- Add the DevRel-Influenced label to the issue or epic of the campaign you are working on.
- If the campaign belongs to a different team, confirm the UTM or Salesforce Campaign name and update the `devrelinfluencedcampaigns` sheet in the Content Inventory accordingly. Please make sure campaign names are not duplicated, if it already exists, no need to add it again as it will break data pipeline.
- It is recommended to use campaign links as much as you can on non-GitLab mediums.

Blog posts

Once a blog post has been published on the GitLab Blog, add the URL along with other details to the `devrelblogpostsviews` sheet. This is an important step in getting the content piece to appear in the relevant dashboards.

Videos

For YouTube Videos on Official and Unfiltered Channels, ensure the videos are organized in a playlist and add the play list to the YouTube to Sheets dataconfig.json file. Ensure the DevRel Content Inventory spreadsheet ID is used, you can find it from other playlists in the file. Once this is done, the videos from the playlist will be added to the youtubeviewsgitlab sheet once the scheduled pipelines of the YouTube2Sheets project runs.

For videos on non-GitLab Channels or other platforms, add the details about the video to the External Videos sheet.

SECTION: marketing/developer-relations/content-request.md

Developer Relations content request overview

This handbook page describes the process for requesting materials from the Developer Relations team.

How to work with the Developer Advocate Team

In line with GitLab's dogfooding subvalue, our team uses GitLab epics and issues to track requests, plan work, and collaborate. Opening an issue is the best way to initiate a request. To do this, please use the Developer Relations content request template. By following the template fields and answering included questions, you will provide the information our team requires to triage the request.

[Submit a content request](#)

How we triage requests

Our team reviews all incoming requests for new content according to the following process:

1. Review
1. Scope
1. Assign
1. Document (Promote to epic, add to roadmap and content plan)
1. Prioritize

Review

Our team will review your request within two business days of receiving it.

Scope

Our team will collaborate with you to ensure we understand the scope of the request. We may ask you to provide additional details about business goal or opportunities, target audience size, intended audience personas, content type(s), distribution plans, and due dates.

Assign

Depending on the nature of the details we collect in the Scope step, we may route your request to the Developer Advocate team, Contributor Success team, or Community Programs team. In some cases, we may route requests to a team outside Developer Relations. In other cases, we may agree to use existing content to fulfill your request so our team can prioritize new work.

Document

To track our work, we use a Roadmap in GitLab and a spreadsheet. After the work is assigned, it should be promoted to an epic so it displays on the Developer Relations Content Roadmap and added to the Technical Content Google Sheet. This helps make the content visible to our team members and stakeholders.

Prioritize

Next, we'll agree on the priority of your request vis-a-vis other requests currently on our roadmap. This helps us consider existing items in our backlog and identify whether we need to push current or existing work to new milestones. We may also determine whether we may need additional capacity (i.e., external support) to fulfill your request by a certain date. Upon completion of this step, we'll set a delivery date on the roadmap and content plan.

Feedback

This is a newly created process. Please share feedback on this process by contacting our team in the developer-relations channel in Slack.

SECTION: marketing/developer-relations/contributors-program.md

Summary

The GitLab Contributors Program drives strategic growth of our open source contributor community to deliver measurable product improvements and a sustainable pipeline of contributing end users.

By converting users into active contributors and then champions of GitLab, we create a scalable model where contributors solve real challenges, deepen their knowledge of GitLab, and tackle larger initiatives that impact millions of users.

The Contributor Success team implements targeted outreach strategies to existing GitLab users, customers, learners, and partners to funnel top contributors into the program on the Contributors platform.

The program's dual focus on code and non-code contributions ensures comprehensive platform enhancement, from technical improvements to documentation, translation, design and user experience.

Key Objectives

1. Reach 200 unique wider community contributors a month by end of FY26
1. Deliver a public portfolio highlighting 10 high-impact contributions each quarter by end of FY26

KPIs

Unique Wider Community Contributors per Month

Target Audience Segmentation

Our primary focus is engaging GitLab's existing users and customers, who consistently deliver the highest-impact contributions.

We supplement this with targeted outreach to learners and hackathon participants to build a diverse contributor pipeline that drives growth of the community.

1. Primary Focus: GitLab Users and Customers

Highest potential for meaningful contributions due to platform experience and issues to scratch

Training customer contributors through Co-Create

- Co-Create success stories & benefits

- Co-Create handbook overview

- Targeted outreach of contribution opportunities for all GitLab end users

Utilize ecosystem partners and hyperscalers to accelerate innovative changes

- Collaborate with GitLab's Strategy & Ecosystem teams

2. Supporting Pools

Learners and Educational Communities

Use educational and ecosystem partnerships to drive community growth and GitLab usage from a diverse group of top performing contributors

Champion GitLab Duo and AI features to help support learning by completing real world challenges

Certifications and/or recognition for contributions with AI tools to boost credentials and portfolios

Hackathon Participants

Prioritize partnerships that funnel existing GitLab users and experienced open source contributors (Hacktoberfest/Digital Ocean/MLH)

- Run partnered hackathon contests with ecosystem partners and education partners

- Improve new contributor onboarding and contribution velocity through AI-assisted workflows

FY26 Core Activities and Initiatives

Start - New initiatives to implement in FY26

Enhanced Customer and End User Focus

Quality issue curation and incentives through deepened collaborations with Product and Engineering teams

Further AI-powered contribution support through GitLab Duo integration and offer recognition for AI contributions

- Develop public portfolio of high-impact contributions that enhance GitLab

Targeted partnerships and outreach

Collaborations with ecosystem partners and hyperscalers
Educational partnership development

Continue

Strategic hackathon collaborations

Funnel experienced open source contributors and existing GitLab users through partnerships
Collaborate with Gitlab groups to run curated hackathons that bring value to Product teams

Platform Improvements

Study and deepen the usage of the Contributors platform to enhance the contributor journey
Automate leveling, rewards and recognition processes to retain and grow contributors

Contributor Support

Improve issue discovery for contributors
Enhance MR coaching system to support contributors and reduce open community merge request age (OCMA)

Stop

Unfocused Outreach

Generalized developer community outreach without target audience connection
Non-strategic event participation
Developer Relations activities not tied to contribution growth

Low impact process improvements

Processes that don't scale with community growth or impact KPIs
Incremental process improvements when we are already at 80% effectiveness

Events

FY26Q1

GitLab Hackathon (UX Product Design collaboration)
FOSDEM 2025

FY26Q2

GitLab Hackathon
Open Source Summit North America 2025
RailsConf25

FY26Q3

GitLab Hackathon
Open Source Summit Europe 2025
All Things Open 2025
Hacktoberfest 2025

FY26Q4

GitLab Hackathon

Resource needs

- Merge Request Coaches
- Community forks maintainers
- Discord support
- Developers for contributors platform

Operating Principles

Marketing and Strategy Alignment

Applying GitLab's Marketing & Strategy principles will grow our contributor community while delivering measurable value.

In FY26 we adopt the existing Marketing Alignment stages into our contributor strategy:

Awareness => Consideration => Conversion => Expansion => Evangelism.

Contributor Journey Focus

- Guide users from awareness of contribution opportunities to converting active contributors who advocate for contributing to GitLab

- Create targeted content and outreach dependent on stage of the contributor journey and target audience

- Measure and optimize our outreach strategies to improve conversion rates

Value-Driven Community Growth

- Collaboration: Foster collaborations between contributors, internal teams, customers, and partners

- Results: Track and communicate concrete metrics showing community growth and contributor impact on product improvement

- Efficiency: Streamline contributor onboarding, support processes, and AI workflows to reduce barrier of entry

- Diversity, inclusion and belonging: Actively cultivate diverse contributor perspectives globally and support first-time contributors

- Iteration: Apply user studies and contributor surveys to refine high impact areas and stumbling blocks to the contributor journey

- Transparency: Maintain open communication with the community and better inform internal teams of strategies and results

Stakeholder Engagement

- "Market" ourselves to internal stakeholders by showcasing how the program supports community contributors to improve the GitLab product for end users

- Align contributor initiatives with company OKRs and strategic priorities

- Build strong partnerships across internal teams to amplify our strategies, results and ways team members can support community contributors

Efficiency and Iteration with "Good Enough" Mindset

We embrace GitLab's values of efficiency and iteration by prioritizing progress over perfection.

This approach ensures we maintain program momentum while maximizing our impact on the contributor community and GitLab platform.

Strategic Prioritization

- Focus on high-impact improvements that deliver essential value quickly

- Advance projects when they reach 80% effectiveness, allowing us to tackle more initiatives

- Reserve deep iteration for areas directly impacting KPIs or program scalability

SECTION: marketing/developer-relations/core-team.md

Becoming a Core Team member

A new member can be added to the Core Team at any time through the following steps:

1. Any Core Team member or GitLab Team member can nominate a new member from the wider community at any time using a confidential issue in the Core Team group to limit any possible negative feedback in the smallest setting possible.
2. The nominee will be added to the Core Team if they have received positive votes from two-thirds (2/3) of all current core team members within a four-week period and accept the nomination.
3. Once a new member has been added, start the onboarding process by following the steps outlined in the Core Team member orientation section below.

Monthly Core Team meetings

Due to time differences, and other commitments, the Core Team meets asynchronously on the third Tuesday of each month.

Call logistics/agenda/notes for the meeting are available on the Core Team issue tracker.

All meeting recordings are available at the Core Team meeting Playlist.

Contacting Core Team members

Core Team members can be reached by mentioning @gitlab-org/gitlab-core-team in issues or merge requests.

While GitLab is the primary means of contact, the Core Team can also be contacted on the core Slack channel.

Anyone can open an issue in the Core Team issue tracker.

Offboarding and stepping down gracefully

If you are no longer able to or interested in serving in the Core Team, you should make an announcement on the core Slack channel.

When you step down, you will become an inactive Core Team member.

Once a Core Team member steps down, another Core team member will create an issue using the offboarding template and follow the steps outlined.

Core Team Member Orientation

1. Email the nominated member to confirm they are interested before beginning the orientation process.

1. Create an issue in the Core Team Project using the Core Team Member Onboarding Issue Template and follow the steps outlined.

- Core team members must sign an NDA before granting them any access.

Core Team Group

All Core Team members are part of the gitlab-org/gitlab-core-team group on GitLab.com. This group has a particular structure for specific automation purposes:

mermaid

graph TD

A("gitlab-core-team (group)
-Has both GitLab team and wider community Core Team members-") --> B("community-members (group)
-Has only wider community Core Team members-")

A --> C["general (project)"]

The community-members group exists to:

- facilitate triaging and;
- ensure Core Team members are credited in the changelog

Core Team member benefits

As part of the trust, value and recognition that joining the Core Team implies, each member is granted a number of benefits to support them in their contributions.

Slack access

Core Team members are granted access to the GitLab team's Slack instance as part of their Core Team Member Orientation.

A list of the up-to-date channels the Core should/have access to can be found in the Core Team and Slack Google Sheets and in the list below:

<style>

```
details summary {  
  display: inline-block;  
}
```

</style>

<details>

<summary>

Slack channels Core Team can access

</summary>

- backend
- backendmaintainers
- backendpairs
- cfp
- community-programs
- competition
- contributor-success
- core
- dev-advocacy-team
- developer-relations
- developer-relations-hangout
- development
- docs
- docs-tooling
- e2e-run-master
- e2e-run-preprod
- e2e-run-production
- e2e-run-staging
- fagentforkubernetes
- fapiclient-go
- fgraphql
- frubocop
- fosdem
- frontend
- frontendmaintainers
- frontendpairs
- gdevelopertooling
- gdevelopment-analytics
- gengineeringproductivity
- ggitaly
- gmonitorplatforminsights
- gpajamas-design-system
- gproduct-planning
- gproject-management
- grunner
- gsscspipeline-security
- gck
- gdk
- gdk-gitpod
- gdk-workspaces
- golang
- handbook
- internet-of-things
- is-this-known
- jetbrains-ide-users
- kubernetes
- lang-de
- lang-ja

- lang-ru
- linux
- master-broken
- mr-coaching
- mr-feedback
- opensource
- production
- review-apps-broken
- sdeveloperexperience
- terraform-provider
- test-platform
- triage
- triage-automations
- tw-team
- uxcoworking
- vim
- website

</details>

<details>

<summary>

Slack channels Core Team cannot access

</summary>

- release-post
- security
- questions
- connect-to-contribute
- all-caps
- random
- whats-happening-at-gitlab
- thanks
- diversityinclusionandbelonging
- company-fyi
- contribute2021
- ux

</details>

Requesting Core Team access to Slack channels

1. Please submit an access request with the new channel(s) requested.
1. Assign the issue to a member of Contributor Success who will complete the next steps.
1. Contributor Success to: Identify the channel(s) owner and invite them to review the request by leaving a comment on whether they agree on having Core Team members in their channel(s).
1. After successful review, issue is handed/assigned to Slack Admins, for inviting Core Team

members to the channels and the list above is updated.

All the channels Core Team members have access to, should follow the SAFE guidelines when posting in the channel. Even though the Core Team Members have signed an NDA, they are not considered GitLab team members.

Developer permissions for GitLab projects

To improve their development experience, Core Team members are granted Developer permissions on the gitlab-org group, where the vast majority of projects for GitLab (the product) reside. For any project under that group, and among other abilities, this enables them to:

- Create branches on the source project instead of forks
- Assign merge requests
- Assign issues
- Manage and assign labels

At this time, Core Team members are not added to the gitlab-com group, which is used for projects and processes associated to the GitLab company.

Contributor Success will generally take the action to grant this permission as part of the new Core Team member's orientation issue.

Team page listing

To emphasize their affiliation and closeness to the GitLab team, and to raise visibility on their profile, Core Team members can add themselves to the GitLab team page and ask a review from any member of Contributor Success.

This will list their profile on the Core Team page as well.

GitLab top tier license

To enable contributions and to gain insight on GitLab capabilities, Core Team members can request a free top tier license for development purposes.

GitLab top tier licenses in SaaS or self-managed instances are granted to Core Team members for 1 year and can be renewed for another year during the Core Team member term. If a member decides to step down but still wishes to contribute to GitLab occasionally, they will still be eligible for a GitLab license, but the renewal period will be the standard 3 months given to other GitLab community members.

There is no specific limit on the number of seats that Core Team members can request. We trust Core Team members to use their own judgement to estimate the number of users they will need for development purposes, and not to use the license for for-profit purposes.

JetBrains license

To support their code contributions to GitLab, Core Team members can request a JetBrains license for development purposes.

> Disclaimer: Due to applicable trade control law, reimbursement cannot be provided to the following countries: Cuba, Iran, North Korea, Syria, Ukraine, Russia, and Belarus. This list is subject to change without notice.

Process

- Raise a request in the core team slack channel.
- Once approved, purchase the relevant license.
- Email ap@gitlab.com cc nveenhof@gitlab.com and rnaln@gitlab.com including:
 - A copy of your receipt.
 - Your international bank details for reimbursement.
 - @nickvh and @rnalen should reply with their approval.
 - AP will proceed with the reimbursement process.

Sponsored access to GitLab events

To support contribution at in-person or virtual events, Core Team members will be eligible for sponsored access (subscription, accommodation, travel) to GitLab events (e.g. GitLab Contribute, GitLab Commit).

Personalized merchandise

On occasion, the GitLab team might offer personalized merchandise exclusive to Core Team members to contribute in style!

SECTION: marketing/developer-relations/events.md

Events are a great way for GitLab and the Developer Relations team to connect with customers and the wider GitLab community.

Types of Events

The Developer Relations team regularly attends the following event types:

- Community Events
- Corporate Marketing Events
- Field Marketing Events

Community events

GitLab's Developer Relations team regularly organizes virtual events including GitLab Hackathons and community office hours.

We also support in-person contributor days and community-organized meetups. Many of these activities are organized through the GitLab network page on Meetup.

Corporate Marketing Events

Corporate Events include conferences with large attendance such as KubeCon, AWS Re:Invent, as well as user conferences (DevSecOps World Tour), and internal conferences (GitLab Summit).

To learn more about Corporate Marketing Events, See the Corporate Event Marketing at GitLab Handbook page.

Field Marketing Events

Field Marketing Events are events that strategically support the Large, Mid-Market & Public Sector go-to-market teams at a regional level through in-person and virtual interactions.

To learn more about Field Marketing Events, See the Field Marketing GitLab Handbook page.

Evaluation Criteria for Event Attendance

When deciding how Developer Relations should support an in-person event, we use the following criteria:

1. The event will take place in a Tier 1 or 2 country.
Tier details are in the internal handbook.
1. More than 1,000 attendees with a (content and audience) focus that aligns with GitLab's marketing strategy as detailed in the internal handbook.
1. GitLab is a sponsor.

The Developer Relations team will prioritize events that meet at least 2 of these criteria, however, we may not be able to support all events that meet these criteria. Events that do not meet these criteria will be considered if there is a compelling business case to attend (ex: keynote opportunity at a 500-person event in a priority market).

To effectively manage team member travel and time, we prioritize who from our team will attend in-person events using the following criteria:

1. Team members will not attend events during scheduled PTO.
1. Team members who live within the region of the event will be given priority whenever possible.
1. Team members will not attend more than 1 in-person event per month.
1. Team members will not attend more than 1 in-person event outside their region per quarter.
1. No more than 2 Developer Relations team members will attend any event.

Note: For virtual events, we will assess the opportunities on a case-by-case basis given they require less time and travel from the team.

Evaluation criteria for partner and community events

For events that are organized by partners and members of the wider GitLab community, we require that organizers provide the following for GitLab team members to ensure their participation:

1. Registration page, which must be live and shared with the speaker 4 weeks in advance of the event

1. An update on registrations one week before the event

1. An enforced, public Code of Conduct to ensure it is a safe environment for all contributing. If needed, event organizers are welcome to use GitLab's Community Code of Conduct.

These steps will help us ensure that the events will have a sufficient audience to justify the time and cost spent preparing for and attending the events.

Event Content Generation

The Developer Advocate team creates content for events including managing the Call for Paper submission process and producing presentations, demos, lightning talks, and other content.

GitLab team members who are seeking support for a speaking opportunity should review the Speaking Resources in the handbook. This page documents the process for a team member to secure approval including the requirements an event must meet for a GitLab speaker to participate.

Event Reporting

1. Search in Google Drive for TEMPLATE: DevRel event report: [EVENTNAME YEAR] to access the event report slide template.

1. Make a copy of the slide deck and add event insights, results, and new learnings.

1. Add the results deck to the event epic.

1. Share an update in Slack.

1. Add to the DevRel end-of-week updates document.

Event Content

The Developer Advocate team holds a pivotal role in generating content for events. The content we generate includes:

- Lightning Talks
- Demos
- Event Booth Training
- Event Presentations
- Code Challenges

Note: The types of content generated depend on the event being supported.

Lightning Talks

Developer Relations team members engage at events by giving lightning talks. The session length ranges from short

(5 minutes) sessions to long (20 minutes) sessions, depending on the event requirements. Team members, GitLab partners, and wider community members present the lightning talks.

Talk topics provide a range of informal, technical, and cultural insights, sometimes enriched with a live demo when time permits. The topics are aligned through a lightning talk CFP in collaboration with the corporate events team, for example, at KubeCon NA 2023 (internal).

A recommended structure for lightning talks is as follows:

- Introduction (1 min): Introduce the topic and the value it brings to attendees.
- About the Author (1 min): Introduce yourself, and your role, and provide social media handles
- Main Content (13 min): The main presentation
- Questions and Answers (5 min): Leave time at the end for answering user questions

Note: Providing a link for attendees to download a PDF of the presentation allows our audience to maintain a connection with GitLab and gather resources even after the presentation is complete.

Including QR codes pointing towards relevant links is highly encouraged.

The content of the lightning talks should be related to the theme of the event (for example: If a security conference, the lightning talks should revolve around GitLab Security and Governance Solutions). Here are some examples of lightning talks given at KubeCon EU 2023.

Demos

The Developer Advocate team is responsible for building demos for the booth staff to leverage when showcasing GitLab features to customers. The demo environments consist of:

- GitLab.com Demo Projects
- Click-through Demos

Note: If you feel more comfortable with leveraging your demos over the ones we provide, that is completely okay. We provide and maintain these demos for your consumption.

GitLab.com Demos

GitLab.com demos are projects that can be run live at a conference, during sales calls, webinars, and much more. They allow you to show either the DevSecOps platform as a whole or focus on individual components as needed. The available environments are as follows:

- Simple Notes - The Complete DevSecOps Platform Demo: This demo environment shows various aspects of GitLab, from setting up a CI/CD file, adding templates, running security scans, managing vulnerabilities, and much more. It also provides a full usage tutorial.
- Ask Me Anything - GitLab Duo AI Demo: This demo environment shows various GitLab Duo features from Explaining and Summarizing Code, Issues, and MRs to Suggesting Reviewers and Explaining Vulnerabilities.
- GitLab Flow: This demo environment covers the GitLab flow from planning to deployment

(including monitoring).

GitLab features such as Feature Flags, GA4K, Flux, Kubernetes overview, Compliance Pipelines, Operational container scanning, GitLab Duo, CD are covered.

If those demo environments do not suit your needs, you can view our other demo projects which are sorted by use case. You can also check out the CS Shared Demo Library for ready-to-go sales demos created by other solutions architects.

All Developer Advocacy maintained projects are documented in the projects handbook. Conference-specific demos are maintained in the gitlab-da/conferences group.

Note: Before demoing using these projects you should familiarize yourself with the project and its instructions provided in their README. The projects are meant to be cloned and used within your own space.

Click-through Demos

Click-through demos, also known as product tours, are self-guided walkthroughs designed to showcase key features and workflows. The full list of available product tours can be found in the Developer Advocacy content library. We also provide shorter versions for booth demonstrations.

Demo Features

- Navigate using the arrow keys (./.)
- Use Ctrl + P to toggle dialogs, which benefits the demonstration flow without popups.

Available short versions

- Advanced SAST
- Compliance Frameworks
- Vulnerability Explanation/Resolution

Event Booth Training

The Developer Advocate team also provides training and guidance to the booth staff before the event. This training and guidance entails:

- Going over the available demo environments
- Providing instructions on how to deliver a demo
- Providing a list of commonly asked questions for the event
- Addressing booth staff questions

How to deliver a demo

In many instances, an event attendee wishes to see GitLab in action and understand the value that GitLab could bring to their organization. The following steps provide insight into how live demos can be delivered successfully and how they can highlight the value GitLab could provide their organization.

Note: This guide assumes that you are using the Simple Notes - The Complete DevSecOps Platform Demo however, you can easily tune another project to apply a similar delivery.

1. Explain how GitLab is the most comprehensive DevSecOps platform which enables you to:
 - Manage, Test, Deploy, Secure, and Govern your applications all from one place.
 - Leverage AI to speed up your workflows across the complete SDLC
1. Begin by showing how simple it is to get started with using GitLab:
 - Show a .gitlab-ci.yml file and describe how a pipeline is defined
 - Show the built-in templates, explaining how they can be used to automatically add different jobs to your pipeline
 - Show the pipeline in action, and explain how extensible pipelines are and how they can be tailored towards your needs with rules
 - Further, explain each stage, and how we go from building and pushing to our container registry to deployment to Kubernetes (or other any medium)
1. Jump into the platform-tools
 - Create or View a GitLab issue, explaining how it can be used in Agile planning
 - Show the AI feature that can quickly summarize an issue, saving developers time in deciphering large issues with many comments
 - View a Merge-Request, and explain how a Merge-Request is moving code from a feature branch to the default branch. Explain that it runs a pipeline and can be blocked if failures occur, etc.
 - Show active Security Policies and how they prevent insecure code from being merged into production.
1. Jump into security tools, security is the main part of GitLab Ultimate which we want attendees to leverage:
 - View the Vulnerability report, and explain how it allows you to triage and manage vulnerabilities and enables collaboration between the security team
 - Dive into a Vulnerability and show the AI: Explain this Vulnerability feature, and show how it allows the security team to assess and remediate risk with ease
1. Conclude by explaining how all these features are provided with GitLab Ultimate.
1. Make sure to scan the lead and add a note based on their interest. This will be added to Salesforce.
1. Provide the lead with collateral, business cards, etc. and explain how they can get a free 30-day trial of GitLab Ultimate

Note: These steps provide you with generic demo steps that showcase many of the areas where GitLab provides value. If an attendee wishes to learn about specific features, those features should always be showcased first before moving on to other parts of the GitLab platform.

Commonly Asked Questions & Answers

Common questions and corresponding answers can be found in the "Event Booth FAQs" Google Doc for the appropriate event.

Note: These are common questions likely to be found at each event. However, if events are specific to a particular field, expect the questions to be more around how GitLab addresses a particular

problem in that field. For Example, at BlackHat (a Security Conference), you are likely to be asked how GitLab solves particular security problems. These questions and answers are typically found in the messaging doc for the event.

Event Presentations

Speaking at events is an essential path for our team to connect with the wider GitLab community and the tech community at large. We love to support team members and members of the wider community on their presentations, too.

CFP

The Developer Advocate team directly contributes to the wider community by speaking at conferences themselves.

The team also supports and manages responses to CFPs for team members across GitLab through issue boards.

Speaker Enablement

The Developer Advocacy team provides support to new and experienced speakers where necessary. These can range from presentation reviews, CFP ideation, or dry-run sessions. You can learn more about the different resources and activities you can benefit from.

Code Challenges

Code Challenges provide a way for event attendees to get directly involved with using and/or contributing directly to GitLab. These challenges involve solving a particular problem using GitLab. The challenges are usually hosted at events coordinated by Developer Advocates in collaboration with the corporate events team, and other teams.

CodeChallenge.dev is the application used to create challenges tied to features in GitLab. You can review the application's documentation on how to use the application.

Please use the Code challenge checklist template to create a new Code challenge issue for the event. Review the requirements and use them as a guide to ensure every component is in place. Add the new code challenge issue into the event epic.

Sponsorship

GitLab's Developer Relations team does not hold or allocate a budget for event sponsorships. All events sponsorship requests should be directed to Corporate Events or Field Marketing. Please follow the decision path for suggesting an event for sponsoring.

Student-run hackathons

Student hackathons are the events most frequently submitting requests for support from GitLab. Hackathon organizers who wish to leverage GitLab's DevOps platform for their events are encouraged to use free trials for their events. This can be done by directing hackathon participants to apply for a free trial of GitLab for use during the hackathon which will allow them to use all of GitLab's features. In some cases, if your event meets the criteria above at a score of 9 or higher, we may also send stickers for participants or swags as prizes. Given the volume of requests we receive, providing financial support for these events is not feasible.

Diversity, inclusion, and belonging

This section is meant to document tips and best practices that the Developer Relations team, and GitLab teams should keep in mind as they plan events and activities.

Event organization best practices

- Tools: We purposefully think about the tools we are using to engage our audience. For example, some people in the open-source world may not be able to use tools that are proprietary software. Also, some people in certain countries may not be able to use certain tools because of country restrictions. Sending a survey beforehand with different tool options could help identify good tools to use for a specific event.
- Time zones: We try to be as inclusive of as many different time zones as possible. It is recommended to have 4-hour segments to spread out participation. Possible times: 16:00 UTC-20:00 UTC for EMEA and NORAM, and 02:00 UTC-06:00 UTC for APAC and India.
- Code of Conduct: We make our Code of Conduct a requirement at all GitLab events and actively help our community with friction and conflict.
- Accessibility: We advocate for accessibility in all of our events and materials.
- Captioning and Interpretation: Having both captioners and interpreters for online events is important. There are differences between American English and American Sign Language, for example, so captioning alone is not enough. Having a dial-in relay service would work as a "hack" to captions/interpreters, in the worst-case scenario. This depends on whether the blind person has a video phone/captioned phone to access these services.
- Share slides beforehand: One week before your online event, share the slides with attendees so that people who use screen readers can follow along.
- Images should have alt text: This is for screen readers for people who are blind or are visually impaired. Be descriptive with the image. Maybe a few sentences about what the most important content is.
- Use proper headings in your editor: Use your editor's headings so that screen readers understand the organization of the page.
- Introduce yourself descriptively when you give a talk: In talk intros, briefly describe what you look like so that people who are blind or visually impaired can create a mental image of what you look like and associate that image with your voice.
- Schedule breaks with the 30:5 rule: Make sure to have a 5-minute break after each 30 min section.
- Describe infographics with audio: Describe the most important parts of infographics to help with accessibility.
- Hybrid events: Provide a virtual option next to in-person events.

Additional Resources

Additional information about events can be found on the Events page of the GitLab Handbook. For a list of upcoming GitLab events see the Events page of our website.

SECTION: marketing/developer-relations/performance-indicators.md

{{% performance-indicators "developerrelationsdepartment" %}}

SECTION: marketing/developer-relations/program-resources.md

Contact e-mails

The team uses a set of contact e-mails, generally one per program, with additional specialized e-mails. They are used to enable contributors to directly contact the team outside of GitLab.com and for notifications related to each one of our programs.

Program e-mails:

- 1. opensource@gitlab.com: GitLab for Open Source Program, CrowdIn notifications
- 1. education@gitlab.com: GitLab for Education Program
- 1. evangelists@gitlab.com: Evangelist Program. Not currently connected to Zendesk
- 1. contributors@gitlab.com: Code Contributor Program. Not currently connected to Zendesk
- 1. startups@gitlab.com: GitLab for Startups Program.
- 1. community@gitlab.com: generic contact address for the Developer Relations team. Mostly used for Community Advocacy topics. Each Developer Relations team member is a member of this list.

Specialized e-mails:

- 1. conduct@gitlab.com: contact for questions or reports related to the GitLab Community Code of Conduct
- 1. merch@gitlab.com: merchandise notifications

Contact e-mails are implemented as Google groups, part of our Google Workspace (formerly G Suite). Their visibility is set to private: users (senders) outside of the Developer Relations team can send e-mails to contact the team, but they cannot see the Google group's content or subscribe to the group.

Each e-mail's inbox is also connected to Zendesk for visibility and to enable collaboration. Most of the traffic is generated by notifications that the Community Advocates process as part of program applications. The Program Managers can choose to process direct contact e-mails via Zendesk or via personal inbox delivery.

Contact e-mail management

- Director of Developer Relations is generally the Owner of the team's contact e-mails.

Developer Relations team members are added as Managers), but can be made Owners upon request.

- Contact Director of Developer Relations or the relevant Program Manager if you need to become a member to subscribe to a contact e-mail.
- You can access all memberships through the Google groups overview via your GitLab Google Workspace login

Contact e-mail recommendations

1. Under the Google groups overview you can choose the type of e-mail updates you want to receive in your inbox.
 1. For high-volume contact e-mails (e.g. GitLab for Education applications), consider using Don't send e-mail updates and manage requests via Zendesk by coordinating with the Community Advocates.
 1. For low-volume contact e-mails, you can choose Every new message to have all e-mail being delivered to your inbox for increased visibility.
 1. Consider using GMail filters for each one of the Google groups where e-mail is delivered to your inbox.
 1. If you are the manager of one of the contact e-mails, please check regularly for spam using web interface. Periodic spam e-mail notifications can be enabled to be sent to managers.

Developer Relations program outreach emails

- A Developer Relations Program Manager is the DRI for email outreach campaigns to program members.
- All emails sent to program members must follow the below process.
 1. File an Marketing Operations issue to create a list of all known program members in existing databases. Given constraints in database segmentation, this list must be generated from leads that have been converted and contacts directly associated with institutions, communities or companies that have already signed-up for one of our existing programs including the GitLab for Education Program, GitLab for Open Source Program or GitLab for Startups program.
 1. File a one-time email request issue to send the initial program email to the above list. The initial program email must be sent by a campaign manager to ensure that the email is properly staged and follows existing protocols.
 1. Once the list is generated and initial program email is sent, the Developer Relations DRI for outreach emails will receive access to Marketo and permission to send email campaigns to the above specified list. The Developer Relations DRI will use the initial email as a template to stage and send all future outreach emails.

The following protocols must be follow:

1. Developer Relations program outreach emails will only be sent by the DRI using the initial program email as a template.
1. Developer Relations program outreach emails will only be sent at a maximum frequency of once a month.
1. Developer Relations program outreach emails will only contain content relevant directly the Developer Relations Program. Content can include: call to action to engage, announcements regarding program requirements or terms, or newsletter type content.

Program Design Assets

- Design assets for the Developer Relations team and individual programs can be found in the Corporate Marketing Project. Design assets for each program can be found using the 'find file' feature and searching for the name of the program.

SECTION: marketing/developer-relations/project-management.md

The Developer Relations team works from issues and issue boards. If you need our assistance with any project, please open an issue and use one of the main program labels anywhere within the GitLab repo.

Developer Relations handbook updates

Merged updates to the handbook are posted to the community-relations-fyi Slack channel.

MRs must be tagged with the Developer Relations labeled before being merged in order to be posted to Slack. When you create a new MR, be sure to add the label upon creation so this step isn't forgotten. If you are assigned to merge an MR, ensure the label is added prior to merging.

Developer Relations Roadmap

The Developer Relations team conducts project and content planning via the Roadmap in the Developer Relations Group.

Epics

Work items that fit into our team strategy, including events and content plans, are tracked in the roadmap by using Epics and Child Epics.

Please use this template when creating Epics for activities that should appear in the Developer Relations team roadmap:

markdown

<!-- Epic Title Formatting Guide:

Dates should be using ISO dates, see

<https://handbook.gitlab.com/handbook/communication/writing-style-guidelines>

Event: Event Name, Location, Date

Content: Title, Date

Others: Title, Date

Reminder: Start and due dates are required in order for this Epic to display correctly in the team roadmap.

-->

Activity Summary

Goal or expected outcome

Team or Individual DRIs

<!-- Please add team label to epic -->

Relevant Issues, Epics or resources

<!-- Example

/label ~"Community::Events" ~"Region::AMER" ~"FY24-Q1"

Note: These are samples for guidance, please add relevant labels for activity region, type, quarter or any other labels relevant to your team/program. Please include additional relevant labels here. -->

<!--Link to parent epic where necessary -->

/parentepic URL

<!-- Link to Child epic where necessary -->

/childepic URL

<!-- Mention team members that should be aware of the epic -->

/cc

Developer Relations issue boards

| Board | Program | Usage | Notes |

| --- | --- | --- | --- |

| OKRs | Team | Quarterly OKR status tracking | |

| Community Team Content | Team | Blog content the team is working on | Top level group board |

| Community Team, by assignee | Team | Issue workload per team member | Top level group board |

| Evangelist Program | Evangelists | Work related to the Evangelist Program | |

| Meetups | Evangelists | Meetup tracking and organization | |

| Code Contributor Program | Code contributors | Work related to the Code Contributor Program |

|

| Education Program | Education | Work related to the Education Program | |

| Developer Evangelism | Developer Evangelism | Developer Evangelism issues across the entire gitlab-com group | |

| Consortium Memberships | Open Source | Track all activities related to GitLab's consortium memberships | |

| Open Source Partners Support (Internal) | Open Source | Contains sensitive partner requests and therefore confidential. | |

| Community Sponsorship Requests | Community Ops | Requests from the community for event and other types of sponsorship | |

Developer Relations labels

- We track the workflow with the Marketing Status labels.
- Some programs use scoped labels in addition.
- Main program labels are defined either at the top gitlab-com or the gitlab-com/marketing group level to facilitate cross-collaboration and visibility across issue boards

| Label | Program | Usage | Notes |

| --- | --- | --- | --- |

| Developer Relations | Developer Relations | Main team label | gitlab-com group label. Merge requests with this label generate automatic notifications for the Community team via the Slack channel community-relations when they are merged |

| Open Source Program | Open Source | Main program label | gitlab-com group label |

| Open Source | Open Source | | gitlab-org group label |

| Open Source Partners::Backlog | Open Source | Internal support issues members of the GitLab Open Source Partners program have filed | |

| Open Source Partners::Assigned | Open Source | Internal issues someone has been assigned to address on behalf of GitLab Open Source Partners program members | |

| Open Source Partners::Working | Open Source | Internal issues we're working on behalf of GitLab Open Source Partners program members | |

| Open Source Partners::Complete | Open Source | Internal issues we've resolved for members of the GitLab Open Source Partners program | |

| movingtogitlab | Open Source | Track open source migrations | |

| Evangelist Program | Evangelists | Main program label: Tech meetups, tech speakers, and community-driven evangelism | |

| Meetups | Evangelists | GitLab Meetups planning and tracking | |

| Heroes | Evangelists | Heroes applications, content, speaking engagements, and other Heroes program issues | |

| Speaker Needed | Evangelists | Events or meetups that need a speaker | |

| become-a-speaker | Evangelists | Support for community members who want to become tech speakers | Developer Relations group label |

| heroes-content | Evangelists | For issues related to a blog, video, or other content generated by a GitLab Hero | Project label |

| heroes-talk | Evangelists | For issues related to a CFP submission or tech talk given by a GitLab Hero | Project label |

| request-for-heroes | Evangelists | Share speaking, blogging, and other contribution opportunities with GitLab Heroes | Project label |

| Code contributor program | Code contributors | Main program label: for general issues related to the program | |

| 1st contribution | Code contributors | Automatic contribution label | gitlab-com group label |

| 1st contribution | Code contributors | Automatic contribution label | gitlab-org group label |

| Community contribution | Code contributors | Automatic contribution label | gitlab-com group label |

| Community contribution | Code contributors | Automatic contribution label | gitlab-org group label |

| Hackathon | Code contributors | Community contribution during GitLab Hackathon events | gitlab-org group label |

| GitLab Hackathon | Code contributors | Community contribution during GitLab Hackathon events | gitlab-com group label |

| OKRs | Team | Quarterly team OKRs | |

| Community Team Content | Team | Track the status of content created by the team. Generally blog posts | Top-level group label |

| education program | Education | Main program label: for general issues related to the program | |

| dev-evangelism | Developer Evangelism | Any issue in the gitlab-com group where the developer evangelism team is involved | |

SECTION: marketing/developer-relations/utm-strategy.md

<i class="" id="overview"></i> Overview

The purpose of this page is to outline the UTM strategy of the Community team and how it drives dashboards of the team in Sisense. This strategy is designed inline with Marketing UTM Strategy and reviewed by the Marketing Strategy & Analytics team.

<i class="" id="utm-usecases"></i> Use Cases

- Workshop with referral to a marketing website for more resources or reference
- Free Trial sign-up suggestions during presentations
- Referencing surveys, blog posts, release posts or any other Content
- Referencing Documentation pages

Campaign manager

CommunityApps makes using working with this UTM Strategy easier, you can learn more in the CommunityApps User Guide.

<i class="" id="utm-parameters"></i> UTM Parameters

UTM Parameters are used to track how a user got to a website, their transition through the website and at what point they existed. For the community team, UTM parameters will help use measure the impact of engagements with the community in driving contributions to GitLab and subscriptions. Choice of UTM parameters is restricted to certain values and managed by the MS & A team. Maintaining standards is essential for data to get to the right destination in Google Analytics and Sisense. The UTM parameters for agreed on for community team are as follows.

Name	Parameter	Community Values	Description
Campaign Name	utmcampaign	community	The medium is the overarching channel bucket like paidsearch, social, or sponsorship. It answers the question of "how did they come to us?". For the community team, it helps identify metrics for the team and used in instrumenting necessary dashboards in Sisense. If you are engaging under another campaign, please liaise with the DRIs of the campaign for the right utmcampaign or the MS & A

team. |

| Campaign Source | utmsource | mailjet, twitter, linkedin, stack overflow, etc. See UTM Generator Picklist for more | The source-based URL parameter can tell you which website is sending the traffic. The source is a further "slicing" of overall channels. It answers the question of "how did they come to us?" but with more granular details than utmmid. Examples include demandbase, twitter, or market. |

| Campaign Medium | utmmid | display, email, social | The medium is the overarching channel bucket like paidsearch, social, or sponsorship. It answers the question of "how did they come to us?". |

| Campaign Content | utmcontent | | This parameter is used to identify the specific campaign a community DRI is using the UTM tracking for and used to separate reporting for different campaigns of the team in Sisense. To further make it easier, the MS&A team will have approved using prefixes to enable filtering of tracking by programs. i.e. de, edu, oss, code, heroes will be used to filter each program results. |

| Campaign Budget | utmbudget | cmt | Indicates which budget is used for the campaign promotion. |

<i class="" id="compulsory-utm-codes"></i> Compulsory fields

For results to get to the right dashboards, it is necessary to set the right UTM parameters. The compulsory parameters are:

- utmcampaign=community
- utmbudget=cmt

The values of these parameters should not be changed. Optional but necessary parameters with example values are

- utmsource=linkedin
- utmmid=social
- utmcontent=degitalbrelease

<i class="" id="example-utm-codes"></i> Examples

Example 1: <https://about.gitlab.com/releases/2022/11/22/gitlab-15-6-released/?utmcampaign=community&utmsource=linkedin&utmmid=social&utmcontent=degitalbrelease&utmbudget=cmt>

- utmcampaign=community : default campaign code for the community team
- utmsource=linkedin : Where visit is coming from
- utmmid=social : broader identification of where they are coming from
- utmcontent=degitalbrelease : de to identify the DevEvangelism team, we can also have edu, oss, code, heros, etc.
- utmbudget=cmt : Identifies Community team as the owner of the budget.

Example 2: <https://about.gitlab.com/releases/2022/11/22/gitlab-15-6-released/?utmcampaign=community&utmsource=mailjet&utmmid=email&utmcontent=newslettergitlabrelease&utmbudget=cmt>

Example 3: <https://about.gitlab.com/releases/2022/11/22/gitlab-15-6-released/?utmcampaign=community&utmsource=mailjet&utmmid=email&utmcontent=newslettergitlabrelease&utmbudget=cmt>

released/?utmcampaign=community&utmsource=qrcode&utmmedium=display&utmcontent=edumitworksho
de&utmbudget=cmt

<i class="" id="best-practices-utm-codes"></i> Best Practices

- Use URL shortening for URLs with UTM parameters
- Use the right utmsource & utmmedium to get best results in identifying where visitors came from, see UTM Generator Picklist for a full list of available options.
- Use the right prefixes for utmcontent and only use underscore for the extra text you will add.

<i class="" id="dashboards-utm-codes"></i> Dashboards

TBD

UTM Generator

html

<div>

<table>

<tr width="35%">

<td> Link: </td>

<td> <input class='utmgenerator' type="text" id="utmlink" /></td>

</tr>

<tr>

<td> Where will you be sharing it: </td>

<td>

<select class='utmgenerator' id="utmwhere" >

<option value="social-linkedin">LinkedIn</option>

<option value="social-twitter">Twitter</option>

<option value="display-blog">Blog Post</option>

<option value="display-partner">Partner Website</option>

<option value="display">Physical assets</option>

<option value="email">Newsletter</option>

</select>

</td>

</tr>

<tr>

<td> What Program is the DRI for Campaign: </td>

<td>

<select class='utmgenerator' id="utmwho" >

<option value="oss">Open Source</option>

<option value="edu">Education</option>

<option value="de">Developer Evangelism</option>

<option value="code">Code Contributor</option>

</select>

</td>

</tr>

```

        <tr>
            <td> Unique Campaign Identifier </td>
            <td> <input class='utmgenerator' type='text' id='utmuniquecode' /></td>
        </tr>
        <tr>
            <td style='text-align: right;'> <button class='btn btn-primary'
id='generateutm'>Generate</button> </td>
            <td> Result: <p id='utmgeneratorresult' style='background-color:ecdcc2;
color:ff0000; padding:10px'> </p> </td>
        </tr>
    </table>

</div>
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.1/jquery.min.js"></script>
<script>
    $( document ).ready(function(){
        $('generateutm').on("click", function(){
            var link = $('utmlink').val();
            var source = $('utmwhere').val();
            var dri = $('utmwho').val();
            var uniquecode = $('utmuniquecode').val();

            var result = link + '?utmcampaign=community&utmbudget=cmt&';

            switch(source){
                case 'social-linkedin':
                    result = result + 'utmmedium=social&utmsource=linkedin'
                    break;
                case 'social-twitter':
                    result = result + 'utmmedium=social&utmsource=twitter'
                    break;
                case 'display-blog':
                    result = result + 'utmmedium=display&utmsource=blog'
                    break;
            }
        });
    });

```