

ch for GitOps with Terraform and AWS ECS and EC2 - Aug 10, 2021

GitLab's unified and integrated monitoring strategies - Nov 23, 2020

How to use GitLab tools for continuous delivery - December 17, 2020

Author - William Arias

Author: William Arias

How Comet can streamline machine learning on The GitLab DevOps Platform - Nov 8, 2021

Create and Deploy Custom Actions Containers to Rasa X using GitLab DevOps Platform - Apr 6, 2021

Version control and collaborating for product development management - Oct 2, 2020

Distributed Version Control & Collaboration - Oct 2, 2020

Using GitLab APIs: Real Use Case Scenario - Jan 22, 2020)

Author - Fernando Diaz

Author: Fernando Diaz

Ensuring Continuous Software Compliance with GitLab - (Planned Q1)

Integrating Jaeger Distributed Tracing with GitLab - (Planned Q2)

Configuring Audit Event Streaming - (Planned Q2)

Setting up Connection to Hashicorp Vault with OIDC - (Planned Q2)

GitOps using Terraform with Integrated Security Scanning - (Planned Q2)

GitLab Technical Marketing Demo Resources - (Planned Q2)

Detecting and alerting on anomalies in your container host with GitLab + Falco - Jan 20, 2022

Using the GitLab GraphQL API for vulnerability reporting - Feb 2, 2022

How to deploy the GitLab Agent for Kubernetes with limited permissions - Sep 10, 2021

Android App Security Testing with SAST - Dec 16, 2020

Running Security Scans in Limited Connectivity and Offline Environments - Oct 1, 2020

Find Bugs with Coverage-Guided Fuzz Testing - Oct 1, 2020

Managing Compliance with GitLab - Oct 1, 2020

How to secure your dependencies with GitLab and WhiteSource - Aug 10, 2020

How to capitalize on GitLab Security tools with external CI - Jul 10, 2020

How GitLab's application security dashboard helps AppSec engineers - Jul 7, 2020

Author - Tye Davis

Author: Tye Davis

GitLab and Jira integration: the final steps - May 24, 2021

How to achieve a GitLab Jira integration - Apr 12, 2021

How to integrate GitLab.com with Jira Cloud - Mar 25, 2021

A single application for your end-to-end DevOps needs starts with Version Control & Collaboration - Oct 7, 2020

Without a shadow of a doubt: Inside GitLab's CEO shadow program - Jul 11, 2019

Technical Demos

The DevOps Platform Demo - July 26, 2021

The DevOps Platform Marketing Video

GitLab free-trial tech videos playlist

GitLab Premium capabilities tech video playlist - To-be-created

GitLab Ultimate capabilities tech videos playlist - To-be-created

GitLab Automated Software Delivery tech videos playlist

GitLab Snapshots YouTube playlist

Pricing Demos (Currently on Vimeo)

Premium

Faster Code Review

Multiple Approvers in Code Review

Code Owners

Code Quality Reports

Comments in Review Apps

Merge Request Review

Merge Trains (Animation/Narrative) / Pipelines for Merged Results

Code Review Analytics

Release Controls

Push Rules

Merge Request Approvals

Approval Rules for Code Review

Restrict Push Access to Certain Users

GitLab Kubernetes Agent

Protected Environments

Merge Request Dependencies

Enterprise Agile Planning

Scoped Labels

Iterations / Milestones / Burnup Charts/Burndown Charts

Multiple Issue Assignees/Issue Dependencies / Track Description Changes

Epics and Issue Boards

Single Level Epics/Reorder Issues in Epic Trees / Epic Dynamic Dates/Epic Fixed Dates

Ops Insights

Multi-Project Pipeline Graphs

Group Code Coverage Data

Environment Dashboard

Service Level Agreement Countdown

Ultimate

Advanced Security Testing

Configuration UI / DAST Configuration UI

Custom Ruleset for SAST/Custom Rulesets for Secret Detection

Project Dependency List

Dependency Scanning

DAST (Dynamic Application Security Testing) / Dynamic Application Security Testing support for REST API scans

Vulnerability Management

WebAPI Fuzzing

Security Dashboard

Container Security

Coverage Fuzzing

DAST On-Demand/ On-demand Dynamic Application Security Testing

Compliance

Requirements Management/Import & Export Requirements

Insights/Issue Templates

Quality Management

Compliance Frameworks, License Compliance and Pipeline

External Status Checks

Portfolio and Value Stream Mangement

Portfolio Management/Portfolio-Level Roadmaps/Issue and Epic Health Reporting

Value Stream Analytics/Group Level Value Stream Analytics

DORA Metrics Pricing/ Track DORA-4 lead time for changes metric Title needs edit

Capability Demos

CI

Keep the main branch always green with GitLab Merge Trains - Mar 20, 2022

Logical operators for CI demo - Feb 28, 2022

CD

GitLab's Continuous Delivery Overview (CD) - Jan 19th, 2022

Efficiency Gains with GitLab CI/CD - Oct 22, 2021

GitLab K8 Operator on OpenShift Container Platform - Oct 11, 2021

Automated and Integrated Continuous Delivery (CD) - Jan 21, 2021

Security

Leveraging Security Reports in Custom Actions (DevSecOps) - Apr 19, 2021

Catching Bugs through Web API Fuzzing - OpenAPI - Mar 16, 2021

Using GitLab DevSecOps Demo - Simply Simple Notes - Nov 2, 2020

MLOps

GitLab DevOps Platform + Comet ML. Automate Machine Learning Pipelines MNIST Demo - Nov 3, 2021

Enterprise Agile Project Management

Value Stream Management

GitLab Value Stream Management - Aug 13, 2021

Partner Demos

Reduce Vulnerability Backlog and Risks: GitLab + Rezilion Integration - Mar 17, 2022

GitLab-Jira Integration - Jira Deployments - Aug 16, 2021

GitLab-Jira Integration - Jira Code - Aug 16, 2021

GitLab-Jira Integration - Jira Automation Triggers - Aug 16, 2021

Workshops/Labs

Advanced CI Workshop

Advanced CI Workshop (internal)

Advanced CD Workshop

Advanced Security Workshop

Release Videos

GitLab 14.8

GitLab 14.8 Release: New Security Features

GitLab 14.8 - Auto-completion of keywords in the Pipeline Editor and Add default issue and merge request templates in a project's repository

GitLab 14.8 - Additional data for deployment frequency graph & Display average and median for DORA4 graphs

GitLab 14.7

GitLab 14.7 Release: New Security Features

GitLab 14.7 release: Bulk delete artifacts with the API

GitLab 14.7 - Deleting a GitLab Agent for Kubernetes from the UI

GitLab 14.6

GitLab 14.6 Release - New Security Features

GitLab 14.6 - Fine grained permissions control with the CI/CD tunnel & GitLab Agent activity information

GitLab 14.5

GitLab 14.5 Release - New Security Features

GitLab 14.5 - Cleaner Jupyter Notebook Diffs in GitLab 14.5 Demo

GitLab 14.4

GitLab 14.4 - GitLab DevOps Platform - Adoption Trend Graph

GitLab 14.4 Release - New Security Features

GitLab 14.3

GitLab 14.3 Release - New Security Features

GitLab 14.2

GitLab 14.2 - New GitLab Kubernetes Agent UI

GitLab 14.2 - Release: New Security Features

GitLab 14.2 - Stageless pipelines 2 min demo

GitLab 14.1

GitLab 14.1 - Coverage Check Approval Rule Demo

GitLab 14.1 - External status checks for merge requests

GitLab 14.1 - Release: New Security Features

GitLab 14

GitLab 14 - Migrating from GitLab Managed Apps to Management Project Templates

GitLab 14 - New Security Features

GitLab 14 - GitLab 14.0 feature: Cluster management project template

GitLab 14 - Inline code quality notices on MR diffs

GitLab 13.12

GitLab 13.12: New Gatsby CI Template

GitLab 13.12 - New Security Features

GitLab 13.12 - YAML include wildcard, CI/CD info in pipeline editor, group-level deployment freq chart

GitLab 13.11

GitLab 13.11 - Use multiple caches in the same job

GitLab 13.11 - Group-level environment-specific variables in GitLab 13.11

GitLab 13.11 - New Security and Compliance Features

GitLab 13.10

GitLab 13.10 - New Security Features

GitLab 13.10 - Admin Mode: Re-authenticate for GitLab administration

GitLab 13.9

GitLab 13.9 - GPU Support for Runners

GitLab 13.9 - Request a follow-up review from a Reviewer

GitLab 13.9 - Markdown links for Feature Flags

GitLab 13.7

GitLab 13.7 - Auto rollback in case of failure

GitLab 13.6

[GitLab 13.6 - Auto rollback in case of failure](#)

[GitLab 13.5 and Previous](#)

[Available by searching GitLab's YouTube Channel](#)

[Technical Papers](#)

[A 3-phase approach to modernizing your existing software delivery process - full white paper](#)

[A 3-phase approach to modernizing your existing software delivery process - executive summary/brief](#)

[CI E-Book](#)

[CS Skills Exchange](#)

[Click Through demos - Presentation / Recording - 03-02-2022](#)

[GitOps Using GitLab Terraform & Terratag - Presenatation / Recording - 10-06-2021](#)

[CS Skills Exchange GitLab + Data Version Control - Presentation](#)

[GitOps with GitLab - Issue with Links](#)

[Conference Presentations](#)

[University of Economics in Prague - Intro to MLOps](#)

[AI Rasa Summit 2021 Deploy Chatbots like a boss with DevOps](#)

[KubeCon 2021 The DevOps Platform](#)

[L3-AI Assistants Deploy your chatbots like a boss II with GitLab DevOps](#)

[Click-through Demos](#)

[See Here](#)

[## SECTION: marketing/developer-relations/technical-marketing/event-booth-questions.md](#)

[Guide to Working the Booth at Events](#)

This page displays information on how to properly answer questions as well as how to provide technical demos to booth visitors.

[Common Questions and Answers](#)

1. What is GitLab?

GitLab is the One DevOps Platform. What that means you can achieve from every step of the development lifecycle from planning to production with just one platform. This includes making sure your code is secure!

Note: Go over the different stages as seen in our about page. Also ask them if they would like a demo.

2. Is GitLab part of GitHub?

No, we are a competitor which provides the complete development lifecycle under one platform.

3. Why should someone choose GitLab over GitHub?

- GitLab is a complete DevOps platform
- GitLab is cloud-agnostic and allows users to deploy to their preferred cloud providers
- GitLab is open source and driven by a vibrant ecosystem of community contributors
- GitLab can be self-hosted and self-managed

4. Can I use GitLab with my current tools?

Yes, other tools can be integrated with GitLab. You can always use our integrations or build custom solutions.

GitLab offers everything you need, and you can work on migrating to save time and money.

Note: Get information on the tools the user is currently using.

5. What is new in GitLab?

To checkout the newest GitLab features, see:

- Go to the newest release in the Release Post
- We are completely transparent and you can see what's expected in Future Versions

6. Can I have some swag?

Sure! Feel free to take some, Is it ok if I scan your badge? So, are you Currently a GitLab user?

Note: Some swag may only be for users who complete a challenge. Check with the event planning staff.

7. How is GitLab different from other tools?

With GitLab you can achieve from every step of the development lifecycle from planning to production with just one platform. What that means is you save time (due to less context switching and

trouble with integrations)
and money (less tools to buy licenses for). We are Open Source, and completely transparent about what is upcoming in our code base. Everyone can contribute to our platform, and work together to collaborate.

Note: This may change over time, visit the About page to gain the newest marketing material. If anything has changed, please create an MR to update this document.

Why Migrate to GitLab? - FlowChart

When a user comes and asks, "why use GitLab over other tools?", go through the following workflow:

Ask "What Tools are you currently using"?

a. If GitHub + GitHub Actions

GitLab CI/CD is more mature, its tools are managed in-house, and GitLab can be contacted for support on any of your needs. There are also no additional costs, as you may see in GitHub Actions. GitHub Actions provides a marketplace approach, where you may need to buy additional licenses from a vendor and request support from a vendor. There may also be vulnerabilities/bugs since the code is not maintained/updated by GitHub.

GitLab is better suited for enterprise and OnPrem as well. One main reason is that GitLab is horizontally scaleable and no downtime when upgrading or adding additional nodes. GitHub can only scale vertically and there is downtime on scaling and upgrades.

b. If BitBucket + Jenkins

Jenkins is hard to manage since there are many ways to create jobs (visually, groovy, etc.) and many different plugins which must be maintained. Groovy is another language that requires time to learn and maintain. This increases the onboarding time for new developers on the team. With GitLab, you can configure CI/CD in one specified way in YAML or use AutoDevOps to help automate DevOps workflows.

BitBucket has not had many updates in a while and still requires other tools for CI/CD, Issues Management, etc. in the DIY DevOps stage. Just using GitLab, you get the complete developer lifecycle in one DevOps platform.

c. If GitHub + Security Vendor

Managing different tools can be a tedious process. While there are many different security vendors, GitLab offers a complete set of Security and Compliance Features on one platform. So you don't need to pay separate licenses for all these features and manage the integrations separately.

Demo Projects to Use

Below are the demo projects which can be used to demo. Make sure you clone the project to your own workspace and connect to a cluster or ask the

TMM team for access if you don't already have it.

DevSecOps

For all demos, usually Simple Notes is used. I got through the following workflow:

1. Examine the .gitlab-ci.yml file in the pipeline editor (CI/CD menu > Editor) and show how easy it is to build a CI/CD pipeline, helped with auto-completion and previews.

2. Show the pipeline created from the .gitlab-ci.yml and go over the provided scanners.

3. View an MR containing and review the following:

- Security Policies
- Code Quality
- Vulnerability Scans
- License Scans

4. View the Vulnerability Report

SECTION: marketing/developer-relations/technical-marketing/gl-com-demo-logins.md

Overview

The following table lists all of the persona accounts that have been set up on gitlab.com for use in demos. Passwords for these are in 1Password in the Marketing vault. Search for "GitLab persona".

Login Id	First name	Last name	Persona description	Picture
delaneydevlead	Delaney	Devlead	Development Team Lead	tbd
devondevopseng	Devon	Devopseng	DevOps Engineer	tbd
parkerprodman	Parker	Prodman	Product Manager	tbd
presleyproddesign	Presley	Proddesign	Product Designer	tbd
samsecanal	Sam	Secanal	Security Analyst	tbd
sashasoftdev	Sasha	Softdev	Software Developer	tbd
sidneysysadmin	Sidney	Sysadmin	Systems Administrator	tbd
rachelrelmgr	Rachel	Relmgr	Release Manager	tbd

SECTION: marketing/developer-relations/technical-marketing/making_better_videos.md

Making Better Videos

This page displays information and useful links on creating great technical videos.

Equipment

Yeti Microphone

Tools

iMovie

Final Cut Pro

Planning

Before starting to record a video, a few things must be planned out:

a storyboard should be used to get early feedback on the planned demo. This storyboard template should be used to facilitate this.

Think of how a developer would typically perform the task

Commandline vs. GUI

Think of what is necessary for the video

a demo environment where the value of the technical component can be properly displayed.

Video Length

Why Short-Form Video Needs to Be Part of Your Content Strategy

How Many of These Video Marketing Mistakes Are You Making?

If your video doesn't capture audiences in 10 seconds, you're losing engagement focused on explainer videos, but still generally good info such as:

> In order to get the most out of your marketing video, always try to follow these guidelines:

> Include your audience's pain points at the very beginning of your video so as to quickly grab their attention. Make it in an interesting, clear and direct way.

> Work on a custom video. This will make a huge difference in terms of engagement and memorability. If you customize the characters, landscapes, and backgrounds of your video, you will set up a strong emotional connection with your viewers (they will feel that the story was specially made for them).

> Make a high-quality video. Treat your video with dedication, focus, and detail in every single stage of the video production process.

> Give your marketing video the right length. Just for you to know, 160 scripted words in English represents around one minute of video. You will then need 240 words for a 90-second video.

How Long Should Videos Be? The Ultimate Guide to Video Length

Production

In order to retain the audience, there are a few things that should be done during the production stage.

Audience Retention can be achieved with the following:

Smooth Transitions

Quality of Audio

Pattern Interrupts

Adding Graphics and Images

Cropping out parts of the screen which do not show value and may distract audience

Post Production

Once the video is complete, how it is published is can affect how users react to it. Here are a few items to consider:

Video Titles

Video Thumbnails

Video Tags

Captions: While YouTube generates automated captions on GitLab videos, AI-generated captions contain errors, especially for technical terms. You should review and clean up captions on your video content.

Analytics/Growth

12 YouTube Analytics Every YouTuber Should Know

How to Grow Your YouTube Channel in 2020

SECTION: marketing/developer-relations/technical-marketing/howto/_index.md

SECTION: marketing/developer-relations/technical-marketing/howto/add-ctas-to-learn-videos.md

Why?

The YouTube GitLab channel has the Learn@GitLab playlist on it. This playlist is comprised of the videos the Developer Advocate team creates about the customer use cases which are the basis of our Use Case GTM. To increase the value we get from these videos it is valuable to cross reference to other videos, the playlist, and to subscribe, by adding appropriate CTA's at the end of our videos.

How to add CTAs (do all of these for each video)

1. Getting to the editor mode for a video

1. Login to the GitLab YouTube account (you should already have permission to do that from your GitLab login). If you don't and believe that you should then open an access request.

1. Go to the video you want to set the CTA's for

1. Click on the Edit video button below the video

1. Click on the Editor button on the left panel

2. Find your insertion point

1. Zoom the view using the zoom control on the right

1. On the video timeline move so you are at the location you want to start your CTAs showing up

3. Add a video CTA

1. On the left side of the timeline click on the Add element "+" icon

1. On the menu that pops up select Video to add a new video

1. This will add a video bar to the timeline and a video stand-in in the viewer

1. Reposition the video so that it's covering as little as possible (preferably on the lower left corner). Keep in mind that you will also be adding another box for the playlist (of the same size), and a smaller circle for the subscribe.

1. Go to the playlist and figure out which video is next in the chain. You will make this CTA go to the next link in the chain. If this video is the last one in your chain then link it back to the first video in your chain. Be sure to also edit the CTA of the video before this one to link to this video.

1. To the left of the video select the radio button Choose specific video

1. Search for the video that you determined should be the next in the chain (that this CTA will link to), and then select it

1. Resize the CTA bar for the video so that it starts at your timeline mark. You might not be able to shrink it enough due to minimum length requirements. Make it as close as possible to your desired video frame.

4. Add a playlist CTA

1. From the same place as adding the video CTA, go to the same add element "+" icon as before, but this time from the pop-up menu select Playlist

1. Find the Learn@GitLab playlist that this CTA will link to and then select it

1. Reposition the playlist box so that it's covering as little as possible (preferably on the lower right corner).

1. Resize the CTA bar for the playlist so that it starts at your timeline mark. You might not be able to shrink it enough due to minimum length requirements. Make it as close as possible to your desired video frame.

5. Add a subscribe CTA

1. From the same place as adding the video and the playlist CTA's, go to the same add element "+" icon as before, but this time from the pop-up menu select Subscribe

1. Reposition the subscribe button (circle) so that it's covering as little as possible (preferably in between the video box and the playlist box).

1. Resize the CTA bar for the subscribe button so that it starts at your timeline mark. You might not be able to shrink it enough due to minimum length requirements. Make it as close as possible to your desired video frame.

Finish up

1. Click on the Save button in the upper right corner of the Video Editor

1. Once it's saved, go back to your video (outside of editor mode) and make sure everything works as expected.

SECTION: marketing/developer-relations/technical-marketing/howto/autogen-comparison-infographics.md

Why

Automatically generating comparison infographics means that the graphic creation is data driven. The value of this is a few things:

efficiency and quality - it is far more efficient and far less error prone to auto generate graphics than to have individuals hand creating each graphic

scale - hand creation of each graphic does not scale. We are looking at generating over 80 different detailed images based on a lot of data, each one with over 106 touch points.

iteration - as the infographic needs evolve being able to auto generate (and re-generate) the graphs means that we can iterate without heavy nearly as heavy a cost

Steps

1. Prep the data

1. Raw Data

1. Here's the spreadsheet we are collecting the raw comparison analysis (GitLab viewable only)

1. Data entry is being done on the Comparison DATA ENTRY Sheet tab. Please DO NOT add or delete columns to this sheet unless at the far right. Doing so will throw off all the other sheets.

1. Once you've filled in the data on the DATA ENTRY tab, switch over to the FIGMADATA-Focus-Sync tab. This is the data represented for Figma consumption.

1. For your entries you wish to graph, make sure that

there is logo image in the "Logo" row (3), and that the data in the cell is a URL that ends in either .png or .jpg. If it's anything else then the plugin we are using will go into an endless read loop.

The "Competitor" row (2) has the proper name in it. This is the name as it will appear in the infographic. Make sure it has proper capitalization, spacing, etc. If you are doing a lot of them you can copy down from row 1, then run a title-case add-on, and find/replace to ditch "-"s' and "'s'.

1. Your data is now ready to go. For each competitor you wish to generate a graph for, copy from the "Competitor" row (2) down to the end of the column of data (currently row 110), and then. . . .

1. Staged data

1. Create a copy of the file Infographic Autogen · Working File - Template.

1. Make sure that your file is world readable. This is required for the plugin to work.

1. Make a copy of the tab Template-EDIT A COPY (new tab name doesn't matter, but I use "runX" and increment X).

1. Make sure this tab is the first one in the list.

1. Paste your copied competitor info into the new tab, in the following way:

1. In the first empty column, place your cursor in the "logo1" row (4).

1. Right click => "Paste special" => "Paste values only"

1. As a sanity check, the row "overview-percent" (6) should have a percentage pasted into it.

1. Copy the competitor name into "Competitor1 - Competitor3" rows (1-3).

1. Copy the logo URL into the "logo1" row (4) and "logo2" row (5).

1. Prep Figma

1. Set up your template file

1. You can create as many competitor infographs at once as you'd like, you just need to make sure that your Figma file templates matches that number.

1. Open the Figma file GitLab vs. Campaign - Infograph Creation Template - this is a read-only file

1. Make a copy of the file into your local Figma workspace

1. In this file, there are pages on the left. Right click on the page GitLab vs. Competitor Template, v2.

1. Select to "Duplicate Page".

1. Immediately rename the new page so thing don't get confusing. (I use "Run X" and increment X)

1. On the new page

1. Go to the lower left pane and find the object named "competitor-vs-gitlab". Unlock it (icon on the right).

1. Make as many copies of the whole infographic (the "competitor-vs-gitlab" object) as you need. hint there are two pre-setup templates (pages) you can start with instead, with 6 and 12 infographs)

1. Your Figma file is ready to import into

1. Install the plugin

1. This all works via an amazing Figma plugin called Google Sheets Sync. <----- Click on this link from your browser session also logged into Figma to install it into your Figma instance.

1. That's that. Not so hard huh?

1. Run the autogen

1. Make sure in Figma you are showing the page you want to generate with

1. Go to the Figma "hamburger" menu (top left, 3 parallel horizontal lines)

1. Select "Plugins" => "Google Sheets Sync"
 1. In the dialog that pops up, where it says "Enter Sheets shareable link here", paste the URL of your stage file (created earlier). reminder this file needs to be world readable.
 1. Set the pulldown selection to Update current selection only
 1. Click on the "Fetch & sync" button.
 1. Watch the magic happen . . .
 1. You might need to tweak the logo sizes and Competitor name a little in the header area, based on the input sizes of those items.
1. Get and use the results
 1. Export the results
 1. Once the infograph is generated, go back to the left pannel and change each object name ("competitor-vs-gitlab") to reflect the competitor name on that infograph (click on it in the left pannel and see which infograph gets selected).
 1. Make sure nothing is selected (click on the background)
 1. Go to the "hamburger" menu
 1. Select "File" => "Export"
 1. In the box that pops up, select only the "competitor-vs-gitlab" images
 1. Click the "Export" button and save the file somewhere on your hard drive.
 1. Use the results
 1. Unzip the file to get the folder of all exported images
 1. The resulting images are too big for our comparison page purposes, so we'll resize them
 1. On Mac, open a Terminal and go into the folder
 1. In the terminal run the command `sips -Z 1081 .jpg`
 1. This will convert each file to 1081x1080 (LxW)
 1. Upload the images to wherever you need them to be used

Videos

How this ends up working

How to do it (above steps in video)

The magical Google Sheets Sync Figma plugin

Plugin page

Plugin documentation

SECTION: marketing/developer-relations/technical-marketing/howto/create-and-publish-demos.md

Creating and Publishing

This is the SSoT for the steps to creating and publishing video demos. These are designed to show up in our issue templates. There are several types of demo issue templates but this is what they have in common (with the exception of some specific publish locations details which need to be adjusted per issue template).

markdown

Video should include

Tell one story across the whole video (have one key take away), what is being shown, why it matters to the audience, show it in action.

Production

- [] Develop Demo Script - in partnership w/ PMM, PM, and other stakeholders

- Example 1

- Example 2 encourage collaboration.

- [] Configure demo scenario

- [] Record Demo

Publishing

- [] Publish demo video to youtube "GitLab" channel, playlists: "Snapshots".

-] Add CTA's to the end of the new video and fix any other ones so the chain stays intact.

See [adding CTA's to Learn videos for more details.

-] Create attractive video thumbnails. See [thumbnail guide for more details.

- [] Publish demo video to GitLab Snapshots page at <https://university.gitlab.com/>.

-] Add demo video to [GDrive Demo Folder in the appropriate folder.

- [] Announce new video (with link) to Slack channel marketing

Issue Templates the above is used in

Feature Demo

Use Case Differentiator Demo

Use Case Market Requirement Demo

Use Case Overview Demo

SECTION: marketing/developer-relations/technical-marketing/howto/eks-cluster-for-demo.md

Account info

We don't currently have a shared AWS account for using AWS resources. For now, open an account with your personal credit card and expense it. You can start with a free trial. I will look into a team shared account.

Creating a cluster

There are many steps to set up a cluster in EKS, but there is a 3rd party script which I've found to be pretty good at orchestrating the work. It's called eksctl. You'll need this local to where you run the script from. There are also a set of utilities we created (just shell scripts) to lessen the pain of creating a cluster and configuring GitLab for a demo. Those can be found at <https://gitlab.com/dangordon/eks-utils.git>.

From these scripts, the create-cluster.sh script can be used as a wrapper to eksctl to create a cluster to use.

Attaching a cluster to GitLab

GitLab currently doesn't have a built-in integration to AWS EKS for attaching Kubernetes clusters. In order to attach an EKS cluster to GitLab you will need to use the "Add existing cluster" option on the Kubernetes "Add Kubernetes Cluster" page.

To do this you will need info specific to your cluster (API URL endpoint, CA Certificate, and the Service Token). The eks-utils scripts were made to capture the necessary details. You will also need a cluster name, which can be whatever you want, as this is for GitLab reference, but I suggest you name it the same as you named your cluster on EKS, so that it is easier to correlate the two.

This process and documentation needs to and should evolve. This is MVC. Possibilities are, for example, instead of eks-utils, re-writing them as a kubectl plugin for creating and adding a cluster to GitLab. Reference the one that DigitalOcean's Eddie Zaneski wrote for his GitLab Commit demo.

SECTION: marketing/developer-relations/technical-marketing/howto/publish_video_on_youtube.md

1. Upload a video

1. There are two YouTube channels we use at GitLab:

- Branded: used for official content intended for people in the wider community. This content must be approved by the Brand team.
- Unfiltered: used for content intended for team and community members. This content does not require approval from the Brand team but still should follow all brand guidelines and use up-to-date brand assets.

Contact the Brand team in the brandvideo Slack channel for any questions.

WARNING:

You should never publish SAFE data to any of these channels, and if you think it may be something confidential consult legal.

1. Login to the GitLab YouTube account where you would like to post a video.

You should already have permission to do that from your GitLab login.

If you don't and believe that you should then open an access request.

1. Click on the profile picture and select YouTube Studio

1. Then click on the CREATE button next to your profile picture and select Upload videos

1. A popup window will appear and ask you to upload a video

1. Once the video is uploaded, you will see a video configuration screen

2. Configuration of the video

1. In the Details tab, you can configure various video settings. Among them:

Title

1. The title is one of the first things potential viewers see, so it plays a crucial role in whether they decide to click on your video.

- The title should clearly describe the content of the video.
- Keep it brief and to the point.

1. Title is important for search and, therefore, while developing a title you should consider targeting users that will search for your video and use relevant keywords.

Description

1. The description should clearly lay out the topic and quickly explain what the viewers can expect to learn.

1. The first couple of lines are crucial as they appear in the search results and above the "show more" fold on the video page.

- Incorporate relevant keywords naturally into your description.
- They should be related to the video content and what your target audience might search for.

1. If you mention any resources, tools, or references in the video, include links or further information about them.

1. Provide links to platforms where the audience can connect with you.

1. Include a call to action (CTA).

1. Include relevant hashtags at the end of the description for better visibility

Hashtags

Check this document to find out how to use hashtags on YouTube

Chapters

1. If your video is lengthy or covers multiple topics, include timestamps.

1. By providing well-structured and accurate timestamps, you enhance the user experience, making it easier for viewers to navigate to the content they find most relevant, thereby increasing viewer engagement and satisfaction.

1. The timestamp includes the time "HH:MM:SS" followed by a brief description of what the segment is about.

1. To include timestamps and split a video into chapters, you need to provide a list of timestamps in the Description field

and it will generate such a view under the published video and allow the viewer to quickly find a video part they interested in

1. List the timestamps in the order they appear in the video.
1. Make sure they correspond correctly to their segment in the video.
1. If there are particularly important or popular moments in the video, make sure these are marked with timestamps.

Thumbnail

1. A thumbnail is important for suggested videos.
1. Use high-resolution, eye-catching images ensuring the thumbnail is clear and simple, and accurately represents the video content.

Tags

1. Use relevant, specific keywords in tags that accurately describe your video to make it more discoverable.
1. While YouTube allows a lot of tags, using too many can dilute their effectiveness. Follow this link for details about YouTube tags.

Scroll to the bottom of the popup window and select SHOW MORE to see a full list of settings in the Details tab:

Once you finished with setting up in this tab, select Next button to go to the Video Elements tab:

1. In the Video Elements tab, you can:
 - Add subtitles
 - Add an end screen to promote related content at the end of your video
 - Add cards to promote related content during your video

Cards

To promote other videos, channels, playlists, and links during the video we can use Cards and configure the time they appear in the video

An end screen

View this guide on how to add an End Screen

Select Next button to go to the Checks tab:

1. In the Checks tab, YouTube posts a verification status of the video

Select Next button to go to the Visibility tab:

1. In the Visibility tab, you specify the visibility and can schedule a date when the video will be public

3. Publish a video

1. Click on the Save button once you configured everything

1. Go to view your video in the channel and make sure everything shows up as expected.

SECTION: marketing/developer-relations/workflows-tools/_index.md

Workflows

<!-- Keep this incoming anchor for compatibility -->

Team Workflows

- Code of Conduct Enforcement
- Team Budgets
- Developer Advocate Community Response Process
- Community Operations: Automated Community Programs
- Swag operations
- Content Review / Fix Fridays

Community platforms

- Forum
- Discord
- Reddit
- StackOverflow

Integrations

- Zapier

Communication

- Zendesk
- Email
- Twitter

Tool Stack Overview

These are the tools the Developer Relations team is the DRI for:

{{< marketing/workflows-tools >}}

Community Operations Tool Stack (deprecated)

{{% alert color="warning" %}}
<i class="fas fa-hand-point-right" aria-hidden="true" style="color: rgb(138, 109, 59);"></i> This overview is currently being deprecated as we attempt to migrate from the manually-generated list to one automatically-generated from the data/techstack.yml file. Please use the automatically-generated table instead
{{% /alert %}}

<details>

<summary markdown="span">Click to show deprecated table</summary>

These are the tools the Developer Relations team is the DRI for:

Tool Name	Description	How We Use
Crowdin	Crowdin is the platform for the wider community to collaboratively contribute translations for GitLab	How we use Crowdin
Discourse	Discourse is the platform on which the GitLab forum is run.	How we use Discourse
Discord	Discord is the instant messaging platform the GitLab community communicates on (in addition to GitLab.com itself)	popular channels are contribute, general and the support channels
SheerId	SheerId is the platform we use to automatically qualify applications to our community programs	
Zapier	Zapier is an automation tool used to identify mentions and to route them into Zendesk as tickets, and also to Slack in some cases	How we use Zapier
Zendesk	Zendesk is the tool Community Ops, EDU & OSS work their program cases and applications	How we use Zendesk

</details>

Tools pending addition to tech stack

The Developer Relations team is also the DRI for these tools which are pending addition to the tech stack:

| Tool | Description | How we use it |

|---|---|---|

| SheerId | SheerId is the platform we use to automatically qualify applications to our community programs | |

Other tools we rely on

These are the tools that are essential to some Community programs, but the Developer Relations team are not the DRI for:

| Tool Name | Description

| How We Use

|

|-----|-----

-----|-----

-----|

| Customer Portal | CustomersDot - Web portal where customers can manage their subscriptions and account information, generate and manage GitLab licenses. | To help troubleshoot issues with community program applications. To create and manage licenses for community program applications and for GitLab EE contributors |

| Marketo | Marketo

| Powers each intake form for our (Education, Open Source, and Startups) programs. It is an integration which inserts the application record into Salesforce.

|

| Printfection | Printfection is our swag management platform

| How we use Printfection

|

| Salesforce | Salesforce is our CRM

| We use Salesforce (SFDC) to support the Education, Open Source and Startup Programs

|

| Canva | Canva is the tool we use to create a lot of our GitLab-branded materials.

| Community team members should creat an account using their @gitlab.com email and request access to Canva Enterprise from the Design team. |

Adding a new tool to the Developer Relations tool stack

1. Please follow the procurement process as you would for adding any new tool to GitLab's tech stack.

1. Ensure that the groupowner field on the tech stack file entry is set to Developer Relations. This will make the tool to be automatically listed on the Developer Relations toolstack.

SECTION: marketing/developer-relations/workflows-tools/cloud-resources.md

This page outlines cloud resources and workflows used by the Developer Relations team at GitLab. It provides guidance on managing and allocating resources effectively, ensuring that team members can leverage cloud infrastructure for community apps, demo projects, and contributor success tools while maintaining best practices for both long-term production environments and short-lived individual resources.

Cloud Resources

Google Cloud Resources

The Google Cloud project group-community-a29572 is used for:

Name	Type	Scope	Team	Resources	Notes
Community App (UTM, URL Shortener)	Service	Production	Developer Advocacy	EC2 VM, Cloud Run (router, QR code), SQL (API)	handbook
Demo projects	Demos	Testing/Staging	Developer Advocacy	GKE clusters, VMs, DNS	handbook
Contributors Success	Storage/Traffic	Production	Contributors Success	Storage	GDK-in-a-box virtual images

When provisioned, you can access the project in the Google Cloud Console. Quick access:

1. Compute Overview
1. Kubernetes Engine
1. Cloud Run
1. SQL
1. Cloud Storage
1. IAM & Admin

Technical owners: @johncoghlan @dnsmichi

Workflow

1. All Developer Relations team members can manage resources in Google Cloud in the community-group project using the Editor role.
 - This access is not provisioned by default. Create an access request to add/remove team members (example: group update AR).
1. Google Cloud/AWS also allows to register domains that are not trademarked (internal) and use the domains for demo setups.

Demo environments

For customer facing demo environments, review the existing resources before creating new environments:

1. Demo systems handbook: GitLab Learn Labs.
1. Developer Advocacy content handbook: Product tours, click-through demos, workshops, etc.

Long-term production environments

For demos that require debugging the deployments, prefer shared resources, for example in Google Cloud.

1. Document access in the 1Password vault if not available through SSO login.
1. Shutdown resources when not needed (for example, idle Kubernetes clusters).

Individual short-lived resources

For individual short-lived tutorials or demo setups for a blog post, prefer the Cloud Sandbox Realm for AWS or GCP. This provides automated shutdown, generated domains for easier access, etc.

Decision workflow

```
mermaid
flowchart TD
    A{Shared resource access required?}
    A -->|Yes| B[Use cloud group resources]
    A -->|No| C{Short-lived}
    C -->|Yes| D[Use individual Cloud Sandbox projects]
    C -->|No| B
```

SECTION: marketing/developer-relations/workflows-tools/code-of-conduct-enforcement.md

Overview

The Developer Relations team will contribute to enforce the GitLab Community Code of Conduct on GitLab.com, to ensure we keep a positive, welcoming and inclusive environment for everyone to contribute.

Currently, the team will engage in moderation if there is a discussion (generally on an issue or on a Merge Request) that requires urgent or a significant volume of moderation.

Please reach out in the developer-relations Slack channel and tag @dev-advocates when urgent.

Moderation process

Developer Relations team members should always use the GitLab Conduct GitLab account when moderating instead of their personal accounts to provide anonymity while moderating.

> The login information can be found in the GitLab Conduct User section in the Marketing vault in 1Password.

- As a general practice, comments will not be deleted
- If a comment is deemed to violate the Code of Conduct, its content will be redacted
- The redacted text will be based on one of the templates to justify the motivation for moderating the comment
- Before starting the moderation process, a confidential issue must be created on the Developer

Evangelism Meta project. The issue will document the code of conduct situation with full context and screenshots. It will help with a track record of comments which have been edited out.

- During the moderation process, the original content of each comment considered to violate the CoC will be moved over as a thread on the confidential issue. Threads allow for discussion around the comment and feedback from topic or language experts
- Threads opened on the confidential issue should include a link to the original public comment, the GitLab user name of the commenter, and the original comment (see templates).
- Comments where the violation is unclear, or comments not in English will be marked for review on a subsequent moderation pass. Native language speakers in the GitLab team can help translate messages if necessary.
- If a discussion is deemed to become too toxic to enable participation, it might be locked or made confidential.

Notification

As a further refinement, the e-mails sent to conduct@gitlab.com will be added to the Developer Relations' Zendesk instance on the next iteration of this process.

Collaboration with the Abuse Operations team

As part of their charter, the Trust & Safety team will often detect and hand over CoC violations to the Developer Relations team. Generally discussions on a particular case will happen on a confidential issue, but we can also contact the Trust and Safety team directly in the abuse channel.

Templates

Please use these templates to replace public comments that violate the CoC.

Thread on confidential moderation issue

You can use this template to move over the original public comment's content to the private issue opened for moderation.

text

<https://gitlab.com/gitlab-com/<project>/issues/<issue number>note239807447>

@username

> (username's original comment)

Clear CoC violation

Use this template where the comment is a CoC violation

markdown

This comment has been removed for violating the following rule in our GitLab Code of Conduct, which is against Rule 3 in our Terms of Service.

> Trolling, insulting/derogatory comments, and personal or political attacks.

Continuing to disregard our Code of Conduct will result in a ban of this account. For more information, please reach out to conduct@gitlab.com.

Needs review

Use this template where the comment needs further discussion to understand whether it is a CoC violation. You can discuss it with the other Advocates and ultimately decide whether the comment needs to be moderated or moved back to the original location.

markdown

Under Review

This comment is currently under review for potential violation of the GitLab Code of Conduct.

For more information, please reach out to conduct@gitlab.com.

SECTION: marketing/developer-relations/workflows-tools/common-room.md

Common Room is a community growth platform that helps manage, engage, and grow digital communities by integrating data across different platforms, identifying members, and reporting trends and sentiment.

The Developer Relations team uses Common Room to aggregate, review, and take action on insights from across our community platforms. It is also used to track trends and community sentiment.

Accessing Common Room

Access is granted through Okta and is billed per individual seat. Currently, there are no available open seats. Additional seats can be purchased via a Zip request.

To request access to Common Room,

1. Add your business case and description to this handbook page.
2. Once the MR is merged, open an Access Request for Common Room using the IndividualBulkAccessRequest template.
3. In Step 2, for Justification for this access, please describe and link to your business case for using Common Room.

Temporary access

Temporary access is available for evaluating the potential purchase of a seat for a duration of 3 months. It requires meeting with Common Room for a 30 minute onboarding.

1. Open an Access Request using the IndividualBulkAccessRequest template. Specify that this is a temporary seat for 3 months.
2. Open a confidential issue in Developer Evangelism Meta to document temporary seat expiration

date.

3. @sugaroverflow will schedule a mandatory onboarding meeting with Common Room and deprovision seat in 3 months.

GitLab Data

Common Room doesn't natively integrate with GitLab.

We have a custom Ruby script which runs via a scheduled pipeline to inject data.

Resources

Common Room's getting started documentation.

Common Room's playbooks for nurturing community.

Business Cases for Developer Relations

Supporting GitLab Contributors and Super Users

DRI: Contributor Success team

Description:

Monitor segments Heroes, Core Team, and MVPs.

See what topics are trending and track negative sentiment in those segments.

Spot potential new contributors based on their activity.

KPI:

Number of active contributors and engagement rate in each segment.

Outcome:

Better understanding of the activities and interests of our top contributors, super users, and new, potential super users.

Insight into various types of contributions.

Community Engagement Tracking

DRI: Fatima Sarah Khalid

Description:

Review popular discussions across all community platforms.

Conduct analysis and reporting by creating custom dashboards or exporting reports.

Track negative sentiments and trending topics.

KPIs:

Number of active participants and engagement (posts/comments/reactions) across community

platforms.

Overall sentiment analysis of the community.

Community response rates.

Outcome:

Understanding the level and types of engagement on our community platforms.

Highlight popular trends and negative sentiment early.

Prompt discussions or strategies around low activity or engagement.

Identifying and Monitoring Keyword Trends for Thought Leadership

DRI: Developer Advocacy

Description:

Track trending keywords and conversations via team alerts.

Evaluate the relevance of these keywords to our community and goals.

Create and update a keyword bank for reference and future content creation for thought leadership.

KPIs:

Number and frequency of trending keywords.

Outcome:

Stay informed about the trending topics within the community.

Guide content creation based on trending topics and community interest.

Identifying Opportunities for Open Source Program

DRI: Bryan Behrenshausen

Description:

Monitor potential organizations for the Open Source program.

Review the activities, trending keywords, and sentiment of existing partners (via segment) to identify potential collaborations.

KPI:

Percentage of active participation from existing partner organizations.

Outcome:

Identify potential members and activities for the OSS program.

Increase the number and quality of collaborations by proactively identifying opportunities.

Identifying Opportunities for the Startups Expansion Program

DRI: Alex Karsten

Description:

Monitor potential organizations for the Startups program.
Review the activities, trending keywords, and sentiment of existing partners in Community Programs to identify potential collaborations.

KPI:

Percentage of active participation from existing partner organizations.

Outcome:

Identify potential members and activities based on their activity.
Increase the number and quality of collaborations by proactively identifying opportunities.

New Member Onboarding (Discord)

DRI: Fatima Sarah Khalid

Description:

Automatically identify new members in the community and send a welcome message, including key resources and community guidelines. Includes options for an automated follow-up.

KPIs:

Number of new members onboarded and engagement rates.
Retention rate of new members.

Outcome:

Smooth transition for new members into the community.
Potential increase in engagement and retention rates.

Requesting information from Common Room

For requests to extract information from Common Room, you can open a confidential issue in the Developer Advocacy Meta project with the details of your request and assign it to @sugaroverflow. The DevRel team can then execute the query and export the report as a PDF to the issue.

Requests can be for the export of information or for setting up a team alert to Slack. You can learn more about the types of reporting in Common Room's documentation.

Here are some request-based business cases:

Tracking specific customer engagement

DRI: Jordan Chivell

Description:

Sales may wish to gain key information or context on a specific customer. They would like to see a customer's interaction patterns in the community - posts, comments, key areas of interest, and any queries they may have raised on our community platforms.

Outcome:

Enhanced understanding of customer behavior within the community.

Support the sales pipeline generation process by providing key contextual information from the community.

SECTION: marketing/developer-relations/workflows-tools/content-review.md

The Developer Relations team provides ongoing support to a number of stakeholders who create content including Product Marketing, Brand, and numerous Sales teams. In order to ensure the technical accuracy of content being created across GitLab, we conduct regular reviews of top-performing content across GitLab's main public facing content channels, notably about.gitlab.com and Highspot.

Fix Fridays

Our primary mechanism for conducting content reviews is Fix Fridays. These are once-monthly days set aside for content review. Team members should plan their calendar with a defined review time, for example, the last Friday of each month. If Friday is not possible, another day and time can be considered to complete the assigned tasks by the end of the month.

The checklist for Fix Fridays is as follows:

1. Prior to the review, a Fix Friday issue will be created documenting GitLab's top performing content over the past 30 days. The focus is webpages or Highspot content ranking among the top 20 pages on either channel. The docs site is excluded from these regular reviews.
1. Once the issue has been created, items will be assigned by a DRI (typically Director, Developer Relations) for review based on team member's areas of expertise, familiarity, recent reviews, and other considerations.
1. After you are assigned an item, each team member will be responsible for reviewing their items. These Fix Fridays, however, are intentionally designed to be collaborative so feel free to consult with other team members from across GitLab, as needed. This is a chance to surface issues to our stakeholders, gain a better understanding of our marketing messaging, and deepen our knowledge of GitLab and our customers.
1. Address feedback following the steps for providing feedback outlined below.
1. Once you have completed review of your items, please ensure that the tasks created during your review are assigned to the appropriate DRIs to be resolved.
1. After the review is complete and tasks are assigned, check the corresponding box in the FixFriday issue to show that the review for each item has been completed.

Providing feedback

How to make changes to the content you review:

Website

1. During the review process, small changes may be able to be fixed with an MR assigned for the page.

- When authoring an MR, assign a Developer Relations team member for review first, and then ask the page CODEOWNER or DRI for the final review and merge.

- If there is no CODEOWNER or DRI, use the Suggested Reviewer feature to help identify a reviewer.

- For the about.gitlab.com Homepage, Pricing Page, Why GitLab, Why Enterprise, Why Premium, or Platform assign to Michael Preuss. For any other Buyer Experience Marketing page assign to Justin Vetter.

1. If feedback cannot be addressed during the review using MR may require creation of a separate issue.

Highspot

1. In a comment on the Fix Friday issue, tag the author or feedback owner for any Highspot page, play or content that needs to be updated in an issue comment which details the proposed change. This will create a TODO for the DRI for that content item.

- If the author or feedback owner does not exist on a smartpage or play, tag the person/people in the "Ask for Help" section (located at the bottom of the page).

- Alternatively, for a piece of content on Highspot, you can tag the owner or the person who uploaded the file/last updated the file. If that person is not the right DRI to update, they can tag the correct person.

SECTION: marketing/developer-relations/workflows-tools/discord.md

Overview

The GitLab Community Discord server is a place to connect with the wider GitLab community, join live streams and pair-coding sessions, share projects, and discuss contributions with other community members. Whether you're new to GitLab and looking for help getting started or an experienced user looking to share your knowledge with others, the server is a place to chat with the community in real-time.

In our community server, you can:

- Connect with other GitLab users and developers
- Contribute to GitLab issues and pair-program with other developers
- Share tips, tricks, and best practices for using GitLab
- Stay up-to-date on the latest GitLab news and releases
- Participate in community-led discussions and events

To ensure we keep a positive, welcoming, and inclusive environment for everyone to contribute, all members of our Discord server must adhere to our Community Code of Conduct at all times.

The Developer Relations team manages the Discord server with support from Contributor Success. If you have questions or want to request a GitLab team member role, ping @devrel-team in the developer-relations Slack channel.

Discord Community Overview

Our server has several channels dedicated to different topics of discussion. Here's a quick overview of the channels and what they're for:

Channel	Purpose
-----	-----
announcements	Staff will use this channel to share news and announcements.
rules	Server rules for all users on the server.
general	Main channel for general discussions.
community-help	Forum format channel for support questions - community helping the community.
contribute	Contribution discussions focused on the making & enhancing of GitLab.

There are also more specific channels for the hackathon, events, and community-based support.

Unsolicited messages and friend requests

To keep our community and team members safe, server rule 5 covers keeping questions in public channels

and not allowing unsolicited friend requests or direct messages without consent.

If you receive a private message you can refer the user to this rule or use the following response:

markdown

Please refer to the GitLab Community rules

(<https://discord.com/channels/778180511088640070/778194316191465474>)

and remember to use public channels instead of direct messages, thanks!

> 5. All questions should be asked in public so that anyone can answer and everyone can learn from the discussion.

> This is a community server with volunteers helping one another.

> Please do not ping specific people to answer your question or send unsolicited friend requests or direct messages without consent.

> See GitLab's communication values to Use Public Channels

(<https://handbook.gitlab.com/handbook/communication/use-public-channels>)

> and Be Respectful of Others Time (<https://handbook.gitlab.com/handbook/communication/be-respectful-of-others-time>).

Tools

We use Discord bots and integrations to manage our community.

Tool	Purpose
-----	-----

| WickBot | A discord bot that helps with moderation and security. |
| NeedleBot | A discord bot that creates Discord threads automatically. |

In order to maintain our custom invite link <https://discord.gg/gitlab>, we maintain a Server Boost Level 3 through 14 server boosts, paid annually.

Moderation

We strive to maintain a positive environment on the Discord server. These moderation guidelines are designed to ensure an inclusive and respectful environment for all community members. At this time, GitLab team members and GitLab core team members serve as moderators.

Moderation Guidelines

Every moderation situation is unique and will be dealt with on a case-by-case basis. This tier system seeks to provide a general framework for handling situations and for supporting our moderators. In many cases, there will be multiple tiers required to complete the necessary actions. For example, a message that results in a temporary timeout (Tier 2) should also be reported to Discord (Tier 0).

Tier 0 - Report to Discord

If a message violates Discord's Terms of Service or Community Guidelines (e.g., illegal content, explicit harassment, doxxing, etc.), moderators should report the violation directly to Discord via the reporting feature. See [how to report content to Discord](#).

Tier 1 - Warning and Message Deletion

For minor violations of server rules, moderators should remove the message and leave an official explanation in the channel where the warning occurred, explaining which rule was broken. A clear warning can also be sent to the user privately with the same explanation as the cause of their message deletion. If there's a fear the situation will escalate, the moderator can handle things privately, but where possible, it's important to be transparent about enforcing the rules.

For example:

markdown

Your message was removed for violating the following rule in our GitLab Code of Conduct or GitLab Discord Server:

> (The rule violated)

Moderators should also leave a note on the member's profile regarding the warning for documentation purposes. If this is not the community member's first offense, more serious action is recommended (e.g. Tier 2).

To review and add notes to member profile, moderators can use the following shortcuts to interact with Wick Bot:

markdown

- Add note: /notes add (it prompts you for a user and a note)
- List all notes: /notes view
- List all notes for a user: /notes view user<enter> (it'll prompt you for the user)
- View a specific note: /notes view noteid<enter> (it'll prompt you for the note id, which can be found by listing all notes for a user)

Tier 2 - Temporary Timeout

If the message is a serious violation (e.g. repeated spam, trolling, political attacks) or a community member continues to break the rules after receiving an official warning, moderators should temporarily prevent them from interacting with the server via a timeout. The duration of the timeout can be adjusted based on the severity of the violation. Moderators are also encouraged to seek support from the rest of the moderator team if they need a second opinion. See how to set a timeout for a user.

Tier 3 - Ban

If the message is a severe violation (e.g hate speech, harrassment, threats, inappropriate content) or if a member has repeatedly violated the rules and well-being of the community despite an official warning and/or temporary timeout, moderators should consider a ban and raise a Code of Conduct issue to discuss the violation. It is not necessary to raise an issue for one-off violations, such as a spam. Use issues as a basis of documentation and discussion for more serious violations that may require follow-up or proof of decision making in case of escalation or a ban appeal from the user.

Ban Appeals process

As a GitLab Community Discord member, if you feel you've received an unfair timeout or ban, you can submit an appeal. The appeals process is as follo