

le for menu:

- All agents, available to all agents.
- Agents in group, available only to agents in the group specified. A drop-down menu to choose the group appears when you select this option.
- Me only, available only to you.

1. Under Actions, use the drop-down menus to add actions for your macro as described in Building macro action statements.

- If you choose the Comment/description macro action, and you have rich text formatting enabled, you can add formatting and inline images and you can add attachments to your macro comments.

1. Click Create.

Applying macros

You can manually apply one or more macros to a ticket. Just as you can make bulk updates to many tickets at once, you can also apply a macro to more than one ticket using your views.

A typical use case is a ticket that contains more than one question or issue, let's say two in this example. You might have set up two macros that both insert a comment into a ticket to answer each issue separately. By applying each macro to the ticket, you add two comments and address both issues in a single response.

1. In a ticket , click the Apply macro button in the bottom toolbar.

1. Typically, your five most commonly used macros from the past week appear at the top of the macros list.

- You can select one of these, begin typing the name of the macro, or scroll through the list to find the one you want to use.

1. The actions defined in the macro will be applied. If the macro updated the ticket comment, you can edit the text before submitting the ticket.

1. To apply another macro, click Apply macro again and select another macro.

Previewing macros

There is an option to view a description of a macro, and preview the update it will make to a ticket, before applying it.

1. In a ticket, click the Apply macro button in the bottom toolbar.

1. Scroll through the list to locate the macro you want to use.

1. Hover your cursor over the macro to display its description tooltip.

- If the macro does not have a description, the tooltip does not appear.

1. If the description matches the macro you want to apply, click on it to use it.

Current macro stack (click link for macro details)

Common Requests

- Application Form Not Visible
- Authenticating Gold
- Delayed Response
- e-signature request via eSertifi (Salesforce)

- Error with processing application (Salesforce error)
- Handing off to sales team (Send via Gmail)
- Internal Support Ticket Filed
- License Update
- Pandemic response
- Redirect Technical Support Question to Forum (Support)
- Request modification to our terms
- Send Quote via Email
- Ultimate license download instructions

EDU

- EDU new application approval Zendesk notification
- EDU Renewal quote sent Zendesk notification
- Basic info on EDU program
- Collecting EDU qualification info
- EDU Announcement
- EDU General Rejection
- EDU Rejecting Students
- EDU Renewal Thank You
- EDU Requesting Email Domain
- EDU Requesting Non-Profit Verification
- EDU Requesting Renewal Information
- EDU Welcome
- Second email asking for participants data

NP

- Non-Profit Application

Ops

- CoC Violation:: Unable to moderate
- Email::Hackathon
- Email::Meetups
- Free CI/CD Update

OSS

- Clarifying "not-seeking-profit" req and Qualification Examples
- OSI-approved license
- OSS Announcement
- OSS Basic Program Information
- OSS new app need more info
- OSS new application approval (Zendesk notification)
- OSS Rejection
- OSS Renewal quote sent (Zendesk notification)
- OSS Renewal Reminder and Request for Info
- OSS Welcome (new applicants)
- OSS Welcome (Renewals)

- Qualification error, OSS federal exception rejection, and sales intro

Startups

- Need info about product and seats
- Providing basic program information
- Qualification for program
- Renewal request sales handoff
- Startup Rejection
- Startups Welcome

Swag

- Ask Customer to Contact Printfection
- Lost Order
- Out of Stock

Sending emails through Zendesk

Emails sent to our list of contact emails create a new ticket in Zendesk, and public comments in Zendesk are sent as an email from that contact email back to the recipient.

There are instances where it is necessary to change the email address of the recipient, the sender, or both, which can be done through Zendesk.

Changing the email recipient

1. Click (change) next to the recipient's email address at the top of the ticket.
Alternatively, you can click the · symbol on the left pane to bring up the Requester field.
2. This will open the Requester panel on the left side. Paste the new email address in the Requester field.
3. If their email address is already in Zendesk, the record will show up, which you can select.
4. If their email isn't in Zendesk, add them as a new user.
 1. Click Add new user
 1. Add their name and email to the corresponding fields
 1. Select End User as the role
 1. Click Add
5. If the email has been successfully changed, the new recipient will show up at the top of the ticket.

Changing the email sender

1. Check what email address is currently used to send replies from at the top of the ticket. It will say Via {email address}
2. On the top-right of Zendesk underneath your profile picture, click Apps
Change sender step 2
3. The app panel on the right-hand side will open up. Click the dropdown next to Select an Email
4. Select the email address you want to send the email from via the drop-down list of email addresses.
5. If the sender address has been successfully changed, a notification saying This ticket will be sent from {email address} will pop up by the Apps tab, and the field at the top of the ticket will change.

SECTION: marketing/digital-experience/_index.md

Overview

- Purpose

Why we exist

We take a customer-centric approach to educating prospects on how GitLab enables them to deliver software faster and more securely.

Team Members

Role Name
-- --
Senior Product Designer Tina Lise Ng
Senior Product Designer Trevor Storey
Product Designer Sylvie Le
Frontend Engineer Javi Garcia
Senior Frontend Engineer Megan Filo
Senior Frontend Engineer Laura Duggan
Senior Frontend Engineer Marg Mañunga
Staff Frontend Engineer Nathan Dubord
Senior Fullstack Engineer John Arias
Senior Fullstack Engineer Mateo Penagos
Engineering Manager Chris Frazer
Director Filza Qureshi

Scope

Our team leads the GitLab's digital marketing platform, or simply the "Marketing Site" refers to <https://about.gitlab.com>.

We own the following repositories:

- Buyer Experience
- GitLab Blog
- Navigation
- Slippers Design System

Our team strengths & core capabilities:

- Engineering and UX design for about.gitlab.com
- Cross collaboration
- Speed and delivery
- Customer journey maps

Our team supports:

- HTML email templates
- PathFactory
- Marketo
- learn.gitlab.com
- www.gitlab.com
- Globalization

We do not support:

- Handbook
- Internal handbook
- Content copywriting or edits
- Cloudflare server infrastructure

Teams we work closely with:

- SEO
- Analytics
- Product Marketing
- Content Marketing
- Brand Strategy
- Marketing Ops
- Blog
- Globalization
- Events
- Competitive Intelligence

OKRs

We collaboratively define OKRs as a team with cross functional partners in advance of each quarter. Once OKR candidates are complete we review, size/scope them and align on which best help achieve our business objectives.

Current Quarterly Plan

FY25Q2 Digital Experience Quarterly Plan & OKRs

Iteration Process

We start our iteration on a Monday. We release throughout the iteration. On the Thursday a week after our Monday iteration planning, we come together for a synchronous meeting to discuss wins, blockers, start/stop/continues, and select 3 things we'd like to highlight in our Slack channel.

Issue Board

- Digital Experience Board

Labels and Workflow Boards

We use issue boards to track issue progress throughout a iteration. Issue boards should be viewed at the highest group level for visibility into all nested projects in a group.

The Digital Experience team uses the following issue labels for distinguishing ownership of issues between specialities:

Who	Title
-----	-----
User Experience	~dex::ux
Engineering	~dex::engineering

The Digital Experience team uses the following labels for tracking merge request rate and ownership of issues and merge requests.

What & Current Issues	Label
-----	-----
Work to be triaged	~"dex-status::triage"
Refinement on issue is needed	~"dex-status::refinement"
Issues in the backlog	~"dex-status::backlog"
Issues to be worked on	~"dex-status::to-do"
Currently being actioned	~"dex-status::doing"
Work in review	~"dex-status::review"
Unplanned work	~"dex-unplanned"
Issue for Conversion team to complete	~"dex-group::conversion"
Issue for Optimization team to complete	~"dex-group::optimization"
Issue for product designer to complete	~"dex::ux"
Issue for engineer to complete	~"dex::engineering"

Digital Experience teams work across the GitLab codebase on multiple groups and projects including:

- The gitlab.com/gitlab-org group
- gitlab
- customers-gitlab-com
- The gitlab.com/gitlab-com group
- www-gitlab-com
- Buyer Experience

- GitLab Blog
- Slippers Design System
- Marketing Site Navigation Package

Estimation

Before work can begin on an issue, we should estimate it first after a preliminary investigation. This is normally done in the iteration planning meeting.

Weight Description (Engineering)
----- -----
1 The simplest possible change. We are confident there will be no side effects.
2 A simple change (minimal code changes), where we understand all of the requirements.
3 A simple change, but the code footprint is bigger (e.g. lots of different files, or tests effected). The requirements are clear.
5 A more complex change that will impact multiple areas of the codebase, there may also be some refactoring involved. Requirements are understood but you feel there are likely to be some gaps along the way.
8 A complex change, that will involve much of the codebase or will require lots of input from others to determine the requirements.
13 A significant change that may have dependencies (other teams or third-parties) and we likely still don't understand all of the requirements. It's unlikely we would commit to this in a milestone, and the preference would be to further clarify requirements and/or break in to smaller Issues.

In planning and estimation, we value velocity over predictability. The main goal of our planning and estimation is to focus on the MVC, uncover blind spots, and help us achieve a baseline level of predictability without over optimizing. We aim for 70% predictability instead of 90%. We believe that optimizing for velocity (merge request rate) enables our Growth teams to achieve a weekly experimentation cadence.

- If an issue has many unknowns where it's unclear if it's a 1 or a 5, we will be cautious and estimate high (5).
- If an issue has many unknowns, we can break it into two issues. The first issue is for research, also referred to as a Spike), where we de-risk the unknowns and explore potential solutions. The second issue is for the implementation.
- If an initial estimate is incorrect and needs to be adjusted, we revise the estimate immediately and inform the Product Manager. The Product Manager and team will decide if a milestone commitment needs to be adjusted.

Planning (Iteration Plan Sync)

Iteration planning is an event that kicks off the start of an iteration. The purpose of the meeting is for capacity discussions and to plan work the upcoming iteration.

Cadence: 50min, bi-weekly (zoom)

What:

- Capacity Discussion

- Review Iteration Board

Iteration Release: Retrospective and Feedback

We celebrate our wins and discuss what's working and what's not. Our discussion topics include identifying any blockers, deciding what we should stop doing, what we should start doing, and what we should continue doing. We then select three pieces of completed work to highlight in the iteration announcement issue and on Slack. Here's the agenda we use for our planning and release meetings.

When: Thursdays, 50min, bi-weekly (zoom)

What:

- Celebrate wins
- Topics for discussion
- Any blockers?
- What should we stop doing
- What should we start doing
- What should we continue doing
- 3 things to highlight

Retrospective

The retrospective is an event held at the end of each quarter, used to discuss what went well, and what can be improved on. We use a quarterly retrospective issue to keep track of our progress. Access them [here](#).

When: Week 12 of a quarter, 50min

What:

- Discuss what went well and what can be improved on.
- Communicate any process changes, etc.

Iteration Changelogs

At the end of every iteration we run a scheduled pipeline job that generates a changelog for the Buyer Experience repository. It shows all the changes made to the project with semantic commits.

FAQ:

Iteration boards

How long is an iteration?

An iteration is 2 weeks, running from Monday to the following Thursday.

Where can I find the iteration boards?

Iteration boards are created at the team level, and the individual level:

Digital Experience > Issues - Boards > Then selecting an individual's name or group from the dropdown list.

What are the iteration boards used for?

Iteration boards are meant to give an overview of what the team is working on, and to provide a rough idea on what the team is capable of producing in an iteration.

How do I move issues from start to finish?

At the start of an iteration, all issues will have the dex-status::todo label. As issues are worked on, the dex-status label will need to be updated. This can be done by dragging (on your individual board) between columns, or manually changing the dex-status label on the issue.

What if I wasn't able to complete my iteration board?

Don't stress, weight points are estimates, unforeseen events happen. Any carryover can be added to the next iteration.

What if I complete my iteration board early?

A few options for when an individual's iteration board is complete:

1. Offer assistance to other team members.
2. Pull a new issue from the backlog into the current iteration.
3. Sharpen skills/tools.
4. General housekeeping.

Weight points

What is a weight point?

A weight point is a unit of measurement that's used to develop a rough estimate of the work required to complete an issue. 1 weight point is measured as .5 days.

How many weight points should an issue be?

The suggested task duration is between 2-4 weight points (1-2 days). There will be exceptions, but it's recommended to break issues into smaller units of work. Small units of work allow for quicker review cycles, and facilitates collaboration.

How many weight points should be completed per iteration for engineers?

Engineers are expected to complete 12 or more weight points per iteration which is equivalent to 6 days of engineering. This expectation leaves room for merge request reviews and job requirements described in the Frontend Engineer and Fullstack Engineer job family descriptions. For senior engineers, the expectation is 15+ points.

Issues

What should I do if I'm assigned new issues mid-iteration?

Generally if an issue is added mid-iteration, it's high priority. It's recommended to work with your team to remove the same amount of weight points from your iteration to make room. These removed issues should go back in the backlog.

Do I need to add any labels?

Before entering an iteration, an issue should already be refined with the proper labels. The only label that changes is the dex-status label (as the issue moves from start to finish).

What if I'm assigned an issue that I can't close due to content/data gathering?

Unfortunately there will always be edge case issues that cannot be resolved in an iteration. To mitigate the amount of carryover, it's recommended to break the issue into smaller chunks.

Example A: If an issue is open while waiting on content/assets, it's best to create a content/asset gathering issue and close the original issue.

Example B: An issue is open while gathering data from an AB test, it may be best to create an issue to start the information gathering, and an issue to analyze the data at the end.

Weekly Check In

We use Geekbot to conduct asynchronous, weekly check-ins on iteration progress.

Each member of the Digital Experience team should be listed as a participant in the weekly check ins, and everyone should have permissions to manage the application for our team. The app can be configured through the Geekbot Dashboard, which you can visit directly, or find by clicking the Geekbot Slack conversation, navigating to the About tab, and clicking App Homepage.

Production Change Lock (PCL)

Similar to the engineering department, we sometimes temporarily halt production changes to the Buyer Experience repository when team availability is reduced, or we expect atypical user behavior (such as during high-visibility public events).

Risks of making a production environment change during these periods includes immediate customer impact and/or reduced engineering team availability in case an incident occurs. Therefore, we have introduced a mechanism called Production Change Lock (PCL). We are listing the events here so that teams are aware of the PCL periods.

The following dates are currently scheduled PCL periods. Times for the dates below begin at 09:00 UTC and end the next day at 09:00 UTC.

Dates Reason
--- ---

| 2024-12-20 to 2025-01-05 | End of 2024, limited coverage |

During PCL periods, merge requests and deployments can only be made by senior team members, managers, and levels of management above our team.

Figma Process

- How we use Figma

GitLab Product Process

From time to time, our team has objectives that require us to collaborate on the GitLab product. Read more about the process for our engineers to onboard

Special cases during release post schedule: we hold off on making changes to the www.gitlab.com repository during release post days. The release post process is handled by a different team, and it can be disruptive to their work when we release changes to dependencies, CI/CD, or other major changes around their monthly release cadence.

Repository Health Contributions

At the end of every iteration cycle, Digital Experience team members can spend one day to work on issues related to improving the health of about.gitlab.com, the developer experience, tackle tech debt, or improve our documentation.

The structure of Repository Health Day is as follows:

1. Team members will choose what they wish to work on for this day.
1. Each team member will submit a single merge request to the Slippers Design System, Navigation, or Buyer Experience repository by the end of repository health day.
1. This merge request will be related to an issue from any partner or group within GitLab.

By allowing our team members to contribute to the health of our repositories for a day, we can contribute low-effort, high-impact solutions that will drive results for our team, partners, and the entire marketing site. This will enable Digital Experience team members to use their strengths to efficiently drive results for <https://about.gitlab.com/>. We're all good at different things and come from different backgrounds. Let's use that to our advantage to build a better tech stack that is inclusive of the team members that use it everyday.

Analytics

For any Digital Experience analytics request, please create an issue within the Marketing Strategy and Analytics project using the [dexanalyticsrequest](#) template to outline specific requirements. To ensure a smooth milestone planning, please assign the issue to [@dennisharukulvanich](#) ideally a week or more in advance.

Sales Shadows

How to set up a Sales Shadow

SMB

1. Contact a Sales Development Manager (Jonathan Rivat) or Director, of Sales Dev Operations (Ramona Elliott).
2. Let them know what team you're from and that you'd like to shadow a few sales calls to observe real GitLab prospects talking to our Sales team to learn [insert what you're trying to learn here. Example: what the common topics potential customers want to discuss with our Sales team are.]
3. Inform the Sales Development Manager or Director, Sales Development how many shadows you'd like to do and a rough timeline for when you'd like to do them.
4. The Sales Development Manager or Director, Sales Development will inform their Sales Development Reps (SDRs), and they will add you to relevant, upcoming Discovery calls with an Account Executive (AE).
5. Accept the invite and review any supplied material when you add it to your calendar.
6. When joining the call, remember:
 1. You're there to observe. If asked to introduce yourself, come off mute and do so, then go back on mute and let the Sales team do what they do.
 2. Keep your camera on.
 3. Have a notes doc prepared and take notes on your observations and insights.
7. After the call, review your notes, and synthesize and create action items.
8. Send a thank you message to the Sales team members who hosted you.
9. Once all shadows are completed, share your notes and insights with the team.

Team Shadow Expectations

Whoever gets closest to the customer wins. With this in mind, the Digital Experience team is expected to shadow Sales calls regularly.

Contact Us

Slack Group

@digital-experience use this handle in any channel to mention every member of our team.

Slack Channels

digital-experience-team

Slack Application

We have created a Slack application called Dex Bot to notify our team about important CMS changes, read more about it [here](#)

GitLab Unfiltered Playlist

Watch our team in action on YouTube!

Digital Experience

Requesting Support

Things we don't do

1. Content changes. You can do these yourself using our CMS, Contentful:

1. Here's a quick video on how to search for and edit existing content for the marketing site. For completely new pages, please fill out an issue

1. Want to learn more about our Contentful CMS? Here's the documentation

2. Create content. You can collaborate with our excellent Global Content team for these needs.

3. Create branded assets, custom graphics, illustrations. Our Brand design team is so good at this, you definitely want their expertise.

Issue template to submit an idea to drive our business goals

We love collaborating on work that drives our North Star and supporting metrics. If you have an idea, a strategic initiative, or an OKR that we requires our support here's how you can kick off our collaboration:

1. Review the FAQ section related to pre-work that will increase the chances your issue is prioritized.

2. Create an issue using this template

DEX team members with platform access

<details>

<summary>LaunchDarkly</summary>

@dcharukulvanich

@fqureshi

@jgarc

@lduggan

@mpenagos-ext

@meganfilo

@ndubord

</details>

Marketing site deployment process

From the repositories we own, the Buyer Experience repository and the GitLab Blog push their built files to the same GCP bucket as www-gitlab-com. When a pipeline is triggered (by a merge or a webhook) in any of these projects, a deployment job specific to that repository runs, pushing the built files into the bucket and merging them with the existing files. This process is managed by the Deploy.sh file in each repository:

- WWW Deploy file.
- BE Deploy file.
- GitLab Blog Deploy file.

To maintain our bucket clean, we run a scheduled pipeline with a delete flag in these repositories, which deletes outdated files from the cloud bucket (such as pages removed from the marketing site and old JS bundles).

- WWW Cleanup logic
- GitLab Blog Clean up logic

The deletion of BE files is handled in the same WWW delete job by pulling the latest build artifacts from the BE Repository

Digital Experience FAQ

<details>

<summary>Previous Quarterly Plans & OKRs</summary>

- FY25Q1 Digital Experience Quarterly Plan & OKRs
- FY24Q24 Digital Experience Quarterly Plan & OKRs
- FY24Q3 Digital Experience Quarterly Plan & OKRs
- FY24Q2 Digital Experience Quarterly Plan & OKRs
- FY24Q1 Digital Experience Quarterly Plan & OKRs
- FY23Q4 Digital Experience Quarterly Plan & OKRs
- FY23Q3 Digital Experience Quarterly Plan & OKRs
- FY23Q2 Digital Experience Quarterly Plan & OKRs
- FY23Q1 Digital Experience Quarterly Plan & OKRs
- FY22Q4 Digital Experience Quarterly Plan & OKRs
- FY22Q3 Digital Experience Quarterly Plan & OKRs

</details>

<details>

<summary>Content Wireframe Instructions</summary>

The Digital Experience team is primarily responsible for facilitating content, not creating it. Please prepare a content plan:

- Provide the layout you think would work best from existing pages or existing blocks

-

- You can use the Blocks section in Slippers to "shop" for blocks and plan your content to work with designs that already exist.

- This youtube video shows how to navigate the Slippers Figma file and how a content doc can work with the blocks.

- Not sure what a "block" is? You can read about that and more on our Digital Definitions handbook page.

-

- Provide the content in the layout of the existing block or page template

- Use this [Content + DSN Block Template](https://docs.google.com/document/d/1c2OYCtT57SACYSt55YMB5ZW-rt-JFw5RxYNWKPZt-Ao/edit?usp=sharing) as a base. This template allows you to input [existing block designs](https://www.figma.com/file/nWIOpmuMp7RZXmfTj6ujAF/Slippersfoundations?node-id=1280%3A62) mentioned above.
- This [Content Wireframe Template](https://docs.google.com/document/d/1ypPJVNEpaSiafY0BnZ0p49tBFVeBGQnySVhgYE7gikk/edit?usp=sharing) is based on the current about.gitlab.com/enterprise page

 ## SECTION: marketing/digital-experience/digital-definitions.md

The purpose of this page is to present definitions for technical jargon and explanations around related technologies. The intended audiences are people who might not be familiar with development tools and methods nor our unique requirements when working on items like about.gitlab.com.

Pages

What is a page?

A page is a final or near-final product, a unique instance of something generated from a template. This page has an expected URL where it will be accessible in a live environment.

Templates

What is a template?

A template is a data-driven reusable configuration used by certain types of content. A template consists of choosing a set of blocks, a configuration for the blocks, and a configuration for the page options.

Example: all blog posts are generated by the same template.

Related terms: layout.

Why are templates important?

1. Templates facilitate quickly duplicating setups.
1. Templates reduce configuration errors by codifying configurations.

Blocks

Related terms: partials, includes, fragments, organisms, molecules.

What is a block?

1. A section of the page, generally kept as small as possible. It's usually a horizontal slice of layer cake across the page but can also be a chunk of a sidebar.
1. A block is a section where the presentation, goal, and required functionality remains the same, but content can be updated (wording, imagery, links, etc).
1. Blocks are often made up of many elements and components put together and organized around a common purpose.
1. Blocks might have configurable options to facilitate reuse with different configurations. It is always desirable to have a title block for example, so there might be an option to turn that off.

Example: A gated content form.

Why is it important for a block to be reusable?

1. In order to facilitate updates, the code needs to be reusable. It's not an easy update if you have to build it again.
1. Implementing the same thing over and over again is not an efficient use of resources.
1. In order to keep the codebase clean, navigable, and easy to understand it's important to maintain SSOT.
1. If the same code is implemented several times in several spots then the chance for bugs increases. One of those spots might have a bug where the others don't.
1. Much of what goes into building code is unseen on the page. This includes things like optimizing performance, setting up tracking, preparing assets such as formatting images & videos, building responsive views and layouts, human physiology (fingers on a touchscreen, eyes and perception, etc). Testing and building all of these things takes time, so it's important to reuse and reduce code as much as possible.

Why is it important for a block to have a single-purpose?

1. In order to facilitate updates, the code needs to be easy to operate.
1. Having a clearly defined purpose for each block enhances the goals of the page and assists

with navigation and conversion goals. If a block tries to do 5 things or there are 3 different blocks on the page doing the same thing it becomes difficult to manage.

1. An end user might be confused if duplicate blocks are on the page.

1. If a block gets too large then it becomes harder to understand the code. Keeping a block single-purpose keeps the block small.

1. Tracking the performance of a block becomes more difficult the more a block changes.

1. When examining from a distance, it's hard to know what block to use if the blocks all have several different purposes, sometimes overlapping purposes. "Do I use this block or that one?"

Components

Related terms: molecules, modules

What is a component?

A component is conceptually similar to a block, except it's often quite a bit smaller. A component combines elements into a small item with a singular purpose.

Example: A search box is made up of a text input element and a submit button element.

How is a component different from a block?

Components and modules differ mostly in size and purpose. The singular purpose of a module might be to get someone to sign up for a newsletter. This might include a description, a title, some graphics, margins, padding, and other elements. The singular purpose of a component would be to gather the email in a text input and submit that with a button. A component often lacks the context that a module has.

Why are components important?

1. As mentioned above, blocks and components are conceptually similar. Components benefit from the same things that blocks do.

Elements

Related terms: atoms

What is an element?

An element is the smallest reusable thing.

Examples: a button.

Why are elements important?

1. Reusable elements serve to solidify a brand by building a cohesive identity.

1. Elements facilitate efficiency by creating a kit of parts so we don't have to create the same thing over and over again.

1. Elements facilitate predictable outcomes by creating constraints around possibilities.

Content management systems

What is a CMS?

A CMS (content management system) is used to manage the creation and modification of digital content. Usually a CMS has

An editor interface (WYSIWYG) so content producers don't need to know how to build a website in order to create content.

A persistence layer that stores data from the editor interface.

A view generator that combines raw content with templates in order to generate pages.

(optional) a server that responds directly to user requests and customizes pages based on requests.

What a CMS isn't

A CMS doesn't define requirements.

A CMS doesn't create layouts.

A CMS doesn't create modules.

A CMS doesn't define templates.

A CMS doesn't ensure best practices (though it can encourage them).

Headless CMS

What is a headless CMS?

A headless CMS is a CMS that abstracts the business logic away from the display logic, usually via two or more separate interfaces. A content editor doesn't need to interact with the programming and a programmer doesn't need to interact with the content. In a non-headless CMS the two interfaces are intertwined.

Statically-generated

Also referred to as SSG (static site generation/generator)

What is a statically-generated website?

A static web page is delivered to the user's web browser exactly as stored, in contrast to dynamic web pages which are generated on-the-fly by a web application after an end-user request for something such as data modification.

SSG benefits

Significantly faster for the end-user in many situations.

Easier to work with for developers.

Fewer dependencies on cloud systems.

Improved security.

Costs less to host.

SSG complications

Dynamic functionality must be performed on the client side.

Continuous Integration

What is continuous integration?

Continuous integration means any time a change is merged into a revision controlled branch, it is automatically released live. This is in contrast to a manual release process. This automatic release is dependent upon several additional processes and numerous other parts of the puzzle such as operating system, networking, and server technologies.

Pipelines

A pipeline is a group of tasks that need to be completed in a certain order. Before X can happen, Y also needs to happen. That would be an example of a singular pipeline. Another pipeline can be processed in parallel, assuming that it doesn't need X or Y to happen first. If pipeline A needs Z to happen first, it can be done in the same pipeline as Z or in as a second pipeline that starts after Z.

Automated tests

In order for a build to succeed, we need to ensure the components aren't broken. This means that automated tests have to pass before a build can start. That said, there are also unforeseen circumstances which can cause a build can fail regardless of testing.

Note that automated tests can happen at any time before, during, or after a build or deployment.

Build phase

Once an item is merged and automation passes, the related code needs to build an application to release to the server. This might be a SSG, it might be a CMS, it might be updates to the server or operating system, or some combination of those things, it could be anything really.

Build times depend on the number of items being changed, how they're being changed, how many things are cached, how many third parties are being polled for resources, how quickly the third parties respond, and how many cloud resources are available.

Deploy phase

A build must be deployed to a location, either for testing or for live release.

Deployment times depend on the amount of data being deployed, the data transfer speeds, and the number of deployment destinations.

After deployment

Just because a build is deployed doesn't mean it's live. Other processes might need to happen.

Examples of this include:

- Search engine indexing.
- Scheduled tasks such as cron to process or update data.
- Updating caches such as images.
- Propagation across a CDN.

CI complications

The ability to update things quickly is dependent on build time and pipeline reliability.

Client-side vs server-side

Client-side

An end-user's web-browser is responsible for client-side tasks. Once a server delivers a document to the end-user, it's up to their computer to modify the document on their computer. Alternately they can make a request for the server to modify the document for them server-side.

Server-side

Anything not done on an end-user's computer often needs to be processed by an invisible web-server. Once processed the server sends a new version of the page to the end-user or routes them to a new location.

CDN

What is a CDN?

A CDN, or content delivery network, is a way to facilitate speedy delivery of applications and resources to someone who might be far away from a server. A CDN caches a local copy of the webpages closer to the physical location of the end-user requesting those pages.

CDN complications

It takes time after deployment to copy, or propagate, all changes from a live server across to all destinations in a CDN.

Any endpoint on a CDN might become corrupted, serve incorrect resources, or serve an expired cache. Without appropriate logging and end-user bug reports, these kinds of problem can be incredibly difficult to track down.

Monorepo

What is a monorepo?

A monorepo (short for mono-repository) uses a single location to store the code of many different projects. It's similar to living in a condominium complex where you can share benefits and responsibilities among several families versus living in separate houses in the countryside and being responsible for everything on your own (20 lawn mowers vs 1 lawn mower, etc).

Why monorepo?

To facilitate SSOT single source of truth.

To facilitate sharing of resources and build systems.

To simplify dependency management.

Making changes in one location can benefit multiple systems.

SECTION: marketing/digital-experience/figma.md

The purpose of this page is to present some Figma process guidelines for the GitLab marketing team. This page is for people who create designs in Figma, people who review designs in Figma, and for engineers who receive Figma files. This page is not a Figma 101.

File naming convention

Figma master project name:

Parent page / Child page (if none, leave blank)

Solutions / DevSecOps

Pricing Page

Master project files:

Parent page / Child page / Type or Phase / Version

Solutions / DevSecOps / Wireframes / 1.0

Solutions / DevSecOps / Design / 1.0

Pricing Page / Mock / 1.0

Figma file pages:

Page names should be short and clear

Pages that are ready for engineering should be labeled with the ship icon:

· PAGE NAME ·

Example: In this example, the pages ready for engineering are at the top labeled with a · icon and a divider separates other working pages.

Versioning

MVCs (ex. 1.0, 1.1, 1.2, 2.0) to match with ENG updates

READ:ME

Add READ:ME frames when appropriate. Some reasons to add READ:MEs are:

1. Additional rationale is needed to add clarity and reduce unnecessary feedback loops

1. Outline functionality that cannot be visually represented
1. List key decisions made in long issue and MR threads
1. Link to important issues or docs as needed

README Template >

Feedback loops

Leave feedback in Issues and MRs when possible.

Link to the Figma frame when necessary (check "link to selected frame")

Use Figma commenting at your discretion. Ask yourself: Is this an important question that needs to be documented or is it something quick and minor like "this alignment is off, was this intentional?"

If another user wants to edit a frame within an existing file, please duplicate (copy and paste) the existing artboard rather than editing it. This will help preserve various iterations in case we want to go back or reuse a component from a previous iteration later.

SECTION: marketing/digital-experience/foundations-agenda.md

Digital Experience: Foundations Agenda

> To date, at GitLab, we've called it our "marketing website." As a \$1B company about to go public we need to elevate our main marketing tool and operationalize our efforts by developing a "digital marketing platform." Currently, we do not have foundational elements in place to make this change. As such, we must mature our toolset and upgrade our technology.

The goal of this page is to identify blockers and highlight the value of unlocking our team

| MAIN ISSUES | BLOCKERS |

| ----- | ----- |

| We can't scale effectively
· Efficiency | - Our digital marketing platform is not optimized for results
- We're missing key tools to enable scaling
- The tools/technology we're missing are "boring solutions" that can be implemented in a series of MVCs that will allow us to iterate to a better future state
- We don't have a system that we can operationalize
- Our digital marketing platform is not optimized for the right group
- Our experience is inconsistent (specifically, user flows and funnel progression) which makes it difficult to learn from/ improve upon |

| It's challenging to learn
· Collaboration
· Iteration
· Transparency | - Lack of consistency minimizes the value of our data
- The lack of focus on the loyalty flywheel minimizes the effects of the changes we make
- Challenging to work as a community without a SSOT or understanding of our Customer |

| High likelihood of human error
· Efficiency | - No automated build process
- No weekly or bi-weekly review of automated or user generated data
- Will enable us to shorten our iterations and cycle time |

| Hard to consistently stick to our plan
· Results | - Without an operationalized approach it's harder keep a bias towards action against competing forces |

| WHAT NEEDS TO HAPPEN | VALUE |

| ----- | ---- |

| Implement a CMS | - Optimize and focus on efficiency for the right group (Content Marketing)
- Increase ability to self-service and self-learn
- Respects others' time. Frees up Digital Experience effort that is high frequency/ low value |

| Switch Static Site Generator (SSG) | - Align with GitLab's technology strengths (Ruby & VueJS)
- Optimize and focus on efficiency for the right group (Digital Experience development team)
- Allows Marketing to use better tools to unlock our potential to scale and deliver |

| Implement a Design System | - Lower the cost of iteration and release
- Creates a common design language everyone can contribute too, and also supports our commitment to efficient "boring" solutions vs slow and expensive custom solutions.
- Allows us to onboard, ramp up, and scale quicker - both team members and vendors |

| Incorporate a build process (Gulp or Webpack) | - Decrease human error
- Boring solution that has been industry standard years
- Faster page load times
- Automate image compression
- Minimize CSS + JS
- Identify duplicate code
- Automatically add above the fold styles to increase perceived load times |

| Remove images from GIT and push directly to CDN | - Reduces repo size
- Makes the repo faster to work with
- Faster to push changes |

| Customer Data Platform | - Gather an accurate understanding of our user segments
- Enables a single source of truth accessible by all GitLab team members
- Increases transparency by making information public within GitLab
- Enable us to make informed lead decisions (we appear to be good with lag/data informed decisions)
- Activate our thinking and opportunities for experimentation
- Lay groundwork for an Experimentation Platform/Program and Personalization |

| Experimentation Platform/Program | Using LaunchDarkly and an agile/ spring based approach aim to significantly increase the amount of tests released and running on our marketing platform |

| Personalization | - Increase MQLs
- Increase conversion rate
- Increase engagement
- Guide users towards IATV and LTV |

| Improve Marketing site's Information Architecture | - Increase focus on progressing through sales funnel
- Increase conversion
- Improve impact of experiments and changes
- More valuable data |

| Add Session Replay / Logging Tool | - Understand how users engage with our marketing site
- Identify any API or code issues |

| Identify Automation Opportunities | Free up our people to focus on what matters most |

Open Opportunities

This Get It Done Matrix highlights open epics and issues that we could use to begin elevating our digital marketing platform.

The numbers indicate large gains if we focus on Implementing a Design System, Implementing a CMS, and Incorporating a Build Process. The open bodies of work that present the most opportunity to deliver are Marketing Site Refresh Strategy and Phase 5: Systems for Continuous Improvement. Both of these epics are a decent way in the future and the hope of the Digital Experience team is to re-prioritize to unlock our potential.

SECTION: marketing/digital-experience/marketing-cookie.md

The Digital Experience team use the gitlabuser and gitlabtier cookies as a tool to customize content on the about.gitlab.com domain. These cookies are set when a user logs into GitLab.com. Both of these cookies expires with the session, or after 2 weeks (whichever comes first).

The gitlabuser cookie determines if a user has an active session within the GitLab product. If they do, this cookie will be present.

The gitlabtier cookie contains information for which unique tiers a user belongs to (Free, Premium, and/or Ultimate). This is the only user data that is being passed. No other user data is passed.

Note that this cookie is in active development. This is the desired behavior. It currently includes owners of namespaces, but will expand to all users.

This implementation is on the GitLab product project for the Enterprise Edition of the product. Thus, it will exist in the gitlab.com domain, and it will propagate down to all project subdomains, including about.gitlab.com. The cookies do not work in review apps for other projects such as within Buyer Experience or Blog, so keep that in mind when developing for personalization in the Digital Experience team. If you want to verify that features are being rolled out appropriately, reach out to Marketing Analytics to see if the breakdown looks correct from their end.

For more information, read the docs on that.

Note that this cookie can sometimes not show up for GitLab team members. This does not affect production. Make sure to check with Marketing analytics to see the user breakdown between authenticated and non-authenticated users.

Related MRs

gitlabtier MVC 1 MR: <<https://gitlab.com/gitlab-org/gitlab/-/mergerequests/151323>>
Updating marketing cookie to gitlabuser: <<https://gitlab.com/gitlab-org/gitlab/-/mergerequests/131072>>
Setting marketing cookie for logged in users aboutgitlabactiveuser: <<https://gitlab.com/gitlab-org/gitlab/-/mergerequests/113761>>

```
<figure class="videocontainer">  
  <iframe src="https://www.youtube.com/embed/Nm8wWtoBCTc" frameborder="0"  
allowfullscreen="true"> </iframe>  
</figure>
```

How to use the cookies in the Buyer Experience repo

Use this library by passing the name of any available cookie that the client is able to parse:

```
js  
import getCookieValue from '~/lib/getCookieValue';
```


Then, you can use that function to update the component during any lifecycle after the mounted hook, depending on your intended functionality.

```
js
export default Vue.extend({
// ...
data() {
  return {
    knownSignIn: false,
  };
},
mounted() {
  const signInCookieName = 'gitlabuser';
  this.knownSignIn = getCookieValue(signInCookieName) ? true : false;
},
// ...
})
```

Note that any of this logic is done client side, so we caution against doing extensive DOM manipulation in this manner. This is a constraint that impacts web performance.

SECTION: marketing/digital-experience/marketo-page-template.md

This will serve as documentation for Modular landing page 7259.

This marketo guided template has the following modules. Each module can be toggled on or off and has options such as background color.

Page data options

Page title
Page description
Social description
Social image

Common module options

(Module) color
highlight-black
highlight-gray
highlight-purple
highlight-white
flattop
flatbottom
(Module) visibility
visible

hidden

Nav module

Options

Nav logo image path

Normally the default value is unchanged. In the case of a uniquely branded item such as an event this might be changed.

This variable is specified as a URL. Generally the image should be uploaded into marketo where the URL will be provided.

Nav logo image style

This can be used to override default styles such as height.

Nav button Visibility

Not all nav bars need a CTA.

Nav CTA URL

Where this button links to.

Nav CTA Copy

What this button should say.

Nav color

Defaults to empty which sets the bar to white.

navbar-purple

Note when using a purple navbar you'll want to switch the "Nav logo image path" variable to an appropriately colored logo.

Hero module type 1

This is a right floated image with copy to the left of it.

Options

Hero1 image

This should be specified as a URL.

Hero1 copy

Hero module type 2

This is a full width image with copy overlayed on top of it.

Options

Hero2 image

This should be specified as a URL.

Hero2 copy

2column module

This is where the form is located.

Options

2column sidebar

Yes sidebar

No sidebar

Form description

This is the content in the column to the left of the form.

Form before

This is where the heading or anything else goes that you want to appear above the form.

Form after submit

This is the "success message".

Temp hide form

If you want to preview how the form looks after submitting it, toggle this to Hidden.

Don't forget to toggle it back afterward.

Temp show confirm

If you want to preview the confirmation message, toggle this to visible. Don't forget to toggle it back afterward.

Speaker list module

This module is for a brief list of speakers as would be seen on a webcast or event. This section requires particular formatting to appear correctly.

Options

Speaker List

Please add a new bulleted list for each speaker, where each item in the list below is a new bullet point within each list:

text

Bulleted list

Speaker photo

Name

Title

Company

enter/return enter/return

Bulleted list

Speaker photo

Name
Title
Company

Flex module

This is a flexible empty box for anything additional that doesn't fit into another module. This could be used to embed an event calendar, more text, a slideshow, whatever you need.

Trust module

In general it's a good idea to target this messaging subject matter and logos towards your audience.

Options

Trust copy before

This is for specifying the top copy. Default is "Trusted by DevOps Teams and Orgs of All Types".

Trust images

Within this editable area, please insert only logo images, preferably grayscale SVG files using presentation attributes (not style attributes). If you have questions around this, please contact Marketing's Brand and Digital team for assistance.

Statistics list module

Similar to the bottom section of this example landing page.

Options

Stats List

This list is designed to feature a set of 3 statistics. That said, it can accommodate larger or smaller lists.

Please add a new bulleted list for each stat, where each item in the list below is a new bullet point within each list:

text

Bulleted list

Logo in color

Statistic (6x, 1000+, < 8 hours ...)

Description (faster builds than Jenkins)

enter/return enter/return

Bulleted list

Logo

Statistic

Description

Value box module

This module is meant to explain to individuals that we have more content they might want to look at and it's worth filling out the form.

Options

Value content

This option is a fully editable box for copy.

Value box default image

In most cases we want to leave this visible. If we're using custom examples per the below option, we would set this to hidden.

Visible

Hidden

Value box examples

This box can be used to toggle specific examples of content we want to showcase that are tailored to the audience. In most cases we want this to be hidden and show the default above instead.

Hidden

Visible

Value examples

This is the editable box where we can set the examples to use.

Final CTA

Currently we encourage this module to remain off by default. There may be situations where you want to add a CTA outside of the landing page scope such as "Free Trial", "Learn more", or something like that. In that case, you would enable this module's visibility.

Options

Final CTA Section

Note that the button styles look like a link when using the editor. Just edit the link URL and text. If you click on the "edit HTML" button you'll see the relevant wrappers and classes which should remain in place.

SECTION: marketing/digital-experience/onetrust.md

Uses

OneTrust is privacy, security, and data governance software that marketing uses as our privacy and compliance solution on our websites. The marketing operations team works closely with our legal team and is primarily responsible for our privacy and compliance on our websites including cookie preferences.

Support

- 1. Technical assistance: Slack digital-experience-team
- 1. Support Portal (requires separate account/login)
- 1. support@onetrust.com
- 1. Cookiedatabase.org
- 1. Cookiepedia

Change Request

For any OneTrust related request, please create a new issue under Marketing Operations using the onetrustchangelogrequest description template. View OneTrust change logs here, which lists issues with a OneTrust:: label.

Access

To access OneTrust, please create an access request. OneTrust is provisioned through Okta SSO via a Google group. A user is added via the Google group which is directly connected to Okta SSO and OneTrust. All users are added as a Project Manager. Please specify the role needed in OneTrust in the access request so it can be updated once you have access. See system default roles available below.

Training

Cookie Compliance module

- 1. Scanning a Website, Categorizing & Maintaining Cookies Implementation Webinar
- 1. Configuring Cookie Compliance Banner, Preference Center & Geolocation Rules Implementation Webinar
- 1. Script Integration - Publishing the Cookie Banner Script Implementation Webinar
- 1. Cookie Blocking - Blocking Cookies via Tag Managers and HTML Implementation Webinar

Data Subject Access Requests (DSAR) module

- 1. Kick-off call recording 20210106
- 1. Workshop recording 20210111

System default roles

- 1. Assessments Manager: Assessments Managers are business users who have access to most everyday and some administrative functions in the Assessment Automation module. By default, Assessments Managers have limited access to destructive and configuration functions.
- 1. Audit Manager: Audit Managers are business users who have access to most everyday and some

administrative functions in the Audit Management module. By default, Audit Managers have limited access to destructive and configuration functions.

1. Auditor: Auditor users are business users who have access to a limited set of functions in the Audit Management module. By default, Auditors can contribute to workpaper results and log findings and have no access to destructive and configuration functions.

1. Awareness Training Learner: Awareness Training Learners are low-level users who can only access training courses that have been assigned to them. Awareness Training Learners do not have access to any administrative functions.

1. Awareness Training Manager: Awareness Training Managers are business users who have access to most everyday and some administrative functions in the Awareness Training module. By default, Awareness Training Managers have limited access to destructive and configuration functions.

1. Consent Manager: Consent Managers are business users who have access to most everyday and some administrative functions in the Universal Consent & Preference Management module. By default, Consent Managers have limited access to destructive and configuration functions.

1. Cookie Manager: Cookie Managers are business users who have access to most everyday and some administrative functions in the Cookie Compliance module. By default, Cookie Managers have limited access to destructive and configuration functions.

1. Data Mapping Manager: Data Mapping Managers are business users who have access to most everyday and some administrative functions in the Data Mapping module. By default, Data Mapping Managers have limited access to destructive and configuration functions.

1. Data Subject Requests Manager: Data Subject Requests Managers are business users who have access to most everyday and some administrative functions in the Data Subject Requests module. By default, Data Subject Requests Managers have limited access to destructive and configuration functions.

1. Enterprise Policy Manager: Enterprise Policy Managers are business users who have access to most everyday and some administrative functions in the Enterprise Policy module. By default, Enterprise Policy Managers have limited access to destructive and configuration functions.

1. Incidents Manager: Incidents Managers are business users who have access to most everyday and some administrative functions in the Incidents module. By default, Incidents Managers have limited access to destructive and configuration functions.

1. Invited: Invited users have minimal access to the application. By default, Invited users can only access assessments which they have been invited to complete. The application is only accessible to these users through the link provided to them via email. Invited users are added by email address from an assessment. Invited users cannot be created on the Users screen.

1. IT Risk Manager: IT Risk Managers are business users who have access to most everyday and some administrative functions in the IT Risk Management module. By default, IT Risk Managers have limited access to destructive and configuration functions.

1. Maturity & Planning Manager: Maturity & Planning Managers are business users who have access to most everyday and some administrative functions in the Maturity & Planning module. By default, Maturity & Planning Managers have limited access to destructive and configuration functions.

1. Privacy Notice Author: Privacy Notice Authors are business users who have access to creating, viewing, and editing all privacy notices. By default, Privacy Notice Authors have no access to destructive and configuration functions.

1. Privacy Notice Manager: Privacy Notice Managers are business users who have access to most everyday and some administrative functions in the Policy & Notice Management module. By default, Privacy Notice Managers have limited access to destructive and configuration functions.

1. Privacy Notice Viewer: Privacy Notice Viewers are business users who have access to viewing

current versions of privacy notices. By default, Privacy Notice Viewers have no access to destructive and configuration functions.

1. Privacy Officer: Privacy Officer users are high-level users who have access to most functions in the application. By default, Privacy Officer users do not have access to administrative and destructive functions such as audit logging, deletion, and integrations.

1. Program Benchmarking Manager: Program Benchmarking Managers are business users who have access to most everyday and some administrative functions in the Program Benchmarking module. By default, Program Benchmarking Managers have limited access to destructive and configuration functions.

1. Project Owner: Project Owner users are business users who have access to everyday functions in the application. By default, Project Owner users have limited access to administrative, destructive, and configuration functions. Project Owner users can launch assessments, review inventory data, view scan results, and complete other everyday business tasks.

1. Project Respondent: Project Respondent users can create a password to log into the application and access a list of all assessments assigned to them. Project Respondents can be assigned assessments, risks, and needs more information requests, respond to assigned assessments, and add comments to assessments.

1. Project Viewer: Project Viewer users have read-only access to the application. By default, Project Viewer users can view information, but cannot make any changes or respond to assessments. Project Viewer users cannot be selected as the respondent for an assessment.

1. Site Admin: Site Admin users have complete access to the application. By default, all permissions are enabled for Site Admin users.

1. Vendor Manager: Vendor Managers are business users who have access to most everyday and some administrative functions in the Vendor Risk Management Module. By default, Vendor Managers have limited access to destructive and configuration functions.

Custom roles can also be created. More in this support article (login required).

Implementation

See the epic for more information.

Cookie Compliance

Scanning a Website

The scanner simulates a user from Ireland (where OneTrust servers are located).

1. Navigate to the cookie compliance module via the "home screen" after login and clicking on the cookie compliance tile or by clicking the "launchpad" icon in the top left corner next to the home icon.

1. Click the Add Website button.

1. Best practice: Add the root domain to scan without www. If you scanned a domain with www it will not capture domains with prefixes.

1. Choose the GitLab organization to assign the domain scan to.

1. Under More Details, you have additional options to use in the scan including limiting the scan to a number of pages (default is 1,000), limiting to a specific path within the site, clearing previous scan history, scanning pages with query parameters, targeting pages to scan within the site, or including sitemaps URIs.

Website scan menu

In the list of websites that have been scanned, you can hover over any domain and click the 3-dot icon on the right-hand side. Clicking this icon provides additional options for that particular website scan including:

- 1. Re-scan: re-scans the website and provides additional options for the re-scan.
- 1. Re-process
- 1. Reassign: reassign to a different organization
- 1. Login: This option gives you the ability to scan behind a login or web form; if clicked, you'll be redirected to the website details to provide additional information; you can gather the web form HTML attributes by using the Inspect feature in Google Chrome
- 1. Schedule: schedule a future scan (default: every 3 months for every quarter of the year); option to notify a user once completed
- 1. Stop: stop a pending scan
- 1. Delete: delete a scan
- 1. Export scan results
- 1. Get help

Configuring a Website Scan

More scan details

- 1. Limit scan to 1000 pages: If you want to limit the scan to a number of pages. Note that as you increase the amount of pages to scan, the longer the scan will take to complete.
- 1. Limit to this path within site: OneTrust considers about.gitlab.com/fr and about.gitlab.com
- 2 separate domains with this option enabled.
- 1. Clear previous scan history: Does not delete previous data; scanner treats the domain as if its the first time scanning; (use case: significant cookie or design change on the website)
- 1. Scan pages with query parameters: scan URLs with query parameters (ex: about.gitlab.com?utm_source=marketo); Input field example: name=first,name=last. Separate multiple parameters with commas. The scan will search through the domain with those noted parameters. Ensure the domain you enter includes ? at the end of the URL.
- 1. Target pages to scan: Input exact URL site with full https:// ; use case: certain pages that might not be accessible to users or you want to scan this specific web page. For multiple pages, add a line break.
- 1. Sitemap URIs: Input sitemap URL with https:// with .xml.

Scheduling Cookie Scans

- 1.