

From the website scan menu, highlight the domain you wish to create scan schedule for.

1. Click the 3-dot menu.

1. Select Schedule.

1. The default is set to every 3 months for every quarter of the year; You can also select a specific date.

1. Optional: enter an email address to notify a user once a scheduled scan is completed.

Viewing Scan Results

When a scan is completed, you can view the results by clicking into the scan from the Websites menu. You'll be taken to a scan dashboard that visualizes the results of the scan which includes information about:

1. Tracking technology

1. Cookies with category

1. Tags

1. Forms

1. Pages

1. Local storage

On the Show dropdown, you can view a summary of all scans for that particular domain and view previous individual scans with a date/time stamp.

From the main scan results page, you can also select these 6 categories to dive further into those specific results.

Cookie scan results

View categories of cookies including the name of the specific cookie. This information comes from and is compared to OneTrust's cookie database. You can export these results by clicking Export in this view. After clicking Export you can choose the specific scan to export results from. When the export is ready for download, a notification will appear within the OneTrust tenant as the bell icon in the top-most menu.

Exporting Scan Results

From the bell icon, you can download the results (.xlsx).

Categorizing Cookies

1. Navigate to Categorizations in the left-hand menu of the cookie compliance module.

1. Click Categories.

1. Clicking the arrow on a respective category will expand the description of this cookie category. This description is what users will see.

1. Click the pencil icon to edit the cookie category description. Important: You must confer with the GitLab legal team before updating these descriptions as they must strictly align with our policies regarding cookie use.

These cookie categories are standard and the defaults provided by OneTrust:

1. Strictly necessary cookies ID C0001: the website needs these cookies in order to function properly (example: identify items placed into a shopping cart)
1. Performance cookies ID C0002: get information about how site visitors are using the website (example: Google analytics)
1. Functional cookies ID C0003: provide additional enhancement of the experience of site visitors (example: language selector for localization)
1. Targeting cookies ID C0004: cookies that attempt to gather more information about a user in order to personalize marketing (example: remarketing)
1. Social media cookies ID C0005: social media services added to the site that enable users to share content with their friends and networks easily

You also have the ability to create a new cookie category.

Cookies in the Unknown category need to be categorized manually with help from developers, third-party vendors, or through a Google search.

Adding, Editing, and Removing Cookies

1. Navigate to the Cookies tab under the Categorizations menu.
1. View the list of cookies that have been identified and categorized, including the domain where it was identified, the lifespan of the cookie, the hostname, and the description.
1. Click into each cookie individually to view more information about that cookie.
1. In the Edit Cookie overlay, you can select a different category for the cookie, add a description for the cookie, update the lifespan of the cookie, note whether it's a first-party or third-party cookie, and select the domains to manually assign the cookie to. Changing the lifespan of the cookie is for auditing purposes and does not change the functionality on the website.
1. Manually add a cookie to a particular domain if you don't wish to run the domain through a scan in order to pick it up. Click Add Cookie to manually add a cookie and input all the information regarding that cookie from step 4. Note: Host is not necessarily the domain where the cookie is but where the cookie is hosted. This will not add the cookie to the domain you input, but rather an existing cookie on the domain that is not part of the audit.
1. You also have the option to bulk categorize cookies by selecting multiple cookies from the list. Select all cookies or specific cookies from the list, then click the double-arrow icon to bulk edit the categories of those cookies.
1. Use the search bar to search for specific cookies by the cookie name or the host name.
1. Use the filter icon to filter down to specific types of cookies by their category, domain, lifespan, or hostname (example: only view functional cookies).

Adding, Editing, and Managing Cookie Compliance Templates

Base templates

1. Generic Cookie Banner: template that is not specific to a framework. It is meant to be used to create a global template.
1. GDPR (General Data Protection Regulation): template with only cookie categories. You may enable IAB at any time. This template is GDPR compliant.
1. IAB Transparency and Consent Framework 1.0: template for IAB Transparency and Consent Framework 1.0 based on recommended settings from the policy's user interface guidelines. This will sunset in the first half of 2020.

1. IAB Transparency and Consent Framework 2.0: template for IAB Transparency and Consent Framework 2.0 based on recommended settings from the policy's user interface guidelines
1. CCPA Template (California): template with verbiage, category groupings, and settings that match more closely with the California Consumer Privacy Act.

Add new template

1. Click Templates.
1. Click Add New Template.
1. Select framework and laws that apply to the site.
1. Name the template.
1. Choose the GitLab organization.
1. Add the default language.
1. On the next screen, configure the layout, styling, content, and behavior for the cookie banner. The right pane shows a preview of the cookie banner.

Customizing the Banner Template

Layout options

Most popular: Flat, bottom position

1. Center rounded
1. Flat
1. Floating flat
1. Floating rounded
1. Floating rounded corner
1. Floating rounded icon
1. Position: bottom or top

Styling options

Colors are in RGB or hexadecimal code.

1. Accept & reject button color
1. Button text color
1. Text color
1. Background color
1. Link text color
1. Accordion background color
1. Manage preferences button color
1. Manage preferences link color

There are also options for custom CSS (not available in preview).

Content options

1. Title & description (HTML supported) - the description may need customizing to match the consent model for the site, so as not to risk misleading visitors.
1. Cookie policy link (link text and URL)

1. Button set: show allow all button, show cookie settings button, cookie settings button name, cookie settings button style (link or button), show reject all button, show close button

Behavior options

1. Require banner interaction: displays overlay that forces a choice by the visitor

Manage languages

Select the languages which you want to localize the cookie banner to. Also select the default language. You can set up different cookie banner options by language. Ensure that the language matches our policies. Toggling the show advanced languages option shows country-specific versions of languages.

Preference center

In styling, you can choose to override the styling from the cookie banner to have a different styling for the preference center. This includes an option to add a logo and changing the accordion type for the cookie categories.

Notice there are different options in the preference center under layout as well. Depending on the options chosen, some features may not be available (example: choosing the tab layout removes the accordion feature for the cookie categories). Custom CSS is also available for the preference center.

There are options for WCAG (Web Content Accessibility Guidelines) best practices for accessibility in the preference center.

Advanced configuration

1. Toggle Show cookies list to show a link to the user with cookie details related to the category they selected in the preference center.

1. Select whether you want to show the user the various information about specific cookies including host, duration, type, category, and description. There are options here for linking to Cookiepedia as well as allowing the user to opt-out of a particular cookie host.

You can group the cookie categories as well as adding another group of cookie categories for a better user experience (example: new group called "ads" with the targeting and social media cookie categories grouped underneath).

Cookie list

This is the comprehensive list of cookies that is available to the user to view. In styling, you can adjust color options for title, cookie group name, table header text, table header background, and primary text. Toggle the table format on or off. There are options for custom CSS here as well. In content, you can adjust the options for the cookie list title, description, host, cookies column, and cookies used label. Toggle the show lifespan on or off.

Ensure any changes you make are approved by legal and saved within the OneTrust tenant.

Adding, Editing, and Deleting Geolocation Rules

1. Click Geolocation Rules in the cookie compliance menu.
1. A Default Consent Policy exists out of the box.
1. Click Create New to create a new geolocation rule group.
1. Name the rule group.
1. Choose GitLab organization.
1. Enter a description.
1. In the rule group details, a default global rule exists which would apply these settings globally regardless of country. To add a country or region specific rule, click Add rule and update the options accordingly.
1. Name the rule. (example: GDPR)
1. Select the regions you would like to assign the policy to. Multiple regions can be included for a specific rule. Note: Geolocation for mobile devices uses coordinates reported by the internet-connected device. Users at or near borders may experience reduced accuracy for this function.
1. Toggle Show Banner on or off. If unchecked, no banner will display but settings take effect.
1. Input the template to use for this geolocation rule.
1. Choose the consent model for this geolocation rule. Clicking the dropdown here, you can select a consent model for all cookie categories or specify the consent model for each cookie category. Toggle Do Not Track by the cookie category.
1. In Behaviors you can toggle the behavior for this rule in conjunction with the cookie banner and whether that particular behavior will accept all cookies or not as well as closing the banner.
1. Reconsent will occur after: this will prompt the banner again for users to capture reconsent. The default is 1 year but can be configured by months, years, and days.
1. Capture records of consent: cookie ID associated with each user; the consent module logs those preferences.
1. Advanced analytics: sends browser type, device type, and country where the user consented. This information will be shown in the dashboard. Toggle this to a specific cookie category (example: performance cookies for Google analytics).
1. Google Consent Mode is a feature that controls how Google services, such as Google Analytics and Google Ads, collect and use data from website visitors based on their consent preferences. The Storage Type column contains the fixed consent type from Google. Each Storage Type should map to the OneTrust cookie category to ensure Google platforms aligns with OneTrust.

Assigning a Geolocation Rule Group to Domains

Assigned domains

1. Click Assign to Domains.
1. Select the domains you would like to assign the geolocation rule to.
1. Click Assign.

Consent models

1. Opt-in consent model: If you select Opt-in, all cookie categories (besides Strictly Necessary) will be set to Inactive. These cookies will not be set on the visitor's device unless they are enabled in the preference center.
1. Opt-out consent model: If you select Opt-out, all cookie categories (besides Strictly

Necessary) will be set to Active. These cookies will be automatically enabled when the visitor lands on the website. The website visitor can disable the non-Strictly Necessary cookies in the preference center.

1. Implied consent: all cookie categories (besides Strictly Necessary) will be set to Inactive Landing Page. These cookies are not set until the website visitor clicks the OK button on the cookie banner or continues browsing the website. The website visitor can disable cookie categories in the preference center.

1. Notice only: If you select Notice Only as the default consent model, all cookie categories will be set to Always Active and cannot be disabled by website visitors. A banner informing the visitor that the website uses cookies will be displayed on the landing page of the website.

1. Custom: If you select this option, you can set a different default status for each category of cookie on your site. You can customize the consent model to suit your organization's needs and can set the Do Not Track status for each category of cookie.

Banner Rules

The OneTrust banner is only visible to new website visitors based on a set of logic listed below. In regions where the banner does not display, the user can still consent to cookie categories from the Preference Center window by clicking on the "Cookie Settings" or "Do not sell..." link located in the footer section.

Region	Consent Model	Banner Visibility	Buttons	Template	Global Privacy Control
-----	-----	-----	-----	---	
California, Connecticut and Analytics, Allow Sell or Sharing of PI	Opt out	Not visible		CCPA	Performance
Colorado	Opt out	Not visible		GDPR	Performance and Analytics, Targeting and Advertising Cookies
US	Opt out	Not visible		GDPR	
Europe, Colombia, Russia, Liechtenstein, Iceland, Norway, Peru, Quebec, Korea	Opt in	Visible to new users	Cookie Settings, Accept All Cookies	GDPR	
Brazil, South Africa, Macao, Newfoundland and Labrador, Manitoba, British Columbia, New Brunswick, Ontario, Nunavut, Yukon, Alberta, Prince Edward Island, Nova Scotia, Saskatchewan, Northwest Territories	Opt out	Visible to new users	Cookie Settings, Accept All Cookies	GDPR	
France, Spain, United Kingdom	Opt in	Visible to new users	Cookie Settings, Reject All, Accept All Cookies	Reject All	
Global	Opt out	Not visible		GDPR	

Accessing Scripts

1. To access the scripts, click Scripts in the left menu of the Cookie Compliance module.

1. Click the domain where the script will be implemented.

1. Any time a change is made to a domain within the OneTrust tenant, those changes must be published to production in order for the users to see those changes reflected in the cookie banner, preference center, etc.

Testing

Test scripts are available to roll out new changes. The test scripts are not domain specific.

The test script matches the production script functionality except:

1. There is no cache, meaning changes can be viewed immediately.
1. This script will function on your test site and should be used for testing purposes only.

Publishing the test scripts will not affect the live production scripts.

Production

Production scripts are for use in live websites. Fastest page load speed. Published changes will take up to 4 hours to show.

The script tags need to be placed as the first element in the <head> of the site. It is important that the OneTrust script is placed before other scripts on the site to ensure users have a chance to consider their cookie preferences before cookies are potentially dropped on their machines.

Scripts implemented in root domains are also applied to subsequent subdomains and paths. Scripts implemented on subdomains are only applied to subdomains.

In order to push changes to production, click Publish Production Scripts and note any changes to the script as you may have to re-copy and re-implement the script in the <head> of the site.

Script Version

Click Publish Test. Here you can choose which version of the script to publish. You will also be alerted to which features may or may not be compatible with a script version including the field name, old value, and new value. Click Confirm.

Publication Settings

Here you can confirm the publication settings of the script. Note: enabling or disabling some of these settings may change the embed script and would have to be re-implemented on the site.

1. Publish individual languages: when toggle is off, all languages will be published
1. Do you require users to re-consent? Switching to IAB TCF 2.0 requires that your users re-consent, as preferences have changed. TCF 2.0 is not backwards compatible with TCF 1.0
1. Prevent fetching banner: When toggle is on, the banner template HTML and CSS will not be fetched from server as the otSDKStub.js loads
1. Prevent fetching preference center: When toggle is on, the preference center template HTML and CSS will not be fetched from server as the otSDKStub.js loads
1. Enable automatic blocking of cookies: If enabled, cookies will automatically be blocked until user has consented. Auto-blocking will block scripts that drop cookies categorized outside of strictly necessary on page load automatically
1. Enable language detection on scripts: if the language cannot be determined, the templates default language will be used (options: determine the language from the site visitor's browser settings or determine the language from HTML page)

Click Publish Test Scripts. Implement the script into the HTML of your staging site.

Auto-Blocking

When the Auto-blocking feature is toggled ON under publication settings, an `optanon...` class is appended to all script tags that store cookies on the browser. The script will only load if the user consent to the cookie category. For example, the following Vimeo script contains the `optanon-category-C0002` class value, meaning the Vimeo script will only load if the user consent to the Performance cookie category:

```
<script src="https://extend.vimeocdn.js" class="optanon-category-C0002">
```

To override the `optanon` class and remove the autoblocking feature from certain scripts, the script will need to be removed from the cookie's source on OneTrust:

1. Under Setup > Categorizations > select All Cookies
1. Click on the filter icon > click on Add Filter > click on Add Field: Default Category > select the category from the `optanon` script > click Apply
1. Click into each cookie > click Source
1. Remove the desired script from the cookie's source
1. Publish the script

Do Not Sell & Cookie Setting Button

This will display either Do Not Sell My Data button or Cookie Settings button based on where the site visitors come from according to the geolocation rule group associated with the domain. The script has a class that can be customized through CSS.

Cookie List Script

These two methods initialize the OneTrust Publisher SDK. The `initializeOneTrustPublishersSDK` method fetches all of the resources configured in geolocation rules, templates, and vendors. The `loadPreferenceCenter` method is used to load the banner or preference center. By passing in `true`, the preference center will always load. By passing in `false`, the banner will be displayed for initial consent and re-consent.

```
## SECTION: marketing/digital-experience/analytics/_index.md
```

```
## SECTION: marketing/digital-experience/analytics/google-lighthouse.md
```

Relevant links

Link to project in GitLab: <https://gitlab.com/gitlab-com/marketing/digital-experience/lighthouse-ci-server>

Documentation: <https://github.com/GoogleChrome/lighthouse-ci/blob/main/docs/server.md>

What is the Google Lighthouse CI server?

This is a web app that holds historical lighthouse scores tied to various commits. Currently, it is configured to run on the home page and the pricing page.

Runs lighthouse with every merge into main

What do I look for in the lighthouse scores?

Lighthouse is a tool that helps you make better sites. It is more worth our time to stress over not getting 100s on everything.

Use to low-hanging fruit that can improve and monitor key pages.

Use as evidence for larger site projects

Where is the project's code for that web project?

<https://gitlab.com/gitlab-com/marketing/digital-experience/lighthouse-ci-server> Whenever the main branch is updated, we need to upload the new version to Heroku. More notes from their Heroku recipe

What are the costs associated with this web app?

Heroku has removed their free tier. However, pricing is fairly modest. Dynos should be capped, so we should never pay more than this amount. We may need to upgrade if we hold too many database entries. At that point, we should consider self-hosting. GitLab has the appropriate infrastructure to run a web app like this one.

Server lowest paid tier (\$7 USD/month)

Postgres database mini (\$5 USD/month) 10k rows

We will blow past this eventually. At \$9/mo, we can get 10 million rows. This is probably what we will need at the current production scoping. The lowest tier for an unlimited database size is \$50/month which is an option.

Where can I find any of the necessary credentials for this project, such as the build and admin tokens?

They are added to the Buyer Experience project as CI variables. Currently, the build variable and URI variable are used. The admin variable is currently there without purpose and is used purely for convenience. That way, anyone with maintainer permissions in the BE project can go in there and find that if needed.

Make sure that the CI variables are masked and are allowed to run on protected branches:

<https://docs.gitlab.com/ee/ci/variables/index.html#mask-a-cicd-variable>

That may change, but can be reassessed.

Who holds the Heroku account for this project?

This Heroku account is tied to jgarcia@gitlab.com.

SECTION: marketing/digital-experience/analytics/google-tag-manager.md

Google Tag Manager

Google Tag Manager (GTM) is a tag management tool that configures web tracking rules, sending data to various analytics and advertisement platforms such as Google Analytics 4, Google Ads, and LinkedIn Ads.

```
<!-- blank line -->
<figure class="videocontainer">
  <iframe src="https://www.youtube.com/embed/89ocZ61y9jl" frameborder="0"
allowfullscreen="true"> </iframe>
</figure>
<!-- blank line -->
```

The GTM javascript code is placed in the <head> section across public-facing gitlab.com pages on the following web properties:

- about.gitlab.com
- page.gitlab.com
- learn.gitlab.com
- docs.gitlab.com
- gitlab.com (public pages only)

```
js
<script>(function(w,d,s,l,i){w[l]=w[l]||[];w[l].push({'gtm.start':
new Date().getTime(),event:'gtm.js'});var f=d.getElementsByTagName(s)[0],
j=d.createElement(s),dl=l!='dataLayer'?'&l='+l:'';j.async=true;j.src=
'https://www.googletagmanager.com/gtm.js?id='+i+dl;f.parentNode.insertBefore(j,f);
})(window,document,'script','dataLayer','GTM-NJXWQL');
```

Tag

A tag contains the event name from an activity that occurred on the website (e.g. page view, video play, link click, scroll), the destination of the data, and additional information about the event. Each tag contains a trigger that instructs the tag on how and when to fire (e.g. page load, form submission, link click). Optionally, the tag may contain variables to capture additional information about the event (e.g. page name, video title)

All tags must contain the appropriate cookie consent condition based on the OneTrust consent rules. GA4 tags must only fire if analyticsstorage cookies are accepted by the website visitor. On the OneTrust banner, this is considered the "Performance and Analytics" cookie category (ID C0002).

Reference: <https://support.google.com/tagmanager/answer/3281060>

Triggers

GTM has a variety of built-in event listeners when creating a new trigger, however, the more reliable built-in triggers we use are for clicks and scrolling. All other triggers are based on a custom event trigger (dataLayer), which is a small javascript code that sends information to the browser when an event occurs.

Reference: <https://support.google.com/tagmanager/answer/7679316>

Click Tracking

Each call-to-action (CTA) link on about.gitlab.com contains the following data attributes:

- data-ga-location: the section of the page (e.g. header, hero, body, feature, and footer)
- data-ga-name: the name of the element (e.g. free trial, sales, and buy premium)

Each CTA in the Utility header section of about.gitlab.com should contain:

- data-nav: the element name within the utility header section (e.g. register, login, logo)

Each link in the navigation menu should contain:

- data-nav-levelone: The navigation menu tab name
- data-nav-leveltwo: The navigation menu element name

A click-listening trigger on GTM will fire the associated GA4 event tag based on the data attributes. Links without data attributes will still be tracked, however the ctalocation event parameter on GA4 will contain a generic "in-line" value and the ctaname event parameter will contain the link's text and URL.

Reference: <https://support.google.com/tagmanager/answer/7679320>

Data Layer Tracking

Custom events on the website are tracked via the dataLayer method. A javascript code is placed on the website when the desired action is performed. The dataLayer code sends an event name and variables to the browser. A custom event trigger on GTM listens to the dataLayer event name from the browser.

Example of a dataLayer code:

```
js
dataLayer.push({
  'event': 'videoStart',
  'videoTitle': 'The One DevOps Platform'
});
```

For testing, simply type in "dataLayer" into the browser > developer mode > console after the event has been performed, before the next page loads. Optional: create a bookmarklet, entering the following into the URL field:

```
js
javascript: (window.addEventListener('beforeunload', function(e)
{e.preventDefault();e.returnValue = ";}));
```

The bookmarklet will prevent the page from loading, so you can see the dataLayer fire.

Reference: <https://developers.google.com/tag-platform/tag-manager/web/datalayer>

Variables

Variables capture additional information about the event on the website, and are stored in the GA4 event tag as an event parameter. There are many built-in variables on GTM to retrieve data from the browser's HTML, URL component, or cookies. If data is not readily available in the browser, the variable can be captured in the form of a dataLayer.

Google Analytics Configuration

In order to utilize event parameters for reporting, the event parameter must be transform into a custom dimension under the Configure pane > Custom Dimensions tab. Select the event parameter name, scope (event or user), and assign it a user-friendly naming convention.

SECTION: marketing/digital-experience/contentful-cms/_index.md

What is Contentful?

The Digital Experience team has migrated the marketing site to our new CMS tool, Contentful. Contentful is a Content Management System - it replaces all of the text files in our marketing site and replaces them with different Content Entries. Contentful also has a Media Library, where we are moving our images.

Why transition to a CMS?

As the GitLab marketing team and the marketing site evolves, we need a collaborative tool that allows for consistency across the marketing site.

Contentful terminology

- Content: A Catch-all term for text or images on the marketing site
- Content Type: A type of content. These include Cards, Heros, Buttons, etc and can all be viewed in Contentful under the Content Model tab. We have different classes of Content Types (Atoms, Molecules, Organisms)
 - Atoms: Base-level components that don't contain other Content Types within them. Example: Buttons, Text
 - Molecules: Typically contain a combination of Atoms. Example: Hero, Card Group
 - Organisms: Commonly contain many Molecules or Atoms and are considered more complex. Example: Page
- Entry: An Entry is considered one piece of content in a content type. For example, there are many Cards across the marketing site, but the Free card on the pricing page is one example of a Card Entry.
- Field: Even the most basic Content Type typically has multiple fields. For example, a Button may seem small, but some fields it contains include the url it points to, the text on the button, perhaps an icon, maybe some tracking data. Each of these are considered Fields of the

Button Content Type.

Which pages on our marketing site draw from the CMS?

Some pages still draw content from our Buyer Experience git repository due to page complexity and/or strict page ownership. Most of the content for our marketing site will be found in Contentful.

Subdirectory	Source	Notes
-----	-----	-----
/ (Homepage)	Contentful	Moving to GitLab (issue)
/blog	Contentful	-----
/company	Contentful	-----
/customers	Contentful	-----
/diversity-inclusion-belonging/	Contentful	Moving to GitLab (Issue TBD)
/events	Contentful	-----
/faster-together/	Contentful	-----
/features	Contentful	Moving to GitLab (issue)
/free-trial	Contentful	-----
/get-started	Contentful	-----
/gitlab-duo	GitLab	-----
/partners	Contentful	-----
/platform	Contentful	Moving to GitLab (issue)
/press	Contentful	-----
/pricing	Contentful	Moving to GitLab (issue)
/privacy	Contentful	Moving to GitLab (Issue TBD)
/releases	GitLab	-----
/resources	Contentful	-----
/solutions	Contentful	-----
/support	Contentful	-----
/topics	Contentful	-----
/why-gitlab	Contentful	Moving to GitLab (Issue TBC)
Marketing campaign flows (ex-Pathfactory)	Contentful	-----
Navigation	Contentful	-----

How do we make changes to the marketing site with the CMS?

As owners of the marketing website, the digital experience team handles most large changes in order to drive business goals. However, we are not necessarily the subject matter experts and will defer to various teams when it comes to editing content. In general, these are the processes we try to adhere to:

For Top 10 (most visited/impactful) Pages

Any changes required for the following changes, must begin with an issue for the DEX team to review. Please create an issue per this process.

- Homepage
- Pricing
- Free Trial

- Why GitLab
- GitLab Duo
- Platform

These pages have been developed through a data-driven design process with cross-functional collaboration and approval. Changes can be suggested however changes will only be made if they are alignment with GitLab marketing goals.

For component editing, re-arranging, adding new page sections, significant content changes

If you'd like to make changes to a page that typically is managed by another team, please tag that team prior to publishing your changes. A rough overview of ownership of different sections can be seen in the table below:

Table of page ownership

Team	Pages/Sections
-----	-----
CMSO - Chief of Staff	Company Announcements
Marketing Operations and analytics	Globalization & Localization Marketing site localization
Integrated Marketing	Digital Strategy SEO
Integrated Marketing	Corporate Events Events pages
Integrated Marketing	Regional Marketing Events, Resources, Marketing pages
Product Marketing	Global Content Blog, Case studies
Product Marketing	Product & Solutions Marketing Solutions pages, Topics pages
Product Marketing	Brand Strategy Brand activations, Assets
Dev Relations & Community	Contributor Success Technical articles
Dev Relations & Community	Developer Relations Technical articles, Community pages
Corporate Communications	Company Announcements, Press releases

For typos, broken links, small content changes

Contentful is great tool for making small updates to the content on any given page.

- If you are a team that typically manages the content on the page in question, you should feel empowered to make the change and publish your changes.
- If you're changing content on a page that typically doesn't belong to you but is an obvious mistake, please also go ahead and publish your changes.
- If you're making a change on a page that affects the tone of the page and are not an owner, please tag someone from the presiding team in the contentful comments section (or in an issue/MR/slack) prior to publishing your changes. This is not typically the Digital Experience team, but rather the relevant team that owns that content. We have created a rough table of ownership here to be used as a guide.

Roles and Permissions

We have various levels of access in Contentful. Most new members that are invited to the CMS are given Creator access, which allows them to edit content without publishing it. To get upgraded to Publisher access, please reach out to the digital experience team in slack.

- Administrator: has full access to everything in the space.
- CMS Administrator: can create, read, update, publish, and delete all content aside from Confidential entries. Can modify space settings, access existing API keys, and can create and update API keys.
- Confidential: can create, edit, publish, archive and delete all content in a space, including Confidential content.
- Creator: can create and edit all content in a space (aside from Confidential content), but cannot publish it.
- Publisher: can create, edit, publish, archive and delete all content in a space (aside from Confidential content). This person should be able to administer their own team.

Confidential Tags

Contentful has a tagging feature that allows us to organize different content. It also allows us to configure access to each Tag, such that certain content can be hidden from certain users. We currently have a functioning Confidential tag, however the caveat is that anyone with access to that tag can see all confidential content. In the use case where a specific user or team needs their own, truly private content, we can create a new Tag and a new Role specifically for them.

Digital experience can create the Tag (Private), then create a new Role (preferably with the same name to help keep everything organized) and add the users to that role. Digital experience will then need to add specific permissions for that Role including:

Allow:

- Read, Write, Publish, Archive for regular entries
- Read, Write, Publish, Archive for your new tag

Deny:

- Read, Write, Publish, Archive for any other existing confidential tags

Note: Make sure you set the same rules on the Media tab in the new Role.

To get access to your own team tag, please reach out to the digital-experience-team slack channel with your usecase, which users should have access, and how long you need this tag (i.e. is it for an upcoming release? Or is this a permanent feature that your team needs?). Please note that once we create the Tag, our team will likely lose access to the tag or any configurations, so teams should feel comfortable using the tag on their own prior to revoking access to Digital Experience admin.

Note: At this time, Contentful Administrators may have access to all tags in the space. This is still being tested - please discuss with Digital Experience.

The Review: DEX tag and permissions

Content that requires Digital Experience review prior to publishing is tagged with the Review: DEX tag. This has been configured in Contentful such that only users with a role of CMS Administrator in the about.gitlab.com space will be able to publish this content. Users with

Publisher access and below will not be able to publish this content.

Note: If a user is a CMS Administrator in the space, but they are also on a team that only has Publisher access to that space, Contentful will default to the lowest level of access (Publisher). Be sure to check if a user is on a team if they are having trouble accessing content.

The Review: DEx tag has been added to content on the Pricing page and the Homepage. Any other pages that share an entry with the pricing page or homepage will also be affected by the tag permissions. I.e. if the FAQ section on the pricing page is used on another page, it will only be publishable by CMS Administrators regardless of which page a user is accessing it from.

Going forward, if any new entry is added to the pricing page or the homepage, content creators should add the Review: DEx tag to that entry. Please note that the tag does not automatically propagate down to the children of an entry, so the tag will need to be manually added to each child of an entry. For example, if you add a card that has a button as a child, both the card and the button will need to be tagged manually.

To add the Review: DEx tag to an entry in Contentful, go to the Tags tab of that entry, and use the dropdown to select the Review: DEx tag and hit Enter, and publish the change.

Resources for learning

1. Editing Content
2. Custom Pages
3. Solutions Pages
4. Caveats and Feature Wishlist

Requesting assistance from Digital Experience

- Reach out to our team via digital-experience-team on slack
- Open an issue using our issue template

Requesting access to Contentful

Please fill out an access request [here](#) and tag your manager for approval as well as @laurenbarker from Digital Experience, and include the purpose for your request (i.e. to edit the marketing site, to edit the blog - these are managed in different spaces in Contentful). You will receive an email invitation to Contentful as a Creator unless publish access is necessary.

SECTION: marketing/digital-experience/contentful-cms/custom-pages.md

Custom Pages

The Digital Experience team has successfully integrated an exceptional feature that empowers content editors to effortlessly construct pages for the Marketing Site.

This innovative functionality leverages a collection of user-friendly custom components,

providing a seamless page-building experience.

Editors can easily rearrange these components through a simple drag-and-drop interface inside Contentful CMS, enhancing flexibility and efficiency in content creation.

How does Contentful work?

If you haven't already read it, please check out our Contentful Guide.

How to Edit/Create pages using "Custom Pages"

For our Buyer Experience Site, creating or updating a Custom Page requires the use of the `Custom Page Content Type`.

Each entry in this Content Type functions as a distinct page on the site, complete with its Metadata configuration, Routing configuration, Hero configuration and Dynamic Components configuration.

Routing configuration

To configure the page's routing, it is essential to declare the slug field. The page routes can extend up to three levels, for example, `/level-1/level-2/level-3/`.

It is crucial to include both a trailing slash and a leading slash to ensure proper functionality within Buyer Experience.

Hero Configuration

To personalize the hero section, use the fields in the `Custom Page Content Type`. These fields are designed to let you customize the static Hero section, making it the first component that visitors see on the page.

Custom Page Field	Description	Example Value
Header	Main header of the Hero	"Custom page header"
Subheader	Subheader of the Hero	"Custom page subheader"
Description	Long text section of the Hero	"Custom page description. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat"
Primary CTA Link	Redirection link for the primary button	<code>/primary-link/</code>
Primary CTA Text	Text inside the primary button	"Primary Link"
Secondary CTA Link	Redirection link for the secondary button	<code>/secondary-link/</code>
Secondary CTA Text	Text inside the secondary button	"Secondary Link"

Visual Representation

Metadata Configuration

To configure SEO metadata attributes of a `Custom Page`, it's necessary to create a reference entry using the `SEO Content Type`.

Side Navigation

Within the `.. Custom Page Content Type`, you'll find a field named `Activate Side Menu`. Enabling this option activates the side navigation for the page. The side navigation is dynamically generated, considering the `Header` field of each component used.

Available Dynamic Components

The list below includes all available Content Types that can be utilized in the components field, each accompanied by its visual representation. This field allows content editors to effortlessly reorder the page through a simple drag-and-drop action.

`.. Text Block`

Enhance your content with the `.. Text Block` content type. This versatile option empowers content editors to establish a fundamental header and a markdown text section. Additionally, it offers the flexibility to seamlessly incorporate a CTA, images and videos into your content.

```
<!-- vale handbook.Repetition = NO -->
| Text Block Field | Description | Example Value |
|-----|-----|-----|
| Internal Name | Name to find the entry within Contentful | N/A |
| Header | Header of the block, if used with the side navigation, this text will be used as anchor | "Text block header" |
| Text | Markdown text block | "About GitLab GitLab is the most comprehensive AI-powered DevSecOps platform for software innovation. GitLab enables organizations to increase developer productivity, improve operational efficiency, reduce security and compliance risk, and accelerate digital transformation. More than 30 million registered users and more than 50% of the Fortune 100 trust GitLab to ship better, more secure software faster." |
| CTA Text | CTA button text | "Text Block CTA" |
| CTA Url | CTA button redirection link | /text-block/ |
| Image | Optional image from Contentful | N/A |
| Video URL | Optional external video URL (Youtube, Vimeo) |
https://www.youtube.com/embed/8aV5AxJrHDg?si=l1vgM17YIRJHC8T2 |
<!-- vale handbook.Repetition = YES -->
```

Visual Representation

`.. CTA`

The `.. CTA` Content Type represents a Call-to-Action card component featuring a CTA button and various text fields.

```
| CTA Field | Description | Example Value |
|-----|-----|-----|
| Internal Name | Name to find the entry within Contentful | N/A |
| Header | Header of the block, if used with the side navigation, this text will be used as anchor | "CTA" |
```

Subheader Subtitle of the CTA card "CTA Subheader"
Description Long text inside the CTA card "CTA full description Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat"
Button Text CTA button text "CTA Button"
Button URL CTA button redirection URL /cta-button/

Visual Representation

.. Card Block and .. Card Block: Card

The .. Card Block and .. Card-Block: Card are two Content Types designed to complement each other.

.. Card Block serves as the section container, housing a list of references to individual .. Card Block: Card items.

Card Block Fields Description Example Value
----- ----- -----
Internal Name Name to find the entry within Contentful N/A
Header Header of the block, if used with the side navigation, this text will be used as anchor "Card block title"
Cards A reference list of "Card Block: Card" entries 3 card entries

Card Block: Card Fields Description Example Value
----- ----- -----
Header Title of a card Card 1
Description Long text inside the card Lorem ipsum dolor est
Link Card redirection URL /card-1/
Icon Icon name for the card, the list of icons can be found in Slippers devsecops

Visual Representation

.. Landing Grid and .. Landing grid Card

The .. Landing Grid is a valuable Content Type designed for Landing Pages. When utilizing this Content Type, cards are dynamically generated based on the child pages associated with the landing page. For instance, if there is a /solutions landing page, all child pages under /solutions/ will be automatically listed without requiring manual manipulation.

Landing Grid Fields Description Example Value
----- ----- -----
Internal Name Name to find the entry within Contentful N/A
Number of Columns Tells the grid how many cards per row should show 2
Cards List of landing grid cards to be used instead of the automatic card generation the

component provides | N/A |

If the landing page needs to render specific cards that are not children to the current URL, the card field can be filled with the cards that need to be displayed, this field takes Landing grid Card components which have the following fields:

Landing Grid Card Fields	Description	Example Value
Internal Name	Name to find the entry within Contentful	N/A
Header	Card header	Card 1
Date	Date to display in the card (The cards will be ordered based on this value, display the most recent at the top)	12 Dec 2023
Description	Short text to include in the card	Lorem ipsum dolor est
Link	Card redirection URL	/card-1/

· · Marketo Form

The · · Marketo Form allows users to place a form on the page.

Marketo Form Fields	Description	Example Value
Internal Name	Name to find the entry within Contentful	N/A
Form Id	Marketo Form ID - the meats and potatoes of this component	4011
Form Data Layer		?
Form Header	H2 Form Header	Community Newsletter
Confirmation Message Title	Title of the form submitted message	Submission received!
Confirmation Message	Displays once the form is submitted	We will be in contact shortly.
Error Message	Message the displays when there is a error with the form	Sorry! Something went wrong.
Required Fields Message	Message the displays in small italic text communicating required fields	All fields required

Visual Representation

Video Walkthrough of building a page

As an example, we built a community page from scratch in the following video.

```
<!-- blank line -->
<figure class="videocontainer">
  <iframe src="https://www.youtube.com/embed/kxbogtc7FNY?si=dI5AOIAybU2OhLPi" frameborder="0"
allowfullscreen="true"> </iframe>
</figure>
<!-- blank line -->
```

SECTION: marketing/digital-experience/contentful-cms/editing-content.md

Content Type Overview

We use emojis to discern which content types are related to Pages (📄), Atoms, or small building blocks (🧩), and Blocks, or bigger chunks of content that can be assembled using atoms (🧩). We have a few others, but between a series of Atom and Block entries added to a single Page entry, a page on our marketing site is built. Please see the handbook page for our Custom Page content type to learn more about how those pages are built and when they differ from our Pages.

Editing existing content in Contentful

When opening Contentful for the first time, you'll find all of our marketing site content under the Content tab.

1. If you haven't already, select the Content tab at the top of the page.
2. From here, you can either search for a string of text, or filter down by different Content Types.
 1. To search for a string of text, enter your search term into the search bar at the top of the page, and make sure that you set Content Type: Any . This will globally search all Entries across our marketing site.
 2. If you know that your content lives inside of a Hero, you can select the Content Type: Hero and enter your search term from there.
 3. If you know that your content is on a particular page, such as the /resources/ page, you can filter by Content Type: Page, and sort the results alphabetically until you find the Resources page.
3. Once you have found the content in question, click on the Entry so that a sidebar appears with all of the fields in that Entry. From here, you'll see all of the fields on that particular piece of content, and can edit the field in question.
4. To see a preview of your content before going to production, you can use the Live Preview widget which is located on the Page entry. Ensure that the Platform value looks like: Platform: Live Preview - [About GitLab]. If not, you can click the 'Change' button to select the correct value. You can now open the Live Preview, and view a visual representation of the page with your changes. You will be able to see content change in real time!
 - Note: At this time, you cannot use Live Preview on net-new pages. This is specific to our page types that are NOT using the Custom Page type (ex Page, Case Study, Topics, Events, etc).
 - Digital Experience has been adding the ability to use the Live Preview widget on multiple pages. If you find a page does not have Live Preview enabled, please create an issue to let us know!
5. To publish the changes live to production, click the green Publish button. This will kick off a pipeline and your changes will be available on the site within about 10 minutes.

Creating new content in Contentful

The process for creating new content in Contentful is varied.

1. For creating a new entry of an existing type of content, such as a new Case Study page or Blog Post, you can simply duplicate an existing content type and fill in your new content. This also holds true for something like adding a new card to a group of cards. Example for adding a

new Case Study

1. Select the Content tab
 2. Filter by Content Type: Case Study. You should see a list of existing customer case studies.
 3. At the top right corner, click Add Entry -> Case Study
 4. Fill in the fields following the same schema as an existing Case Study (you can keep two separate tabs open and refer back to an existing entry as needed).
2. For creating a brand new section of content that doesn't exist on the marketing site, you may need Digital Experience assistance, but you can start by creating the Entry.
1. Find the Page you'd like to add content to by using the Content Type: Page filter, then click on the page in question.
 2. At the bottom of the page editor, Add Content -> Select the content type you're looking for, and fill in the fields accordingly
 3. Create an issue with the Digital Experience team to make sure that the code on that page can handle your new Entry.
3. For creating a new section of content when the content already exists elsewhere (such as the wall of Gartner badges on our homepage), you can do the following steps to insert that existing entry into the page of your choosing:
1. Navigate to the page you'd like to add content to
 2. At the bottom of the Editor, click Add Content -> Add Existing Content
 3. Use the search bar to search for a string of text, or the content type you'd like to add.
 4. Reach out to the Digital Experience team with a link to the page you've added content to - some pages were built to only handle certain types of content, and we may need to update the code of that page to look for your new addition.
 5. With thumbs up from the Digital Experience team, click the Publish button.
 6. Note that if you grabbed an existing piece of content and added it to another page, anytime that content is updated the updates will be reflected on both pages.
4. To create a net new page, please fill out an issue with the Digital Experience team. We will likely need resources from the content team, design team, and engineering team to set up a new page.

Video Walkthrough of Contentful

```
<!-- blank line -->
<figure class="videocontainer">
  <iframe src="https://www.youtube.com/embed/6pdXijDzYkg?si=8JbdUBmzPHcWgzTk" frameborder="0"
allowfullscreen="true"> </iframe>
</figure>
<!-- blank line -->
```

Scheduling

1. Look for the "Set Schedule" button in the dropdown next to the Publish button to schedule a release of content.
2. In the "Set Schedule" modal, confirm a date and time and click "Set Schedule".
3. On the right hand side of the entry you can view and manage all scheduled actions. This allows you to see what is scheduled to be published, and you can also cancel or modify scheduled actions if plans change.
4. When the entry is published our automation is triggered and a production build starts. We recommend leaving a 10-15 minute buffer before your desired release time for the production

build to run.

- Example: There is a need to release a blog post at 9:00am EST, by setting the scheduled date and time to 8:45am EST we can expect the changes to be live on production around 9:00am EST.

Specific Contentful Training Resources

Adding a resource to the Resources page

Video Walkthrough

1. Go to the Resources page entry in Contentful

1. Click on the "Browse all resources" section of page content

1. Scroll waaaaay to the bottom and select + Add Content -> Card

1. From here, it might be helpful to open an existing card and make sure the same fields are filled out, but the gist is:

- the Title goes in both Internal Name and Title
- the Language goes in Subtitle
- the Teaser goes in Description
- the Topics go in List (hit enter after each topic)
- the Solutions go in Pills (hit enter after each topic)
- the Type of resource goes in Icon Name
- the URL goes in Card Link

1. Publish that card, drag it to the top of the list if you want it to appear first, and publish that section too.

If you want to edit other parts of the page the process is similar, just follow the existing pattern of the other cards. The only section to watch out for is the Featured resource - the one you want to feature has to be first in that list, and has to have an image.

Adding a post to the Press and Press Releases page

Video Walkthrough

1. To create a custom page, filter by the content type Custom Page, and select Add Entry in the top right corner

- Page name: The title of the page
- SEO Component: Add title, description, and opengraph image (if available)
- Slug: Add the url the page should live at (make sure to include leading and trailing slash)
- Header: The title of the page
- Activate Side menu: optional to create a side navigation
- Date: Date of the release, or today's date
- Subheader: Text that will appear above the title
- Description: text that will appear below the title
- Components: Add Text Block, and fill the Internal name/header, and text. Add one of these for each section of the content.

- Has Next Step: Select yes if you'd like the "Take GitLab For a Spin" CTA.

2. Publish this page when it's ready as well as all sub items, and it will be live at the URL

specificid. It will also appear on the /press/releases/ page automatically as a card.

3. For the /press/ page, you'll have to add that card manually. Navigate to the Press page in Contentful, and click on the Press Releases content.

- Add content -> Card
- Fill in the Internal Name/Title fields with the title
- Add a subtitle (the date)
- Add the URL of the custom page you created early in the Card Link field.
- Feel free to add Data Ga Name (the link title) and Data Ga Location (body) for our tracking purposes.

- Under Primary Button, add a button. Fill in the title and Text to be Read More.

4. Publish this item, including the button and any other sub items

5. Drag your card to the top of the stack (and maybe remove the bottom item since we're trying to keep that list around 5 items long) and publish the changes.

Updating the Privacy page

Video Walkthrough

Adding a partner to the Alliance Partner/Technology Partner page

Video Walkthrough

1. Navigate to the Technology Partners page entry

1. Go to the page content, and click on the category you'd like to add the partner to (e.e. Security)

1. Scroll to the bottom of the existing content on the page and select + Add Content -> Partner Application

1. From here, it might be helpful to open an existing card and make sure the same fields are filled out, but the gist is:

- Name: Partner name
- ID (optional): This is used to create anchor links on the page. It should default to the lowercase text of the partner name, but is editable if necessary
- Content: The description of the card. To add embedded links, use a html anchor tag like so: `<a href="https://www.url.com">Link Text</a>`
- Logo Image: If the logo already exists in the Media section, you can Add Existing Content, otherwise, Add new media and upload your image.
- Featured Partner: Select yes if this should show at the top of the page under Featured Partner
- Links: Add a Button content type, and fill out the Internal Name and Text as the text you'd like to appear, then the External Url should be the url. It's also helpful to add the Data Ga Name as the partner name, and the Data Ga Location as 'body' for our analytics purposes.

1. Publish your buttons, publish your Partner Application Card, drag it so that it's in alphabetical order, and publish the whole section.

Adding an event to the Events page

Video Walkthrough

1. Click on the Content tab

1. Go to the top bar and next to Content Type and change it from Any to ·· Event Card. This shows a list of existing events.

1. Click on Add Entry at the top right of the screen and select ·· Event Card

1. Fill out the following fields:

- Internal Name - Name of event (This isn't visible on the page, but Contentful uses these names internally)

- Name - Name of event

- Event Type - Select the event type from the dropdown.

- Description - Add event description. Can use markdown.

- Date - Select start and end date of event. If the event is one day, select the same start and end date. Both are required.

- Location - Add city and state of event, if in-person. If virtual, type in Virtual.

- Region - Select the appropriate region for event

- Event URL - Add registration URL

- Social Tags: Optional - Add any hashtags that may be relevant. For example, you can type "DevSecOps" and hit enter, then enter your next tag. Each tag will automatically have the symbol applied.

1. Once fields have been reviewed and are final, click Publish

To remove an event from the events page, go to the event and click Change Status -> Unpublish. Once the event is unpublished, you can also click the three dots ... in the upper right corner, and delete the event to remove it from Contentful entirely (otherwise the event will remain as a draft).

Updating the Services page

Video Walkthrough

Updating the All Jobs page

Video Walkthrough

Items to keep in mind when updating our All Jobs page:

1. Contentful updates require a deployment and a pipeline will start once new content is Published. This can take about 10-15 minutes.

2. Updates within Greenhouse will be reflected on the page instantly.

3. If a department does not have job listings, it will not appear on the page.

4. Updating the "View all locations" string for the locations dropdown could break some filtering functionality. We have some code looking for that specific option. If that language needs an update, please reach out to us so we can make a quick change in the code to accompany your content change.

Creating an Event Landing page

Video Walkthrough

1. Filter the content on the Content tab by an existing event landing page, and open up one of the events that you'd like to mimic.

1. In a new tab, on the top left, click Create Entry -> Event

1. Fill in the same fields in your new Event entry as the existing page. This includes:
 - SEO for metadata and social sharing/opengraph information
 - Slug, Description, Dates, Location, Region
 - Add a Hero to the hero section
 - Add any number of Two Column Blocks to the Booth section
 - Add in any relevant sessions to the Sessions section also using Two Column Blocks
 - Add icons into the Static Fields/Json editor (these will appear in your hero for each of the list items)
 - Add the existing Code of Conduct header and text component to the Footnote section
 - Add the existing Next Steps - Free trial double column component to the Next Steps section
 - Choose whether this event will also appear on the /events/ landing page (yes or no radio buttons)

Removing a page in Contentful

Due to the way pages are generated, there are a few steps that need to be performed in a certain order to unpublish a page. This should be done by a Digital Experience engineer.

1. In Contentful: Remove any text in the description field
 - Don't forget to remove all locales' descriptions, too
 - It's ok that this is a required field - you don't need to publish your changes, just leave them in their changed state
1. Turn off the webhook in Contentful
 - Note: Since making your changes in the step above, draft content will break for other people, so try to do this in one go.
1. Open an MR in buyer experience with your changes
 - Delete the file/references to your page
 - Use Preview API in your MR!
1. Once that build passes in your MR:
 - With the webhook still turned off, unpublish your page in Contentful
 - Merge your MR
 - After the build is done, you can turn webhooks back on
 - Archive the page in Contentful
 - Set up a redirect in www if necessary

SECTION: marketing/digital-experience/contentful-cms/partner-microsites.md

The Digital Experience team has integrated the ability to create customer-facing microsites within our CMS that can be utilized by our business partners. Previously, these were built in a third-party platform. By building out these solutions in-house, we are now able to give our partners a web experience to use that is on brand, specially curated, and formatted with the best user experience for high conversion in mind.

Editors can easily rearrange a specific set of components inside Contentful CMS through a drag-and-drop interface to allow for flexibility of how the content is shown. They can also re-use content across these web experiences, which brings in a huge efficiency boost and allows for these microsites to be built faster. In addition to those key features, these pages have been built behind-the-scenes to include proper analytics and UTM tracking which contain business-

critical data on how these pages are being used and can tell us an accurate story on how some page visitors become paid customers.

How does Contentful work?

If you haven't already read it, please check out our Contentful Guide.

How to create or edit a partner microsite

For our Buyer Experience/marketing site, creating or updating a Partner Microsite requires the use of the · Partner Microsite Content Type.

Each entry in this Content Type functions as a distinct page on the site, complete with its Metadata configuration, Routing configuration, Navigation configuration, and designating which tracks, or sections, will build out the page.

SEO configuration

To configure SEO metadata attributes of a · Partner Microsite, it's necessary to create a reference entry using the SEO Content Type.

At the very minimum, the Title, Description, ogTitle, and ogDescription should be given a value. These are critical metadata fields that will show up in search engine results along with the meta-tags of the webpage.

By default, these pages will be crawlable by search engine web crawlers. This allows for the page to be used in search engine results. If you would like to turn this off for a specific page, you can locate the No Index toggle and switch it to true.

Routing configuration

To configure the page's routing, it is essential to declare the slug field. A slug is the part of a URL that identifies a particular page on a website in an easy-to-read form.

All microsites will live at <https://about.gitlab.com/partner/>. The slug you enter determines the URL piece after that.

Ex: Entering Gantek in the slug field will designate <https://about.gitlab.com/partner/gantek> as the URL of the microsite page.

Partner configuration

Some of the fields that need to be configured are partner-related. Entering values in the Partner Name and Partner ID are required and that information will be used across the page for analytics and tracking purposes.

In addition, you can add a Partner Logo here. You are able to upload it directly into Contentful or reuse a logo if it has already been added to the Asset Library. A partner logo will appear in two spots on the page: the top navigation and the footer call-to-action sections. If a logo is not added, only the GitLab logo will appear.

Visual Representation

Note: Because the partner ID is listed here, the correct ID and coinciding UTM/GLM parameter name will be appended to links across the page. You will not have to enter this information on URLs entered within page buttons, which allows for these pieces of content to be reusable across different partner pages. These parameters will NOT be appended to links created in Markdown (ex: My url text), which would occur in the Header, Subheader, Text content type.

Heading configuration

This field adds the H1, or Heading 1, to the page. This text should be th