

st | To indicate a new localization request |
L10n-status:in progress	To indicate that a localization request is in progress
L10n-status:Completed	To indicate that a localization request is completed
L10n-status:LQA	To indicate that a localization request is under localization quality assurance (LQA)
L10n-status-blocked	To indicate that the localization request is blocked
L10n:: business owner review	To indicate that the requesting team/person is reviewing the translations. Also used when an Internal Reviews is happening
L10n::backlog	For tracking issues in our backlog

Labels for our main localization pillars

Label	Purpose
L10n-mktg	for work on marketing localization
L10n-infrastructure	for work on our localization infrastructure and technology
L10n-training	related to learning everything about localization at GitLab
L10n-partners	for tracking work vendor related
L10n-docs	for tracking work related to the localization of GitLab documentation
L10n-product	for tracking work related to the localization GitLab product UI
L10n-terminology-mngmnt	Work related to terminology management processes, terminology management system implementation, glossary work on Crowdin for product translations, etc.

Locale labels

Label	Purpose
fr-FR	tracking content and localization work in French
de-DE	tracking content and localization work in German
es-International	tracking content and localization work in Spanish
ja-JP	tracking content and localization work in Japanese
pt-BR	tracking content and localization work in Brazilian Portuguese
it-IT	tracking content and localization work in Italian

How to submit translation requests to the Localization team

Primary method

Submit an issue through our Localization Issue Tracker when your content is ready for localization or review.

Note: While you can contact the Translated or Argos Multilingual team directly via Slack in translated-team or argosmultilingual, we prefer submission through the Issue Tracker.

Additional support

For general localization questions:

- Join our localization Slack channel
- Add the L10n-attention label to issues, epics, or merge requests
- Here you can view the status of current localization requests: Issue Tracker Board

When to engage with us

We recommend connecting with the Localization team early in your planning, especially for global initiatives affecting users across all regions that have a specific timeline. While we can't begin translations until content is finalized and approved, early collaboration during planning and design will ensure success.

Internal reviews

We are managing the internal review process by working with language leads and contractors, so that our in-market GitLab teams can focus on their normal duties. Please note, however, that we may need to engage the internal review team from time to time, as our new teams ramp up and build the context they need to successfully localize our content in a way that aligns to GitLab and local expectations.

Our internal reviewers are volunteer GitLab employees. We completely appreciate that this task is on top of your day job and will continue to respect that. Both translation and reviews are conducted in Translated tooling; processes for review are currently a work in progress.

Marketing Localization

Our website is now available in 6 languages. The translated content of our website pages is stored across our Contentful CMS, the Buyer Experience project, and the about-gitlab-com project.

You can go to the Digital Experience's Localization Best Practices team Handbook page for further technical details on localizing content.

List of localized websites

Language	Localized Landing Page	Status
French	https://about.gitlab.com/fr-fr/	Live
Japanese	https://about.gitlab.com/ja-jp/	Live
German	https://about.gitlab.com/de-de/	Live
Italian	https://about.gitlab.com/it-it/	Live
Brazilian Portuguese	https://about.gitlab.com/pt-br/	Live
Spanish	https://about.gitlab.com/es/	Live

International Blogs

GitLab's blog is available in Japanese, French and German, with a dedicated content manager:

Language	URL	Content Manager
JA	https://about.gitlab.com/ja-jp/blog/	Megumi Uchikawa
FR	https://about.gitlab.com/fr-fr/blog/	Maud Leuenberger
DE	https://about.gitlab.com/de-de/blog/	Hendrik Breuer and Cecile Solkan

Translating content for campaigns

The Integrated Marketing team typically drives which translations are required, based on current campaigns and regional need. Localized campaigns currently follow the integrated campaign process. The Integrated Marketing team is responsible for content localization for integrated campaigns.

Language preference segmentation

In order to offer content and events in preferred languages where available, we have a Language Preference Segmentation created in Marketo. Only Marketing Ops can edit these segments. Available languages for this segmentation can be found on the Marketo page. A person will be added to a Language Preference segment if they complete a form on our website or respond to a campaign that was offered in one of the available languages.

Translated URL structure

All translated pages live in a sub-folder dedicated to a specific language. These sub-folders use ISO 639-1 codes.

hreflang tagging

Search engines use the hreflang tag to determine a canonical version for translated pages. We'll use hreflang on our translated pages.

hreflang tags start with declaration <link rel="alternate", adds URL href={{url}}, and ends with hreflang={{language ISO}}

Example of a hreflang tag for a URL translated to German.

```
<link rel="alternate" href="https://about.gitlab.com/de-de/warum/nutze-continuous-integration-fuer-schnelleres-bauen-und-testen/" hreflang="de" />
```

The canonical version of our site will be the United States English version on about.gitlab.com. We need to add all versions of a page under the page title and link to each one with the appropriate language noted. Google provides this example:

```
html
<head>
<title>Widgets, Inc</title>
<link rel="alternate" hreflang="en-gb"
  href="https://en-gb.example.com/page.html" />
<link rel="alternate" hreflang="en-us"
  href="https://en-us.example.com/page.html" />
<link rel="alternate" hreflang="en"
  href="https://en.example.com/page.html" />
<link rel="alternate" hreflang="de"
  href="https://de.example.com/page.html" />
<link rel="alternate" hreflang="x-default"
  href="https://www.example.com/" />
</head>
```

It's important to note we need to declare the default page from our repository as the canonical version to avoid penalties across Google properties.

Aleyda Solis maintains a great tool to build hreflang tags we can use for reference as well.

docs.gitlab.com Localization

We are working on localizing GitLab product documentation. To learn more, head to our Docs Site Localization project.

SECTION: marketing/localization/engineering.md

Technical overview of GitLab's localization infrastructure and engineering processes across documentation and product interfaces. Includes translation environments, branch management, development workflows, and preview systems for internationalized content.

Iteration Process

We start our iteration on a Tuesday. We release throughout the iteration. Iterations are 2 weeks long.

See our Localization engineering iterations [here](#).

Labels and Workflow Boards

We use issue boards to track issue progress throughout an iteration. Issue boards should be viewed at the highest group level for visibility into all nested projects in a group.

The Localization team uses the following issue labels for distinguishing which part of the org the work belongs to and distinguishing between specialities:

Organization	Title
Documentation - docs.gitlab.com	~"L10n-docs"
Marketing - about.gitlab.com	~"L10n-mktg"
Localization engineering work	~"l10n::engineering"

The Localization team uses the following scope labels to categorize documentation engineering work.

What & Current Issues	Title
Documentation engineering work to be triaged	~"l10n-docs-engineering::triage"
Documentation engineering work required for launch	~"l10n-docs-engineering::launch-required"
Documentation engineering work post launch	~"l10n-docs-engineering::post-launch"

Iteration Board 9140637

Board: <https://gitlab.com/groups/gitlab-com/localization/-/boards/9140637>

Displays all issues with ~"L10n::engineering" label assigned to current Localization engineering iterations

Docs Engineering (Stream) Boards 7828627

Board: <https://gitlab.com/groups/gitlab-com/localization/-/boards/7828627>

Tracks all documentation-related engineering tasks in the Localization project. This board displays all issues with both ~"L10n-docs" and ~"L10n::engineering" labels.

Internationalized Documentation - docs.gitlab.com

The GitLab docs site is being enabled for internationalization, with initial support for Japanese translations.

<https://docs.gitlab.com/ja-jp/>

Translation content sources

Translated content for <https://docs.gitlab.com> is pulled from separate /doc-locale/ directories in the following repositories:

GitLab
Operator
Omnibus
Runner
Charts

Translation environments

We maintain two separate environments that contain all projects used to compile docs.gitlab.com. These contain forks of the upstream projects.

Production environment: [localization/tech-docs-forked-projects/prod/](#)

Test environment: [localization/tech-docs-forked-projects/test/](#)

Branch structure

Overview

Each project within these environments maintains the following branch structure:

1. main Used exclusively for pulling upstream changes into our fork. Do not contribute to this branch.
2. main-translation Used for delivering translations from our Translation Management System (TMS). Do not contribute to this branch.

3. main-development This is our development workspace for i18n features.
4. live-preview A stable live preview branch for the internationalized GitLab documentation.
See MR for more details.

Branch maintenance

How to Update Localization Forks with Upstream Changes

Steps

1. Update the fork's main branch
Update your fork's default branch (main or master) to match the production project's default branch
Use the "Update Fork" button in the UI
2. Create a merge request (MR)
Create an MR that merges the default branch to main-translation
This MR will contain all documentation changes since the last update
3. Review changed files
Pipelines: If pipelines fail, this is typically due to upstream configuration issues
In most cases, you can force the merge and ignore pipeline issues
Attempting to fix these issues often consumes engineering resources unnecessarily
Merge conflicts: Review these case by case
May need to be relayed to the localization team
Conflicts occur because of upstream changes
Ignoring conflicts on target files will cause future translations to overwrite upstream changes
4. Merge the MR to main-translation
This updates the translation branch with the default branch
Triggers Argo-GitLab integration to check for source language file updates

See example MR for updating the main-translation branch with content from the Omnibus Production fork.

i18n Development Environments

Main Development Branch

The main-development branch is our dedicated environment for i18n feature development. It builds localized routes and enables review apps using translations from production forks' main-translation branches.

This merge request documents the changes to enable i18n feature development.

Working with the i18n environment

1. Always create feature branches from main-development
2. Target merge requests to main-development
3. Test with translations from all projects' main-translation branches
4. After approval, open a separate MR to contribute upstream

It is helpful to set up a dedicated directory on your machine for this environment, since it

also requires external projects from our production fork, specifically the main-translation branch.

```
plain
cd htdocs
mkdir main-development
git clone git@gitlab.com:gitlab-com/localization/tech-docs-forked-projects/test/gitlab-docs.git
cd gitlab-docs
mise trust
make setup
USESSH=true make clone-docs-projects
```

Your resulting directory structure should look like this:

```
plain
main-development
... charts-gitlab/ (main-translation)
... gitlab/ (main-translation)
... gitlab-docs/ (main-development)
... gitlab-runner/ (main-translation)
... gitlab-operator/ (main-translation)
... omnibus-gitlab/ (main-translation)
```

Refer to documentation here for setting up your workstation further: <https://gitlab.com/gitlab-com/localization/tech-docs-forked-projects/test/gitlab-docs/-/blob/main/doc/setup.md?reftype=heads&set-up-your-workstation>

Updating main-development

Use the "Update fork" button at our forked repository
If conflicts occur, update locally:

```
plain
cd /htdocs/localization/main-development/gitlab-docs cd into your gitlab-docs directory using
the main-development branch
git fetch
git checkout main-development
git merge origin/main
git push origin main-development
```

Review App

The review app enables our team to review internationalized documentation and features before production deployment. It consolidates translated content from all five repositories (GitLab, Operator, Omnibus, Runner, Charts), maintains production-identical build pipelines, and utilizes the i18n features built for Hugo.

While the latest main-development branch contents are visible, it won't automatically update when there are changes to the main-translation forks. Run a new pipeline to pull those in.

First visit <https://gitlab-docs-hugo-19c275.gitlab.io/> to oauth yourself to the server, then visit <https://gitlab-docs-hugo-19c275.gitlab.io/review-mr-27/> to see the latest main-development branch contents.

Repository	Live Preview URL
GitLab	<https://gitlab-docs-hugo-19c275.gitlab.io/review-mr-27/ja-jp/ci/yaml/>
Operator	<https://gitlab-docs-hugo-19c275.gitlab.io/review-mr-27/ja-jp/operator/backup\and\restore/>
Omnibus	<https://gitlab-docs-hugo-19c275.gitlab.io/review-mr-27/ja-jp/omnibus/build/build\docker\image/>
Runner	<https://gitlab-docs-hugo-19c275.gitlab.io/review-mr-27/ja-jp/runner/register/>
Charts	<https://gitlab-docs-hugo-19c275.gitlab.io/review-mr-27/ja-jp/charts/installation/>

This implementation follows the architecture detailed in [tech-docs-forked-projects/test/gitlab-docs/-/mergerequests/27](#).

How to build a quick Review app for a product documentation Translation MR

Building a review app means pointing the Hugo application to the correct branch which contains those changes.

Here's a step by step process on how you can achieve this:

1. Go into main-development products.yaml
2. Find the project and edit the defaultbranch field to match the Translation MR's branch
3. Save the edits to a new branch and create a new MR titled 'Draft: Review of <Translation MR Name>'
4. Update MR's description to specify what the MR is for and why. Link any related issues, merge requests, or external resources such as an Argo request URL
5. Add a list of URLs to check in the review app
6. Once the pipeline completes, you can access the review app through the "View App" button

Localization engineering by partnership with Spartan Software

The Localization team partners with Spartan Software, Inc. to develop and maintain the localization request management system and a suite of microservices and integrations. Spartan Software engineers and architects provide specialized expertise in language technology platforms and integrations.

The suite of various integrations, components and microservices is referred to by the overarching term of Argo. See high level architecture [here](#), and the GitLab-specific architecture [here](#).

Engineering labels and workflow related to Argo

We use the following scoped labels to track Argo engineering work performed by Spartan Software:

Label	Purpose	Usage
Argo-Engineering	Core Argo enhancements requiring engineering work from Spartan Software	Applied to all Argo development work
Argo-Engineering::Complete	Enhancement completed and deployed to production	Applied when Spartan delivers finished work
Argo-Engineering::In Progress	Active development work being performed by Spartan	Applied when development starts on an enhancement
Argo-Engineering::Ready for Deployment	Development complete, enhancement ready for review and deployment	Applied when Spartan completes development and testing

Argo system components

Argo serves as GitLab's centralized localization technology and management infrastructure, encompassing:

- Request Management System: centralized intake and tracking of localization requests across all GitLab content types, both manual or automatic via integrations
- Translation Management System integrations: automated connections between GitLab systems and commercial TMS platforms (Phrase, TranslationOS, Contentful, etc.)
- Argo GitLab Agent: a purpose-built microservice / component of the Argo ecosystem for specialized localization-related tasks, such as translatable file pre- / post-processing, etc.
- Argo-GitLab Integration aka GitLab Translation Service: direct integrations with GitLab projects, merge request workflows, and CI/CD pipelines

Argo engineering board

The Argo Development board displays all issues with Argo-Engineering labels and provides visibility into:

- Current development work in progress by Spartan Software
- Completed enhancements ready for deployment via relevant milestones
- Planned Argo system improvements and integrations

Communication channels

spartan-software: Direct Slack communication channel with Spartan Software engineering team

Technical coordination occurs through GitLab issues tagged with appropriate Argo-Engineering labels

This partnership enables the Localization team to maintain sophisticated translation infrastructure while focusing internal engineering team on core localizability, feature development and enhancements for marketing website, GitLab product documentation, and GitLab product.

SECTION: marketing/localization/smartling.md

<link rel="stylesheet" type="text/css" href="/stylesheets/biztech.css" />

Uses

Smartling was our translation management system used for translation needs at GitLab from 2019-H1.2023, but is now retired from our tech stack. For more details, please reach out to the G&L team at localization or check localization.

SECTION: marketing/marketing-career-development/_index.md

Overview

Problem Statement

In the annual employee engagement and satisfaction survey, Marketing's lowest score was for career development within GitLab. Due to the team structure, hiring is made for specific roles and the team is kept as lean and efficient as possible. This makes mobility more difficult.

Proposed Solution

Create a program for learning and development based on core competencies in the main areas all marketers should have. Working with the L&D team and resources available (ie. LinkedIn Learning) Marketing will curate a program with the goal of developing team members based on these competencies and make them eligible to move into internal roles.

Welcome Video

Todd provides an overview of the purpose and goals of the Marketing Career Development Program as well as insights into the marketing organization and what each team does, in this welcome video.

Competencies

Analytics

Know how to read and interpret the marketing analytics GitLab's marketing team uses to inform business decisions and strategy

- Business Analytics: Marketing Data - LI provides a nice overview of why and how people analyze marketing data.
- For SFDC users:
- Trailhead Reports and Dashboards for SFDC Classic
- DataStudio training on GitLab about.com - Empirical Path and Shane Rice sharing how to use DataStudio
- OPTIONAL: Salesforce Custom Reports (LI video - all shown in Lightning UI vs Classic)
- OPTIONAL: Salesforce dashboards (Section 2 Chart Types may be of interest as to why you might choose one type over another and what each means, again in Lightning)

Writing and communication

- Understanding different types of content - Explore the basics of SEO, including how to read a results page and see how rankings affect businesses large and small. Discover how to implement foundational optimization strategies and techniques, including how to conduct keyword research, build internal and external links, optimize your pages and content, measure your successes and progress, and plan for a long-term SEO strategy. Additionally, learn specific SEO tips for ecommerce, local search, and mobile audiences to expand your reach.
- Learning to write marketing copy - Copy is the heart and soul of almost every marketing endeavor. Get a great foundation for all your campaigns with this course. Learn how to write copy that tells your story and sells your product or brand. Learn about the different types of copywriting, the benefits of drafting on paper (yes, paper!), observing general rules, writing headlines, selling the page, and rewriting existing copy to optimize it for different outlets and platforms.
- What is Content Marketing - A well-crafted content marketing strategy can greatly increase visibility of your brand, help build credibility, and create an enduring relationship with your audience. Learn content marketing concepts and benefits, then explore a step-by-step approach for organizations of all sizes to succeed with this strategic marketing approach. Brian covers how to create a content plan, choose content types, and develop an editorial calendar. He then explores how to write, edit, and design content, as well as how to choose the right mix of content and curate it for maximum impact.
- Introduction to Social Media Strategy - This presentation provides training that could reinforce our tone of voice. Reinstates our human principals: knowledgeable, relatable, honest, practical, aspirational, decisive, and clever.
- Writing with Impact - There's no such thing as generic "good" writing. Writing quality and impact comes from how well it fits its purpose. This course shows how to give all your writing more impact, regardless of its purpose.

Design and communication

- Designing a presentation - From helpful transitions to layouts and themes- you will learn how to make an impactful slide deck.
- Learning GitLab - This training teaches markdown basics and even directs folks to GitLab flavored markdown. These simple tips can transform your epics and issues. It covers headings, bulleted lists, numbered lists, bold and italic text, and how to insert links and images.

Revenue basics

- Annual recurring revenue (HB)
- Customer lifecycle at GitLab (HB)

Product knowledge

- Product Marketing Foundations

Project Management

- Project Management Institute
- Project Management Foundations
- Project Management Foundations: Teams

- Leading Projects

Marketing Campaigns

- Understand GitLab GTM Plans, Motions and Use Cases
- What is Demand Generation at GitLab
- Email marketing from Tanuki Tech
- Demand Generation metrics and how to understand the data
- Mastering Digital Marketing
- Connecting with Customers Online
- Building an Integrated Online Marketing Plan
- Understanding eCommerce
- Creating a channel marketing structure
- Google Analytics Essential Training - how to use GA to track success

Operations

- Accrual vs. cash based accounting - GitLab runs an accrual based accounting method.

Systems

- Allocadia training
- Allocadia handbook page
- Marketo
- PathFactory
- Sigstr
- Salesforce (Trailhead with Classic UI, but more admin level details)

SECTION: marketing/marketing-career-development/career-path.md


Position Levels

Individual Contributor Track		SDR IC Track		Management Track	
-----		-----		-----	
Coordinator		SDR Admin			
Associate		SDR			
Manager		Senior SDR			
Senior Manager		Lead SDR			
Staff		Manager,			
Distinguished		Director,			
GitLab Fellow		Senior Director,			
		VP			
		CXO			


Note: Manager denotes a management of a certain specialty, whereas Manager, denotes a manager of people.

Career Path

Sales Development Career Path



Marketing Career Path



Content Marketing Manager Advocate	Manager, Content Marketing	Customer
Content Marketing Programs Manager	Manager, Content Marketing	Marketing
Manager, Content Marketing	Senior Manager, Content Marketing	
Manager, Content Marketing	Manager, Corporate Marketing	
Senior Manager, Content Marketing	Director, Corporate Marketing	
Associate Field Marketing Programs Associate	Field Marketing Manager	Marketing
Field Marketing Manager	Manager, Field Marketing	
Manager, Field Marketing	Senior Manager, Field Marketing	
Senior Manager, Field Marketing	Director, Field Marketing	
Marketing Operations Associate	Marketing Operations Manager	
Marketing Operations Manager	Manager, Marketing Operations	
Marketing Operations Manager	Senior Marketing Operations Manager	
Manager, Marketing Operations	Senior Manager, Marketing Operations	
Senior Manager, Marketing Operations	Director, Marketing Operations	
Online Marketing Associate	Online Marketing Manager	
Online Marketing Manager	Manager, Online Marketing	
Online Marketing Manager	Senior Online Marketing Manager	
Manager, Online Marketing	Senior Manager, Online Marketing	
Senior Manager, Online Marketing	Director, Online Marketing	
Associate Designer	Designer	
Designer	Senior Designer	
Developer Evangelism Program Manager	Senior Technical Evangelist	Developer
Senior Developer Evangelism Program Manager	Manager, Developer Evangelism	Senior
Senior Developer Evangelism Program Manager	Manager, Developer Evangelism	
Manager, Developer Evangelism	Director, Developer Evangelism	

Associate Content Editor	Intermediate Content Editor	
Intermediate Content Editor	Senior Content Editor	
Senior Content Editor	Managing Editor	
Associate Analyst Relations Manager	Analyst Relations Manager	
Analyst Relations Manager	Senior Analyst Relations Manager	
Senior Analyst Relations Manager	Staff, Analyst Relations	
Staff, Analyst Relations	Manager, Analyst Relations	
Manager, Analyst Relations	Director, Analyst Relations	
Associate Reference Program Manager	Reference Program Manager	
Reference Program Manager	Senior Reference Program Manager	
Senior Reference Program Manager	Manager, Reference Program	
Manager, Reference Program	Director, Reference Program	
Associate Market Research & Customer Insights Manager	Market Research & Customer Insights Manager	
Market Research & Customer Insights Manager	Manager, Market Research & Customer Insights	
Manager, Market Research & Customer Insights	Director, Market Research & Customer Insights	
Associate Competitive Intelligence Manager	Competitive Intelligence Manager	
Competitive Intelligence Manager	Senior Competitive Intelligence Manager	
Senior Competitive Intelligence Manager	Manager, Competitive Intelligence Manager	
Manager, Competitive Intelligence Manager	Director, Competitive Intelligence Manager	
Associate Partner Marketing Manager	Partner Marketing Manager	
Partner Marketing Manager	Senior Partner Marketing	
Senior Partner Marketing Manager	Manager, Partner Marketing	
Manager, Partner Marketing	Director, Partner Marketing	
Associate Product Marketing Manager	Product Marketing Manager	
Product Marketing Manager	Senior Product Marketing Manager	

Senior Product Marketing Manager	Manager, Product Marketing	
Manager, Product Marketing	Director, Product Marketing	
Director, Product Marketing	Senior Director, Product Marketing	
Associate Technical Marketing Manager	Technical Marketing Manager	
Technical Marketing Manager	Manager, Technical Marketing	
Technical Marketing Manager	Senior Technical Marketing Manager	
Manager, Technical Marketing	Director, Technical Marketing	
Director, Technical Marketing	Senior Director, Technical Marketing	

Contributor Success Fullstack Engineer Career Path

These are the expected competencies of the Fullstack Engineer, Contributor Success role by career level.

- 1. Intermediate
- 1. Senior
- 1. Staff

SECTION: marketing/marketing-career-development/contributor-success/_index.md

Contributor Success Career Framework

{{% include "includes/cscareermatrixnav.md" %}}

These are the expected competencies of the Fullstack Engineer, Contributor Success team members at GitLab.

Intermediate

- Fullstack Engineer

Senior

- Fullstack Engineer

Staff

- Fullstack Engineer

SECTION: marketing/marketing-career-development/contributor-success/intermediate.md

Intermediate Fullstack Engineer, Contributor Success

{{% include "includes/cscareermatrixnav.md" %}}

Intermediate Fullstack Engineers, Contributor Success at GitLab are expected to exhibit the following competencies:

- Leadership Competencies
- Technical Competencies
- Values Alignment

Leadership Competencies

{{% include "includes/engineeringintermediateleadershipcompetency.md" %}}

Technical Competencies

{{% include "includes/engineeringintermediatecompetency.md" %}}

Contributor Success

Please refer to Contributor Success Fullstack Engineer

Values Alignment

{{% include "includes/valuescompetency.md" %}}

SECTION: marketing/marketing-career-development/contributor-success/senior.md

Senior Fullstack Engineer, Contributor Success

{{% include "includes/cscareermatrixnav.md" %}}

Senior Fullstack Engineers, Contributor Success at GitLab are expected to exhibit the following competencies:

- Leadership Competencies
- Technical Competencies
- Values Alignment

Leadership Competencies

{{% include "includes/engineeringseniorleadershipcompetency.md" %}}

Technical Competencies

{{% include "includes/engineeringseniortechnicalcompetency.md" %}}

Contributor Success

Please refer to Senior Contributor Success Fullstack Engineer

Values Alignment

{{% include "includes/valuescompetency.md" %}}

SECTION: marketing/marketing-career-development/contributor-success/staff.md

Staff Fullstack Engineer, Contributor Success

{{% include "includes/cscareermatrixnav.md" %}}

Staff Fullstack Engineers, Contributor Success at GitLab are expected to exhibit the following competencies:

- Leadership Competencies
- Technical Competencies
- Values Alignment

Leadership Competencies

{{% include "includes/engineeringstaffleadershipcompetency.md" %}}

Technical Competencies

{{% include "includes/engineeringstafftechnicalcompetency.md" %}}

Contributor Success

Please refer to Staff Contributor Success Fullstack Engineer

Values Alignment

{{% include "includes/valuescompetency.md" %}}

SECTION: marketing/marketing-operations/6sense.md

<link rel="stylesheet" type="text/css" href="/stylesheets/biztech.css" />

Overview

6sense is a an Account Based Marketing platform that uses a predictive model to identify the right customers at the ideal time.

This page contains public information about 6sense and how we use it. In addition to this page, additional, non-public information for GitLab team members can be found in the internal handbook.

Integrations

6sense is integrated with Salesforce, Marketo, Outreach, Qualified, and Slack. In addition, user management is managed through Okta.

Salesforce

6sense and Salesforce are integrated bi-directionally. Salesforce passes data to 6sense to inform and optimize the 6sense predictive data model, which is the foundation of our 6sense instance. The 6sense predictive data model takes in data from various sources including Salesforce campaign engagement activity, to determine its intent model. 6sense also reviews the relevant opportunity definition in order to determine profile model. Finally, 6sense reviews Salesforce task and event activity to determine its reach model.

6sense data is also pushed to Salesforce. 6sense fields can be seen on the Account, Contact, and Lead objects in Salesforce.

Salesforce users with a 6sense log in can also leverage the 6sense iframe in Salesforce.

Marketo

Marketo activity is passed to 6sense to inform the predictive models. Marketo form fills and email activity are included in the intent model. Outbound email activity from Marketo is used in the reach model.

Additionally, Marketo monitors updates to the 6sense Account 6QA Start Date field, which is used to add 20 behavior based points to identified 6QA leads, with a limit to scoring on 6QA once every 3 months. Once leads clear the initial filters, they are placed into a 6 day wait step before receiving scoring based on 6QA. This delay allows Marketo to check that a lead has not been labeled Accepted, Qualifying, Qualified, Disqualified, Ineligible or Recycle since the checkbox status initially changed and prevents overscoring based on other lead behaviors, but still allows leads to receive points.

Outreach

Qualified

Integrate (DAP)

Slack

The 6sense <> Slack integration can be used to send 6sense alerts via Slack. Documentation for how to set Slack alerts can be found [here](#)(6sense login required).

Support

- 6sense knowledge base (6sense user account required)
- mktgops on Slack
- 6sense customer support

Access

The following teams have role-based access to 6sense:

- Account Based Marketing
- Marketing Campaigns
- Digital Marketing
- Field Marketing
- Sales & Business Development

6sense access is managed through Okta. To request access, open an access request. After receiving manager approval, tag the provisioner listed in the tech stack. When requesting access, please specify a role from the list below along with justification as to why this role is needed.

User Configuration

The following steps must be taken in order for users to access both the 6sense platform and the 6sense integration with Salesforce:

Action	Owner	Owner
User is added to the 6sense Okta Google Group.	Marketing Ops	This creates their 6sense account
User activates their 6sense account by searching for and clicking on the 6sense Okta tile.	User	This activates their account in the 6sense platform
User is assigned the appropriate role in the 6sense platform.	Marketing Ops	By default, they will be assigned View Only after activating their account in Okta. This ensures that the user is able to take appropriate actions in the platform
User's Salesforce profile is assigned the 6sense User permission set.	Sales Systems	This allows the user to see the 6sense dashboard iframe in Salesforce
User's Salesforce profile has the 6sense Sales Intelligence visual force enabled on their page layouts.	Sales Systems	This ensures that the 6sense custom fields and iframe appear on the Account page layouts in Salesforce

6sense User Roles

- Operation User: This role has full access to 6sense insight features, orchestration, alerts, administrator reports, and settings related to integration and sales enablement. It also has

view access to campaigns and some other settings.

- Marketing User: This role has full access to 6sense insight features, campaign features, alerts, administrator reports, and view access to some settings. Additionally, it has edit access to the Ad Inventory Exclusion list.
- View Only User (default): This role has view access to all features and settings that Marketing User has access to.
- Insights User: This role has full access to 6sense insights for segments and accounts.
- Sales User: This role has full access to 6sense insights for segments and accounts.

6sense User Seat

We have a limited user seat in 6sense, in order to manage our user seats and provide more seats for new users, we are eliminating inactive users.

During our user audit review, if the user hasn't logged into either the 6sense platform or the dashboards in Sales in the last 6 months, their seat will be revoked.

Training Resources

Sales Dev Training Recordings

- EMEA 6Sense Training
- AMER 6Sense Training

Marketing Trainings

- 2023-09-27: 6sense Field Marketing Enablement Option 1
- 2023-09-27: 6sense Field Marketing Enablement Option 2

Orchestrations

Add Lead to Sequence from the Account

With 6Sense, you can use segments to monitor the intent and engagement of target accounts from the Sales Intelligence dashboard in Salesforce.

1. In the Sales Intelligence dashboard, review the Profile Fit, Account Reach and Buying Stage for accounts showing signals for buyer intent.
2. Under Persona Map, you'll be able to identify the leads that fit the ideal customer profiles with a strong Engagement Grade.
3. Select the lead and add to Outreach
4. Outreach will prompt you with Outreach Sequence, pick the sequence you would like to add the lead to.

Acquire New Contacts to Outreach Sequence

You can add a segment to an Outreach Sequence directly on the 6Sense Naive Web Application. To do so, you'll need to create a new orchestration with the criteria: I want to acquire new contacts and add them to an Outreach Sequence.

Refer to the Knowledge Base (you must be logged in to access the knowledge base) for the step to step instructions.

Segments

Segments drive every use case within 6sense, and consist of groups of accounts created based on user-selected filters, list uploads, or CRM synchronizations. More information about 6sense segments can be found [here](#).

6sense segment names sync to Salesforce via an orchestration. In order for a segment to sync to Salesforce, the segment must be published. If a segment is unpublished, the record of that segment will be removed from Salesforce. This is a good way to keep the 6sense segment name field relevant, however is important to note for historical reporting purposes.

Publishing Segments

Publishing a 6sense segment extends its account membership to specific 6sense experiences and external system workflows. Publishing a segment enables us to better cross-reference segments and accounts, and is an effective method to communicate messaging recommendations, increase visibility into the status of segments and accounts, and facilitate internal alignment.

Marketing users can use this issue request template to request a segment get published in 6sense.

Only admin users and operations users are able to publish segments in 6sense. If you need to publish a segment in 6sense, please open a new Marketing Operations issue.

To push a segment to Marketo, you'll need an Add to Audience orchestration. You can open a request by using this Marketing Operations issue. For more information on how it works, see this internal handbook page.

Best Practices

Folder Naming Convention

In order to keep segments and the general platform organized, please use the following folder naming convention:

- Team Name - FY Q - Name of Campaign/Account List

For example:

- ABM - FY24 Q2 - Tier 1 Accounts
- XDR - FY24 Q3 - Campaign Name

Tags

Tags should be used to help organize lists by topic. For example, you may want to use a tag for a large campaign, segment (SMB, MM, etc.), tier, etc.

Sales Dev Naming Convention

Sales Dev users should name any lists with the same naming convention that is used in Outreach.

Useful Terms

Reach Activities:

Sales and Marketing activities performed by your team that engage with the account. This may include activities such as contacting people from the account or adding them to campaigns.

Engagement Activities:

Activities performed by people from the account that indicate interest in your company or product offerings. This may include activities such as email and ad clicks, form-fills, or web research related to your product.

Engaged Contacts

Generally means that the Account has been participating in MAP / CRM activities such as (email clicks, form fills, CRM Campaign Members which are tied to engagement ie: positive response, attended webinar, etc). So it's based on taxonomy and then their engagement score is calculated based on how much a contacts/leads from the Account have been participating in those activities.

6 Qualified Accounts (6QA)

Qualified by 6sense, a 6QA is an account that is primed for sales engagement.

Due to increases in intent, profile fit and engagement, a 6QA occurs when an account moves from an earlier buying stage (Target, Awareness or Consideration) to a later buying stage (Decision or Purchase), making them qualified for sales activity. It is marketing's goal to drive accounts to either inbound or 6QA.

6QA status is true when 1 AND 2 are met:

1. Account Profile Fit for GitLab is equal to Moderate or Strong.
2. Account In-Market Stage for GitLab is equal to Decision or Purchase.

6sense Account Buying Stage Definitions

- Target - The buyer may not realize a problem exists, but may fit within the seller's TAM.
- Awareness - The buyer realizes they have a problem. The buyer is doing educational research to more clearly understand, frame, and identify their problem.
- Consideration - The buyer defines their problem and researches options to solve it. The buyer is researching all of the available options to solve the defined problem.
- Decision - The buyer chooses a solution. The buyer is narrowing a list of potential vendors to ultimately make a purchase decision.
- Purchase - The buyer commits to a specific solution and justifies the reasons for the purchase.

If you are looking for the definition of term not listed above, please visit the 6sense glossary.

SECTION: marketing/marketing-operations/_index.md

<link rel="stylesheet" type="text/css" href="/stylesheets/biztech.css" />

<i class="far fa-newspaper" id="biz-tech-icons"></i> Charter

Marketing Operations supports the marketing organization to streamline processes and manage related tools. We work closely with multiple teams to ensure information between systems is seamless, data is as accurate as possible, and terminology is consistent in respective systems. Our team's primary functions are:

- Project management of marketing technology stack
- Streamline and standardize processes related to tools
- Data cleanliness and accuracy
- Best practices and strategy on marketing technology
- Continuous improvement of marketing systems
- Evaluate new marketing technology
- Support procurement of new marketing technology

<i class="fas fa-users" id="biz-tech-icons"></i> Meet the Team

Person	Role
Christine Lee	VP, Marketing Ops and Analytics
Amy Waller	Director, Marketing Operations
Gillian Murphy	Manager, Marketing Operations
Nikki Silverberg	Staff Marketing Operations Manager
Jenny Tiemann	Staff Marketing Operations Manager
Robert Rosu	Staff Marketing Operations Manager
Salina Tran	Senior Marketing Operations Manager
Jameson Burton	Senior Marketing Operations Manager
Evan Mathis	Senior Marketing Operations Manager
Bryce Weatherford	Marketing Operations Manager

<i class="far fa-life-ring" id="biz-tech-icons"></i> How to Get Help {how-to-get-help}

Important: Before submitting an issue that may contain Personally Identifiable Information (PII) data (including screenshots), please ensure the issue is marked confidential. You can use quick actions to accomplish this in the issue description prior to submitting.

<div class="flex-row" markdown="0">
<div>

Report a bug

Issue tracker

Process change request


```
<a href="/handbook/marketing/emergency-response" class="btn btn-purple"
style="width:170px;margin:5px;">Emergency Comms</a>
</div>
</div>
```

Handbook Updates

When making an update to a handbook page for ABM, FMM, MOps, or SDR handbook pages (or sub-pages), we have a Zapier workflow set up that will push the MR (upon merge) to the related Slack channel to ensure our teams are aware of any change that is made to the page. In order for the merged MR to show up in the respective Slack channel, you must add one of the following corresponding labels on the MR. Slack updates will also trigger for MktgOps MRs when created.

Label you add	Slack channel the merged MR pushes to
MktgOps - HB Update	hbupdate-mktgops
FMM-HB Update	fieldmarketing-FYI
SDR-HB Update	hbupdate-sdr
ABM-HB Update	hbupdate-abm

 How to Communicate with Us

Slack channels

- hbupdate-mktgops - This channel is used to automatically post new handbook updates that have been merged.
- mktgops - We use this channel for general marketing operations support, weekly marketing operations team standup updates, and key system status updates. We attempt to avoid direct messages where possible as it discourages collaboration.
 - In order to efficiently triage common requests, we utilize auto-responses in this channel. Anyone can help triage requests in the mktgops slack channel by using the slack emoji reactions in the table below.

Inquiry	Slack Reaction
Questions specific to SFDC	:mktgopssalesforce:
Complex questions that require an issue	:mktgopsissue:
Bugs	:mktgopsbug:
Questions about tool status	:mktgopsstatus:
List import questions	:mktgopslists:
Tool access is needed	:mktgopsAR:

Salesforce

The Marketing Operations team has created the '@mktgops-support' Chatter in Salesforce to help you make changes or manage Lead objects in Salesforce. Please note, the more information you can provide in your support request, the faster the request can be resolved. Use the '@mktgops-support' Chatter for support with:

- Assigning leads to a new owner

- Merging duplicate leads in different ownership
- Investigating routing logic if you think a lead was routed improperly
- Requesting additional lead support from the Marketing Operations team
- The Marketing Ops team does not manage requests related to Contact, Account, or Opportunity objects.
- Please refrain from mentioning individual Marketing Ops team members and use this Chatter instead. Thank you!

Emergency Comms

If an emergency communication needs to be send out, Marketing Ops will need to assist. Follow directions on this page to initiate the emergency response and view the coverage matrix. You can also follow the security incident communication plan for security related issues.

 How We Work

Issue Boards

1. Asana team Board - General and Ad-hoc requests
2. Asana team portfolio - adhoc and projects
3. MktgOps Team (issues by team member)

Issues

The MktgOps team works from issues and issue boards. If you are needing our assistance, please do one of the following:

1. If you are on the Marketing Team, please create a request utilizing this request form.
2. If you do not have Asana access, open an issue and use the ~MktgOps::00: Triage label.

Please do not re-open issues that have been closed in a previous milestone.

OKRs

Check out our quarterly highlights trackers to learn more about the key results we've accomplished.

Labeling

We use labels for three purposes:

1. Categorize the tool or area that is affected
1. Show priority
1. Identify the stage they are in

<details>

<summary markdown='span'>

Categories

</summary>

- MktgOps - FYI: Issue is not directly related to operations, no action items for MktgOps but need to be aware of the issue
- MktgOps - List Import: Used for list imports of any kind - event or general/ad hoc (do not also use To Be Triaged scoped label)
- Marketo, Bizible, 6sense, Qualified, LinkedIn Sales Navigator, PathFactory, ZoomInfo, Goldcast, Groove: used to highlight one of our tech stack tools
- MktgOps - bug: A bug issue to be addressed or identified by MktgOps
- MktgOps - changelog: Used to track issues or epics that would need to be logged in the marketing changelog to track major changes across marketing
- SMOps/Systems - Changelog: Used to track changelog issues that will impact Sales Operations or Systems
- MktgOps-Support: Used on issues to track field marketing and event support, such as field marketing landing pages and emails.
- MktgOps-Future Feature: Something to consider for a future project as time allows. Timeframe: As time allows
- dg-campaigns, ABM, lifecycle-mktg: Used on issues created by these teams for easier tracking of their requests.
- MktgOps::Events/FM Copy Review: Used by Field Marketing and Corporate Events on MktgOps-Support issues to note when an issue is ready for copy review.

</details>

<details>

<summary markdown='span'>

Process Steps with Sales Systems

</summary>

- MktgOpsPrio::00: Requested: New issues
- MktgOpsPrio::01: In Approved: Issues that have received business process owner approval
- MktgOpsPrio::02: In Queue - Mops: Issues that are ready for prioritization with Sales Systems
- MktgOpsPrio::03: In Queue - Systems: Discussed in prioritization and added to a temporary milestone
- MktgOpsPrio::04: Actioned: Issue is in current or future milestone, not yet ready for UAT
- MktgOpsPrio::05: Business Owner UAT: Issue is in UAT by the business owner, Systems cannot move forward without signoff
- MktgOpsPrio::06: Pending Release: Issue fully tested and approved in staging. Awaiting deploy by systems team
- MktgOpsPrio::07: Complete: Issue has been deployed into production

</details>

<details>

<summary markdown='span'>

Systems Related Labels

</summary>

- entapps-customer::MOPS: Used on issues that require Sales Systems support
- MktgSystems-PMO: Used for issues on committed PMO projects to help with prioritization and to determine work streams

Business Impact Labels: What business impact or subject area is driving these changes

- MktgImpact - Partner Lead Lifecycle - Impacts to Vartopia and Partner Lead Lifecycle. Such as the Lead Module, Campaign Module and ROI for channel events and lead tracking.
- MktgImpact - Sales Enablement - Marketing initiatives that will help Sales productivity and efficiency
- MktgImpact - Sales Dev Productivity - Improves productivity of Sales Dev team, such as SLAs, and visibility
- MktgImpact - Product Launches - Issues revolving around a product launch or release
- MktgImpact - Team Productivity and Efficiency - General marketing team productivity improvements
- MktgImpact - Analytics and Data Quality - Data updates or analytics needs
- MktgImpact - TBD - New labels will be created for large-cross function projects, like FY25

Type Labels: What type of SFDC work is required

- MktgType - Break/Fix
- MktgType - Tool Installation / Configuration
- MktgType - Package Updates
- MktgType - FLS or Access
- MktgType - Tech Debt
- MktgType - Operational Improvements

</details>

<details>

<summary markdown='span'>

Priorities

</summary>

- MktgOpsPriority:: 00-Urgent: Issue that is related to a breaking change, security issue or business critical item. This category will be limited because not everything can be a priority. Timeframe: Immediate action needed.
- MktgOpsPriority:: 01-High: Issue that is related to a breaking change, OKR focus, any other issue of high business value. Timeframe: Action within milestone
- MktgOpsPriority:: 02-Medium: Issue has a specific action item for MktgOps to be completed. Timeframe: Within weeks
- MktgOpsPriority:: 03-Low: Issue is a feature to help the team or a specific action item for MktgOps that would be helpful, but can be pushed for other issues. Timeframe: Within months

</details>

<details>

<summary markdown='span'>

Stage

</summary>

- MktgOps::00: Triage: General label for any issue that needs MktgOps attention, request for work and/or involvement
- MktgOps::01: Needs More Information: Issues awaiting for information from the requester,

needs more clarity in requirements, no milestone, and not assigned to MktgOps team member yet

- MktgOps::02: Ready for Assignment: Issues that are acknowledged (in review), gathering requirements, no milestone, and not assigned to MktgOps team member
- MktgOps::03: Assigned: Issues that are ready to move forward, slotted to a milestone (not current), and assigned to MktgOps team member's queue
- MktgOps::04: In Progress: Issues that are in the current milestone, assigned to MktgOps team member, and are actively being worked
- MktgOps::05: Business Owner Review: Issues in current milestone that are near the finish line, needs to be reviewed and demoed to the business owner(s) to sign-off
- MktgOps::06: Ready to Deploy: Issues in current milestones, sign-off(s) given by business owner, ready to be deployed by MktgOps team member
- MktgOps::07: Blocked: Issue is blocked and no other actions can be taken by MktgOps. Waiting for someone else/another team to complete an action item before being able to proceed. May also be blocked due to external party such as a vendor to complete an action before closing.
- MktgOps::08: Completed: MktgOps has completed their task on this issue although the issue may not be closed.

</details>

Milestones

Each individual contributor (IC) is responsible for adding issues to the milestone that will be completed in the two-week time frame. If needed, the IC will separate the main issue into smaller pieces that are workable segments of the larger request.

At the end of every milestone, we will post a thread in the mktgops Slack channel with links to the Issues that we are moving to the next milestone. Context as to why an Issue is moving to a new milestone will be posted in the Issue (not in the Slack thread). The goal of this is to proactively and transparently communicate to our business partners and to empower marketing operations team members to intentionally and thoughtfully manage their work in each milestone.

A milestone cannot be closed nor marked complete until the milestone's accompanying merge request has been merged. Within every milestone there is a WIP merge request with all commits being changes to our handbook. All team members contribute their changes to the milestone merge request. The merge request should be tagged with marketing operations labels and the current milestone.

```
<div class="flex-row" markdown="0">
  <div>
    <a href="https://gitlab.com/groups/gitlab-
com/-/milestones?utf8=%E2%9C%93&searchtitle=mktgops&state=&sort=" class="btn btn-purple"
style="width:170px;margin:5px;">View Milestones</a>
  </div>
</div>
```

Marketing Ops Calendar

Our team google calendar is available to GitLab team members here. It shows upcoming team PTO and holidays.

Marketing Changelog

Periodically Marketing Operations and other teams through the marketing org make significant changes to our system and processes that affect overall tools, data and reporting or uncovers significant changes that affected reporting. As such we have a shared changelog. The MktgOps and Marketing Analytics teams update this document as needed as changes are made. If you are working on an issue or epic that will have a significant impact across marketing, add the label MktgOps - changelog so marketing operations can track changes across GitLab.

 Teams We Work Closely With

Working with Channel Partner Marketing

Channel Partner Marketing Expectation

- To open issues for any new request using the problem statement.
- Channel Partner Team to respond to mktgops queries on the issue
- To provide full problem statement on the issue with as much context as possible.
- Optional - suggested solution for this issue.

Marketing Ops Expectation

- To use labels to denote where the issue is
- To use Milestones to denote when the work will be done
- To provide solution options for the problem statement with clear outline of timeline/potential blockers.
- To verify possibility of the suggested solution (if there is one).

Bi-weekly Meeting

New issues will be prioritized within the bi-weekly meeting where Salina can understand if/what work should be deprioritised to complete the new work.

Salina to

- Add Priority label
- Add Stage Label
- Add milestone to the issue of when she thinks the work will be started

If no new issues- can either discuss issues or skip a week.

Milestone MRs

The marketing operations team uses collective merge requests, known as our milestone MRs, to make multiple updates across our handbook, see high-level updates in 1 MR, and avoid conflicts with each other. Here is an example. We list all major changes with our GitLab username in the description after a commit and link any relevant issues that the commit closes out. If you have an update for the marketing operations handbook, please feel free to use our milestone MR to make a commit and tag us for review to avoid conflicts.

Working with Sales Systems for SFDC Updates

The MktgOps team frequently works with the Sales Systems team to make changes in Salesforce.com (SFDC). See the below information regarding the process for working with Sales Systems for these changes and SLAs we adhere to.

If a field needs to be created in Marketo AND SFDC, it must be created in SFDC first and then added to the Marketo User Permission set within SFDC. From there, the field will sync down to Marketo. If you miss this order of operations and the field is created in Marketo first, you will need to still follow the directions above and then open a support to re-map the fields. Use documentation for Marketo for field types.

If you need assistance with Sales Systems follow the next steps:

1. Open an Sales System issue in their project and assign the label entapps-customer::MOPS.
 - If the issue is a part of a committed PMO project, please add the label MktgSystems-PMO
2. If Mops member can create a changeset, please do so shortly after creating the issue to decrease time to deploy,
3. Add prioritization label of MktgOpsPri