

date	2023-06-11	Date	
signupReason	I want to use GitLab CI	String	
state	Alabama	String	
userRole	other	String	

Subscription Preferences

Iterable subscriptions are structured in message types and channel, with each individual type having its own subscription policy. Each template or email is attributed a message type when created and adopts its subscription policy.

NB: Do not use the Marketing Message type as it uses an opt-out policy and will result in the possibility of emailing un-subscribed records

Subscription schema in the GitLab instance comprises of the following:

Message Type	Channel	Subscription Policy	Notes
-----	-----	-----	
GitLab Marketing type used in templates and email	Marketing Channel	opt-in	This is the main message
Marketing Message be deleted	Marketing Channel	opt-out	Default message type, will
Transactional	Transactional Channel	opt-out	

Unsubscribe Event

Whenever an unsubscribe event occurs in Marketo, an event is sent to Workato and then Iterable to opt-out that person if it exists.

Data Sync

Hightouch

Hightouch is a data integration platform that specializes in real-time data synchronization, allowing us to leverage the power of Snowflake's data and transfer it to Iterable for personalized and targeted marketing campaigns. It automates the data synchronization process between Snowflake and Iterable, reducing manual effort. Hightouch can handle large datasets and ensure that all data is accurately synced to Iterable, enabling us to scale marketing operations effectively.

Every 24 hours, Iterable is synced with namespace data from Snowflake. Namespace information is stored in a JSON nested object in the SENSITIVE.POC.PUMP.MARKETING.CONTACT.NAMESPACE.DETAIL then accessed by Hightouch to map fields downstream to Iterable and sync events and bulk update information.

NB: Due to storage cost constraints, we are only keeping in sync users whose creation date is two months prior to current day

Namespace information that is currently synced to Iterable:

namespaceinformation	example data
-----	-----
ACTIVESTAGECOUNT	1
CREATEDAT	2023-06-08 17:31:55.883
CREATORUSERID	123456
CURRENTMEMBERCOUNT	1
GITLABPLANISPAID	false
GITLABPLANTITLE	Ultimate Trial
GLMCONTENT	default-saas-trial
GLMSOURCE	about.gitlab.com/pricing/
ISACTIVETRIAL	true
ISIMPACTEDBYUSERLIMIT	false
ISNAMESPACEPQL	false
ISSETUPFORCOMPANY	false
LISTOFSTAGES	create
NAMESPACEID	123456
TRIALSTARTDATE	2023-06-08 00:00:00.000
USERACCESSLEVEL	50
USERACCESSLEVELNAME	Owner
USERID	123456

SECTION: marketing/marketing-operations/lead-lifecycle.md

This page is a dedicated resource for all information on how we manage our lead lifecycle. We have two elements covering the lifecycle - The Lead / Contact Status in SFDC, and the Lifecycle Classifications Fields in SFDC.

Lead / Contact Status

We have nine Lead / Contact Statuses to represent where the lead currently sits within our sales cycle in Salesforce. Each Status that represents a situation where Sales Development is not actively engaging a lead or contact record has a corresponding queue that owns records until they meet the criteria to be assigned to Sales Development again for reengagement and qualification. This means there are currently "holding" queues for Lead / Contact Statuses with a queue indicated in the third column of the table below. (Note: The renaming or replacement of these queues with ones that match the updated Lead / Contact Statuses is ongoing and this handbook page will be updated with their new names as soon as the queues are created and actively being used in Salesforce.)

Status	Definition	Related Salesforce queue, if applicable
-----	-----	-----
Raw	Untouched prospect, default status	Raw Queue
Inquiry	Action was taken by the record to specifically give their contact information to GitLab	Inquiry Queue
MQL	Marketing Qualified through systematic means	N/A, MQLs are owned by the XDR responsible for engaging and qualifying them

Accepted	Actively working to get in touch with the lead/contact	N/A, Accepted leads are owned by the XDR engaging and qualifying them
Qualifying	In 2-way conversation with lead/contact	N/A, Qualifying leads are owned by the XDR engaging and qualifying them
Qualified	SAO created & hand off to Sales team	N/A, Qualified leads represent leads that have been converted, most often to create an opportunity
Disqualified	Person has been disqualified from our sales cycle	Disqualified Queue
Recycle	Record is not ready for our services or buying conversation now, possibly later	Recycle Queue
Ineligible	All leads/contacts that are ineligible to go through the sales process after an initial review	Ineligible Queue

Note: Once a lead/contact is marked as Ineligible, the only way for the lead/contact to change status is a manual override by a team member with the correct permissions in Salesfoce or Marketo. Similarly, once a lead/contact enters Qualified status there is not an automation to allow for a different staus. A flow within Marketo will allow a lead/contact in Disqualified status to re-MQL under specific circumstances, but those circumstances are reliant on specific "requests for contact", like Hand Raise PQLs, Follow Up Requests or specific Contact Us form fills.

In addition to our statuses, there are substatus that are required for XDRs to use. The substates are in use for the following Statuses: Disqualified, Ineligilble, Recycle & Bad Data:

Disqualified
Competitor
Consultant
No Authority
Personal Use
Unsubscribe
No longer at company
Interested in CE only
Interested in GitLab.com only
Disqualified Account
Bad Data

Ineligible
JIHU
Support
Remote Inquiries
Community Contributors
Student
ECCN
Open Source Program
GitLab Employee or Candidate
Customer Success

Recycle

- | Doesn't see value |
- | Evaluating |
- | In current GL contract |
- | No Budget |
- | No interest |
- | No response |
- | Product limitation |
- | Staying with subversion option |
- | No data collected |
- | Recalled from Partner |
- | No Action |
- | Denied from Startups Program - Sales Dev to re-engage |

Bad Data Reason field on the lead and contact records if there is bad data on the lead/contact. If there is a bad phone number or email, please record as so in this field and reach out to the prospect using other methods. If there is both a bad phone number and a bad email, please move the prospect to Disqualified - Bad Data.

- | Bad Data Reasons |
- |---- |
- |Bad phone number |
- |Bounced email |
- |Invalid email |
- |Spam |

Lifecycle Classifications

We have 6 fields on the lead and contact that's purpose is to represent where the person is in their journey with GitLab.

Field Name	Definition
Unknown	This person has not matched with any accounts and is not a GitLab user
User	This person is a GitLab User
Prospect Hierarchy	This person has matched with an account that has first order available
Customer Hierarchy Account	This person has matched with an account that is a customer in their account hierarchy
Former Customer Account	This person has matched with an account that is a former customer
Partner Managed	This person is currently being managed by a partner

The fields are formula fields and have three possible options - True, False or -, - means that we don't have enough information to say if the field is true or false so it will stay in - until the information becomes available. More information to come on how to leverage these fields.

What happens to a lead when the lead owner is offboarded?

In an effort to ensure that leads are not owned by inactive users in Salesforce, leads will be reassigned to either new owners or queues based on the lead's status. The following table describes where a lead is reassigned when it's owner moves into a new role or leaves the

company.

Lead Status	New Owner Assignment
Raw	Raw Queue
Inquiry	Inquiry Queue
Recycle	Recycle Queue
Disqualified	Disqualified Queue
Ineligible	Ineligible Queue
Qualifying or Qualified	Inactive User Queue
Accepted	Lead status is updated to Recycle, No Response and moved to Recycle Queue
MQL (before 2023/02/01)	Lead status is updated to Recycle, No Response and moved to Recycle Queue
MQL (on or after 2023/02/01)	BDR Assigned if the matched account is Actively Working. Otherwise, the lead will route to the round robin pool based on Geo

SECTION: marketing/marketing-operations/learning.md

At GitLab, we know how important it is to leverage the right Marketing technologies and tools to support marketing campaigns and generate sales opportunities. The tools can only do so much, it's up to the Marketing Operations and team to drive the strategic direction and adoption to maximize the results and impact.

To do so, we need to embrace continuous learning to stay on top of industry trends and best practices. This handbook page updated quarterly will be your main source of resources for all things Marketing Operations.

The Mops team holds a weekly "show and tell" on the internal team call. To see upcoming schedule or previous recordings, visit this sheet (internal only).

What is Marketing Operations?

Defined by Gartner, "Marketing Operations is the function of overseeing an organization's marketing program, campaign planning and annual strategic planning activities. Other responsibilities include technology and performance measurement and reporting and data analytics."

- Marketo - The definitive guide to marketing operations (MOps)
- Zapier - The ultimate guide to Marketing Operations
- MarTech - What is Marketing Operations and who are MOps professionals?

· Hot Topics

Last updated: June 2024

Marketing Trends in 2024

- · OpenView - B2B Marketing in 2024: 8 Trends That Are Changing the Game and What They Mean

for Your Business

- · Search Engine Trend - 2024 B2B trends: 6 key areas for marketing success

Marketing Technology

- · MarTech - 7 steps to make sure you're getting everything from your marketing software
- · A Team - Marketing Technology Trends to Watch in 2024

AI

- · Marketing Dive - How AI's legal risks are challenging marketers
- · Gartner - Marketing AI: Forge the Future of Smart Marketing

Sales and Marketing Alignment

- · Traction Complete featuring GitLab's Gillian Murphy, Manager, Marketing Operations - MOps: How to align sales & boost SLA performance

AntiCon London 2024 Takeaways

Introductions

1. The velocity at which new AI marketing tools are launching is exponential in comparison to business organizations.
1. We are going to continue to see tools embed new AI functionalities to their solutions. AI will disrupt the marketing technology landscape, but it's here to stay. We will see pioneers of AI gain technological and organizational benefits.
1. AI will empower experts to create more complex outputs without deep technical expertise.

Main Takeaways

1. Tread carefully with AI, but also be keen to embrace it. The control that needs to be in place and the trust that can be lost if it goes wrong.
1. When everyone uses GenAI, we all lose the authenticity, and blend into the sea of sameness. Focus on human creativity and storytelling.
1. GenAI heavily relies on datasets to generate accurate outputs. However, collections and utilization of data raises significant privacy and ethical concerns. Be transparent with the users on how their data is handled and whether the data is AI generated.
1. Accuracy of AI will play in effect once a model becomes more trained. AI can have bias based data the algorithm is built from and will reflect in the output of the data. Always have a human in the loop of AI.

How to Start Using AI

1. Start with the challenge and chances are there's an AI solution to solve that problem.
1. Start small, scale gradually and experiment with AI in a very controlled environment.
1. Current platforms already have AI features embedded in it, but we aren't taking advantage of it. Lean on your partner and other resources to stay updated on AI.
1. Seek for opportunities to use AI to enhance productivity by handling repetitive tasks.
1. Build a Governance team to create a guidance that reviews the bias, how it's used and where

it goes (privacy). Involve cross-functional teams sales, marketing, and IT to ensure successful AI adoption.

1. Set up a 3-step AI adoption plan when using GenAI

1. Post and edit

1. Human oversight

1. Fully AI generated

Specific AI Use Case for Marketing Ops (They used PowerAutomate)

1. Normalize data with picklist values ie. country name. AI categorizes countries against picklist, normalizes the country value and matches to regions.

1. Categorize job title into job functions. Not all Directors and Managers are equal, so interpret the job title, seniority and fit in a company.

1. Extract activities to generate sales summaries by joining the interesting moment into one field (not as applicable to us)

1. Recommend content through the live chat to personalize call to action. Track their downloads and history to offer unread content.

1. Review static leads and opportunities without any activity, and set up flows for communicate to the lead and provide awareness of the sales and marketing team.

· Career Development

- · MarketingOps - 5 Steps to Take Your Junior Marketing Ops Team from Zero to MCE

- · OpsCast - How to continuously learn and grow in Marketing Ops

- · LXA - Five tips to skyrocket your Marketing Ops career

- · Madkudu - Defining Your Marketing Ops Career Path - Consulting and In-House

- · GitLab - Marketing Operations Career Path - Job Families

Marketo

- · Adobe - Advance Your Career: Adobe Marketo Engage Certifications

- · Adobe - What \$2 & a Dream Will Get You: Pushing Your Career Forward

SECTION: marketing/marketing-operations/list-import.md

Video Explanation of list upload process

Video Explanation of list upload process (internal)

Field event list uploads are to be done before any kind of follow up or outreach is done so we can ensure proper order of operations & attribution is given correctly.

There are a few ways to import records into the database:

| Import Method | SLA | Submission Instructions | Operations Instructions |

| :----- | :-- | :----- | :----- |

| Zoominfo w/in SFDC | self-managed | Instruction video how to do this can be found in the handbook | Not applicable |

| csv file | Accepted by OPS - 24 business hours

Upload to SFDC - up to 5 business days
| Use MktgOPS general list import request template, format as a Google Sheet (Gsheet) & place link to Gsheet in issue

Written Instructions how to use template | Ad Hoc Upload |
| List from Field Event, Sponsorship or Advertising | Accepted & uploaded by OPS - 24 business hours | Use MktgOPS event clean and upload issue template, format and clean csv per instruction & place link to Gsheet in issue

Written Instructions how to use template | Field Event Upload

Alliance Event Upload |

Import Methods and their SLA

The SLA for each import method has been decided based on the perceived optimal response time. The turnaround time for an Event, Sponsorship and or Advertising list upload is deemed a high priority due to the nature of necessary SDR outreach on "warm" prospects. If a list of prospects cannot be considered "warm", please expect a turnaround time of the listed 5 day SLA and use the appropriate template.

If a last minute request, please open issue any way and ASK for a faster turnaround or ping OPS in mktgops slack channel to discuss options

Import Cleaning Template - Info for Pre-MktgOps Hand-off

- Please utilize the Google Sheet included in the event list upload and general list upload issue templates. This spreadsheet template allows for quick edits and faster data checks, such as:

- Capitalizing First name and Last name
- Highlighting last names that appear more than once in green for faster duplicate detection
- Highlighting duplicate emails and GitLab emails in red
- Labeling possibly erroneous emails as FALSE. Be advised, this does not work for all email domains
- Highlighting when self or GitLab are listed as Company Name in red
- Converting State abbreviations from Canada and the US into full names
- Highlighting when Country names match with each other in green for faster typo detection
- Be aware that any changes to the spreadsheet layout may affect the built-in formulas. Consults MktgOps before making changes
- Columns highlighted in teal are considered Required Data and not including this data is grounds for refusal

DO NOT MAKE CHANGES TO THE ORIGINAL SPREADSHEET OR INPUT DATA INTO IT. MAKE A COMMENT INDICATED IN THE LIST UPLOAD ISSUE TEMPLATE

The following data cleanup is required for any list prior to sending it to the Marketing Operations team. If your spreadsheet/data does not meet these guidelines it will be returned to you to fix prior to being uploaded.

- It is the responsibility of the person submitting the list to clean the list utilizing the import cleaning template
- All fields are separated into their own column
 - Person name separated into two columns - First Name Last Name
 - Duplicates must be reviewed and reduced
 - Address separated into individual fields (Street, City, State/Province, Zip/Postal Code,

Country)

- Country that are not United States, Australia or Canada must have State field deleted or cleared as it will create conflicts and will not sync to SFDC
- Please use the correct member statuses based on the definitions and type here. They must be exact matches, no abbreviations.
- Preferred format for Marketo upload is .csv, but will accept an .xls, or .xlsx. Provide as Google Sheet in the upload issue. DO NOT upload the file directly on the issue. Uploading files to the issue exposes ALL collected personal data to the internet and opens GitLab up to litigation
- Record ownership will be assigned using established lead routing, which is controlled by Traction Complete
- In order to mark leads as Opt-in = TRUE, a record of the terms and conditions the leads agreed to upon having their data collected must be recorded. Check the terms of service wording has been recorded in the upload issue before opting in leads to receive marketing communications. No ToS, no Opt-in. Period. To find the appropriate language, refer to Marketing Rules and Consent Language
- If there are any records who have opted out of contact for any reason, define that on the spreadsheet by selecting Opt-in = FALSE
- Leave Opt-In empty if no other option is available

Steps (also documented in How it Works tab of the spreadsheet):

1. Use the "Lead Data for upload" tab to drop your relevant data into the matching blue columns in the left-most rows (i.e. copy the column in your file for "First Name" and paste it in the column "First Name"). This tab will remain locked and untouched by MktgOps as they will Duplicate into a new tab for additional cleaning
1. Do not alter any rows or columns with the green column headers. These contain formulas that will reference your inputs under the blue column headers and provide you with proper capitalization (see clarifications below for more detail), as well as data entry that is acceptable for Marketo/Salesforce, and check the syntax of the email provided by your event organizer.
1. Check for any ""warnings"" highlighted in red in the blue columns and erroneous emails marked as FALSE in the green columns - if there are none, you are good to go! (If there are highlighted cells, follow the instructions in the Warning Handling steps below. Correct the errors and then proceed.)
1. Copy the data found under the green header and PASTE > VALUES into the blue header section of the spreadsheet. Erase the green header section after the formatted data has been copied over
1. Rename the spreadsheet to match the campaign tag name
1. Give edit access of the spreadsheet to the relevant MktgOps member
1. Post a link to the spreadsheet in the list upload issue
1. Apply the ~"List Upload: Ready" label to the issue

Error Handling:

- Email Syntax: If the syntax of the email is not met (meaning it includes @ and a relevant ending such as .com or .co.uk or .io) it will be listed as FALSE under the green column headers and the email can be updated to make it ready for upload. Note that Google Sheets does not understand all email domains, such as .mil or .us, and those can be ignored
- GitLab emails: If the person has @gitlab in their email address, they will be highlighted in

red under the blue column header and should be removed

- Duplicate Records: If the person is a duplicate based on email address, they will appear red under the blue column header, and should be removed from the list.

Best Practices

1. Remove inaccurate entries

- Job Title remove "self", "me", "n/a", etc
- Phone remove obvious junk numbers 0000000000, 1234567890, etc
- State should be empty unless country equals United States or Canada

1. Blank fields are better than junk data. We have enrichment tools that are designed to write to blank fields. Also we can run reports on the blank fields to find where our data gaps are.

1. If you do not have a CONTACT Phone do not substitute the ACCOUNT Phone and vice versa. Leave it blank.

1. Sort spreadsheet by Email Address and remove duplicates.

1. Only lead records from authorized sources -- meaning sources have legally obtained lead record data-- will be flagged as Opted-in. No exceptions

- Pulling list of names out of LinkedIn and importing the records into SFDC does not qualify as compliant. In EMEA these lists will not be uploaded

- Field events that have not gained consent from the attendees that their name will be shared are not compliant.

- Agreements to be contacted must explicitly state the individual has opted-in to receive communication and cannot leave room for nuance

- Getting someone's name and/or business card from a meetup does not qualify as compliant.

1. Remove all embargoed country records.

1. Washington DC is a State value and is not to be split up between City State.

1. Zip Codes contain five (5) numbers, States in US East may start with a 0, make sure the Zip/Postal Code field is plain text and the leading 0 appears.

1. Member Statuses must match exactly to the program type and member status listed.

1. If list contains non-Latin characters (ex. Asian languages), it must be uploaded to Marketo using UTF-8 and UTF-16. Marketo instructions [here](#). Salesforce Data Loader requires UTF-8 encoding, instructions [here](#).

1. If there are notes added to the Last Event Notes column, add the SFDC campaign name to the column titled Last Event SFDC Campaign Name for each lead that has notes. If there are no notes for that lead, do not add anything to either column. This column is used to automatically move notes to the Qualification Notes field found on lead and contact pages in Salesforce. That field is not overridden like the Last Event Notes field and it's where we can keep the notes for much longer.

1. MktgOps reserves the right to remove irrelevant notes from the spreadsheet. Only upload important notes and please make sure they are cohesive.

Notes at the record level

We strive to gather as many notes as possible about each person who stops by the GitLab booth and talks with us. In an effort to speed up our list upload process, when notes are present, the campaign member status should ALWAYS be Follow Up Requested. The FMM no longer needs to read through the notes and make a judgement call on the status. If there are notes, campaign member status should ALWAYS be Follow Up Requested.

With a record marked as Follow Up Requested, this will score the record with 100pts, as noted

here, which will then in turn show up in the Sales Dev's team P1 (Priority 1) view. The Sales Dev team is happy to have potential irrelevant records routed to them in an effort to speed up the records getting to them.

It's also super important that if there are notes, the notes are clear to someone who both was onsite and those who were not. Think to yourself, if someone was not there onsite, will they know what action to take as a result of these notes?

Required Data and Recommended Data

- For all uploads, there is mandatory data required for a successful upload. At a minimum, the following data must appear on the spreadsheet and without this data an upload can be refused by MktgOps:

- First Name
- Last Name
- Company Name
- Email Address
- Country
- State (United States and Canada only)
- Campaign Member Status
- Opt-In status: True, False, or leave blank (determines if leads are legally signed up for GitLab's marketing emails)

- Additionally, there is data required for leads to be successfully routed to SDRs. While this information is not mandatory, it is strongly preferred. GitLab employs tools that enrich leads and Accounts, but those tools are not guaranteed to work, so if the data can be found at the source it is preferred. Lastly, while it is less likely to have an upload refused due to missing this data, missing this data is still considered grounds for refusal by the MktgOps team. The recommended information is as follows:

- Employee Bucket or Number of Employees
 - GitLab's segmentation standard for Employees Bucket includes the following groups: 1-99, 100-499, 500-1,999, 2,000-9,999 and 10,000+.
 - You can also enter an integer in for Num Employees and this will automatically update the Employees Bucket field if blank.

Partner Lead Imports

If this import is part of a Channel or Alliance marketing campaign, you must include the CRM Partner ID as a column in your list upload. You can find a list of these IDs [here](#)

If the lead is not associated to a partner, leave that field blank.

Campaign Templates - Info for Post-MktgOps Hand-off

At time of upload, a campaign should already exist in Marketo. Campaigns are to be created by the campaign owner. For a running list of campaign templates, go [here](#).

Upload Process

In order to assure proper attribution of MQL Scoring and Last Interesting Moments, perform the following checks before any uploads occur:

- If a campaign does not exist, tag the Campaign Owner on the campaign epic or upload issue to ask for campaign creation
- Check that the campaign's tokens are filled in, which are found under the My Tokens tab in the main campaign
 - Tokens are used via Smart Campaigns to apply Last Interesting Moments to all leads whom appear in the campaign. The minimum tokens that should be used relate to the campaign's Event Name, Event Date and Landing Page URL. Without these filled out, Last Interesting Moments will fill in permanently blank
- Review the components of the campaign. The needed components include:
 - Static List(s) in which to load lead list(s). The static list(s) should be renamed to resemble the program name. Depending on the campaign template, there may be more than one static list available. Some templates have been automated in a way that will fully launch relevant Smart Campaigns to append all relevant data, including Campaign Member Statuses and other important fields
 - Smart List for finding loading errors, or leads Marketo perceives as duplicates. If the Smart List list is not present, create a Smart List with the following filters: Member of Program = current program name and SFDC Created Date = is empty
 - Smart Campaign that triggers a flow when leads are added to the campaign's static list(s). This flow should set to append data to all of the following fields if the fields are empty ONLY: Acquisition Program and Person Source (same as Initial Source in SFDC). This Smart Campaign should end with a Wait 5 Minutes followed by Change Program Status: Registered -> No Show
 - Smart Campaign to add an Interesting Moment. Check there are enough triggers and flows to activate for each Campaign Member Status that appears on the list. Usually these include, but are not limited to: Attended, Attended On-Demand, Visited Booth and No Show. A general rule is to not include Registered, Sales Nominated or Marketing Nominated. The previously mentioned tokens will be used to apply the full event data of the Interesting Moments to the leads. Depending on the template, sometimes this Smart Campaign and the previously mentioned campaign are one and the same

Best Practices and Procedure

1. Remove all unnecessary data from Job Title, Company, Names and Locations columns, such as punctuation, self, etc, from the Google sheet before uploading. Check for any remaining duplicates and missing Required Data, pinging the campaign owner to fix, as needed
1. Only allow Opt-in=TRUE if the agreement to be contacted has been recorded in the list upload issue. Leave blank otherwise
1. Sort list by Campaign Member Status and then divide the whole list into separate tabs for the different statuses, eg. Attended, Registered/No Show, etc
1. Download the .csv file of the tabs to desktop
1. Load the corresponding .csv file to the corresponding static list and match up the fields on upload. These fields should mostly match automatically
 - If there is only one static list for the program, change the Campaign Member Statuses for each uploaded list before uploading the next. If all leads were uploaded at once and this is not possible, create a Smart List and filter by Email Address as a way to distinguish and change to the correct statuses
1. Always load No Show leads as Registered before setting them to No Show. Otherwise, they will not receive MQL scores. Check if a Smart Campaign changes the status to No Show before finalizing and if not, switch status from Registered to No Show
1. Depending on how the template has been set up, the remaining steps of appending data could

be automated. If it is not, be sure to append the data listed above to the proper fields

1. After all steps of the needed Smart Campaigns have ran, including the often automated Program Status: Registered -> No Show, turn off the activated Smart Campaigns by "unscheduling" them

1. Check the Loading Errors smart list for any potential lead loading errors.

- Check the Person Details on any leads that show up on the smart list and correct the error. If Marketo indicates a duplicate, change the name on the lead by adding random but easily identifiable characters to the last name and manually force the lead to sync with SFDC. Find the lead in SFDC and merge it with the pre-existing duplicate. If there is a differing email address between the records, add the new email address as a secondary email. Add to SFDC campaign with the appropriate Campaign Member Status, if necessary

1. Once the Marketo --> Salesforce sync has completed, use the Upload checking template - do not erase lead view to check data has been applied correctly, scoring has occurred and leads have routed. Plug the campaign tag, or Marketo program name, into the lead view's campaign name field to view leads as a list

1. Ensure the number of leads present in the Salesforce campaign matches the total number of leads from the original spreadsheet

1. Announce the upload in either the eventlistupload or pub-sector-isr Slack channels, depending on the campaign's intended Sub-Region. Include Region labels for private sector posts

1. After verified completion of all tasks, remove ~"List Upload: Ready" label and notify in the issue of upload completion. Adjust the "MktgOps" label and apply a milestone

1. Close list upload issue

Operational uploads

In the event that a manual upload needs to occur for operational needs:

- Use a current or create a new program or smart list within the Non-Event List Loads folder

- If creating a new program or smart list, start by making a new, appropriately named sub-folder under the Non-Event List Loads folder

- Create a new program or smart list within the appropriate folder by right clicking the correct folder

- If creating a new program, select the correct Channel for the task. For most non-event uploads, Operational should work

- Some notable Operational programs already in place are listed below with links. This section will be updated on a needed basis:

- Opt-Outs

Trusted vs Non-Trusted Imports

In Marketo there is a an option to choose trusted or non-trusted sources. Non-trusted sources are for list uploads that we are not confident in the data points given to us. For example, if we are loading a list with inferred country data from IP, we do not want it to overwrite our current location data that is more accurate. Blocking updates allows for a field to be updated if blank, but will not overwrite a field that already has a value.

Here is the list of fields that are blocked during a non-trusted import. If you would like to add more fields, please file an issue with the mops team.

- First Name

- Last Name
- Company
- Country
- City
- State
- Postal Code

SECTION: marketing/marketing-operations/litmus.md

Uses

Litmus is email marketing software used primarily by lifecycle marketing to build, test, and optimize our email marketing programs.

Access and access requests

We currently have an Enterprise subscription. This provides 5 Admin, Full, Code editor, or Content editor users provisioned to the account. Reviewer and Proof reviewer users are unlimited.

To request access to Litmus, follow the AR process. Be sure to indicate the role you are requesting in your AR.

Please note that if you are requesting Proof reviewer access, no AR is required. You will be added automatically when you are requested to review a proof.

Roles

For a full description of user types, please visit the Litmus documentation.

Litmus Analytics

This section requires an update. Working with Litmus CSM to complete this process.

In order to avoid collecting PII data while using Litmus Analytics, please follow the instructions below to add the tracking script to your email in Marketo:

1. Select Other as your ESP.
1. For the merge tag field, use {{lead.Id}}.

Steps to test an email

1. Once your email is built in Marketo, send a sample into the Litmus email testing address. You can find this in Litmus once you're logged in under "Send in your email".
1. Your email should show up within a few minutes with the "TEST:" and the subject line from Marketo, your name, and the date it updated. If it doesn't show up, send your email in again.
1. Hover over the name of the email and select "Previews & QA" to see the visuals of the email. Select full length to see the entire preview for each email.

Optional: select "Sort by: Popularity - Your audience" or "Sort by: Popularity - Overall".

Be sure to run any previews for "Recommended Clients" by clicking "Run & Add to list".

Be sure to double-check the previews for dark mode to ensure all elements to the email are visible and easy to read.

1. Check to ensure your subject line, from name, reply-to, and preview text are all recommended lengths and have a checkmark as their status.

1. Check your audits to ensure everything is "Passed".

1. Check the email links. They might show up as "x" in red, but if the links go to the right place, then they are working correctly.

1. Under image blocking, ensure all of your images have alt-text.

1. Ensure the loading speed of your email is at recommended levels

1. If there are any changes to your emails, make the changes in Marketo, then resend the email to Litmus.

1. Once your email is ready for preview, either send the samples to your QA reviewers or send a link to Litmus Proof using the steps below.

Litmus Proof

Our enterprise account provides access to Litmus Proof. This allows users to share emails for testing, commenting, and approval with an unlimited amount of reviewers.

Litmus provides extensive documentation of the feature in their help documentation.

Any Full or Admin user can create a Proof for review.

1. From the email, click the Proof tab

1. Select Share

1. Select existing users, or enter the email address of a new reviewer. If you enter an email address, this will invite the person as a Proof Reviewer and does not count towards our user count. The person will then be added to the account and will be available for selection from the list for future proofs.

1. You can enter a note, including due dates if you would like.

As a Proof reviewer, you will be notified via email that a proof is ready for your review.

Click on the link and the Proof page will open for you.

To review, click anywhere on the email and the comment section will open. You can also check the links in the email by clicking where the link should be and selecting Visit link. If you would like to leave a comment, click again and select Add comment instead. If the email is approved, click the green Approve button at the top of the page.

SECTION: marketing/marketing-operations/marketing-owned-provisioning.md

Marketing Owned Systems

Marketing Operations manages the majority of marketing-owned systems. These can be found on the Marketing Operations page under Tech Stack.

Instructions

Below are instructions and accompanying screenshots of how to provision new users within various marketing-owned systems.

LinkedIn Sales Navigator (LISN)

1. From the seat management tab of LISN, click the Assign seats from CRM button
1. Search for your desired user and click Assign
 1. You can search by name, email, or SFDC User ID

Some users are only given Reporting access. For these users you will provision them as above - then, once they have accepted the invite you will edit their user as follows:

1. Search for the user by name
1. Click the Edit drop-down on the right
1. Select the radio-button associated with their access level (Reporting-only)

Marketo

1. From the Marketo Admin panel > Admin > Security > Users & Roles, click the Invite New User button
1. Populate the new user's info and click Next
1. Select the checkboxes for the relevant permissions - hint: to know what permissions to assign, look at other provisioned users of the same title/role
1. Step 3: Message auto-generates a welcome message, all you have to do is click Send

Outreach

1. From Settings > Users within Outreach, select/search for the user you are provisioning
1. If the lock symbol is red that is a locked user and you must first unlock them: Click the three dots on the right > Unlock
1. To provision the user, click the three dots again > Send Claim Link

If the user you are provisioning does not show up in your search results, you can manually add them from Salesforce via an Import

1. Click the lightning bolt in the top right-hand corner
1. Choose Salesforce Load

1. From the pop-up, select User in the drop-down
 1. Search for the name, email, or SFDC User ID in the search menu and select your desired user
- > Import

SECTION: marketing/marketing-operations/marketing-technology-tiering-system.md

<link rel="stylesheet" type="text/css" href="/stylesheets/biztech.css" />

Purpose

The purpose of the Marketing Technology Tiering System is to support the Marketing organization in identifying and understanding the technology utilized across the department in order to build a best-in-class, integrated, and efficient marketing tech stack. Additionally, by classifying marketing technology into tiers, GitLab's Marketing Operations team will be in a better position to prioritize requests, provide support, and optimize processes.

Scope

The Marketing Technology Tiering System is applicable to any software, tool, or technology that is, at least partially, paid for by the Marketing department.

Tiers

There are four tiers of technology within the Marketing Technology Tiering System:

- Business Critical Technology - Tier 1
- Operational Technology - Tier 2
- Management Technology - Tier 3
- Functional Technology - Tier 4

Criteria Categories

Tools in the marketing tech stack are scored based on the following criteria:

| | Business criticality | Integrations | Risk |

|--|-----|-----|-----|

| High - 3 | Directly or indirectly affects revenue generation and/or marketing KPIs, requires constant availability for effective business operation. | Integrates with multiple other business critical systems in the marketing tech stack and/or requires custom or complex integrations to a single other system. | Disruption results in an immediate and significant impact on critical business functions or customer service; and/or legal implications. |

| Medium - 2 | Affects efficiency or cost of operation. | Integrates with one other business critical system in the marketing tech stack and/or does not require custom or complex integrations. | Disruption affects operational business functions, negatively impacting efficiency/cost of operation across departments or subteams. Workarounds are available in the short term. |

| Low - 1 | Affects GitLab team members on an individual basis. | Does not integrate with other business critical system in the marketing tech stack. | Affects GitLab team members at an

individual level (e.g. individual productivity). |

Scoring Methodology

The combined score of all three criteria categories determines a tool's tier:

- Score Range: 8-9 = Business Critical Technology - Tier 1
- Score Range: 5-7 = Operational Technology - Tier 2
- Score Range: 3-4 = Management Technology - Tier 3
- Not scored = Functional Technology - Tier 4

List of Tools by Tier

A list of tools in the marketing technology stack can be found [here](#).

Roles and Responsibilities

Every tool, regardless of tier, should have at least one business owner and at least one technical owner. All Business Critical Technology - Tier 1 tools will have a technical owner on the Marketing Operations team. Any Operational Technology - Tier 2 tool that scores a 3 in any of the criteria categories will have a technical owner on the Marketing Operations team. Operational Technology - Tier 2 tools that do not score a 3 in any of the criteria categories are responsible for identifying a technical owner within their function.

A member of the Marketing Operations team will be the technical owner for Management Technology - Tier 3. While these tools score lower in the criteria categories, they help support the broader Marketing department.

Functional Technology - Tier 4 tools are owned and managed within a specific function. Marketing Operations does not provide support (neither business nor technical) for these tools.

The SSoT for business owner and technical owner is the GitLab Tech Stack. Please note that we are currently updating the business and technical owners listed in the GitLab Tech Stack and there may be disparities. If you have questions during this update, please reach out in mktgops on Slack.

Business and Technical Owner Roles and Responsibilities

Area	Business Owner Responsibilities	Technical Owner Responsibilities
------	---------------------------------	----------------------------------

Business Outcomes	Understands and documents the desired business outcomes of using the tool and drives toward these outcomes in collaboration with stakeholders including the technical owner, vendor contacts, internal users, etc.	Builds and manages the processes (including integrating the tool with the rest of the tech stack) that drive toward the desired business outcomes, as defined by the business owner.
-------------------	--	--

User Management	N/A	Owns user management, which includes provisioning/deprovisioning and user audits.
-----------------	-----	---

Renewals	Initiates and manages the renewal process, including recommending new features, descoping, replacement, etc. Approves any changes in scope of the tool, including consideration of replacement.	
----------	---	--

Contact with vendor	Primary point of contact with vendor including facilitating standing syncs, business reviews, etc.	Point of contact to resolve bugs and technical issues.
Training and Enablement	Trains users on general best practices and use cases.	Trains users on technical processes. Owns documentation and governance.
Measurement and Benchmarking	Determines how success is measured.	Builds reports or enables business owner to create reports within the tool to help show success.
Optimizations	Stays up to date with product releases. Submits requests for optimizations.	Stays up to date with product releases. Scopes, approves, and project manages optimization requests.

Tier-Specific Expectations

| Area | Business Critical Technology - Tier 1 | Operational Technology - Tier 2 | Management Technology - Tier 3 | Functional Technology - Tier 4 |
 |-----|-----|-----|-----|
 | Budget | TBD | TBD | TBD | TBD |
 | Renewal timing | Renewal discussions should start 6 months before the contract expires. | Renewal discussions should start 4 months before the contract expires. | Renewal discussions should start 4 months before the contract expires. | Renewal discussions should start 4 months before the contract expires. |
 | Evaluation, Replacement, and Implementation | Require at least 6 months from evaluation to implementation.

 A member of the marketing operations team will be the DRI of the evaluation and implementation process. This person is typically the technical owner of the tool that is being replaced and will be the technical owner of the new tool. | Require at least 4 months from evaluation to implementation.

 The technical owner is the DRI of the evaluation and implementation. If the technical owner is not a member of the marketing operations team, a member of the marketing operations team will be involved in a consultative role, specifically as it relates to the rest of the marketing tech stack.

 Net-new Tier 2 tools and Tier 2 tool replacements require marketing operations approval. | Recommended at least 2 months from evaluation to implementation.

 The marketing operations team should be informed prior to any changes. | Recommended at least 2 months from evaluation to implementation. |
 | Support | All Tier 1 tools will have a technical owner on the marketing operations team who is the internal point person for technical support. The technical owner also works with the vendor to provide support when necessary.

 P0: The Marketing Operations team prioritizes technical support for Tier 1 tools. | P1: Marketing operations provides technical support and is the technical owner for any Tier 2 tool that receives a 3 on any of the criteria categories.

 Technical owners for Tier 2 tools that do not receive 3 in any of the criteria categories are typically also the business owner.

 P2: Marketing operations provides limited support to Tier 2 tools that do not receive 3 in any of the criteria categories. | P3: While Marketing Operations team members are the technical owner, they provide limited technical support for Tier 3 tools, due to the scope and nature of these tools. | Marketing operations does not provide support for Tier 4 tools. |

SECTION: marketing/marketing-operations/mql-sla.md

How do SLAs work?

The SLA functionality in Salesforce works by using the response timer functionality in Traction and a custom built flow in Salesforce. When a lead is in MQL status and assigned, Traction will begin a response timer. The Salesforce flow will also populate certain fields on the history log giving information about who is responsible for actioning the lead, how long it took to action, and if the SLA was 'Met' or 'Not Met'. Please note that it is important for a user's working hours and time zone be set appropriately in Traction in order for SLAs to report correctly for that user.

The fields on the history log that provide information on the SLA related to a lead are:

1. SLA Assigned - This is the name of the rep responsible for actioning the lead.
2. MQL SLA - Values are 'Met' and 'Not Met'.
3. SLA Time (Hr) - This is the time in business hours that it took the assigned rep to action the lead (in HH:MM:SS format)

Other fields that appear on the SLA reporting that provide insight into the lead are:

1. Timer Response Time in Seconds - This is the total time in seconds that it took to action the lead, regardless of inside or outside business hours.
2. Timer Response Time in Business Hours - This is the time in business hours, measured in seconds, that it took to action the lead. SLA Time (Hr) formats this field to a more useful HH:MM:SS format.
3. MQL Transfer Count - This field will tell you how many times a lead changes owner while in MQL status. It is important to note that the original assignment by Traction will count as the first transfer. This is an important field in the logic for the response timers in Traction to start and stop appropriately.

When a lead is actioned, Traction will stop the response timer and potentially start another depending on what action is taken. When a lead changes status from MQL to any of Accepted, Qualifying, Qualified, Disqualified, Ineligible, or Recycle, the response timer will stop and the SLA reporting will show who actioned the lead, how long it took, and if the SLA was met or not met. If there is only one response timer it tells you that the status was changed.

When there are multiple response timers listed for one lead it is because the owner was changed while the lead was in MQL status. The reporting will show who the owner was that changed the lead owner and who the new owner is. It will also show how long it took the original owner to change the lead owner. Lastly, a new response timer will start, meaning the new owner now has 2 business hours to action the lead. Another way to see if there was a lead owner change is to check the MQL Transfer Count field.

SLA Reports

There are a total of 4 reports to view related to SLAs, two for leads and two for contacts. There is a report for both leads and contacts grouped by Sales/Business Development Reps and another for both leads and contacts grouped by the lead/contact.

Here is a video that illustrates the lead reports (contact reporting functions the same) and how the SLA functionality works as a whole with an example lead.

<https://gitlab.zoom.us/rec/share/8uiy8D2TQNzeNMeLyG3zPwmQnABeBTewTkMMWOs8JhURsCXFkAQ58>

uWpO7.ROQmX1uYK7ZFRWnj?startTime=1732037940000

Traction Response Timer Settings

For leads there will be a total of ten response timers. This means a lead can MQL or be transferred while in MQL status up to ten times over the life of the lead with a SLA being recorded.

The start and stop criteria for lead timers are as follows:

Timer 1 - Start:

1. Date of Last Completion = Is Changed
 2. Status = MQL
 3. MQL Transfer Count = 1
- Logic: (1 AND 2 AND 3)

Timer 1 - Stop:

1. Status = Accepted
2. Status = Qualifying
3. Status = Qualified
4. Status = Recycle
5. Status = Disqualified
6. Status = Ineligible
7. Owner ID = Is Changed
8. MQL Transfer Count = 2

Logic: 1 OR 2 OR 3 OR 4 OR 5 OR 6 OR (7 AND 8)

Timers 2 through 10 follow the same filters and logic with a corresponding MQL Transfer Count value.

Contacts will have a total of four response timers due to the nature of leads reaching MQL status and changing owners less often.

The filters and logic for the contact timers are as follows:

Timer 1 - Start:

1. Status = MQL

Timer 1 - Stop:

1. Status = Accepted
2. Status = Qualifying
3. Status = Qualified
4. Status = Recycle
5. Status = Disqualified
6. Status = Ineligible

7. MQL Transfer Count = 2

Logic: 1 OR 2 OR 3 OR 4 OR 5 OR 6 OR 7

Note that subsequent timer start criteria will have a MQL Transfer Count value to correspond.

Other considerations when looking at SLA reporting

If you are looking at SLA reporting and you notice leads that do not have values for `·Timer Response Time·` and `·Timer Response Time in Business Hours·` it is because that lead is in MQL status waiting to be actioned.

If there is a value in `·Timer Response Time·` but `·Timer Response Time in Business Hours·` has a value of `·0·`, which will make SLA Time (Hr) equal to `·00:00:00·` AND MQL SLA equals `·Met·` then it means that the MQL was assigned and actioned completely outside business hours for that rep.

If you notice that there are different values for `·Timer Response Time·` and `·Timer Response Time in Business Hours·` it indicates that a lead was assigned outside business hours and action was taken within business hours. This will likely be a common occurrence on the SLA reports.

SECTION: marketing/marketing-operations/qualified.md

Overview

Qualified allows Sales Development Reps to have live conversations with visitors on the about.gitlab.com site. Reps can see which accounts are viewing the site, their propensity to buy and choose to engage in a conversation or wait for the visitor to reach out through the automated chat bot.

SDR Use Case

SDRs (inbound reps) will be routed chats of visitors who have requested to chat with a human while having a conversation with our AI Rep. These leads are first order available and not associated with an "Actively Working" account. They will route via round robin pools based on the account or visitor's geography. Once a chat is routed the rep will qualify the lead and determine if a meeting needs to be booked for a discovery call. SDRs can create and update the Salesforce lead record with information gathered during the chat. Reps can also send their calendar to the visitor to book a meeting directly from the Qualified platform.

BDR Use Case

BDRs (outbound reps) will be routed conversations from visitors who request to chat with a human while speaking with our AI Rep associated with "Actively Working" accounts they are assigned to. BDRs will also have the ability to initiate a conversation with a site visitor from an "Actively Working" account. Once a chat is routed the rep will qualify the lead and determine if a meeting needs to be booked for a discovery call. BDRs can create and update the Salesforce lead record with information gathered during the chat. Reps can also send their calendar to the visitor to book a meeting directly from the Qualified platform.

Experiences

Experiences are what the site visitor sees when they are browsing the site. It appears as a chat box in the bottom right corner of the web page. Visitors can choose to engage with the experience to help them navigate the site, book a meeting with a sales development rep or choose "Just Browsing" and close the experience.

We now offer experiences in English, French, German, and Japanese. Experiences in these languages match the language of the site being viewed. For example, the French experiences show on pages that contain /fr-fr.

Have questions about the experiences on the website? Please reach out to us in the mktgops Slack channel.

To request a new experience please use this issue template in the Marketing Operations project.

Routing

Routing rules are set up in Qualified to send a visitor to the most appropriate rep to handle the conversation.

- A visitor that is existing in our CRM and being Actively Sequenced, they will be routed to the sequencing rep.
- A visitor that is identified as being associated to a US PubSec account will be routed to the BDR Assigned on that account. If no BDR Assigned is present on the account they will be round robin to the PubSec team.
- A visitor that is identified to be associated with an Actively Working account will be routed to the BDR Assigned on that account. If the rep is not available, the visitor will be routed to the inbound SDR team based on Geo to further qualify the lead. Once routed to an SDR, ownership of the lead will be determined by our standard Rules of Engagement.
- A visitor who interacts with one of our non-English experiences will be routed to the team member or members who speak the appropriate language.
- A visitor that is not being sequenced, not PubSec, and not part of an Actively Working account will be routed to the appropriate Geo based SDR round robin pool.

If you feel you have been routed a conversation or visitor in error please post a link to the lead/conversation in the mktgops Slack channel.

Signals

Signals data is a collection of custom fields added to the Account object, reports, and dashboard components in Salesforce to showcase Signals data for your organization. The Signals Account 360 is a robust account profile that presents an account's engagement with your campaigns and their likely purchase intent over time. Sales reps and executives alike can view the Signals Account 360 to identify which accounts and opportunities are most likely to close.

Integrations

Qualified is currently integrated with Salesforce, Outreach, and 6sense. Information on each integration is below.

Salesforce

The Qualified/Salesforce integration allows reps to create and update lead records from the Qualified platform and update contact records. Because Qualified is integrated with Salesforce reps can easily see information from the SFDC record directly in the Qualified platform while chatting. It also allows for the ability to map any field from the lead/contact record to Qualified to give reps pertinent information.

6sense

Qualified offers an integration with 6sense to help you pull in firmographic information about the website visitors from the start. Using 6sense's reverse IP lookup, you can quickly see where the visitor is coming from, their company information, segments they belong to, and insights for their product lines.

Zoom

A seamless integration with Zoom is coming shortly. Until then, reps can either:

1. Input their personal meeting link in the section Calendar -> Meeting details -> Enter your own meeting details and their meeting link will appear in the calendar invite.

OR

2. Manually open the calendar invite in Google calendar and click Add video conferencing details to add a unique Zoom link.

Marketo

While Qualified can create/edit person records, leads are typically created in SFDC first. Marketo utilizes triggers from SFDC activity or campaign membership for Interesting Moments and scoring for Qualified actions.

Qualified also has an integration to view a program in Marketo, within Qualified. We have hundreds of programs, so to reduce visibility, we created a program tag type UsedWithQualified = True to surface the program to Marketo. You can do this in Marketo's individual program settings under setup. This tag is not required, so despite having a false value, you can simply not use it if you do not want to surface the program to Qualified.

Performance Measurement

The Rep Performance Dashboard helps you understand the metrics that mean the most to your success including:

- Visitor sessions routed to reps for pouncing (proactive engagement)
- Successful pounce conversations
- Visitor sessions where a visitor waited for a rep to join the chat
- When reps were available throughout the day
- Visitor sessions that waited for a chat and had a successful conversation with a rep
- Visitor sessions that waited for a chat and had no conversation

- Total rep availability

Qualified AI SDR

Qualified has an AI offering that they call "Piper". We have chosen to name our AI SDR "GitLab AI Rep". The GitLab AI Rep has the ability to have conversations with website visitors when human reps are not available. This gives us the ability to provide a better visitor experience on the website by easily answering visitor questions, qualifying visitors and booking meetings with human reps 24/7.

The GitLab AI Rep is enabled to respond to site visitor chat requests. There are two paths a visitor can take when they engage with the chat. "Connect with us" indicates a high intent visitor. They will be qualified by providing a business email and AI will begin the conversation with the visitor. The AI rep will continue the conversation and look for behavior that will trigger one of its goals. Those goals are to Book a Meeting, Route to a Rep, or provide Support related information. "I have a question" indicates a lower intent visitor. The visitor will not need to provide an email immediately. AI will jump in to handle the conversation. As the conversation continues, AI will monitor for any indication that a goal is met and one of the actions above should be triggered. If a goal is triggered, an email will be collected and the appropriate action will be performed.

All aspects of how the GitLab AI Rep behaves is controlled in the "AI Studio" on the admin side of Qualified. The "Content" section is where the GitLab AI Rep has indexed the GitLab marketing site, GitLab documentation, and other GitLab resources to be able to converse with and answer visitor questions live. The goals of the AI Rep are to either connect the visitor to a human rep (if one becomes available) or to book a meeting with a human rep.

We have set certain rules of engagement for the AI Rep to follow which include:

1. Never discussing special pricing or promotions
2. Always directing visitors looking for support to <https://about.gitlab.com/support/>
3. Never direct visitors to the demo or contact us page (we want these visitors to meet with a human)
4. Always make GitLab the better choice when making comparisons

The "Scorecard" and "Inbox" sections of the AI Studio is where we have control over how the GitLab AI Rep will answer specific questions. Here is where we can insert our own commonly asked questions and see how AI will respond. We can accept AI's response, tweak it, or tell it exactly what we want to certain questions. As visitors ask question they will appear in the "Inbox" we can move the most common ones to the "Scorecard" to rate.

AI Rep Rollback Plan

If there is a need to turn off the GitLab AI Rep, we have build the experiences in a way to easily switch off AI and switch on a traditional experience.

In the Qualified admin settings, navigate to Experiences and select Automatic. Beginning at experiences 48 and 49 you will start to see duplicate experience titles with one having AI added to the end. For example [EN] Page - Solutions - Mobile and [EN] Page - Solutions - Mobile - AI. If the GitLab AI Rep needs to be turned off you will need to go down the experience

list, switch off each experience that ends in AI and switch on the corresponding experience without AI.

Qualified AI Email

Beginning in FY26 Q1 we will be testing Qualified's AI email functionality. Our test includes two use cases.

1. Visitors to the GitLab marketing site who are offered to book a meeting through the Qualified chat and who fail to book that meeting. AI will follow up via email to attempt to re-capture that meeting booking on behalf of the Sales Development rep whose calendar was shown. These leads and contacts will MQL as usual since they have shown enough intent to either explicitly request a meeting or trigger an AI goal to offer a meeting. Once AI reaches out via email the record will move to Accepted status and on to either Recycle or Qualifying depending on the outcome of the email campaign.
2. Leads and contacts added to specific content syndication campaigns. These will be earlier in the funnel prospects in an attempt to raise interest earlier and more quickly. The status of these records in Salesforce will not be updated. Rather we will indicate that these leads are being reached out to by AI with a checkbox on the record. Once the AI email campaign is over, the box will uncheck and the record will continue its normal lifecycle. The record will need to be routed to a Sales Development rep and if there is a response they will be able to respond back via email and disposition the lead appropriately.

Qualified AI Email Rollback Plan

Just like the AI chat rollback plan, in the Settings section of Qualified an Admin will be able to select Email Campaigns in the AI section of the left navigation bar. You will see the various campaigns that are running and the Admin can switch off the campaign by clicking into the campaign and in the top right corner selecting Off.

AI Rep Support

Have questions about the GitLab AI Rep on the website? Please reach out to us in the mktgops Slack channel. We also have an external Slack channel with our Qualified support team.