

ck to "Sending to Partner" to reshare the prospect.

1. Recall: Indicates the prospect is being recalled by the MFG. This is set by the MFG in SFDC. When the system syncs this will remove the prospect from the resellers view. It will also clear out the assignment fields and sync ID making the prospect ready to be shared with a different reseller.

a. Note: There is no alert or notification to a reseller when a prospect is recalled.

Partner Prospect Status

The Partner Prospect Status is updated by the partner and identifies the status of the lead as the partner works it through the sales process. Partners see this field as Status.

1. Qualifying: Indicates the reseller is working on the lead. Note: This status is initially set by the MFG when sharing the prospect. It is visible to both the MFG and the reseller. The prospect remains in qualifying until updated by the reseller.

1. Qualified: Indicates the reseller has engaged the prospect and determined there is a valid opportunity. The status is automatically updated in SFDC.

1. Disqualified: Indicates the reseller has determined the prospect is not a valid opportunity. The status is automatically updated in SFDC.

1. Converted to DR: Indicates the reseller has converted the prospect to a deal.

Vartopia Partner Account

Vartopia Partner Account is a lookup field based on the Account ID (18) in Salesforce. This field shows the partner account in which the lead is associated with via Vartopia.

Vartopia Timestamps

1. [Vartopia] Created Date - this field is used to collect a time and date the partner lead is created in Vartopia. This is when Prospect Share Status = Pending.

2. [Vartopia] Accepted Date - this field is used to collect a time and date the partner lead is accepted in Vartopia. This is when Prospect Share Status = Accepted.

3. [Vartopia] Recall Date - this field is used to collect a time and date the partner lead is recalled in Vartopia. This is when Prospect Share Status = Recall.

Note: The timestamps were introduced on December 15, 2022. Any status updated prior to December 15, 2022 will not have a timestamp.

Campaign Object

GitLab Marketing Campaign

GitLab Marketing Campaign previously MDF campaign, is a lookup field to the campaign on the registration object. This field will be visible when an account is linked to a campaign upon deal registration creation.

Partner Account

Partner Account is a lookup field to the account on the campaign object. You are required to select the partner name and the campaign will sync to the partner.

Sync to Vartopia

Sync to Vartopia is a checkbox field on the campaign object that is to be checked to sync the campaigns to Vartopia.

Working with Vartopia

These are some guidelines to become familiar with when working on a module with Vartopia.

- We will not push change sets with page layout components through sandbox/staging. These changes will ALWAYS be done manually. This means Vartopia will create the changeset and the Sales Systems team will be responsible for adding the page layout components.
- Vartopia should not push change sets to production.
- Vartopia uses managed flows in their change sets. Thus, we should always ask how it functions or request a demo in Classic, and have a Salesforce App Builder be on the call to inspect the flow to ensure that capabilities won't break any existing processes before they are deployed.
- Preempt any change set updates with a managed package upgrade to reduce the chances of any problems or errors.
- Vartopia uses flows/alerts as part of their managed package intended to notify the partners of every update related to partner leads for the Prospect module ie when the leads are shared, accepted, assigned, rejected, etc. Our partners do not see the value in needing to be updated for every lead and every status change. Ensure the following flows/alerts are turned off before every managed package upgrade:
 - Vartopia Prospect Lead Flow
 - Vartopia Prospect Contact Flow
 - Prospect Assigned to Sales Rep Workflow on Contact
 - Prospect Assigned to Sales Rep on Lead
 - The Salesperson when the Prospect admin has Assigned to the Contact
 - The Salesperson when the Prospect Admin has Assigned the Lead

FAQ

<details><summary>What type of channel partners can use Vartopia?</summary>

The Prospect module is meant for resellers. We can't pass leads to distributors.
</details>

<details><summary>How do you know if a partner lead has been synced to Vartopia?</summary>

When a lead is synced to Vartopia, Vartopia will create for Vartopia Transaction ID.
</details>

<details><summary>How do Channel Partners access Vartopia?</summary>

Channel Partner can access Vartopia through Impartner, the partner portal. They must log into the Partner Portal, go to the "Sales" tab, and click the orange button, "Register Opportunities".
</details>

<details><summary>How many Partner Prospect Admin can be added to a Vartopia Partner Account?

</summary>

There can only be one Partner Prospect Admin per account.

</details>

<details><summary>How often does Vartopia sync to Salesforce</summary>

The Prospects module sync once per hour, while the Deal Registration module sync once every two hours.

</details>

<details><summary>Can you bulk update a number of selected leads in Vartopia?</summary>

When you've selected a number of leads, a button will be unlocked called "Bulk Update" where you will be able to accept, reject or assign those leads.

</details>

<details><summary>Do I, as the CAM, have access to Vartopia?</summary>

Vartopia is not available to administrator nor manufacturer, that being said, only Channel Partners will have access, and CAMs can not get access to Vartopia. You will be able to find the leads share to Partners via these Tableau reports:

- Partner Lead Status

</details>

<details><summary>Can Distributors create deal registrations?</summary>

Yes, Distributors can only create deal registrations on behalf of partners.

</details>

SECTION: marketing/marketing-operations/vimeo.md

About Vimeo

Vimeo is a video hosting, sharing, and services platform.

Access

Single access

Vimeo is connected to Okta. To request access, create an access request and use the GitLab user group gitlab-com/gl-security/corp/helpdesk to provision you. Make sure to include the business case for why you would like access and tag a team member from digital production. Once provisioned to Vimeo, marketing ops can adjust your permission set as needed.

Bulk access

If a team is needing access to Vimeo, please open a bulk access request and use the GitLab user group @gitlab-com/gl-security/corp/helpdesk to provision you. Business Ops will create a group in Okta that gets pushed to Vimeo via SSO. Once access is granted, please ping @MihaiConteanu to update permissions for each user in the group. The group created in Okta does not sync to the Manage Team section in Vimeo - it will show the individual users as part of the group or team and not the team itself. However, this group/team does sync with regards to folder permissions and access. To provide access to a specific folder in Vimeo to an entire team, click on the folder settings in Vimeo and click Share. There, you can adjust the permissions for an entire team to your selected folder.

User Roles

Managing team members on your account

1. Uploaders - Uploaders can only upload videos to the account. On their upload page, they will be able to toggle between uploading videos to their own account and uploading videos to the company account. Uploaders will only be able to edit the title and description of the video while it is being uploaded to the company account. Any videos an uploader adds to the company account will have the privacy setting Only Me, but as the account owner, you can change the video's privacy setting after upload. Note: Uploaders will need to make sure they select the correct account from their upload page. Uploaders do not have any access to the company account otherwise. They cannot view or edit the video after they've uploaded it nor can they access any settings for the company account.

1. Viewers - Viewers can be invited to specific folders within the account, but they will have limited access to the contents of those folders. They can access the review page, leave notes, and share videos that are within those folders. They do not have the ability to upload, edit, publish, or access any other settings or areas of the account that are meant for working members.

1. Contributors - Contributors can be invited to access a specific folder within the account. They'll have the ability to upload, edit, review, share, and publish videos within a folder, but won't have access to any of your other folders or areas of your account. A contributor also won't be able to change the title of a folder, delete a folder, or delete a video from the account. They can view settings of a video in that folder as well as the analytics tab, which has numbers from the past 30 days but won't have access to advanced analytics for the video. Once in the Video Manager, Contributors will only be able to see the folders to which they have been invited. In addition, contributors can access settings of an archived live event within the folder to which they contribute. Contributors can start a live event to Vimeo if they are using an external encoder via RTMP (after the Owner or Admin creates an event and provides the Contributor with the RTMP URL and Stream Key). Note: If the Vimeo account is connected to other social accounts such as Facebook, then any live events the Contributor starts from their encoder will also simulcast to that destination.

1. Admins - Admins can help upload and manage all videos, folders, and collections. Admins will not be able to access account settings or payment information. Admins also cannot delete videos; only the account owner can do this. Admins have access to the following features:

- Creating, managing, and deleting collections
- Creating, managing, and deleting folders
- Changing the privacy settings of your videos
- Viewing advanced analytics of your videos
- Create live events
- Adjust privacy settings, embed customization, and interaction tool settings for live

events

- Stream to live events using WebRTC or RTMP from an external encoder
- End live events
- Export chat transcripts

1. Owners - Only Owners can do the following:

- Edit and organize the account's profile page
- Access Simulcast settings
- Authenticate API-integrated encoders and applications - This means any encoder that allows

you to connect to Vimeo by logging in to account directly from the software or application (e.g. Livestream Studio via login, Mevo, Vimeo mobile app, or other third-party direct integrations)

- Delete live events
- Access Developer API and create and manage developer apps for their account

Support

1. brandvideo in Slack

1. Contact Support

1. Help Center

Training

1. Onboarding Call (GitLab team - internal use only) 202005

1. Training Call (GitLab team - internal use only) 202006

1. Video School

Video Manager

The video manager is where all the video uploads are stored and managed.

When you navigate to Vimeo.com, you first land in the video manager (when logged in). The video manager houses all videos uploaded, both public and private, as well as video drafts, showcases, and any live events.

You can also navigate to the Videos sidebar menu option to access the video manager.

Create a Folder

1. Click the + icon next to the Videos sidebar menu option.

1. Enter a descriptive name for the folder.

1. If you want to share this folder with specific team members, add them by email address or by selecting them from the team members in the account list.

1. In the Notifications tab, you can toggle the ability to connect to Slack to send folder notifications so you can track team activity on videos, review pages, and more.

1. When done inputting your folder info and options, click Create.

Video Deletion Policy

Only the Owner role has the ability to delete videos in Vimeo. As such, we have a folder in Vimeo named TO BE DELETED. If you have a video that you would like to mark for deletion, please

move it to this folder. Note that the Owner role will delete any videos in this folder that are older than 30 days or upon request.

Create

Vimeo Create is Vimeo's new video maker tool. It allows you to easily and quickly create your own video from stock videos, photos, and personal videos. See the knowledge base article for a full tutorial.

Upload

Vimeo accepts most video file formats (MP4, MOV, WMV, AVI, and FLV). Vimeo does not accept audio files, image files, or other non-video formats (MP3, WAV, WMA, JPG, and PNG). If you compress your source file prior to upload, follow these guidelines. For more information on uploading videos to Vimeo, see this help article.

Live Events

For more information about conducting virtual events, see the virtual events handbook page.

Best Practices

- Streaming Best Practices
- Recommended network configuration for streaming
- Network and browser requirements for viewing streams

Create a live event

Step 1

1. Select Live Events in the left sidebar menu.
1. Click Create live event under the list of events in the table. You can also click the New video button in the top-left corner and select Create live event.
1. A dialogue box will pop up asking you to fill in some details about your event. In the Event title field, title your event.
1. Select whether this will be a one-time or recurring event.
1. Select a start date (if applicable; optional).
1. If you select a start date, the time field will activate allowing you to input a time (if applicable, optional).
1. Choose the privacy for this event. The available options are: Public, Only me, Password, People I follow, Private link, or Hide from Vimeo. See detailed explanations of these options in the privacy settings overview.
1. Click Next.

Step 2

1. On the next page, choose settings for your live event. Under the Event tab in the left-hand sidebar, toggle the Chat functionality on or off (appears only on Vimeo where you choose to embed). See more info on enabling, disabling, and moderating chat.
1. In Viewing privacy you can select different privacy options for your live event.

1. Enter a description for your live event under the Description field.
1. Under the video preview, you can choose a thumbnail for your video cover and edit the start time of the event.
1. Under the Embed tab, select the options you would like to toggle on or off before generating your embed code. First, select the preferred embed privacy. You can choose Anywhere, Nowhere, or Specific domains. See live event privacy settings.
1. Under Video Controls toggle on/off the options for your live event. See more about customizing the embedded player and adding embed presets.
1. Choose your preferred interaction tool and its respective settings (optional). See interaction tools for more detail.
1. Under the Destinations tab, select where you will be streaming your live event. Available destinations to stream: Vimeo. More destinations coming soon. Click Next.
1. Vimeo will ask permission to use your device's microphone and camera. After acceptance, a low-res preview will be made available to test audio/video input/output. Notice a new sidebar menu available to manage the stream including: Destinations, Chat, Polls, Q&A, Graphics, and Stream Health. One or more of these features may not be enabled based on the set up of your live event.
1. Once you've configured all your live stream settings and have successfully completed a dry-run, click the Go Live button in the top-right corner.

Stream Health

See how well your stream is performing in real time. The information displayed in this tool comes directly from the Ingest server logs, which is the first point of contact your stream has with the Vimeo Live back-end.

The stream health indicator can be found on the upper right of the live settings page and preview page.

The indicator bar at the top displays one of the following statuses:

1. Ready: Webcam has been connected and you are ready to go live.
1. Good connection: Stream has connected (either through the browser, RTMP, or an integrated encoder) and Vimeo servers are receiving a stable frame rate/bitrate.
1. Unstable connection: Vimeo servers detect more than a 15% drop in frame rate/bitrate from the intended configuration. This means there may be a problem with your network connection or encoder.
1. Offline: Stream has disconnected from Vimeo servers.

Stream Metrics

Stream metrics display the incoming bitrate and frame rate data. The graph updates in real time and details the changes in bitrate/frame rate over the last ten minutes of your stream.

Below the graph you'll find the bitrate, average bitrate, frame rate, average frame rate, and video resolution for your stream. These metrics update in real time as well.

Advanced Analytics

Below stream metrics, click Advanced Analytics to see additional information about your stream,

namely Video codec, Audio codec, AVC profile, and AVC level. These inform you of your stream's video and audio compression format (AVC stands for Advanced Video Coding), and the Session ID is a unique string that identifies your stream for Vimeo.

Ensure that you have the GitLab account selected to view video analytics specific to our account as each user also has a personal account.

Sharing your screen while live

You can share your screen with your audience using the browser-based encoder. This is available as an input alongside your webcam on the Vimeo Live Settings page for your live events.

Graphics

With Graphics, you can add lower third graphics, fullscreen graphics, and logos to your live broadcast right from the Vimeo live preview page.

Lower Thirds

The name "lower third" specifically refers to the bottom one-third of the screen. These graphics are typically used to introduce a speaker or participant on your stream or identify the location of your event, among other uses.

Create a lower third

1. Click the + button next to Lower Third or Create under the Lower Third drop-down menu. You can add an image and two lines of text per lower third. Recommendation: Square PNG or JPG that is at least 200 x 200 pixels and no more than 5MB.
1. Preview the lower third on our browser encoder preview window for 5 seconds (only you can see).
1. Click the "show" (eye) icon to put the lower third on the live player indefinitely, and access the menu (three dots) to edit, duplicate, or delete the lower third. You can create additional lower thirds using the + button. The duplicate option is a quick way to create multiple lower thirds with the same image. Lower thirds will only appear on the bottom left corner of the stream.

Fullscreen Graphics

Fullscreen graphics work the same way as lower thirds, except they cover the entire screen. This is ideal for displaying information prior to any action taking place or during any breaks in your event (e.g. "Stay Tuned," "We'll be right back.")

Add a fullscreen graphic

1. Click the + symbol next to Fullscreen or Create under the Fullscreen drop-down menu.
1. Add an image. There are two optional lines of text. Because Vimeo live broadcasts have a maximum resolution of 1920 x 1080, we recommend using JPG or PNG files at this resolution for fullscreen graphics as well; they should be no more than 5MB in size. In addition, alpha channel is supported if you wish to overlay the fullscreen while still seeing some of your video (e.g. a frame). PNG files with transparency work best for this use-case.

1. Click Preview to see the graphic on the browser encoder preview window for 5 seconds.
1. Replace to select a new image, or the delete (trash) icon to remove the image. You then also have the option to show (eye icon) the fullscreen indefinitely, after which you can then hide the fullscreen, and access the menu to edit, duplicate, or delete the fullscreen. Note: Fullscreen covers video but it does not cover audio.

Logos

A logo is a small icon that appears in the lower right corner of the screen and as a subtle way to keep your brand visible at all times during your event.

Add a logo

1. Click the + symbol next to Logo, or Create under the Logo drop-down menu.
1. The image you upload should be a square at 200 x 200 pixels and no more than 5MB in size. Logos can only be added to the bottom right corner of the stream, but will also appear above fullscreen graphics or to the right of lower third graphics.
1. Click Preview to see the logo on the browser encoder preview window for 5 seconds, Replace to select a new image, or the delete (trash) icon to remove the image. You then also have the option to show (eye icon) the fullscreen indefinitely, after which you can then hide the fullscreen, and access the menu to edit, duplicate, or delete the logo.

Q & A

Live Q&A allows you to accept questions, have viewers vote to order questions based on popularity, publish the question to the stream, and ultimately answer them.

Setting up Q&A

1. Once you have set up your live event, select Q&A from the sidebar menu.
1. Click Start Q&A to open your event up to questions. You can do this before your stream or while you're live. Note: You cannot take action on a question until your event is broadcasting. Chat users are notified that they can begin to submit questions through Live Chat. Questions they ask will be posted to the Q&A window immediately upon submission. They can also click the thumbs-up icon to vote on questions they like. Under the Active tab, questions will populate, which you can sort either by Recent or Popular.

Publishing Questions

1. To answer a question, hover over the question and click Answer. A graphic overlay will appear as a lower third with the question automatically. Note: You are expected to address the question within the stream; there is no option to type in an answer into the Q&A module.
1. You can hide (and re-show) the graphic overlay by clicking Hide (Show) in the Active Questions list.
1. When you've finished answering the question, click Archive to remove the question from the list. You may also archive questions without answering them or publishing them to the stream. If you've archived a question by mistake, you can switch over to the Archived tab, hover over the questions and click Unarchive. This will put the question back in the Active tab.

Ending Q&A

1. To end your Q&A session, click End Q&A below the list of questions. Note: Ending Q&A does not end the live chat. Live chat will end as soon as the broadcast ends and will not be available afterward. Once you end the Q&A, you can export a CSV log of the Q&A by clicking Export at the top of the page.

1. If you're streaming from a recurring event, this button opens a drop-down menu with a list of the date/times of all streams in the last 30 days that you can archive; select Current event for the active event.

Q&A Export

The CSV includes the following information:

- Name (person who asked it / anonymous)
- The question
- Time submitted
- Number of upvotes
- Answered (yes/no)
- Archived (yes/no)
- Approved (yes/no/N/A)
- Q&A number (if you held multiple Q&A sessions within one stream, i.e. you started a Q&A, then ended it, then started it again prior to ending your broadcast; this lets you know if the question was asked during which Q&A session during the course of the stream).

Polls

Live polls allows you to insert questions into your live stream for viewers to respond to via live chat. Polls can be used to gather feedback from viewers (answers ranked by percentage) or as a quiz (one option being the correct response). You can have as many polls as you'd like per stream, but only one poll may be open at a time.

Create a poll

1. Once you have set up your live event, click Polls in the left sidebar menu.

1. Click the Create Poll button.

1. Enter the question and up to four options. You have the optional ability to mark one option as the correct choice by clicking the star icon associated with that option.

1. Once your poll has been created and you are live, select Open poll to show this poll and allow viewers to participate. Polls can be created before going live, but they cannot be opened until you are streaming. Opened polls are pinned to the beginning of the live chat and visible to all viewers. You can keep your poll open for as long as you'd like. While open, you can choose to Show graphic which will show the poll options on the stream itself. The percentages for each option will continue to change as more viewers partake.

1. Once viewers have had enough time to submit their response, click Publish results to close the poll so no more responses can be accepted. You can continue to use the Show graphic/Hide graphic button to display or hide the final results. Once your poll has concluded and you no longer need the results, you can remove it by clicking Archive. Note: Poll results will not be stored anywhere on the Vimeo account after the event so take note of them before removing them.

Chat

Chat is disabled by default. You can enable it in step 2 of creating a live event. As the event owner, you have the ability to moderate chat including comment deletion and banning capabilities.

See more info on enabling, disabling, and moderating chat.

Destinations

Vimeo supports simulcasting which allows for simultaneous streaming on Facebook Live, YouTube, LinkedIn, and any custom RTMP destination.

Coming soon.

Interaction tools

Interaction tools allow you to engage with your audience at meaningful points within the video, and give them the opportunity to connect to additional external sites or resources.

Email capture

Email capture can appear before, during, or after a video, with the option to "gate" your video behind the email capture field, or let viewers skip it.

You can set up the email capture screen to appear before, during, or after your embedded videos, then download those email addresses. There is no direct integration between Vimeo and Marketo. You can only set up one email capture screen per video. For example, if you've already chosen to display the email capture screen before your video, you'll no longer see the options to display it during or after in the embed settings. Note: Email capture is not supported on Facebook or Twitter.

Setting up email capture

1. Navigate to the Interaction tools tab in your video's settings.
1. Select to enable email capture before, during, or after your video. If you choose to display the email capture screen before or during your video, you have the option to allow or prevent viewers from skipping the email capture screen. You also have the option to add a custom message, up to 100 characters in length, that will display along with the email capture fields.

Interaction stats for email capture

From the stats panel for your video, you can check the number of times the email capture screen has been seen and the number of email addresses submitted for the past 30 days. Learn more about stats for video interaction tools.

Downloading all captured emails as a CSV

On the Marketing tab of Account Settings, you can download a CSV of all the emails captured through your embedded videos. The CSV contains the name (if provided), video ID, domain, and date captured associated with each email address. To download the CSV:

1. Click the button below the Download email addresses heading. The first time you download the CSV, you will be prompted to accept the following terms:

- I will only use collected email addresses for marketing purposes.
- I will not share these email addresses with others.
- I will comply with CAN-SPAM, CASL, and any other applicable laws.
- I will provide an unsubscribe mechanism and comply promptly with opt-out requests.

Once you accept, the CSV will download.

Download captured emails for an individual video

If you only want the email addresses from one particular video, you can download that CSV by navigating to your video manager. Select the desired video then navigate to Analytics > Interaction and click Download email addresses.

Cards

Cards are a customizable, notification-style layer that you can set to appear during playback and remain on the screen for six seconds.

End screens

End screens allow you to determine exactly what appears when videos finish playing.

Privacy Settings Overview

1. Anyone - Allow anyone to see this video.
1. Only me - Make this video visible to me and no one else
1. Only people I follow - Make my videos visible only to people I follow on Vimeo (Note: this setting will make it so that people you follow will see your video in their feeds)
1. Only people I choose - I'll select people with whom I want to share this video (Note: this setting will only work for sharing with other Vimeo members you follow)
1. Only people with a password - Protect this video with a password (Note: you can share password-protected videos with non-Vimeo members).
1. Only people with the private link - Make video visible only to people who have the link. (Your video cannot appear in channels or groups, and any credits you've added will be removed.)
1. Hide this video from vimeo.com - This video can be embedded on other sites but can't be viewed on vimeo.com. (Your video cannot appear in channels and groups but can still be added to showcases and portfolios.)

See more info on privacy settings.

Live Event Privacy Settings

1. Anywhere is fully open privacy.
1. Nowhere disables embedding completely.
1. Only on sites I choose allows you to input the specific URLs that are allowed to host the embedded player.

See more info on changing the privacy settings of live videos.

Showcases

With a showcase, you can organize videos together to share publicly or privately. A showcase is a great way to distribute a collection of videos to any audience. And with password-protection, you can control exactly who gets to see each one.

Create a Showcase

1. Click the + icon in the left sidebar menu next to Showcases.
1. Input a title and description for your showcase.
1. Select the privacy level for your showcase. The privacy level you select will determine whether you toggle SEO: Show in Google results on or off.
1. In the right window pane, click the Add video button to add on-demand videos to your showcase. You can also create a live event for the showcase.
1. In the left sidebar menu, click Assets. Here you can add branded assets to your showcase including a logo, thumbnail, and accent color.
1. In the left sidebar menu, click SEO. If you toggled SEO: Show in Google results off in step 3, disregard this step. If you toggled SEO: Show in Google results on, input the site title, description and meta keywords for this showcase. More on SEO with showcases here.
1. In the left sidebar menu, click Web. Toggle on/off the various layout options for your showcase. The right window pane shows a preview of how your showcase will look as you toggle your options.
1. In the Domain tab, select Vimeo URL. In the right window pane, you can customize the URL of your showcase and then copy the link.
1. In the left sidebar menu, select Embed if you are embedding your showcase on the website. Toggle on/off the embed options for your showcase before copying the embed code.
1. Once you've finalized your showcase options, click the Share button in the top right navigation. You can copy the link or send it via email with an optional message.

Custom Domains

A custom domain can be created for your showcase. If you are interested, please open an issue in marketing ops.

Analytics

Analytics allow you to access in-depth insights about your videos and your Vimeo account. All members can track overall video performance, and advanced analytics and functionality.

To access video analytics, hover over Manage Videos in the top left navigation menu and click Analytics.

View the knowledge base article for a full tutorial.

Integrations

Okta

Vimeo is integrated with Okta for access.

Slack

If there is an interest to pursue the Slack integration for your team or project, please open an issue in marketing ops.

Social Media

Evaluating.

Google Tag Manager

The following event actions are sent from the player and are being tracked via Google Tag Manager:

- 1. load
- 1. play
- 1. progress - 25%
- 1. progress - 50%
- 1. progress - 75%
- 1. progress - 100%
- 1. emailcapture

SECTION: marketing/marketing-operations/workato.md

What is Workato?

Workato is an automation platform that enables us to integrate third party apps and automate business workflows that would otherwise require more resource intensive efforts to achieve the same results.

MOPs managed Workato workflows

Marketing Data Pump

Process developed in collaboration with Data Engineering and Product teams to deliver information about paid contacts and Product Qualified Leads to Marketo and Salesforce.

It runs once a day based on an automated file that is delivered in an S3 bucket, picked up by Workato and then sent to Marketo.

SaaS Trials and Registrations

Process developed to get lead data into Marketo and SFDC when a new trial is started or a free SaaS registration is completed on gitlab.com.

This is also being worked on to send to Iterable.

Marketo Form to SFDC case

Process developed at the request of the Sales team to set-up a web form that, once filled, creates a case in Salesforce. This is meant for existing SMB accounts.

List import Bot

This is an automated workflow for list imports in Marketo. Refer to handbook page for more information.

Email domain

Process developed to extract the domain from an email address and populate the field Email Domain in Marketo.

SECTION: marketing/marketing-operations/zapier.md

What is Zapier?

Most of Marketing Operation's Zaps are being migrated to Workato, please follow along epic for more information

Zapier is an automation tool that allows us to move data from one application to another, that otherwise would not have had an integration. Zapier helps us be more efficient and allow for real-time passage of data between two disparate systems.

Common Zaps:

Google Sheets to Marketo

What Data is Required?

These fields must be required and captured in order to allow for proper routing of leads:

First Name

Last Name

Email

Company

Country (must be a picklist containing all or some of these values)

Email Consent (Whether or not we received consent to send email, can be TRUE or FALSE)

Reference the legal handbook for the language that should be used.

When to Request

This rubric will help you determine if Zapier is a viable solution for your campaign. It will be at Mops discretion whether or not Zapier is the right solution for your campaign. Mops does not own Zapier, but we have access to use the tool to help with programs and campaigns. We are not responsible for setting up zaps for other reasons.

Mops evaluates and triages incoming requests every Monday and that is when your request will be accepted/rejected. Please allow 2-3 weeks for Mops to build the Zap. The Zap should be set up

before the program is set to go live.

There are two main reasons and advantages of using Zapier:

1. When there is a time savings for setting up the Zap vs importing multiple lists
1. Having data pass between systems in real-time

Type	Example	Zap?
Recurring list loads that happen over course of weeks/months	Ongoing survey campaign	Usually
Registration over the course of weeks/months outside of Marketo	Commit	Sometimes
Form Automation when connector to Marketo not available	EventBrite, Social Forms	Usually
One time list loads	Sponsored Webcast	No

How to Request

Please submit an issue with Marketing Operations using this issue template

If you are using a google form, you must give mops access to the google sheet containing the responses from the form.

Mops Directions for Setup Google Sheets

Google Sheets is the most common zap we currently use, but other connectors (like EventBrite) are set up in a very similar way. If you can set one up, you can set them all up! Not covered is different filters, paths and delays you can add in addition to the steps above.

The Marketo program needs to be set up prior to connecting to Zapier. Ensure there is a list in Marketo that Zapier can push the leads to. Setup instructions are found [here](#). Make sure that form responses are properly configured to match picklists found in list uploads, otherwise you will run into errors when syncing the lead to SFDC from Marketo.

Step 1: Access to proper accounts

Make sure you have edit access to the google sheet, and that your account has been set up in Zapier.

Ensure there are already columns set up with the proper information you want to captured. Include one row of data in that worksheet (can be dummy data), it is useful for testing and mapping.

Step 2: Navigate to Zaps

Go into the Marketo Folder

You can clone an existing Zap, or Create Zap

Name your Zap

Step 3: Choose the correct App or Event

In this case, Google Sheets

Select Trigger EventBrite

Select New Spreadsheet Row

Click Continue

Select your account, choose the proper spreadsheet and worksheet

Click Continue

Test the trigger, this will look for a lead on the spreadsheet

If you cannot find the right spreadsheet, you can click Refresh Fields. If it is still not there, make sure you have the correct access to that spreadsheet.

Step 4: Connect Marketo

Click + and find Marketo

Select Create or Update Lead

Select Marketo Zapier API as the account

Click Continue

Step 5: Field mapping

With your google sheet handy, map all of the fields you want to capture from that google sheet, and add them to the corresponding Marketo field.

You MUST include email otherwise it will fail.

Note: You can add multiple fields to a single Marketo field. So, If you want to capture notes in column X, Y and Z into the Marketo Comment Capture field, you can. Add them once after the other in the mapping. You can also type free-text in those fields as well.

Click continue when complete.

When you click test, that person will be created in Marketo.

Note: There is a lag between clicking into a field and having the information populate, so be patient and only click once!

Step 6: Add to list

Click the + and find Marketo

Select Add Lead to List

Select Marketo Zapier API as the account

Click Continue

Find the correct list that you created as a part of the Marketo program set up (before step 1). Double check in Marketo that there is a campaign that triggers off of being added to a list, or else your lead will not be added to your program.

In the Lead field, select the Lead ID from your example test above.

Click Continue and Test

Step 7: Test

Test this by making sure that example lead is added to the Marketo Program. As stated above, there should be a smart campaign that triggers off of a lead being added to a list. Ensure that the proper information is filled out, and formatting is correct. Improper values in State/County, Employees, etc can all make the lead creation fail (just like a regular list upload).

Step 8: Turn On

If all looks good, toggle the on button on in the top right of your screen.

This Zap will stay on until you turn it off. To ensure not too many are on, it is good practice to set a calendar reminder when they should end, so you remember to go back in and turn it off.

SECTION: marketing/marketing-operations/zoominfo.md

About ZoomInfo

ZoomInfo is sales intelligence software that provides a database of business and professional contact information.

Set Up

Once you receive your login and enter the Zoominfo platform you will need to download the Zoominfo ReachOut Chrome extension. You can also find the link by navigating down to the bottom right of your homepage.

It is recommended to add Zoominfo to your tabs in SFDC.

To do so click the :heavylplussign:>Click Customize My Tabs> Scroll down to find Zoominfo>Highlight it>Hit the right arrow button :arrowright:>Hit the Save button.

Ways to access Zoominfo

Your direct login allows for direct export into SFDC. However you can also access it directly from the lead, contact, account record within SFDC, or from the tab view as shown above. Lastly, the chrome extension allows for additional functionality while browsing LinkedIn or company websites.

Training

To access Zoominfo University:

- Login to Zoominfo
- Under your name on the right hand side click on Zoominfo University
- Once you've created your Zoominfo University login the links below will give you direct access

I'm brand new to Zoominfo! Start here:

| Title | Summary |

| ----- | ----- |

| Getting Started with SalesOS) | A general overview covering core concepts, profile info, building a search, saving, and subscribing, and tagging. |

| SalesOS Advanced Features (Condensed) | Using scoops and more advanced features. We do not currently have Intent, so you can skip this section. |

| Salesforce Integration Made Easy | This is a general overview of how to use the native integration within SFDC. |

I've been using Zoominfo already or ready to learn more! Skip to topics that interest you:

| Title | Summary |

| ----- | ----- |

| ZoomInfo Sales Feature Highlight: Using Tags | A quick review on how to use tags. |

| SalesOS Feature Highlight: Search & Subscribe to Scoops | A guide for searching and filtering for Scoops alerts. |

| SalesOS Best Practices: ListMatch | ListMatch allows you to upload a list of contacts or company information in bulk to run through the Zoominfo search. |

| SalesOS Best Practices: Technology Filters | Learn how to access technology information within a company profile. |

| Save and Subscribe Function Explained | The ZoomInfo Sales Save and Subscribe function protects users from having to rebuild their lists when returning to the platform. |

| How to Make a (Sales) Splash with ReachOut | Learn best practices for using the ZoomInfo Chrome Extension to maximize outreach on public forums like LinkedIn. |

Sales Enablement Recordings:

| Title | Duration | Summary |

| ----- | ----- | ----- |

| Sales Enablement: Saved Searches | 10:38 | Optimizing your saved searches for your workflow. Please log in to GitLab Unfiltered to access. |

| Sales Enablement: List Match | 8:18 | Leveraging list match. Please log in to GitLab Unfiltered to access. |

| Sales Enablement: Tagging in LinkedIn | 3:44 | Leveraging tagging for LinkedIn and bulk exports. Please log in to GitLab Unfiltered to access. |

Do you have a topic not covered you'd like to see? Slack zoominfo room or reach out to marketing operations.

To access Zoominfo training sessions specific for GitLab follow this link.

To access additional Zoominfo on-demand training follow this link.

Do Not Call and Do Not Email Automation

If the proper criteria is set, Zoominfo can cause a lead/contact in SFDC to be labeled as Do not email and Do not call. Read more about the rules on the sales development handbook page.

Zoominfo Licensing Policy and Procedures

ZoomInfo admin management is shared between the Sales Operations team who manages, provisions and deprovisions licenses for Field Sales roles (AEs/SAEs/ASMs/ISRs), while the Marketing Operations team manages, provisions and deprovisions licenses for the Sales Development Org (BDAs/SDRs/BDRs).

Access & Help

Members of the sales organization and sales development, should receive access to ZoomInfo as part of their role entitlement request. If the team member did not receive access or if access had been removed and you would like it back you will need to open an access request.

Specifically, for a Marketing related role (SDRs/BDRs) please open an individual access request - AR for short and tag your manager for approval and RobRosu (Mops), while for a Field Sales related role (AEs/SAEs/ASMs/ISRs) open an AR and tag your manager for approval and @kbetances (Sales Operations).

If you are experiencing issues with ZoomInfo, your first point of contact is ZoomInfo. You can reach them via email at: helpmenow@zoominfo.com.

You can also reach out to the Data Intelligence or Mops teams via Slack at [dataintelligencehelp](#) or in [mktgops](#).

Monthly Review

Detailed Process

1. Log into ZoomInfo, Admin Portal, Users, Export to CSV
2. Import into Google Sheet pivot table, review users who have not accessed in the last 30 days
3. Reach out to users on Slack
4. Deactivate users that no longer need access
5. Keep track of split of Marketing and Sales licenses. If we run short on Sales licenses, we can borrow some from marketing with the following message.
6. Create an issue in the Data Intelligence project on a monthly basis to track the users that were deactivated. The label Mktg Tool Audit and Data Intelligence :: Tech Stack should be used. This will serve as support for any possible audit.

To note that: If the license is borrowed from the marketing team, it can be revoked at any time. Please inform the user: "Greetings! We currently do not have Zoominfo licenses available for field sales. We have assigned you a temporary ZoomInfo license borrowed from the marketing team so you can have access to the platform. Due to limited licenses being available, your license may be revoked if the marketing team needs the license back for one of their team members. If such an instance does arise, you will be notified before the license is revoked and we will work to get you procured a Sales Operations license. Thank you for your understanding."

Controls

1. Check to ensure all users have a @gitlab.com email address
2. Check to ensure role aligns with current role internally (with internal mobility, users may need to be assigned a new role)

Credits

ZoomInfo credits represent the consumption (export) of a professional or company profile from the ZoomInfo platform. This export can originate from the primary ZoomInfo platform, the ReachOut Chrome Extension, or any time an API call is made from any number of our integrations, including CRMs, marketing automation platforms, and sales automation tools.

- Users - Monthly credits are set at 1,000 and bulk credits are set at 2,000. Each user has 1,000 monthly credits to use for prospecting. A credit is consumed any time a user exports a contact or company out of the platform. These credits reset on the first of each month. When a user pushes "export" it should automatically pull from the monthly credits until a user has utilized all 1,000 of their monthly credits. After those monthly credits are consumed you are then able to use the bulk credits. Bulk credits are adjustable. Monthly credits are not. A user also has 2,000 views in which they can use to click on a contact and view/unlock the contact information.
- Accounts - Max number of accounts a user can export to SFDC is set to 100.
- Contacts - Max number of contacts a user can export to SFDC must match accounts and is set to 100. This is because contacts MUST be associated with accounts in SFDC. When exporting a contact, Zoominfo will check to see if an Account exists within SFDC that matches the company the contact works at. If not, users can create a new account which they will associate the contact to. Enforcing that contact creation is equal to or less than accounts is to make sure there is not a scenario where a contact export fails because they are unable to create the same number of accounts.
- Leads - Max number of leads a user can export to SFDC is set at 1,000. This ensures that the user will not max out their monthly allotment in one export.
- Bulk requests If a bulk download is needed for a campaign, please open an issue for the marketing operations project. Admins have unlimited credits to be able to export bulk lists or a temporary lift can be made for individual users.
- Reporting bad leads - If a lead is found to be incorrect the user can submit a Suggest Contact Update and the research team will usually update it within 1-2 business days. When the lead is updated the user can manually append it or re-push the prospect into SFDC without expending a credit (for two months while it's "under management").
- API Credits- Leads, Contacts & Accounts are being enriched as detailed below and an API Credit is used everytime the webhook is called (1 per lead/contac/account), regardless of how many fields, on that particlar record, are updated.

Field Mappings

All current field mappings are documented here.

Custom fields start with [ZI] and will be visible in the Zoominfo section in SFDC. Example name: [ZI] Company Phone. All [ZI] fields are set to be able to overwrite the field should new data be available on a lead, contact, or account. The only information mapped to standard fields are fields needed for basic lead, contact, or account creations. Example: First Name, Last Name, and Email Address.

SFDC Native Integration

- The Salesforce Native App is available on any lead, contact, or account directly within SFDC.
- The Salesforce Native App only allows users to export 25 at a time. Where as logging in directly and using the standard Salesforce web connector allows you to push up to 2,000 at a time - for any bulk pushes it is recommended you use the normal ZoomInfo website.

SFDC Account Enrichment

All the SFDC accounts are enriched and re-enriched with Zoominfo on a daily basis. Instant Enrich is turned on and will enrich any new accounts upon creation.

SFDC Lead Enrichment

All leads in SFDC are enriched on a monthly basis on the third Friday.

In addition to leads being enriched on a monthly basis, we have just turned on Instant Enrich for Leads (Nov. 17th 2022) and all net new leads are getting enriched as they reach SFDC.

As a back-up job, in case Instant Enrich job fails, we're keeping live the Scheduled Enrich for net new leads that takes place on a daily basis to make sure the sales teams have the most up to date information.

SFDC Contact Enrichment

All contacts in SFDC are enriched on a monthly basis on the third Friday.

Campaign Member Enrichment (Leads & Contacts)

Zoominfo Campaign Member Enrichment can be achieved via Scheduled Enrich with List Views and Enrichment Jobs for both Leads & Contacts

To do this, follow the steps below:

- Mark the leads & contacts with the use of an operational field like MktgOPSC
- Create Lead List Views & Contact List Views and filter using the operational field;
- Create & Schedule Zoominfo enrichment jobs for both leads & contacts and select enrichment via the list views created at the previous step.

Groove Integration

The Zoominfo Groove Integration is live and you may export leads directly using it. The records, once exported as leads, will be created in SFDC and added to the selected Groove flows.

There are three basic ways to export as detailed in this GitLab Unfiltered video:

- ZI Chrome Extension (Expand only);
- Advanced Search in ZI;
- Company Org Chart in ZI;

Marketo Integration

The Marketo integration is utilizing ZoomInfo's Enrich product. This is done on an automated basis utilizing a webhook.

Marketo/ZoomInfo webhook is triggered, on form-fill, when the person record fills the forms below (on an ongoing/future basis):

1. Filled out a SaaS Trial form;
1. Filled out a Self-managed Trials form;
1. Filled out Contact Us form.

Enrich is mostly set to enrich the ZoomInfo fields. The ZoomInfo ([ZI]) fields, will have their values overwritten with the most up to date information. The other standard fields like Employees Bucket or other Marketo standard fields like (First Name, Last Name, Job Title) are getting enriched only if the information is missing.

Zoominfo Tagging

When you're importing leads from ZoomInfo, you can now use Zoominfo Tag to tag your leads in SFDC. If you tag and import records into SFDC, that tag will sync to the SFDC field called Groove tag. This field can be used for other tagging purposes as well.

When using the Zoominfo tag, please type ZI at the front of the tag so that ZoomInfo can be easily delineated from other tags. So if someone was tagging a set of people in ZoomInfo based on a certain play, I'd want them to write ZI Premium to Ultimate or if they want to use a certain date ZI 11-4-24.

You'll want to create a lead view that has a rule to show you leads in your name (My Unconverted Leads) and a Groove Tag contains rule based on your tag name. From here the view should surface your leads so you can add folks to a flow.

Keep in mind that you'll have to tag the records before you export. The tagging can take place in either Zoominfo Sales OS or through the Zoominfo Chrome Extension (expanded version). Applying multiple tags to one record is also possible.

Reminder: Sometimes when you import folks into SFDC, the person already exists in our SFDC as a contact, not a lead. Zoominfo will enrich the individual that already exists in our SFDC and tag will apply on it. To surface these individuals, you'll need to use an identically make a contacts list view.

Is your Google Chrome stalling?

This may be related to the Zoominfo Google Chrome extension. To troubleshoot the issue that you are encountering, we recommend following the steps outlined below:

1. Remove & reinstall the extension:

- Click [here](#) to find the extension in the Chrome store

1. Ensure your Chrome browser is up to date:

- Select the three dots in the top right-hand corner of your Chrome browser > choose "Settings". From the Settings page, select "About Chrome" in the bottom left of the page
- You will see at the top of the page if Google Chrome is up to date or updating
- Allow time for the browser to update if necessary and re-launch your browser when prompted

1. Allow all cookies in your browser settings:

- Select the three dots in the top right-hand corner of your Chrome browser > choose "Settings"
- From the Settings page, select "Privacy and Security" > then "Third-party cookies" > then "Allow third-party cookies"

1. Clear your browser's cache and cookies for all time:

- Click the three dots in the top right corner of your Chrome browser > click "More Tools"
- > then "Clear Browsing Data"
- In the pop-up window, select the "Advanced" tab > then Time Range of "All Time"
- Select the following two checkboxes called "Cookies and other site data" AND "Cached images and files"
- Click "Clear data"

1. Lastly, log back into the ZoomInfo platform first, and then log into the Extension

SECTION: marketing/marketing-operations/ai-in-marketing/index.md

Overview

Resources

- AI in Marketing Resources GitLab Unfiltered Playlist

SECTION: marketing/marketing-operations/asana/index.md

About Asana

Asana is a collaborative work management platform that will support GitLab's mission to enable everyone to contribute to and co-create the software that powers our world. GitLab's Marketing team is planning to use Asana to track projects (e.g., Product Launches), connect work to goals, and coordinate work across the team.

Why?

Our team is using Asana to add a made-for-marketing project and task management tool so that we can streamline and simplify projects and processes, improve efficiency, collaboration, and transparency, and free up time for our team to better understand how our customers use GitLab.

We've consistently heard from team members across the marketing org that there is an opportunity to improve efficiency. The main problems we are looking to solve are:

- Stretching GitLab to perform as a project management tool for Marketing processes it was not built for, and use cases it will never be used for by our customer base.
- This can cause undue administrative work, bottlenecks and detracts from our day-to-day commitment to efficiency.
- Adding a made-for-marketing project and task management tool will improve efficiency, freeing up time for our team to learn about and understand how our customers use GitLab

Users

Asana licenses will be rolled out across the entire Marketing Org.

View Only licenses are available to all GitLab team members. If you would like a view only license, please request access in Lumos (please be sure to select View Only permission).

User Provisioning Guide

Overview

GitLab team members can request Asana access through the Lumos app store. This guide outlines the provisioning process for Marketing Operations team members.

Request Flow

1. Team Member Request: GitLab team member submits Asana access request via Lumos app store
2. Manager Approval: Request is automatically sent to the requester's manager for approval
3. Marketing Ops Review: Once approved by manager, request is forwarded to Marketing Operations for provisioning

Access Entitlements

Marketing Team Members

- Entitled to: Full Asana license
- Provisioning method: Automatic via SCIM (approve in Lumos)

Non-Marketing Team Members

- Entitled to: View-only access
- Provisioning method: Manual invitation through Asana admin console and Lumos

Provisioning Process

Step 1: Verify Team Membership

Check if the requester is on the Marketing team to determine their access entitlement.

Step 2A: Full License Request (Marketing Team Member)

If the requester is on the Marketing team and requesting a full license:

1. Approve the request in Lumos
2. User will be automatically provisioned via SCIM

Step 2B: Full License Request (Non-Marketing Team Member)

If the requester is NOT on the Marketing team but requested a full license:

1. Comment on the Lumos thread explaining they are only entitled to view-only access
2. Ask the requester to re-submit their request specifically for view-only access
3. Deny the original Lumos request (requests cannot be edited)

Step 2C: View-Only Request (Any Team Member)

For view-only access requests, manual provisioning is required:

Manual Invitation Process

1. Navigate to the Asana admin console
2. Click "Invite Members" in the top right corner
3. In the invitation dialog:
 - Email: Paste the requester's email address
 - Team: Select All Marketing from the "Add to team" dropdown
 - Projects: Optionally select specific projects to add them to
 - License: Select "View Only" from the license dropdown
4. Send the invitation
5. Important: Click "Confirm Provisioning" on the Lumos request

Key Points to Remember

- Marketing team members are entitled to full licenses
- Non-marketing team members are entitled to view-only access only
- Full license requests from non-marketing members must be denied and re-submitted as view-only requests
- View-only access always requires both manual provisioning through the Asana admin console and confirmation in Lumos
- Always confirm provisioning in Lumos after completing manual invitations

Quick Reference

Requester Team	Request Type	Action
-----	-----	-----
Marketing	Full License	Approve in Lumos (auto-provision via SCIM)
Non-Marketing	Full License	Comment, ask to re-submit for view-only, deny request
Non-Marketing	View Only	Manual invitation + Confirm in Lumos

How to get help with Asana

If you have questions, first self-service by reviewing this Handbook page, Asana Help Center, and/or Asana Academy. If you cannot find a solution on your own, feel free to let us know using this GitLab Internal Support Form.

Self-Paced Learning

The Asana Academy is a great resource with live and on-demand webinars and workshops.

Getting Started in Asana

Tasks

Tasks are the basic unit of action in Asana. Tasks are most similar to GitLab issues. You can create new tasks, duplicate an existing task, merge two tasks together, create subtasks, or

delete a task. Create a task if you have a smaller effort that logically fits into an existing Project.

Asana is most useful when individuals can contribute ideas and move action items forward. Tasks are the foundational work items within Asana. Task names should be specific, clear, and action-based. Use a verb where possible. For example, instead of titling a task ·Blog post,· title it ·Write [title] blog post· and create a second task called ·Publish [title] blog post.·

Tasks Descriptions

A task description should give the assignee all the necessary information to complete the task. Here are some tips:

- Link to relevant work in the task description by @mentioning related people and hyperlinking relevant tasks, projects, or messages.
- Add links and attachments to include external work, centralizing information.
- Mark a task as dependent upon another, so teammates start that task when the prior task is completed.
- Use rich text in task descriptions to clarify your message with formatted text and lists.

Assigning Tasks

Every task in Asana can have only one assignee, who serves as the Directly Responsible Individual (DRI). This person is accountable for ensuring the task is completed. However, tasks often require collaboration with multiple team members. Here's how to effectively manage task ownership and collaboration:

DRI (Task Assignee) Guidelines

The DRI should be:

- The person primarily responsible for the outcome of the work
- Someone with the authority to make decisions about the task
- Available during the task's timeline

Collaboration Structure

Task collaborators (followers) should include:

- Stakeholders who need to stay informed
- Team members providing input or review
- People who need visibility into the task's progress
- Project managers overseeing the work

To add collaborators:

1. Click the "+" button in the task's collaborators field
1. Search for and select team members
1. Or use @mentions in comments to automatically add collaborators

When to Use Subtasks for Team Collaboration

When you assign a subtask, be sure the assignee has enough context from the parent task or within the subtask description. Avoid burying subtasks under too many layers. You can always convert subtasks to tasks.

Create subtasks when:

- Different team members are responsible for distinct pieces of work
- A task requires multiple sequential steps with different owners
- You need to track individual contributions within a larger task

Example structure:

Main Task: Q4 Blog Post Launch [DRI: Content Manager]

- .. Subtask 1: Draft content [DRI: Writer]
- .. Subtask 2: Design graphics [DRI: Designer]
- .. Subtask 3: SEO review [DRI: SEO Specialist]
- .. Subtask 4: Final approval [DRI: Content Manager]

Task Best Practices

- Provide clear context in the task name and description
- Provide a realistic and reasonable due date. As a team, you can decide how due dates are changed. Communicate in the comments of a task to indicate if a due date is flexible, or to re-negotiate a due date if needed.
- Hypertext relevant tasks or projects by @mentioning a person, project, task, or team.
- Add task collaborators to keep your team informed.

Projects

Projects are used to organize and track all of the steps that must be completed for a process or initiative. A project helps you map out the work needed to complete an initiative, maintain a process, or hit a goal. Projects are most similar to GitLab Epics.

Create a project if you have a large effort (10+ tasks) that involve a subset of an existing Team or the whole Team.

Creating and naming new projects

Projects allow you to organize all tasks related to a specific initiative, goal, or significant work in one place. Similar to tasks, anyone can create a project.

There are three general types of projects and associated naming conventions. Naming conventions can help keep your tasks and projects organized and help your team find information more quickly. When creating a new project, first decide what type of project you are creating.

1. Deadline-bound projects have a clear start and end date and clear exit criteria
 - a. [FYXX] - [Subteam Name] - [Concise Project Name]
 - i. FY25 - Product Marketing - GitLab Duo Launch Plan

- ii. FY25 - Content - Blog Post - Enterprise Agile Planning
- 2. Ongoing/Operational Processes represent an ongoing process with no specific end. Work moves through a repeatable set of stages
 - a. OP - Calendar - Events
 - b. OP - Calendar - Email
 - c. OP - Intake - Marketing Ops
- 3. Reference Projects are a way to capture and organize information. These projects do not contain any actionable work.
 - a. REF - Asana Naming Conventions
 - b. REF - Events - AMER - Preferred Vendor List

Project Templates

Create a custom template or use an Asana created template to standardize common workflows and projects. Templates help get projects off to a quick start and ensure you haven't missed any vital steps.

When to Use Asana vs Other Tools

Quick Decision Guide

Before starting your work, ask yourself:

- Is this Marketing Division work that involves multiple stakeholders? · Use Asana
- Is this a code change or technical documentation? · Use GitLab
- Do you need immediate, real-time communication? · Use Slack

Detailed Breakdown by Tool

Asana: Project & Task Management

Best for:

- Marketing campaign planning and execution
- Cross-functional collaboration within Marketing
- Project tracking and status updates
- Action items and next steps
- Task delegation and progress tracking

Slack: Real-time Communication

Best for:

- Quick questions
- Real-time collaboration
- Team announcements
- Informal discussions

GitLab: Technical Work, Documentation, and Collaborating Outside of Mar