

keting

Best for:

- Handbook updates
- Code changes / merge requests
- Opening issues to request support from teams outside of Marketing

Cross-Tool Workflows

Asana + GitLab

1. Create the main project in Asana
2. Create relevant GitLab issues
3. Link the GitLab issues in your Asana tasks (in task description or use a custom field)
4. Update status in Asana, technical details in GitLab
5. Document important decisions or updates from the issue in Asana

Asana + Slack

1. Keep all project details and discussions about the project in Asana
2. Use Slack for time-sensitive updates only, or for cross-posting links to important Asana updates
3. Document important Slack decisions in Asana
4. Share Asana task links in Slack when needed

Example of Cross-Tool Workflow

Website Update Project

Asana:

- Main project management
- Timeline tracking
- Stakeholder updates
- Content approvals

GitLab:

- Merge requests
- Technical documentation
- Implementation details

Slack:

- Urgent deployment questions
- Quick status checks

Best Practices

Do:

- Create Asana tasks that link to relevant GitLab issues
- Move Slack discussions to Asana tasks when they become actionable items
- Use Asana for all project-related communications and updates
- Document important Slack and/or GitLab decisions in Asana

Don't:

- Create duplicate tracking systems across platforms
- Have lengthy project discussions in Slack
- Use GitLab for marketing task management
- Keep project documentation solely in Slack

Need Help Deciding?

If you're unsure which tool to use:

1. Consider who needs to be involved
2. Think about the type of work being done
3. Assess the timeline and urgency
4. When in doubt, start in Asana and link to other tools as needed

Remember: The goal is to keep related work together while using each tool for its strengths. When in doubt, ask yourself "Where would others look for this information?"

Integrations with Asana

GitLab

Certain GitLab issues auto-create Asana projects and tasks based on a custom built workflow. More details to be added, but currently only available as a part of the Field Marketing workflow from Allocadia > GitLab > Asana. The majority of tasks and requests should live solely in Asana, please utilize the guide above to know when and how to use GitLab vs Asana.

Details about integration (To be documented)

Slack

Turn any Slack message into an actionable Asana task with just a few clicks. A few things you can do:

1. Create a new task, assign it to yourself or a teammate, and add it to an existing project
2. Mark a task complete, or make a comment
3. Receive updates on task creation, completion, or
4. Stay up to date on projects with AI-generated Summaries
 - Once an Asana task link is pasted in Slack, you can simply click on the "Summarize task" button and a summary is generated.
 - You can ask questions Asana AI in Slack to understand the latest updates on projects and tasks, identify next steps, uncover key blockers, and more.

5. Create rules in Asana to trigger updates to Slack channels.

Google Workspace

Google Docs & Sheets

Connection will allow you to paste Asana projects/tasks and have them format well within the doc. To create tasks, you must use the Chrome Extension.

G-Mail

Turn emails into tasks by syncing email threads into Asana. You can also mark tasks as complete, reply and post comments from notifications sent to your inbox.

Google Drive

If you are using the Asana App, in order to connect your GDrive, follow these steps: (must have YubiKey)

1. Make sure your YubiKey is registered in Okta
2. Start the connection process using this guide - <https://asana.com/apps/google-drive>
3. After entering your email address, you'll be prompted for your Okta password. Please enter that.
4. Next you'll be prompted to use biometrics, but no pop-up will appear. Simply press the YubiKey at this point and the login process should continue.
5. You may see a black window for a few seconds. Please keep this window open and wait for the next step to load.
6. Confirm that you want to link the account.

Google Calendar

Sub-region and country calendars can be syce via Google Calendar, regardless of Asana license. GitLab team members interested in subscribing to a sub-region or country calendar via Google Calendar should visit the Asana Internal Handbook page for instructions.

Chrome Browser

Utilize the Asana plugin in your chrome browser to quickly create tasks and add to projects.

Figma

Limited integration, but allows you to view live embeds of Figma diagrams and charts directly inside of project briefs.

In Figma

- Open the file you want to embed in your Project Brief.
- To link to a specific frame in the Figma file, select the frame.
- Click the Share button in the toolbar.
- Update your link sharing permissions to determine who can view and interact with the file

embed (Optional).

- Click Copy link when you're ready to embed the file.

In Asana

- Open the project where you'd like to embed a Figma file.
- Go to the Overview tab.
- In the Key Resources section, click Create a Project Brief. If there's already a Project Brief, click anywhere on the title.
- When the Brief opens, click Edit in the top right.
- Click the place in the Brief you'd like to embed.
- Paste in the Figma link and a preview will expand below it.
- You can also click the + icon to the left of the line you're on and choose Insert Media. Paste the Figma link into the box and click Embed link.

SECTION: marketing/marketing-operations/automated-list-import/index.md

With the purpose of increasing efficiency through the use of automation, Marketing Operations has developed a self-service process for list imports, to be used by campaign managers when they have third party vendor lists from events/other campaigns or to update the member status on field marketing events.

The objective of this process is to reduce the SLA for list imports to a minimum, allowing leads to be followed up as soon as possible by SDR/BDR teams while minimising the busy work of the various teams involved.

How it Works

1. A google drive folder has been created for list import uploads. This folder is listening for any new CSV that is created.
1. Once a CSV is created, it is processed through one of our systems and each record is individually validated to ensure data integrity. Certain corrections are applied like transforming country and state codes to country and state names, deleting white spaces, converting well known mistaken values to their correct form, etc.
1. The process will activate the Interesting Moments campaign in the Marketo program so that the Interesting Moment is correctly applied.
1. Each record is added to the Marketo program according to the program status specified in the import file.
1. At the end, a slack alert is sent on the eventlistupload channel with a report containing information regarding created, updated and failed leads.

Video Explanation of list upload process

Video Explanation of list upload process (internal)

How to use

Step 1 - Before the import

At time of upload, a program should already exist in Marketo . Campaigns are to be created by the campaign owner. For a running list of program templates, go [here](#).

Make sure that the campaign's tokens are filled in, which are found under the My Tokens tab in the main campaign. Tokens are used via Smart Campaigns to apply Last Interesting Moments to all leads whom appear in the campaign. The minimum tokens that should be used relate to the campaign's Event Name, Event Date and Landing Page URL. Without these filled out, Last Interesting Moments will fill in permanently blank. This does not mean your upload will fail or not complete. It just means in the LIM field you will see blank datapoints, for example: Attended {{my.event name}}, which starts on {{my.event date}}. Location: {{my.event location}} instead of Attended Developer Conference, which starts on May 29, 2022, Location: San Francisco.

Please note, the Last Interesting Moments and the My Tokens associated with them are separate from Last Event Notes. Tokens do not communicate with Last Event Notes and uploads from other columns in the list upload sheet. To ensure these are loaded correctly please make sure the SFDC campaign and the last event notes are filled out on your import sheet, Columns N and O. This will be explained more in the data cleaning steps below. Again, if this information is left blank it does not mean your import will fail, it will just be missing that information in the leads record.

Step 2 - Add your lead data to the spreadsheet

Go to the import template Google Sheet and make a copy of the document. This spreadsheet template allows for quick edits and faster data checks, refer to the below instructions for data cleanup advice. It is the responsibility of the person submitting the list to clean the list utilizing the import cleaning template.

<details>

<summary markdown="span"> Click to expand screenshot</summary>

</details>

Step 3 - Download the CSV

After you populated your spreadsheet with lead data, Download the leads tab as a CSV. Go to File>Download>CSV.

<details>

<summary markdown="span">Click to expand screenshot</summary>

</details>

Step 4 - Drop the CSV in the Google Drive folder

1. Go to the Google Drive folder called List Import Automation. If you do not have access to

the folder, open an AR request with the Marketing Operations team seeking access to both the List Import Automation and the Report Folder.

1. Drop your CSV containing lead data into the folder

1. An automated process will pick up your CSV and start processing each record in your file, validating the data.

Step 5 - Go to the eventlistupload slack channel

When the import finishes processing in Marketo, it will send a slack message with information about:

1. Report link

1. Marketo program link

1. Records created

1. Records updated

1. Failed records

<details>

<summary markdown="span"> Click to expand screenshot</summary>

</details>

If you want to receive these notifications you can subscribe to the import complete notification labels.

Pubsec field marketers need to use List Upload Complete - PubSec label on either list import issue or another event related issue if no list upload issue is made. This is optional for private sector uploads, which use List Upload Complete - Private Sector. SDR/BDR/Sales can subscribe to this label to get notifications when the import is complete

Step 6 - Review the report

1. Congrats! The import is complete. Review the information passed in the slack alert.

1. If there are failed records, review the report linked in the message. The first column, Status, contains useful information regarding the reason a specific lead failed to be imported.

1. If there are failed records, you can review the errors and correct them in the same report.

You can then delete the first column, Status message, download the CSV again and reimport after correcting the errors.

<details>

<summary markdown="span"> Click to expand screenshot</summary>

</details>

Common errors

1. Country or State Failed Validation: We check the country and state values against a strict picklist. Having wrong values in those fields results in Salesforce refusing to accept to sync a new lead.

1. Missing email, last name, company, program status or marketo program name: Those fields are all required for a successful import. Missing any of them will result in an error.

1. Program status does not exist: The program status in the import file must match exactly the value in the Marketo Program. We strive to catch and correct errors before the import happens but edge cases will result in an error.

1. Wrong value for Opt-in: This field only accepts TRUE/FALSE or YES/NO. Any other value will result in an error.

Data Cleaning Instructions

{{% panel header="Caution" header-bg="danger" %}}

DO NOT MAKE CHANGES TO THE ORIGINAL SPREADSHEET OR INPUT DATA INTO IT. MAKE A COPY INDICATED IN THE LIST UPLOAD ISSUE TEMPLATE.

The list upload spreadsheet includes a protected range on the header. Changes to the header may break the bot. All spreadsheet changes need to be through Marketing Ops, with the following individuals having edit access: Nikki, Bryce, Amy, Jameson, Mihai, Rob and Jenny

{{% /panel %}}

<details>

<summary markdown="span"> Click to expand data cleaning instructions</summary>

The following data cleanup is required for any list prior to sending it to the Marketing Operations team. If your spreadsheet/data does not meet these guidelines it will be returned to you to fix prior to being uploaded.

Steps (also documented in How it Works tab of the spreadsheet):

1. Use the "Lead Data for upload" tab to drop your relevant data into the matching blue columns in the left-most rows (i.e. copy the column in your file for "First Name" and paste it in the column "First Name"). This tab will remain locked and untouched by MktgOps as they will Duplicate into a new tab for additional cleaning

1. Do not alter any rows or columns with the green column headers. These contain formulas that will reference your inputs under the blue column headers and provide you with proper capitalization (see clarifications below for more detail), as well as data entry that is acceptable for Marketo/Salesforce, and check the syntax of the email provided by your event organizer.

1. Check for any ""warnings"" highlighted in red in the blue columns and erroneous emails marked as FALSE in the green columns - if there are none, you are good to go! (If there are highlighted cells, follow the instructions in the Warning Handling steps below. Correct the errors and then proceed.)

1. Copy the data found under the green header and PASTE > VALUES into the blue header section of the spreadsheet. Erase the green header section after the formatted data has been copied

over

1. Rename the spreadsheet to match the campaign tag name

Error Handling:

- Email Syntax: If the syntax of the email is not met (meaning it includes @ and a relevant ending such as .com or .co.uk or .io) it will be listed as FALSE under the green column headers and the email can be updated to make it ready for upload. Note that Google Sheets does not understand all email domains, such as .mil or .us, and those can be ignored
- GitLab emails: If the person has @gitlab in their email address, they will be highlighted in red under the blue column header and should be removed
- Duplicate Records: If the person is a duplicate based on email address, they will appear red under the blue column header, and should be removed from the list.

Best Practices

1. Remove inaccurate entries

- Job Title remove "self", "me", "n/a", etc
- Phone remove obvious junk numbers 0000000000, 1234567890, etc
- State should be empty unless country equals United States or Canada

1. Blank fields are better than junk data. We have enrichment tools that are designed to write to blank fields. Also we can run reports on the blank fields to find where our data gaps are.

1. If you do not have a CONTACT Phone do not substitute the ACCOUNT Phone and vice versa. Leave it blank.

1. Sort spreadsheet by Email Address and remove duplicates.

1. Only lead records from authorized sources -- meaning sources have legally obtained lead record data-- will be flagged as Opted-in. No exceptions

- Pulling list of names out of LinkedIn and importing the records into SFDC does not qualify as compliant. In EMEA these lists will not be uploaded
- Field events that have not gained consent from the attendees that their name will be shared are not compliant.
- Agreements to be contacted must explicitly state the individual has opted-in to receive communication and cannot leave room for nuance
- Getting someone's name and/or business card from a meetup does not qualify as compliant.

1. Remove all embargoed country records.

1. Washington DC is a State value and is not to be split up between City State.

1. Zip Codes contain five (5) numbers, States in US East may start with a 0, make sure the Zip/Postal Code field is plain text and the leading 0 appears.

1. Member Statuses must match exactly to the program type and member status listed. If you are updating the member status for an event where we collected registrations through a form, you must include both No Show and Attended records.

1. If list contains non-Latin characters (ex. Asian languages), it must be uploaded to Marketo using UTF-8 and UTF-16. Marketo instructions here. Salesforce Data Loader requires UTF-8 encoding, instructions here.

1. If there are notes added to the Last Event Notes column, add the SFDC campaign name to the column titled Last Event SFDC Campaign Name for each lead that has notes. If there are no notes for that lead, do not add anything to either column. This column is used to automatically move notes to the Qualification Notes field found on lead and contact pages in Salesforce. That field is not overridden like the Last Event Notes field and it's where we can keep the notes for much longer.

- Use the correct member statuses based on the definitions and type here. They must be exact matches, no abbreviations.

- Format of the import file has to be CSV. Any other type of import will cause an error and a message tagging the file owner on slack will alert of this issue.

- Record ownership will be assigned using established lead routing, which is controlled by Traction Complete

- In order to mark leads as Opt-in = TRUE, a record of the terms and conditions the leads agreed to upon having their data collected must be recorded. Check the terms of service wording has been recorded in the upload issue before opting in leads to receive marketing communications. No ToS, no Opt-in. Period. To find the appropriate language, refer to Marketing Rules and Consent Language

- If there are any records who have opted out of contact for any reason, define that on the spreadsheet by selecting Opt-in = FALSE

- Leave Opt-In empty if no other option is available

- Preferred Language must be listed as a language, not a location. See the table below for common languages.

</details>

Field Name	Required	Accepted Values
Notes		
-----	-----	-----

----- | -----

|
| Marketo Program Name | Yes | Exact name of program
from Marketo
| This value is used to add records as campaign members in Marketo
|
| First Name | No |
|
| Last Name | Yes |
| Missing this value will result in an error
|
| Email Address | Yes |
| Missing this value will result in an error
|
| Company Name | Yes |
| Missing this value will result in an error
|
| State/Province | No but preferable for US/Canada/Australia | See values here
|
| Country | Yes | See values here
| Missing this value will result in an error
|
| Campaign Member Status | Yes | See values here
| This will determine the status in the Marketo Program
|
| Label as Opt-In? | No | Yes/No or True/False
| Leave blank if no option is provided
|
| CRM Partner ID | No | You can find setup
instructions here | If this import is a part of a joint event with partners, you must include
the CRM Partner ID as a column in your list upload. You can find setup instructions here |
| Preferred Language | No | Must be written exactly: French, German, Japanese, Italian, Korean,
Spanish, Portuguese. Other languages available here. | Leave blank if value is English or
unknown |
| High Priority Reason? | No | High Priority Campaign
 White Glove | Only used if leads
need to appear in front of SDRs quickly due to some high propensity to purchase reason.
Familiarize yourself with the white glove process to determine if that dropdown should be used|

Reference values for picklists

<details>

<summary markdown="span"> Click to expand reference values table for Country, State & Program
Member picklist</summary>

| Countries | States | Program
Member Statuses |

Afghanistan	Alberta	Follow
Up Requested		
Aland Islands	British Columbia	Visited
Booth		
Albania	Manitoba	Meeting
Attended		
Algeria	New Brunswick	No Show
Andorra	Newfoundland and Labrador	Meeting
No Show		
Angola	Nova Scotia	Meeting
Requested		
Anguilla	Northwest Territories	Sales
Invited		
Antarctica	Nunavut	Sales
Nominated		
Antigua and Barbuda	Ontario	
Marketing Invited		
Argentina	Prince Edward Island	
Registered		
Armenia	Quebec	
Attended		
Aruba	Saskatchewan	
Attended On-Demand		
Australia	Yukon	No
Action		
Austria	Armed Forces Americas	
Downloaded		
Azerbaijan	Armed Forces Europe	Shipped
Bahamas	Alaska	
Delivered		
Bahrain	Alabama	
Cancelled		
Bangladesh	Armed Forces Pacific	
Returned		
Barbados	Arkansas	
Requested Contact		
Belarus	American Samoa	
Subscribed to Updates		
Belgium	Arizona	Member
Belize	California	Filled-
out Survey		
Benin	Colorado	
Bermuda	Connecticut	

Bhutan	Washington DC	
Bolivia	Delaware	
Bonaire, Sint Eustatius and Saba	Florida	
Bosnia and Herzegovina	Federated Micronesia	
Botswana	Georgia	
Bouvet Island	Guam	
Brazil	Hawaii	
British Indian Ocean Territory	Iowa	
Brunei Darussalam	Idaho	
Bulgaria	Illinois	
Burkina Faso	Indiana	
Burundi	Kansas	
Cambodia	Kentucky	
Cameroon	Louisiana	
Canada	Massachusetts	
Cape Verde	Maryland	
Cayman Islands	Maine	
Central African Republic	Marshall Islands	
Chad	Michigan	
Chile	Minnesota	
China	Missouri	
Christmas Island	Northern Mariana Islands	
Cocos (Keeling) Islands	Mississippi	
Colombia	Montana	
Comoros	North Carolina	

Congo	North Dakota	
Congo, the Democratic Republic of the	Nebraska	
Cook Islands	New Hampshire	
Costa Rica	New Jersey	
Cote d'Ivoire	New Mexico	
Croatia	Nevada	
Cuba	New York	
Curaçao	Ohio	
Cyprus	Oklahoma	
Czech Republic	Oregon	
Denmark	Pennsylvania	
Djibouti	Puerto Rico	
Dominica	Palau	
Dominican Republic	Rhode Island	
Ecuador	South Carolina	
Egypt	South Dakota	
El Salvador	Tennessee	
Equatorial Guinea	Texas	
Eritrea	United States Minor Outlying Islands	
Estonia	Utah	
Ethiopia	Virginia	
Falkland Islands (Malvinas)	US Virgin Islands	
Faroe Islands	Vermont	
Fiji	Washington	
Finland	Wisconsin	

France	West Virginia	
French Guiana	Wyoming	
French Polynesia	California	
French Southern Territories	New York	
Gabon	Alabama	
Gambia	Alaska	
Georgia	Alberta	
Germany	American Samoa	
Ghana	Arizona	
Gibraltar	Arkansas	
Greece	Armed Forces Americas	
Greenland	Armed Forces Europe	
Grenada	Armed Forces Pacific	
Guadeloupe	British Columbia	
Guatemala	California	
Guernsey	Colorado	
Guinea	Connecticut	
Guinea-Bissau	Delaware	
Guyana	Federated Micronesia	
Haiti	Florida	
Heard Island and McDonald Islands	Georgia	
Holy See (Vatican City State)	Guam	
Honduras	Hawaii	
Hong Kong	Idaho	
Hungary	Illinois	

Iceland	Indiana	
India	Iowa	
Indonesia	Kansas	
Iran, Islamic Republic of	Kentucky	
Iraq	Louisiana	
Ireland	Maine	
Isle of Man	Manitoba	
Israel	Marshall Islands	
Italy	Maryland	
Jamaica	Massachusetts	
Japan	Michigan	
Jersey	Minnesota	
Jordan	Mississippi	
Kazakhstan	Missouri	
Kenya	Montana	
Kiribati	Nebraska	
Korea, Democratic People's Republic of	Nevada	
Korea, Republic of	New Brunswick	
Kuwait	New Hampshire	
Kyrgyzstan	New Jersey	
Lao People's Democratic Republic	New Mexico	
Latvia	New York	
Lebanon	Newfoundland and Labrador	
Lesotho	North Carolina	
Liberia	North Dakota	

Libyan Arab Jamahiriya	Northern Mariana Islands	
Liechtenstein	Northwest Territories	
Lithuania	Nova Scotia	
Luxembourg	Nunavut	
Macao	Ohio	
Macedonia, the former Yugoslav Republic of	Oklahoma	
Madagascar	Ontario	
Malawi	Oregon	
Malaysia	Palau	
Maldives	Pennsylvania	
Mali	Prince Edward Island	
Malta	Puerto Rico	
Martinique	Quebec	
Mauritania	Rhode Island	
Mauritius	Saskatchewan	
Mayotte	South Carolina	
Mexico	South Dakota	
Moldova, Republic of	Tennessee	
Monaco	Texas	
Mongolia	United States Minor Outlying Islands	
Montenegro	US Virgin Islands	
Montserrat	Utah	
Morocco	Vermont	
Mozambique	Virginia	
Myanmar	Washington	

Namibia	Washington DC	
Nauru	West Virginia	
Nepal	Wisconsin	
Netherlands	Wyoming	
New Caledonia	Yukon Territories	
New Zealand	Washington DC	
Nicaragua	New South Wales	
Niger	Queensland	
Nigeria	South Australia	
Niue	Tasmania	
Norfolk Island	Victoria	
Norway	Western Australia	
Oman	Australian Capital Territory	
Pakistan	Northern Territory	
Palestinian Territory, Occupied		
Panama		
Papua New Guinea		
Paraguay		
Peru		
Philippines		
Pitcairn		
Poland		
Portugal		
Qatar		
Reunion		

Romania		
Russian Federation		
Rwanda		
Saint Barthélemy		
Saint Helena, Ascension and Tristan da Cunha		
Saint Kitts and Nevis		
Saint Lucia		
Saint Martin (French part)		
Saint Pierre and Miquelon		
Saint Vincent and the Grenadines		
Samoa		
San Marino		
Sao Tome and Principe		
Saudi Arabia		
Senegal		
Serbia		
Seychelles		
Sierra Leone		
Singapore		
Sint Maarten (Dutch part)		
Slovakia		
Slovenia		
Solomon Islands		
Somalia		
South Africa		

South Georgia and the South Sandwich Islands		
South Sudan		
Spain		
Sri Lanka		
Sudan		
Suriname		
Svalbard and Jan Mayen		
Swaziland		
Sweden		
Switzerland		
Syrian Arab Republic		
Taiwan		
Tajikistan		
Tanzania, United Republic of		
Thailand		
Timor-Leste		
Togo		
Tokelau		
Tonga		
Trinidad and Tobago		
Tunisia		
Turkey		
Turkmenistan		
Turks and Caicos Islands		
Tuvalu		

Uganda		
Ukraine		
United Arab Emirates		
United Kingdom		
United States		
Uruguay		
Uzbekistan		
Vanuatu		
Venezuela, Bolivarian Republic of		
Viet Nam		
Virgin Islands, British		
Wallis and Futuna		
Western Sahara		
Yemen		
Zambia		
Zimbabwe		

</details>

FAQ

Q: I made a mistake on my upload: Loaded to the wrong campaign, had field values in the wrong column, uploaded with the wrong status, etc. What do I do?

A: Before re-uploading the correct list or trying to fix the error, please get in touch with MOps in the mktgops Slack channel. Instructions will be provided. If you uploaded to the wrong program, we need to revert that prior to the new list being loaded, otherwise it will cause issues with lead scoring and be more challenging to correct.

Q: Why do my interesting moments show Attended {{my.event name}}, which starts on {{my.event date}}. Location: {{my.event location}}?

A: Your tokens were not filled out before the time of the import. A new batch campaign will need to be created to update this information.

Q: I haven't received a notification that my import is complete, how can I check its status?

A: If you have access to log into Marketo, navigate to the campaign and you can see the number of leads that have been loaded. Check these numbers against your CSV file to see its progress. Refresh this page periodically to see if those numbers continue to increase. If they seem to have stopped and don't match your final numbers you can notify mktgops and we can check for any failures.

Q: Can I use this system to update information on a list that already exists? (Ex: I need to change their opt-in status or their employee bucket numbers.)

A: Yes, you can create a CSV list with the members email and the column data you want to update and import the same way, this will update the records.

Q: What's taking so long?!?

A: Workato is running the leads through all the processing needed to add leads, update fields, and sync to SFDC. Due to Workato and Google Workspace's integration, there is a built-in delay to prevent the API from being over-taxed and canceling the job halfway through. With larger lists, the process can take some time but we do not expect the process to go over the 24 hour SLA. As an example; we have seen lists of non english leads of upwards of 800+ taking close to 14 hours to fully complete.

- Example: Uploaded at 1:20PM -> Progress check at 3:00PM: (467 members added so far out of the 807 total) ->

Import Complete Message at 3:14AM.

Q: Can I use this process for submitting On24 event notes?

A: Not at this time. There will be a separate processing flow built to automate this process.

Q: Is there a size limit for lists?

A: So far we have tested list sizes primarily around 1,000 leads in size. We have no reason to believe there is a limit but the list size does seem to affect processing time. If the list is 2,000 or more, consult MktgOps as this may affect processing time.

SECTION: marketing/marketing-operations/bizible/index.md

<!-- Please treat Bizible terms as proper nouns and capitalize them. Touchpoint instead of touchpoint. -->

About Adobe Marketo Measure (formerly known as Bizible)

Adobe Marketo Measure (AMM) unifies behavioral and ad data with sales outcomes and machine learning so you can make the right marketing decisions.

How Adobe Marketo Measure Tracks Attribution

Marketing attribution is the process of assigning revenue credit to marketing activities. AMM tracks a prospect's entire customer journey, from their first interaction with GitLab to purchase. The revenue generated from the deal gets attributed back to the marketing Touchpoints that drove the sale (see below for details on Touchpoints). The amount of revenue credit given to a touchpoint depends on how much that Touchpoint influenced the customer's purchasing decision.

This process allows Marketing to understand the value of each marketing activity.

Adobe Marketo Measure Components

Touchpoints

AMM defines a touchpoint as: Touchpoints refer to a prospect/lead's interactions with your online or offline marketing efforts.

Touchpoints capture a multitude of information, such as UTM parameters, the date and time of the interaction, and the type of interaction (form submission, campaign response, etc.). AMM stores Touchpoint records on the lead or contact record in SFDC.

Buyer Touchpoints (BT)

Buyer Touchpoints are created on lead or contact objects directly. They do not relate to an opportunity and do not have a NET ARR value.

Buyer Attribution Touchpoint (BAT)

AMM creates Buyer Attribution Touchpoints (BATs) when an opportunity is created on an account with Buyer Touchpoints, and they are created before the opportunity is accepted by Sales. These BATs are exact copies of the BT's already associated with the Contacts on the account and associated to an Opportunity. Additionally, when AMM creates BAT's it only does so from Contacts. Unlike Buyer Touchpoints, BATs have a NET ARR value.

When AMM creates BAT's, it uses all the BT's associated to any Contact on the account (not just those Contacts associated to an opportunity).

Buyer Touchpoint (BT)	Buyer Attribution Touchpoint (BAT)
-----	-----
Relates to the Lead & Contact	Relates to the Contact, Account, and Opportunity Objects
Does not relate to the Opportunity Object	Does not relate to the Lead Object
Revenue is not associated to a Buyer Touchpoint	Assigned revenue when NET ARR of Opportunity is set

Channel and Subchannel

AMM maps Touchpoints in channels and subchannels.

- Channels - Are the broadest level of Touchpoint groupings and contain many subchannels. Examples of channels include Events, Organic Search, Paid Search, Digital, etc.
- Subchannels - Give more specific information about the source. Examples include Google (for

Paid Search channel, LinkedIn (for Paid Social channel), Executive Roundtable (for events)

AMM presents channels and subchannels in dot notation. Where Paid Search.Google has a channel of Paid Search and subchannel of Google.

Touchpoint Position

AMM tracks the position of a touchpoint based on its timing to other touchpoints per person. The abbreviations below are shown in the Touchpoint Position field in SFDC.

- FT - First Touch, a prospect's first-ever interaction
- LC - Lead Created, prospect submits information
- OC - Opportunity Creation, prospect intentionally moves toward a purchase decision
- Closed - Customer Close, prospect makes a purchase
- Pending - The Pending touchpoint position is stamped only on BATs (Buyer Attribution Touchpoints), not on BTs (Buyer Touchpoints). This touchpoint position is shown only when the opportunity is still open, providing a temporary value to allow the opportunity credit to sum to 100%.

Attribution Models

GitLab uses AMM's Custom Attribution model based on a unique machine learning algorithm from AMM. The Custom model uses our touchpoint data to calculate attribution weights for each stage based on how much each opportunity stage drove the deal to close.

Adobe Marketo Measure supports other attribution methods not used by GitLab.

How is the Machine Learning model Calculated?

AMM calculates the importance of each custom stage by using all of GitLab's touchpoint data. The criteria used to determine the importance of each stage are:

- Model Accuracy: If we build a predictive model with the touchpoint data to predict whether we will win a deal eventually, how accurate will the model be? Higher predictive accuracy means that the details of this stage correlates more with whether a deal will close
- Conversion Rate: If Leads or Opportunities at this certain stage convert to the next stage at a high rate, this suggests that the marketing activities that occurred at this stage didn't matter very much. Conversely, if a certain stage converts to the next stage at a low rate, this can suggest that the marketing activities that occurred at this stage were influential in driving the conversion.
- Touchpoint Uniqueness Weight: If a stage occurs as a standalone transition, meaning there weren't any other stage transitions that occurred at the same time, this stage could receive a higher attribution weight. Conversely, if a touchpoint for a stage is shared with other stages (e.g. the touchpoint shares the First Touch, Lead Conversion, and Opportunity Conversion stages) this stage could receive a lower attribution weighting.

The final weight for a custom stage is calculated as such:

text

Model Percentage = Model Accuracy x Conversion Rate x Touchpoint Uniqueness Weight

The Custom Attribution Model's machine learning algorithm improves as it collects more data but does not automatically adjust stage weights. To ensure GitLab is using the best model, during the first month of the fiscal year, the Marketing Operations team updates the weight of each stage. The previous weights can be seen on this [Google Sheet](#).

Currently the Custom Model has the following weights for each stage (updated February 14th, 2025):

- First Touch - 34.3%
- Opportunity Creation - 16.9%
- SAO - 13.4%
- Closed (Lost, Won) - 19.4%
- Middle Touches - 16%

Online vs. Offline Touchpoints

AMM generates Touchpoints as either online or offline based on how they were created.

Online

Online Touchpoints are created when users submit a form on a GitLab web property. They are sourced from traditional online marketing channels, including display advertising, paid search, paid social, organic search, organic social, email, chatbots, etc.

While offline Touchpoints need an SFDC campaign created beforehand to create touchpoints, online Touchpoints do not.

Important: Users must have allowed or not rejected cookies for AMM to create online Touchpoints. GitLab uses OneTrust to manage user consent on our web properties, depending on the user's location they may have to allow cookies for the AMM script to load. If the user rejects or opts out of OneTrust consent, AMM will not create online Touchpoints.

Offline

Offline Touchpoints are created from interactions outside the web, including visiting a trade show booth, attending a hospitality event, and being sent a direct mailer. These interactions are for channels where a person's engagement cannot be tracked digitally or where they physically attended an event. A quick rule of thumb: if there is a list uploaded and the person took action, they are offline buyer touchpoints.

Offline buyer touchpoints are created either by:

1. Adjusting the Enable Bizible Touchpoints field on the Salesforce Campaign object to either Include only "Responded" Campaign Members or Include All Campaign Members
1. Through campaign sync rules, which generate TPs for based on well defined criteria. To learn how these rules work please see this [Custom Campaign Sync Adobe Marketo Measure documentation](#).

As of January 2023, we are creating offline Touchpoints through the campaign sync rules. This switch decreases manual setup work for the Marketing Operations Team.

The current campaign sync rules and are largely based on the Campaign Type, Campaign Member Status, Campaign Name, and Campaign Member Created Date fields in SFDC.

See progression statuses for the standard Campaign Types that will have offline buyer touchpoints enabled

Page View Tracking

We have disabled page view tracking in AMM. We found that recording page views into our attribution data skews the data considerably.

Touchpoint Generation & Mapping

Touchpoints are generated one of three ways, on GitLab's Websites, Offline, or through Sales activity. The table below gives examples of how each are sourced.

Once a Touchpoint is created, AMM uses a set of predefined mapping rules to assign a channel and subchannel to each Touchpoint based on how the Touchpoint was generated.

Type of Interaction	Example
Touchpoint Generation Method	
Mapping Method	
Online, via our website	Form fill
AMM JavaScript	
By referencing UTM values, session landing page, referring page information	
Offline	Tradeshows; BrightTalk Webcasts (for Attended status TPs), Content syndication partner delivers a list of leads who engaged with your content
	CRM Campaign membership by enabling Touchpoint Generation on the campaign Object, by configuring campaign sync rules in AMM, Brighttalk Webcasts via Marketo Programs Integration through Marketo Program Rules
	By referencing Campaign Type or the Marketo Program Channel Mapping
Sales activity	Outbound call by SDR
CRM Activity (Task or Event) record synced to AMM, through logic on the Activities page in AMM	
By referencing the Campaign Name assigned on the Activities page	

AMM has more extensive documentation on how Touchpoints are generated and mapped.

AMM Channel and Subchannel Mapping

Abode Market