

iewing, On-demand form fills or Pathfactory viewing. The flow needs to be turned on within 30 minutes of the webcast ending to work correctly for Goldcast on-demand attendees but is not required to be on prior to the event's end and likely should not be activated until then. Have Pathfactory keywords in-mind or ready so those filters can be added to the trigger and the flow can be activated before the 35 minute mark post-event. For the flow to work on landing pages for on-demand form fills, the Marketo landing page form needs to be switched to FORM 2076: On-demand Webcast

- 04 Goldcast Processing - Follow Up Requested: If an attendee clicks the CTA button -which by default is labeled as Talk to an Expert- in either an Event or in a Booth, this flow marks those leads as the Follow Up Requested program status. In order for this flow to work, it must be active and needs to have the event ID place in the trigger filter. Otherwise the CTA button will not MQL the lead for follow up. CTA click numbers are also available to reference in the Goldcast event analytics dashboard. Note that the CTA button simply links to the "talk to sales" page during on demand events and on the registration landing page - and this flow does not need to be activated for on demand. It is up to the discretion of the team member to turn off this functionality within the Goldcast event by hiding all CTA buttons. The Marketo smart campaign can safely be set to automatically expire 24 hours after the event ends

Navigating Inside a Goldcast Webinar and Event, pre-live

Webinar

From within a Goldcast webinar, there are a four primary tabs most will utilize: Event, Registration, Analytics and Edit Event. The Integrations tab is likely to go unused by most, as that deals with the Marketo integrations --which are already set--. However, in the event of the Marketo token sync failing, the FORM ID and EVENT ID are located in the Integrations menu. The Email tab will only really be utilized when needing to send reschedule related emails, as described further down this page, or cancellation emails.

Event

Within a Goldcast event, the menu arrangement differs in placement but carries much of the same information and options. Key differences are placement of the menu options and access to menus for Agenda, Rooms and Booths management differ. See below for more detail

Edit Event Menu

Multiple ways to edit your event are within this menu, including but not limited to:

- Changing the name, description, time and tags of the event
- Toggling on/off waitlist, captions, registration limit, test event and convert to on-demand functionalities
- Upload functionality for your event's assets, such as slides, videos, polls, post-event surveys and downloaded content
- Changing your events from Live to Pre-recorded broadcast types. RTMP is also available (broadcasting to or from a separate webcast service) but as an org GitLab is unlikely to use this
- Attendee privacy and attendee chat settings

Webinar Primary Menu

Much of the primary look and feel + external facing event information is found in this menu

- Inviting speakers and staff to your event takes place in this menu - which automatically send invite emails to those individuals
- Upload information about your event's speakers and staff on this menu, such as names, titles and photos
- Renaming the speakers tab and supplying a description in this section also an option

Viewing as an registrant or making changes to your emails, event stage and registration page also appear in the dashboard. Changes to email are likely unneeded due to the schedule and template already being set, however,

To make changes to the registration page or event stage, hover over either and select Design. Landing pages are customized via a block system, where blocks can be added, hidden or entirely removed. Note that Speaker info will be added to landing pages once Speakers are loaded into the event. The included templates for the landing page and event stage are the suggested starting place and are customizable from there. It's a good idea to explore and customize the Event Stage so producers know what features to expect during the live event.

Lastly, AI created content based on your even can be sorted and viewed here. This section only occurs after the event has concluded and the platform has had time to process the recording.

Program Menu for Events

Within an Event, the Dashboard contains the look and feel information along with features enabled on the event, such as captions, on demand or whether the event is in test mode.

Under the Program menu, the Agenda controls the event's session times. When adding or removing sessions, the times and dates must adhere to the original window given during event creation. If the window needs to be changed, that can be done in the Edit Event menu. For events that require a pre-recorded video to be played followed by a live broadcast, such as a Q&A, it's recommended to include 2 sessions for each broadcast, appropriately labeled for the broadcast type. Notice the Settings button on the right: Keep Session Redirection Strategy set to Automatic for the easiest transitions between sessions.

It's also possible to add breaks between sessions. During the breaks between session times or when nothing is playing on the stage, the audience will see the asset loaded in as the buffer video. Note the template comes pre-made with a 3 second buffer video but this can be swapped out.

Enable Rooms to allow the audience to socialize across rooms during the event. Enable appropriate settings for your audience Rooms

Enable Booths to let the audience explore themed GitLab content or sponsored content. More info [here](#)

Registration Menu

This menu is where registrant management occurs

- Program and Event Statuses can be controlled from this menu or from within Marketo. Statuses will sync automatically between the systems. From within Goldcast, the only statuses available for manual change are Registered, Canceled and Rejected.
- Waitlisted is assigned automatically by changing the event settings and may cause an error in Marketo to change registrants manually from Registered to Waitlisted
- Canceled disables access to the event whereas Rejected is treated more like blocked
- Tracking Pixels and Tags are applied via the template and should not be tampered with without discussing with Marketing Ops/Analytics
- Form allows changes to the registration form, like adding or removing fields. If there is a need to have more custom field data in Marketo, consult Marketing Ops and do not make such a change yourself

Analytics

This section allows for viewing of data directly collected by Goldcast, such as email send rates, survey+polls results and engagement stats. Not all of this information is shared to Marketo at launch and plans to export some of this data will come later

This section also gives access to see registrants' Magic Links. A magic link is the link emailed directly to registrants that allows them to access the event. In the event a user reaches out about not getting access to the event, this is the custom link they need

Many attributes can be found in this dashboard, including the number of successful CTA clicks

Inside an Event

From the Producer view during an event, there are several key controls to take note of:

- A: Slides: A Producer or Speaker have the ability to control slide from here. Speaker Mode -seen below slides- shows speaker notes
- B: Videos: Play a pre-loaded video from this menu. Video takes up the full stage for the audience and displays a timer to track the video ending. Video takes sound priority over Speakers
- C: Screen: Screen sharing options. Speakers, Producers and Coordinators can all use this feature
- D: Polls: Polls that have been pre-loaded prior to the event start can be activated here. Use the open/close buttons to activate/deactivate and the share button to show results
- E: Q&A: Controls for Q&A. If Q&A moderation controls are on, Backstage must approve Qs before attendees can see. Backstage can also "ask" questions anonymously if "Hide Names" is selected
- F: Overlay: Controls to take over the screen with a written message
- G: Ticker: Controls to post a message banner at the bottom of the screen. Tickers do not appear in recordings
- H: Layout: Speakers, Producers and Coordinators all have access to change the stage layout
- I: Backstage Toggle: Use this toggle to increase the size of the audience view presented on your screen and minimize the Backstage information
- J: Mic controls
- K: Webcam and virtual background controls
- L: Personal volume toggle for Stage volume. Does not affect volume for audience or presenter. Click the speaker icon for instant muting of the stage volume
- M: Personal volume toggle for Back Stage volume. Click the speaker icon for instant muting of

the stage volume

- N: Information banner for your event. Includes info on whether the event is live, how many attendees are present (if not toggled off in the settings) and wifi signal
- O: Text-based chat for those Backstage and to send alerts to the Speakers
- P: List of staff inside your event. This list also allows Producers to manually move Speakers onto the Stage or mute Speakers
- Q: Controls to interact with the audience
- R: Speakers use this button to enter and leave the Stage. Producers also have this button visible and Coordinators cannot use the button
- S: Night mode for backstage

Note: Additional controls and settings can be found by clicking your profile icon (or initials) in the top right of the Stage. This information is mostly informative, like assigned role and attendee numbers (for Producers, but not Speakers)

On-Demand Settings

An on-demand Stage template is pre-made and included on all webcast events. Check over the settings on all events before the event airs and know the standard URL for on-demand access normally reads: webcasts.gitlab.com/on-demand{event-id}. The primary toggle to check is related to Downloadable Resources, which is off by default

Webcasts Subdomain

Goldcast hosts a list of its hosted webcasts under the subdomain <https://webcasts.gitlab.com/>. Future iterations will add to this functionality

Rescheduling and Canceling Events

To reschedule an event, select the Edit Event menu and change the date and time to the new desired time. There will be a prompt asking if there is to be an email deployed informing registrants of the time change. Exit the alert without sending the email because that email will be unbranded, only including a calendar invite.

To cancel an event, send out a notification email as described in the next paragraph before deleting the event. Once the email alert has been deployed, the Delete Event button can be found at the bottom of the Edit Event menu.

To send a custom email, within the main event menu select into the Email menu. Within that menu, select Send Custom Email. Fill in the Email Subject with the appropriate title and for the email template select the pre-made template named [Reschedule] Default GitLab Template or [Cancellation] Default GitLab Template. Complete the email send by hitting the Send to Registrants button.

If the event has been rescheduled, change the Marketo program name to match the new date. If the event has been canceled, ping in the mktgops slack channel to have the program deleted or delete the program if you have the permissions.

Localized Event Templates

Goldcast has been outfitted with localized event templates for 7 additional languages, bringing the number of templates available to 8 languages total:

- English
- Spanish (Spain)
- French
- German
- Portuguese
- Italian
- Japanese
- Korean

Note that each of these localized templates will auto-create a Marketo program.

Each of these templates have the Primary Language set to the listed language, meaning email assets, UI and features are set to this language and in order for some features to work correctly the speakers must be speaking in that language. Event information must also be input by Staff to match the language for a completely localized experience. More information can be found within Goldcast's documentation.

When adding Speakers to an event, the Speaker Invite/Instructions email will be set to the Primary Language initially but can be switched to a standard English template in the Email Schedule section of the event. If you would like to send a Primary Language email to one speaker and the standard English email to a different speaker, switch the Speaker Invite/Instructions email before adding one Speaker or the other. The system is not capable of sending two different language emails simultaneously. For the 1 hour reminder email, only one of the two emails can be sent due to those reminders being sent simultaneously. Staff Emails are only in English.

All Japanese event templates have been updated with email templates that include the greeting {{last name}}-sama, whether the email is in Japanese or English

To send a Reschedule or Cancellation email, follow similar protocol as explained in the above section. Select the templates titled [Reschedule] Default GitLab Template - {{Primary Language}} or [Cancellation] Default GitLab Template - {{Primary Language}} and depending on the email, fill in the subject line with one of these translations:

- a. Your event has been rescheduled!
- b. Due to unforeseen circumstances the event has been canceled.

- Spanish
 - a. "Su evento se reprogramó."
 - b. "Debido a circunstancias imprevistas, el evento se canceló."
- French
 - a. "Votre événement a été reprogrammé!"
 - b. "En raison de circonstances imprévues, l'événement a été annulé."
- German
 - a. "Dein Event wurde verschoben."

- b. "Aufgrund unvorhergesehener Umstände wurde das Event abgesagt."
- Portuguese
 - a. "Seu evento foi reagendado!"
 - b. "evido a imprevistos, o evento foi cancelado. "
- Italian
 - a. "Il tuo evento è stato riprogrammato."
 - b. "A causa di circostanze impreviste, l'evento è stato annullato."
- Japanese
 - a. "....."
 - b. "....."
- Korean
 - a. "... ..!"
 - b. "... ..,"

Working with a Series

A Series in Goldcast acts as a method of grouping multiple events with differing dates and times under the same label. A few things to know about Series:

- A Series can come with its own Goldcast landing page that will allow users to select their event date and time, but use of these landing pages is currently limited while the team investigates how Bizible touchpoints work with these landing pages. It is recommended to continue using Marketo or About.GitLab marketing landing pages until Goldcast and Bizible are correctly connected. Reach out to MktgOps to set up a single form registration within Marketo
- The only Series template created is currently in English and called Series Landing Page Template. To recreate this template, use the "duplicate" feature found in the Edit Series menu. Know the form for the landing page is not set up at this time
- Please note a Series cannot have a Primary language set because that function lives at the Event/Webinar level. This means different events within your Series can be set to different Primary languages
- Events and Webinars added to your Series can be created by selecting "Add Event" or "Add Webinar" on the Series Dashboard. Each unique event/webinar created within the Series will create its own Marketo program
- Registration confirmation and reminder emails will come from the individual events/webinars, but it is possible for Series to send Registration confirmation and Waitlist emails
- More information to be added on this functionality after Bizible Touchpoints are successfully integrated with Goldcast

Content Hub

Content Hub is an AI-powered feature that allows users to generate creative assets based on the content from either our webcasts broadcast within Goldcast or videos loaded into the platform. Goldcast can generate several types of content, including:

- Video Clips
- Social Media Posts
- Blog Entries
- Email Sends
- Bullet-pointed "Takeaways"

All generated content uses what is called a "brand kit", which directs all generated assets to fit GitLab's branding. The following are brand guidelines that can be set within Brand Kit:

- Voice Profile: An AI narrator, which can be set to have a specific style of speech
- Color: The GitLab shades of purple (7759c2) and orange (fc6d26) have been pre-selected
- Font: GitLab's branded font has been pre-loaded
- Template background: Clips will feature one of the images loaded here. To start, 3 have been pre-loaded and if more are desired please open an issue with the Branding team
- Intro/Outro Video: Videos used on generated video clips. To be added at a later time

All generated content made within Content Lab can be exported for use outside of the platform

Requesting new creative assets

Goldcast supplies guidelines for creative assets on two different pages:

- Image and Video Specifications for Goldcast Events
- Event Look & Feel: Branding your event

Link to the original implementation training with Goldcast

All GitLab team members can find all 4 implementation training videos performed by Goldcast staff in this folder

SECTION: marketing/marketing-operations/groove/index.md

About Groove.co

Groove is a Salesforce native sales engagement platform which helps Sales and Sales Dev team members efficiently and effectively engage prospects and customers to drive more pipeline and increase deal closure.

Support

Groove is a tool co-owned by the Marketing Operations and Sales Operations teams.

If you require further assistance outside of the contents of this handbook page and Highspot page, please reach out in the appropriate Slack channels based on your role:

- Marketing or Sales Development requests, please contact mktgops on Slack.
- Sales requests, please contact sales-tools-support on Slack.

Access

Groove access is dependent on a Salesforce Groove permission set as well as a Groove license. All Salesforce users are assigned the permission set, while only roles who receive access to Groove as part of their Baseline Role-Based Entitlement, or are otherwise approved, will be provisioned a Groove license.

Role-Based Entitlement

- Sales Development
- Business Development Representatives
- Managers, SDR or BDR
- Account Executives
- Area Sales Managers
- SMB Advocates
- Managers, SMB Advocates
- Renewals Managers
- Managers, Renewals Managers

Once you have access please take the following steps:

- Download and install the Groove Chrome extension.
- Connect your calendar and email.
 - Once you connect your calendar and email to Groove, your emails will begin to log to Salesforce records automatically. Groove syncs your emails to Salesforce by attaching those messages to contact or lead profiles within your Salesforce instance. This means that emails sent to recipients not associated with Salesforce will not be synced.
 - To prevent a specific email from being logged to Salesforce, uncheck the Log button in the Email Compose window (below the Subject line). This will ensure a specific email is not logged to Salesforce.
- Connect your LinkedIn Sales Navigator account (if applicable)

Admin Users

To grant new users access- you need to do the following:

- Import SFDC Users
- Grant them a license:
 - Core - Reserved for those who need access to the platform but will not be using flows - e.g Managers
 - Flow Unlimited - Reserved for those who will be using flows as part of their role - e.g AEs, SMB Advocates, and SDRs
 - Dialer - Only for Sales Dev reps, AEs, and SMB Advocates
- Grant them a role:
 - Standard User - Allows standard access to the tool. Majority of ICs will be this role.
 - Team Leads - All Managers will receive this access.
 - Analysts - All Directors will receive this access.
 - Admin - Reserved for select operations roles only.
- IMPORTANT: Teams have been manually created in Groove. Please add them to their relevant teams. This part controls their flow access and if they are not added, they may not have the right permissions.

Flows

Flows must be named by the following naming conventions.

Groove Flows Creation

Flow Approval Process

Individual flows can be created by any team member in Groove for personal use except for XDRs. XDRs and Renewals Managers will need to submit their individual flows for approvals, while Account Executives and SMB Advocates can create individual flows without the need for approvals. All flows used by XDRs will be master flows

BDR Flow Creation Process

BDRs are able to create individual flows that must be approved by their managers. After approval, ownership of these flows will be switched from the BDR to their Manager by Ops. The BDR should not add anyone to the flow until it is in their manager's ownership.

Checklist for BDRs when Creating Flows

- Is the name of the flow inline with our naming conventions? If no, adjust it
 - Department, Inbound/Outbound, High Touch/Low Touch, Region, Description, Language
 - Example: SD IB LT EMEA CONTENT GER
 - All Sales Dev flows begin with ·SD·
- Have you added labels that align to our naming convention?
- Is email tracking on/off for each email step?
- Have you previewed each step of the flow?
- Are the steps inline with HT/LT principles? HT should always have Phone calls and LI steps
- Have you notified your manager with the reason why you are planning to create this flow?

New Sales Dev Manager Flow Approval Process (Nov 2024)

Flow Approval Full Process and Order of Events

1. BDR creates flow and submits for approval in Groove
2. Manager Sends flow to Operations (Panos for EMEA/APJ, Ed for AMER)
3. Operations will check Flow settings, labels, and who it is shared with
4. Operations Transfers Ownership from BDR to Manager within 24 hours
5. Manager checks and Approves flow (Directions below)
6. BDR can now add prospects to the flow after ownership is transferred

Mandatory Manager Approval Checks:

- Is the name of the flow inline with our naming conventions? If no, adjust it
 - Department, Inbound/Outbound, High Touch/Low Touch, Region, Description, Language
 - Example: SD IB LT EMEA CONTENT GER
 - All Sales Dev flows begin with ·SD·
- Is the flow in your (the managers) ownership?
- Should you add the flow to the testing collection (org applicable) or to your team collection?
- Are there labels used that align to our naming convention? (Do not create new labels)
- Is email tracking on/off for each email step?
- Consider toggling manual steps to allow them to include their own template
- Are the steps inline with HT/LT principles? HT should always have Phone calls and LI steps
- Are there A/B tests included? (not mandatory but recommended)

- Recommend previewing/testing the flow to ensure that variables are set up correctly
- Note: Setting email steps to manual is the only way they'll be able to customize messaging

Look at the Settings:

- Make sure the flow is a master flow
- Is the Unsubscribe Footer on?
- If you are sharing a flow with sales do not turn on edit permissions
- Should there be an expiration date for this flow (use when only to be used for certain date range like an event)
- Global Block Rules should be toggled on (should be automatic)
- Make sure the flow is shared with each team you would like to have access to the flow.
- Do not grant edit permissions on master flows.

Manager Recommendations:

- Come up with an intake process otherwise you will have duplicate efforts from team members and you will spend a ton of time approving flows rather than analyzing results.
- Think if the flow you are approving should be in your team collection or would be useful for the rest of the org and should be added to the testing collection
- Only approve LT flows for very specific reasons - include that in the description of the flow
- Schedule recurring monthly checks of flow analytics to help with deprecation and promotion of flows

Sales: Flow Creation Requirements & Sharing with BDRs

Watch this 15-minute demo on GitLab Unfiltered for a walkthrough on how to create a flow.

Flow Requirements

Ensure that your flow is following the specified requirements. Flows will be reviewed by Sales Operations on a bi-weekly basis and will be adjusted or removed if they do not meet the requirements.

- Name the flow according to the naming conventions
 - Example: AE OB HT AMER JENKINS
- Use merge fields for the recipient's name and the company name
 - Merge fields will pull from Salesforce directly to populate the contact or lead records first name and the related account name.
- If a flow is intended for an offer or promo, set an expiration date by opening up the Flow in the Groove webapp, clicking on Settings, and clicking on Flow Expiration Settings.
- Assign a Label
 - Please choose from the available list of Labels, and do not create a new one as Labels are visible to all Groove users. If you have identified a need for a new Label, please post in the groove-flow-approvals Slack channel.
 - All Sales labels start with SALES. Example: SALES: Account Executives, SALES: Renewals, SALES: SMB.

Sharing with BDRs

The Sales and Sales Dev organizations have their own processes for creating and maintaining flows. If you have a flow that you would like to share with your BDR for their usage, please reach out to the BDR Manager or Sales Dev Operations team for review and approval.

Sample Flows

If you're new to creating flows, there are blank flows available as samples (or templates) for each team member to choose based on frequency of communication, and if you would like to majority call versus email, or a mix of both. These flows can be found in the Groove Flows tab, click on Filter, choose Labels, and select the SALES: Blank option.

Below are a few options:

- 1 email a week
- 1 email and 1 call a week
- 2 emails a week
- 2 emails and 2 calls a week
- 1 email a month

The email body is blank for you to personalize your message to your prospect or customer. Please note that you must add a lead to the flow before you are able to personalize. Once the lead is added, go to the Actions tab, click on the Play button of the specific flow you would like to personalize, and from there you can make updates.

You also have access to all Sales Dev sequences. Any of the High Touch sequences will allow you to customize the first email message. Subsequent email steps are a mix of automated and manual emails.

Adding to Flows Option

- CSV Upload: The CSV upload will only accept leads/contacts that already exist in SFDC. You can not upload anything that doesn't exist in SFDC.
- Search: You can search SFDC by using name, email, company, phone or job title.
- SFDC List View: You can choose an object and then search your list view for that object to add people to flow. Example: B2 Lead View
- SFDC Reports: You can search and add people through your SFDC reports or publicly shared reports.

Signature

In the email body of some emails of flows, there are references to a meeting link in your signature. Please make sure you update your signature to include a meeting link. You can see a preview of your signature in your Groove Settings.

- Sales Development: Please do this using Terminus.com.
- Sales: Please do this in your Gmail settings.

Labels and Searching for Flows

Labels are how Flows and Templates are organized in Groove.

Label Categories:

- Industry: Flows targeted at a particular industry
- Lang: Language Flows
- Motion: Different sales motions, ex: Competitive GitHub, Closed Lost, CI/CD, Event
- Persona: Targeted at a particular buying persona
- SD: Sales Dev owned, this will be in front of all Sales Dev flows

Important Notes on Searching using Labels:

- When you filter by choosing multiple labels it creates an ·and· statement between all of the labels you choose. For example, if you choose the labels ·SD OB HT AMER· and ·Motion: Competitive Atlassian· it will show every flow that has EITHER of those labels.
- Best practice is to only filter down by one label and then search for the key word in the flow you are looking for. For example, you can filter by ·SD IB HT AMER· and then in the search bar you can search the word ·trial· to narrow your search down to all of the HT AMER Trial flows.

Groove Variables

Groove Variables are formatted different than Outreach. You can find some common examples below.

- Personalization Example = {!Personalize Messaging Here}
- Prospect Company/Account Name = {!company}
- Prospect First Name = {!firstname}
- Prospect Last Name = {!lastname}
- Sender First Name = {!user.firstname}
- Sender Calendar Link = {!User.groovemeetinglinkc}

Groove Collections

- Team Collections: Managers own flow approvals for their team members. They are responsible for their team collection which includes: defining their process for content submissions, adhering to naming conventions & labels, quarterly deprecation and reporting on what's converting. ex. SD EMEA DACH TEAM
- Inbound collections: are required for all MQLs. Ops would own editing etc. To have these changed, approval would require ops.
- SD Good outbound collection: owned by Ops and will only include highest performing flows. These flows will be added over the next 90 days as data from Groove comes in
- SD Assist: Flow to be used for special circumstances (Action Qualifying, Move High Priority Leads, Web Directs ect.)

Auto-Enrollment in Groove Flows

What is Auto-Enrollment?

Groove Auto-enrollment allows you to automatically import people into your Groove flows based on specific criteria. This feature eliminates the need to manually add prospects to flows, saving time and ensuring consistent follow-up on qualified leads.

At GitLab, we primarily use auto-enrollment through Salesforce Reports, though it can also be configured via Saved Searches in Groove.

How Auto-Enrollment Works

When auto-enrollment is enabled for a flow:

- Groove scans the Salesforce instance every 3 hours to identify new records that match your criteria
- New records meeting the criteria are automatically added to the flow
- The Lead/Contact Owner checkbox must be checked to ensure records are assigned to the correct person

Primary Use Cases at GitLab

At GitLab, auto-enrollment is mainly used by Marketing Operations to set up Gem-E (UserGems AI Generated email messaging) flows. Currently we have two flows as follows:

1. One flow for the SMB segment
2. One flow for the MM/Large segments

Setting Up Auto-Enrollment Successfully

To ensure auto-enrollment works as expected, follow these criteria:

1. Report Field Visibility: The fields present in the SFDC report columns or filters need to be visible to the flow owner. The SFDC report should NOT contain any fields for which the Groove flow owner doesn't have visibility.
2. Flow Sharing: Before lead records can enter the Groove flow, you must share the flow with the intended users (in our case, SDRs/BDRs). If the flow is not shared with users, no leads will enter the flow.
3. Owner Assignment: Always check the Lead/Contact Owner checkbox in the auto-enrollment settings to ensure proper assignment.

Notable Flows

SD Assist: Move High Priority Leads- This flow is only a single manual task and is to be used when you need to move a lead/contact out of high priority status. An example of this would be when an AE asks you not to reach out to a certain account because they are already in discussions with them.

Email Sending Limits

There is a 1000 email limit per day. This resets every rolling 24 hours.

Email will be sent at 45 secs intervals. If an email is scheduled to be sent at 3pm and 60 emails are due to be sent. The 1st email will be sent at 3pm, then the next email will be sent 45 secs later, so in total the 60 emails will take just under an hour to send.

Global Automated Actions

For every flow, Operations have defined a set of actions that will take place depending on different triggers happening in the flow. This is to ensure good data management practices.

- On Complete: When the contact is finished the flow, the SFDC lead or contact status will update to Recycle.
- On Reply: If a contact replies to an email, the contact will be removed from the flow and the SFDC lead or contact status will be updated to Qualifying.
- On Days Overdue: If a task in a flow becomes 30 days overdue, we will be removing the contact from the flow and updating the sfdc lead or contact status to Recycle.
- On Negative Signal: If a call is marked as a negative signal (through the call dispositions), the contact will be removed from the flow. Depending on the call disposition selected, it will update the SFDC lead/contact status. See below for more detail.
- On Bounce: If an email bounces, the contact will be removed from the flow. The lead will be marked as bounce in SFDC under the field Bad Data Reasons and the task related to the email will be marked as bounce and have the bounce code attached to it.
- On Meeting booked: If a meeting is booked through the flow, the contact will be removed from the flow and the SFDC lead and contact status will be updated to Qualifying.

Phone Numbers

Due to global phone number regulations, at this time, we can only purchase a local/mobile phone number where GitLab has an entity. Below are the countries that we can currently purchase for:

- US
- Canada
- United Kingdom
- Ireland
- Germany
- France
- Spain
- Netherlands
- Singapore
- Australia
- Japan (Coming soon)

We are also investigating countries where we can purchase toll free numbers we can outbound prospect with. More to come soon.

SDRS

- All SDRs will receive a 'base' number from which all calls will come from but local dial and international local dial will support calling into other state/countries.
- If we have an entity in that country, and the SDR is calling into that country, Groove will call from a local number in that country, regardless of the SDRs base country number.

- If we don't have an entity, then Groove will use the SDRs assigned base number to call.
- For example, if they have a UK base number, and call into Germany, since we have an entity in Germany, Groove will dial from a German number. If they try to dial into Hungary, where we don't have an entity, the number will call from UK.

BDRs

- All BDRs will receive a number from the territory they cover. It will work in a same way as SDRs if they dial into a state/country where we have an entity.

Call Dispositions

Call Disposition Name	Description	Signal
CC: Answered: Info Gathered: Potential Opp	Some qualification questions were answered but more follow up is needed before an IQM is set	Positive signal
CC: Answered: Info Gathered: Not Opp yet	Some qualification questions were answered but no current use case or not the right time	Positive signal
CC: Answered: Not Interested	Have stated on the call they are not interested	Negative signal
CC: Answered: Personal Use	They are using GitLab for personal reasons	Negative signal
CC: Answered: Asked for Call Back	Caught them at a bad moment and they asked for a call back OR they are still evaluating tool, call back in a few weeks	Positive signal
CC: Answered: Using Competition	They are using competition	Negative signal
Automated Switchboard	You reached the automated switchboard and there was no option forward	Neutral signal
Main Company Line - Can't Transfer Line	There's no way to contact your prospect through this company number	Neutral signal
IQM Set	You were able to schedule an IQM while on the phone call. Note that a trigger exists in SFDC to automatically change lead status to Qualifying when this option is selected	Positive signal
Correct Contact: Left Message	You were able to reach the voicemail for the correct contact and you left a message on their machine or with their Personal Assistant	Neutral signal
Correct Contact: Not Answered/Other	You were able to reach the correct contact through a company directory but it kept ringing. You reached the contacts voicemail but their voicemail was not set up so you could not leave a message	Neutral signal
Incorrect Contact: Answered	The wrong person answered the phone number that you had for this contact and it is the wrong persons phone number (They were not a personal assistant). They didn't take a message for the correct person or give helpful information	Neutral signal
Incorrect Contact: Left Message	The wrong person answered the phone and it is the wrong persons phone number (They were not a personal assistant). They took a message for the correct person/gave you the correct number for the contact	Neutral signal
Incorrect Contact: Not Answered/Other	You got through to the voicemail but the voicemail was for someone other than the person who you were trying to contact. Or the person was not listed in the company directory and you were calling the companies main number	Neutral signal
Incorrect Contact: Answered: Gave Referral	It was the wrong person but they gave a referral to speak to. Please record in notes who the referral is.	Positive signal
Incorrect Contact: No Authority	The person who answered the phone number has no authority nor decision to move forward with a purchase.	Negative signal
Correct Contact: Discovery Call Set	You were able to schedule a discovery call while on the	

phone call. Note that a trigger exists in SFDC to automatically change lead status to Qualifying when this option is selected | Positive Signal |

Spaces

Spaces allows users to build a spreadsheet within Groove by pulling in account or opportunity data. A Live Space can also be used by leveraging a Salesforce report to automatically import opportunities that match the report. This Live Space will dynamically update by scanning our Salesforce instance for new records and updating the Space appropriately.

This feature provides BDRs, AEs, and RMs a better opportunity to collaborate within Groove and maintain Salesforce fields updated through in-line editing. Additionally, Sales and Sales Dev can create notes and tasks for each other in these Spaces which will save over to Salesforce. Spaces is a great place to build account reports on BDR's Actively Working and Pursuit 6QA Accounts.

Note: You can share the space with any Groove user, but if you edit or delete the space, it will do so to everyone who the space is shared to.

Additional resources regarding Spaces and how to use them can be found in the following Clari Knowledge Base articles:

- Groove Spaces: Opportunity Management
 - Includes details about Live Spaces towards the middle of the page.
- Groove Spaces: Custom Account Lists

Groove Salesforce Fields

Activity Object

Field label	Field Name	Description
-----	-----	-----
Times Opened	TimesOpened	How many times the email was opened by any of the recipients
Times Clicked	TimesClicked	How many times any of the links contained in the email were clicked
Last Opened Date	LastOpenedDate	Most recent email open by one of the recipients
Replied	Replied	A checkbox indicating if the email was replied to.

Task Object

Field label	Field Name	Description
-----	-----	-----
Call Duration	CallDurationInSeconds	How many seconds a call was made using Groove Dialer was
Call Type	CallType	Indicates if a Groove Dialer call was inbound or outbound

Activity Custom Fields

Field label	Field Name	Field Type	Description
-----	-----	-----	-----
Groove Sent from Flow	GrooveSentFromFlow	Checkbox	If checked, this email was sent from a flow.

If not, it was sent from gmail|

|Flow Name|FlowName|Text(225)|If the email was sent from a flow, the ID and Name of the flow will show up here|

|Template Name|TemplateName|Text(225)|If a template was used when the email was sent(gmail or flow), the ID and name of the template will show up here|

|Groove Inbound Response Time Seconds|GrooveInboundResponseTimeSeconds|Number(18,0)|Response time to an inbound email in seconds|

|Groove email sent at|GrooveemailSentat|Date/time|The time at which an email was sent|

|Activity Overdue by Days|Grooveactivityoverduebydays|Number(3,0)|This will display the amount of days an activity was overdue by the time it was complete|

|Step Type|GrooveStepType|Text(225)|What type of set was used to complete the task|

|Step Number|Groovestepnumber|Number(3,0)|Which step within a flow was completed|

Note 1: the above Flow and Template Name fields will populate data back with the following format: [Id of the flow/template]: [name of the flow/template]

Note 2: "Groove sent from flow," "Flow Name," and "Template Name" in the chart above apply to all step types so that you can report in Salesforce on the templates applied to all flow steps, and whether or not each activity was sent via Flow. "Groove inbound response time seconds" and "Groove email sent at" apply only to email steps in Flow.

Note 3: Groove will start populating this information back to newly created tasks within 24 hours after the fields have been created in Salesforce.

Lead/Contact Fields

|Field label | Field Name | Field Type |Description |

| ----- | ----- | ----- |-----|

|Last Touch|Groovelasttouch|Date/time |Date and time when person was last contacted|

|Last Touch Type |Groovelasttouchtype|Text(50)|Type of last touch|

|Last Engagement|Groovelastengagement|Date/time|Date of last engagement|

|Last Engagement Type|Groovelastengagementtype|Text(50)|Type of last engagement|

|Last Step Completed|Groovelaststepcompleted|Date/time|Last step was completed in the flows that the person was most recently added to|

|Last flow name|Groovelastflowname|Text(225)|Flow name for the flow the person was most recently added to|

|Last Flow Status|GrooveLastflowStatus|Text(50)|Status for the flow the person was most recently added to|

|Last Flow Step Number|GrooveLastFlowStepNumber|Number(3,0)|Step number this person is on the flow they were most recently added to|

|Last Flow Step Type|GroovelastflowSteptype|Text(200)|Step type the person is currently on for the flow they were most recently added to|

|Engagement Score|GrooveengagementScore|Number(5,0)|Engagement score based on opens, replies and clicks|

|Next Step Due Date|GroovenextStepdueDate|Date|Date when the next step is due in the flow they were most recently added to|

|Added to Flow Date|GrooveAddedtoflowDate|Date|Date of the flow the person was most recently added to|

|Flow Completed Date|GrooveflowCompleteddate|Date|Date when the person completed the flow they were most recently added to|

[Removed from flow date|GrooveRemovedFromFlowDate|Date|Date when this person was removed from the flow they were most recently added to]

[Removed from flow Reason|GrooveRemovedFromFlowReasons|Text(50)|Reason why someone was removed from the flow they were most recently added to]

[Active Flows Count|GrooveActiveFlowsCount|Number(3,0)|Displays the amount of flows the person is active in]

[Last Step Skipped|GrooveLastStepsSkipped|Text(50)|Step and Date the person was skipped in the flow they were most recently added to]

Note 1: For fields involving Flow activity, the information will be taken from the last flow to which the person was added.

·Out-of-the-Box· Salesforce Reports & Dashboards

Dashboards

- Groove - Activity Dashboard
 - The top reports from Groove Insights focused on Activities that your team is carrying out. Click into each report for a deeper dive, or find the rest of the reports within the "Groove Insights - Reports" folder.
- Groove - Contacts and Leads Dashboard
 - The top reports from Groove Insights focused on Contacts and Leads your team is reaching out to. Click into each report for a deeper dive, or find the rest of the reports within the ·Groove Insights - Reports· folder.
- Groove - Opportunity & Account Dashboard (QTR)
 - The top reports from Groove Insights focused on the Accounts being targeted and Opportunities that your team is working on. Click into each report for a deeper dive, or find the rest of the reports within the "Groove Insights - Reports" folder.
- Groove - Accounts by Inferred Status QTR
 - Accounts with activity this quarter broken out by Groove's Inferred Status. Filter out reps, each status type, and expand the activity window to see more details
- Groove - Accounts with Activity this QTR
 - Groove report of accounts with activity this quarter, broken down by Groove's Inferred Status and including Groove metrics, like: open/click rates, total meeting/call time, and more
- Groove - Active in Multiple Flows
 - Contact Report showing which Contacts are currently active in more than 1 flow. It's grouped by account and includes relevant account information from Groove
- Groove - Activities by Account
 - Shows a breakdown of activities per account over the past and current month
- Groove - Activities by Rep This Week
 - Shows each rep's overall activities this week and the corresponding engagement. Standard activities are separated from those completed inside a Groove Flow
- Groove - Activities Per Flow This Month
 - Shows Flow usage, performance, and a user breakdown for Master Flows. Chart breaks down usage of each Flow step type
- Groove - Activities per Opp QTR
 - Groove breakdown of activities by rep & type for opportunities closing or closed this Quarter. Includes open & closed opps
- Groove - Activities: Closed vs Won Opps
 - Groove report on activity differences between closed won vs lost opportunities this

quarter, including Groove analytics on activities & engagement. Update the stage settings to match your org's status on closed/won

- Groove - Calls by Rep this Week
 - Shows calls made by each rep this week, broken down by Call Result/outcome. Details include call durations, recordings, and whether the call was made via Groove Flow or one-off.
- Groove - Email Template Performance
 - Shows the performance of each Groove template, in terms of their Open, Click, and Reply rates, broken out by subject
- Groove - Flow Overview (Contacts)
 - A breakdown of all Groove Flow activities (Step Number, Step Type, etc.) broken down by account.
- Groove - Flow Overview (Leads)
 - See the breakdown of all Groove Flow activities for Leads (Step Number, Step Type, etc), broken down by company and flow name
- Groove - Key Contacts by Owner
 - Find your company's key contacts, which accounts they are from, and which rep owns that account.
- Groove - Key Leads By Owner
 - Find your company's key leads, which accounts they are from, and which rep owns that account.
- Groove - Lead Email Response Time
 - Groove report on the average response time for inbound messages broken down by lead owner, status, and type. Includes Groove analytic data
- Groove - Leads Not Touched
 - Find Leads that have not been touched in the past and current quarter, grouped by Lead owner and Account
- Groove - Manual vs Groove Activities
 - Groove report of rep activities this quarter broken down by Groove created items and other activities
- Groove - Meetings Booked This Month
 - Shows all meetings that were created this month (by rep) and logged via Groove, where the rep who was invited to meeting "Assigned" to the Salesforce Event
- Groove - My Open Leads QTR
 - A Groove report of YOUR leads with an "open" status that have activity this & last quarter. Also includes a number of Groove analytic fields to help identify key people
- Groove - Open Leads
 - View open leads, grouped by lead owner and account.

Available Integrations

Highspot

- Clari Knowledge Base Article - Groove Highspot Integration
- When to use Highspot Pitches vs Groove templates explainer video

LinkedIn Sales Navigator

- Each Groove user can connect their LinkedIn Sales Navigator account to their Groove Omnibar.
- Clari Knowledge Base Article - Groove LinkedIn Integration

ZoomInfo

Can view the demo in highspot. With this integration, there are three ways to export records to Groove as a lead and select your flow:

- 1. ZI Chrome Extension (Expand only);
- 2. Advanced Search
- 3. Company Org Chart

Can read more on the ZoomInfo Page.

SECTION: marketing/marketing-operations/hightouch/index.md

<i class="fab fa-gitlab fa-fw" style="color:rgb(252,109,38); font-size:.85em" aria-hidden="true"></i>

DRI's

DRI	Role	
-----	-----	
Amy Waller	Business Owner	
Mihai Conteanu	Technical Owner	

Hightouch Handbook - Syncing Data to Iterable

Welcome to the Hightouch Handbook! This documentation page provides essential information on using the Hightouch tool to sync data to Iterable. As the Marketing Operations Manager, it's crucial to have a reliable and efficient data synchronization process, and Hightouch plays a vital role in achieving that. Let's dive into the key components: syncs, models, sources, and objects.

Syncs

Sync Name	Object	Type	Sync refresh	
Description				
-----	-----	-----	-----	-----
Iterable-Production	Record/user	Update Only	24 hours	
Syncs data on all namespaces a person is member				
Iterable - First Namespace Details Sync	Record/user	Update Only	24 hours	
Syncs data in individual fields on the first namespaces a person created				
Iterable - First Namespace Details Sync	Custom Event	Update Only	24 hours	
Syncs events in Iterable for tracking and debugging purposes				
Marketo Activities	Custom Activity	Update Only	24 hours	
Creates custom activities in Marketo				

Syncs are the core of Hightouch's data transfer capabilities. They facilitate the transfer of data from various sources to Iterable. In simple terms, syncs are the operations that keep our

data in Iterable up to date. By configuring syncs to meet our needs, we ensure accurate and relevant data for delivering campaigns such as onboarding experiences and nurture emails.

Key elements of a Hightouch sync configuration:

- Model: The model that you want to sync. The model defines the object types and fields that you want to sync.
- Destination: The destination that you want to sync to. Hightouch supports a variety of marketing tools and systems, as well as custom destinations. Each destination acts as an add-on expense. We are utilising Marketo and Iterable.
- Sync mode: The sync mode that you want to use. Hightouch supports upsert, insert, and update sync modes.
- Record matching: How rows in the source should be matched to records in the destination. This is especially important for update and upsert syncs.
- Schedule: The frequency of the sync. You should consider the frequency of your sync. If you sync too often, you may put a strain on the data warehouse and marketing tools. As a standard we are syncing data once every 24 hours.

Tips

- When configuring a Hightouch sync, it is important to carefully consider the data that you want to sync. The data should be relevant to the destination that you are syncing to.
- You should also carefully consider the sync mode that you want to use. If you use the wrong sync mode, you may overwrite data in your destination.
- It is important to test your syncs thoroughly before using them in production. This will help you to identify and fix any potential problems.
- You should also monitor your syncs on a regular basis to ensure that they are running smoothly.
- Sync logs: The sync logs provide more detailed information about the execution of your syncs. You can view the start and end time of each sync, the number of records that were synced, and any errors that occurred.
- Data quality checks: You can also perform data quality checks to ensure that your data is being synced correctly. For example, you can compare the number of records in your source and destination systems to make sure that they match.

Common errors

No record was found with lookup for email:johndoe@john.com

-This error will be expected in the Iterable-Marketo Sync because we are using the update only method. This means there are records in the snowflake table which don't exist in Iterable but it will try to sync them. Records are created in Iterable through API calls from product and due to size limitation we do not wish to sync all records from the warehouse.

Specified password has expired. Password must be changed using the Snowflake web console.

-The Snowflake connector password expires once every three months and has to be reset in the snowflake UX by logging in with the HIGHTOUCHUSER. The password has then to be changed in Hightouch>Sources>Snowflake

Models

A Hightouch model is a definition of the data that you want to sync. It includes the object types (e.g., users, accounts, leads) and the fields that you want to sync for each object type. We use the SQL editor to model the data from Snowflake depending on the specific information we need to sync. Hightouch models are important because they allow you to control the data that is synced between your data warehouse and your marketing tools.

How to create a Hightouch model

1. Select the source that you want to sync from. Hightouch supports a variety of data warehouses, including Amazon Redshift, Google BigQuery, and Snowflake.
2. Choose a modeling method. Hightouch supports three modeling methods:
 - SQL editor: Write a SQL query to define your model.
 - Table selector: Select the tables and columns that you want to include in your model.
 - dbt model selector: Select a dbt model to use as your model.
3. Define the object types and fields that you want to sync.
4. Configure the model's primary key.
5. Save your model.
6. Once you have created a model, you can use it to create a sync.

Here are some examples of Hightouch models

- A customer model that includes the customer's name, email address, and purchase history.
- A lead model that includes the lead's name, company, and email address.
- An event model that includes the event type, event date, and customer ID.
- A product model that includes the product name, description, and price.

Sources

Sources represent the data systems and platforms we extract data from for syncing. Hightouch supports various sources, including databases, data warehouses, and third-party applications. By connecting Hightouch with these sources, we simplify the process of pulling data into our syncs and streamline data synchronization.

Hightouch provides pre-built connectors for popular data sources, ensuring smooth integration. Additionally, it offers the flexibility to create custom connectors, allowing us to connect with any source that meets our requirements.

Our current source is the data warehouse in Snowflake. We are pulling data from the dbt model here.

Objects

Hightouch can sync various types of objects to Iterable, enabling us to leverage a wide range of data in our marketing campaigns. Some of the commonly synced objects include:

1. Users: Hightouch can sync user profiles, attributes, and events to Iterable, providing a holistic view of each user. This data is essential for creating personalized and targeted campaigns.
2. Events: By syncing events, Hightouch allows us to track user interactions and behaviors. This data can be utilized to trigger specific marketing actions or segment users based on their engagement.
3. Segments: Hightouch can sync dynamic segments to Iterable, ensuring that the most up-to-date user groups are available for our campaigns. This enables us to target specific segments with tailored messaging.

By syncing these objects and more, Hightouch empowers us to deliver highly personalized and engaging experiences to our users through Iterable.

Monthly Queried Records (MQR)

Each time a sync runs in Hightouch and records are queried, it consumes MQRs. For the same record queried multiple times during the billing period it only counts as one. Please note that we have a limit of 1.5 million Monthly Queried Records (MQRs) per billing period.

SECTION: marketing/marketing-operations/impartner/index.md

GitLab uses Impartner as our primary Partner Relationship Management (PRM) platform, partner portal, MDF requests and marketing center for both Alliance and Channel Partners.

PRM MDF Approval/ Process

The Channel Marketing team offers Market Development Funds to support the Partner's marketing campaigns and events. Channel Partners submit the MDF request and claim to the Partner Portal, and they must be approved before being reimbursed.

This process is reflected in Iteration 2, see flowchart.

<iframe style="border: 1px solid rgba(0, 0, 0, 0.1);" width="800" height="450" src="https://embed.figma.com/board/5JXv8yRHDyXttWt669A67E/MDF-Process-Iterations?node-id=0-1&embed-host=share" allowfullscreen></iframe>

The emails to Partner and GitLab team members in the PRM Approval Process can be viewed in this document.

Change Management

1. The MDF request and claim will sync to Salesforce, however the attachments will not sync to Salesforce. That said, when we complete the POP task on the epic/issue, we will have to use Impartner as the SSOT. Please link the Impartner URL to the epic/issue.
2. There will be a new MDF dashboard, and Partner will be able to add a claim directly from the

dashboard when the request is Approved.

3. There is a new required field on the Claim form asking for a Claim Title. We will need to provide guidance to Partner so they know how to name the Claim. Claim Titles need to be unique for each submission otherwise the workflows will fail.

4. Partners are asked to submit the lead list and proof of performance on the Claim, and Invoice when we receive a notification when the PO is created.

Step 1 - MDF Request Submission

On the MDF Request Form, Partners are required to provide the following:

1. Activity Name
2. Type of Marketing Activity
3. In Person or Virtual Event
4. Description
5. Expected Start Date of Activity
6. Expected End Date of Activity
7. Total Cost of Activity (USD)
8. Target Number of Contacts
9. Estimated Pipeline Created (USD)
10. Partner Investment (Your Investment in USD)
11. Total Amount Required (From GitLab MDF Program in USD)
12. Vertical Industry Target Type
13. Segment Target Type

Once submitted, the Partner will receive a confirmation email indicating that their MDF request has been received.

Step 2 - MDF Request Approval

The MDF Request Approval process will kick off as soon as the Partner submits the MDF Request.

The GitLab team member of the Activity Location will receive a notification requesting to accept or reject the MDF Request. This means if global Partner runs an event in AMER, the approval will be routed to the AMER CMM, and if they run an event in EMEA, the approval will be routed to EMEA CMM.

The GitLab team member must use the links below to review the MDF request submission, however, you can only approve or deny directly from the email notification.

Should you want to review all your requests, see section.

Note that, when you have a planned PTO, Marketing Ops will need to add your manager as a secondary approver. Previously, you can do this in Salesforce, however, you'll need to create an issue request for support from MktgOps.

MDF Request Status

The MDF Request Status can be found in the MDF Request Details section.

- Open - when partner submits Request
- Approved - when Request is approved
- Closed - when Request and Claim are completed
- Denied - when Request is denied
- Canceled - when Request is canceled

Step 3 - MDF Claim Submission

Once the MDF Event End Date has been reached, the Partner will receive reminder notification on the 2nd, 14th and 28th day since the End Date to submit their MDF Claim.

On the MDF Claim Form, Partners are required to provide the following:

1. Claim Title
1. Claim Amount
1. Paid Date
1. Proof of Performance attachment
1. Lead List attachment

Once submitted, the Partner will receive a confirmation email indicating that their MDF request has been received. If the Partner doesn't upload more than 2 attachments, the Partner will be notified to ensure they have provided all the necessary attachments.

Step 4 - Check Attachments and Claim Approval

When the Partner has uploaded the Proof of Performance and Lead List attachments, the GitLab team member will be asked to check to ensure they are in-fact the right attachment.

- If they are missing an attachment, the GitLab team member is required to update the field, Missing POP (under the MDF Claim Details section) with the missing item. This will trigger an automated message to Partner will add the selected item to the Claim.
- If all attachments are received and looks good, the GitLab team member will update the Approval Status to Denied or Approved (under the Claim section).

MDF Claim Status

The MDF Claim Status you are to used is under the Claims section, called Approval Status.

- Open - when partner submits Claim
- Approved - when POP is approved
- Denied - when POP is denied

Canceled MDF Request

When an MDF request has been cancelled, CMM will need to change the status on the MDF Request Details: Status => Cancelled. Partners will receive a notification informing them the Fund Request has been canceled. If Partners try to submit a Claim, it will automatically be rejected.

PRM MDF View

To access your MDF request, go to PRM, and retrieve the MDF tab. If you do not see it, go to the More tab, there you'll be able to see the hidden tabs.

The preset filter will display all MDF requests that are Pending, Approved and Denied.

Should you wish to have a customized view, following the instructions below.

1. Go to the Pending tab
1. Select the three dots in a circle, and Create From Current View
1. Update the Name to "My Pending Requests"
1. Set Visibility: "Private - can only be seen by me"
1. In Manage Filters, Click on +Add

1. Field: Channel Marketing Manager - Name
1. Operator: equals
1. Type: Value
1. Value: Select your name

1. In Column Configuration, add any additional fields.
1. Save and repeat for the other statuses - Approved and Denied.

MDF Dashboard Access

Partner needs to be granted access to the MDF dashboard. To do so, they must be an Authorized partner and MDF administrator.

To update the user to an MDF administrator:

1. Go to the user profile and select edit
1. In the Delegated Administrative Privileges section, check MDF Administrator under Administrative Privileges

PRM - Salesforce Integration

The integration from PRM to Salesforce is customizable per object.

- Impartner Lead is mapped to SFDC Lead
- Impartner MDF Request is mapped to SFDC Funds Request
- Impartner MDF Claim is mapped to SFDC Funds Claim

MDF Request and Claim Salesforce Sync

There is a two way sync between MDF Request and MDF Claim objects. The ID indicator between both sync is the Funds Request Number, also known as the MDF Number.

SECTION: marketing/marketing-operations/jiffilenow/index.md

<link rel="stylesheet" type="text/css" href="/stylesheets/biztech.css" />

Overview

JiffleNow is an automated appointment scheduling of in-person, and virtual B2B meetings at events or campaigns. To following along on the implementation project, follow this link: <https://app.asana.com/0/1208791785314172/1208791670565152>

Access

- Sales users (for requesting meetings): Access for Meeting Requestors via SFDC is granted via the JiffleNow Permission set and most sales profiles are already included. If you are unable to access JiffleNow through SFDC, please create an AR and make sure the Sales Systems team is tagged (Similar to SFDC access requests).
- All non-Sales users (requesting and managing meetings) and sales users that need to manage their availability for an event: Access to JiffleNow is managed through Lumos. If you do not have the JiffleNow tile in Okta, please request access to JiffleNow via Lumos in OKTA. You will need access through Okta to request meetings if you are not a sales user.
- If you are designated as a meeting manager for a particular event, a request to provision Okta for your access will be created as part of the set-up process in JiffleNow.

MOps provisioner: For Requestor role, you do not need to do anything in JiffleNow. Once Okta is provisioned, the user will have access to request meetings. If a person just needs access to reports and dashboards, you can add them as a Requestor, then toggle the Reports & Dashboard toggle on in their profile. For all other roles, you will add the person to the specific event they need access to with the correct role and engagement type. This will be outlined in the event request task in Asana.

When to use JiffleNow

JiffleNow is not required for all events where there is meeting space. At this time, use of JiffleNow is recommended for the following scenarios (unless noted, all criteria must be met):

1. There is at least one dedicated meeting space. Meeting at the booth does not meet this requirement, unless there is a separate enclosed meeting space in the