

booth.

2. There will be one or more C-level executive taking meetings at the event.
3. If there are no C-level executives attending, there must be at least two other VP-level executives. However, if requirement 4 can be met, two Director+ executives can be set-up to take meetings.
4. A member of the EBA team must manage the executive schedules for this event and approve meetings in Jifflenow. Alternatively, another designated meeting manager can approve meetings in Jifflenow, but this will also require the meeting manager to manage the executive's schedule in the system and coordinate meeting times with them.

### Requesting an event in Jifflenow

We use Jifflenow for events where we will have executive meetings. Please follow the instructions below to request creation of an event in Jifflenow.

- SLA: 15 days - Please request your event to be created in Jifflenow at least 15 days before you would like the event to go live. Meeting scheduling should be live at least 30 days prior to the event date, so the Jifflenow request should be submitted no less than 45 days prior to the event date. You can submit the request as soon as you have the necessary details.
- Request: Please complete this form to request your Jifflenow instance. This will create a task in Asana.
  - In order to build the event in Jifflenow, we will require all requested information on the form, especially the meeting location, available hours, available executives, and SFDC campaign IDs.
- Create a Slack channel for Executive Meetings for this event. Examples: googlenext-execmtgs-2025 or aws-reinforce-execmtgs-2025
- Events are built in a sandbox and we test the meeting requests and notifications in sandbox. All tests must be completed in the sandbox. Once the event is pushed to production, tests cannot be deleted without intervention from support and will be included in metrics.

### User Roles

- Requestor - Anyone that has access to schedule meetings within the tool.
- Meeting Manager - Users assigned to this role manage the meeting approval process, user accounts, rooms, and calendars and help govern access to the Jifflenow portal. They have full access to all meetings and can view, edit, or cancel any request placed by anyone within an event. Meeting Managers have the highest level of access in Jifflenow.
- Junior Meeting Manager - While a Meeting Manager has full access to all requested meetings, a Junior Meeting Manager may be given limited access to all meetings within a particular meeting type. Someone may need this if tasked with managing a set of rooms or approving a subset of requests based on specified criteria. They can approve meetings for the types they are assigned to.
- Executive Admin - Executive Admins manage meeting activity on behalf of the specific internal attendees they are assigned to. The EA role cannot approve meetings, but they can endorse their executive's participation in meetings.

### Training

We have put together a comprehensive training slide deck, and we also have linked training videos below:

- EBA and Meeting Manager Training
- Meeting Requestor Training - for Sales and Field
- Dashboards and Reporting
- Processing Inbound Requests
- Updating availability (for executive attendees)
- Managing On-Site Meetings
- Mobile App for meeting managers
- Mobile App for attendees

## Salesforce.com Integration

This connection will allow for Sales to book meetings directly within Salesforce.com and allow JiffleNow to access and link contact records. Meeting requestors can access JiffleNow to schedule meetings through a button on the Contact, Account and Opportunity record.

New records created through JiffleNow (for example, people added onsite) will be created as Leads in salesforce, or meeting details will be added to their existing record. This applies even if the meeting isn't booked through Salesforce.

## Support

Reach out in mktgops for assistance with JiffleNow.

For event specific help, search Slack for the event and ask your question in the relevant execmtgs channel:

## External JiffleNow Invites

For major events, it is common for other companies to utilize JiffleNow as well, which can cause confusion for EBAs managing executive calendars. Here is how to tell if an invite is for a GitLab initiated meeting, or an external initiated meeting:

1. GitLab meeting invites will be from GitLab or GitLab Events Team with a domain including meetings.gitlab.com. Calendar invites will be slightly different, but will still include meetings.gitlab.com in the domain.
2. Take a look at the meeting invites. If anyone from GitLab with a GitLab email address is listed in "External Attendees", it was not scheduled through our instance.
3. At the bottom of the email, there will be a help contact. Our help contact will always be someone at GitLab (or in the case of internal requests, a Slack channel).
4. If an INTERNAL calendar invite doesn't have the Confidential note at the top, it isn't from us.

## Onsite Event Management

How onsite meeting bookings are handled will be determined event-by-event. It is recommended that the DRI have a meeting with all meeting managers (regardless of if they will be onsite or not) to determine how they would like to manage onsite meetings. For example, for some events, the EBA team would prefer to continue to manage the meeting requests that occur onsite and the onsite team should contact the appropriate EBA for booking.

Regardless of how the team decides to book new meetings onsite, external attendees must be checked in to meetings they attend.

To check-in an attendee:

- Click on the meeting from the Jiffenow "Meetings" tab.
- On the right side panel that appears, click "check-in" on the attendee.

This will automatically check in the meeting as well. It is important to check-in the individual attendees so their record in Salesforce is updated properly. The process described above is the same for booth demo check-ins.

When booking a new meeting onsite, you will select the attendees and time following the regular booking process. Meeting managers can use "Quick Submit" to bypass the standard booking form. As a meeting manager, you have the ability to add/remove attendees, or change the duration of the meeting. Detailed instructions will be available in the training videos above or the internal handbook.

### Mobile App

To use the mobile app for onsite meeting management, you must be set-up in Okta to access Jiffenow. We recommend the mobile app for onsite meeting managers.

Download the Jiffenow app from the appropriate app store for your device.

### Meeting types

- Executive Meeting: This is a meeting with a GitLab executive (VP or C-Level). These meetings are requested through sales / internal GitLab team members, or partners. We do not have a public form to sign-up for these meetings. Anyone interested in one of these meetings should talk with their GitLab representative.
- Booth demos/meetings: This is a meeting or demo at a booth demo station. We do not schedule a specific GitLab team member to attend this meeting, we only schedule time slots. This type of request can be promoted publicly and can be requested through our website.
- Meet with an expert: Similar to a booth demo, but typically occurs when we have designated meeting space at an event (that is not being used for Executive Meetings). We may or may not assign a specific GitLab team member to attend these meetings. This type of request can be promoted publicly and can be requested through our website.
- Off-site meeting: These meetings take place outside of our designated meeting space. This allows us to schedule executives so they show as unavailable, but we do not use our meeting space. The most common example is at large events, a partner would like to meet with an executive in their meeting space. This meeting type allows for requesting that executive (to block their time), but in their location.

### How To Request Meetings

#### Requesting Meetings outside of standard meeting space

If you have already set a meeting location outside of our space, for example in a partner's meeting space:

1. Select Executive Meeting with Other Executives
2. De-select meeting space
3. Click Other Location and add the details of the location
4. Please do not request this meeting until you have a location
5. Select your attendees and meeting time as normal

#### Requesting Standard Meetings

1. Navigate to the Account, Contact or Opp in SFDC.
2. In the top right drop down, you'll find JiffleNow Meetings.
3. Select the appropriate event, and click Request Meeting.
4. From there, you can request different meeting types that are available. Make sure to link the correct Account and Opportunity (if applicable - you must type it in).
5. In the next screen: Select attendees, Internal and External. Pick the room and the available time.
6. To add attendees not listed in the internal or external list, click the + next to ATTENDEES. Enter their contact details and select them for the meeting. If you would like to add a new external attendee to SFDC, you can toggle the ·Sync contact to SFDC· and it will be added to the account.
7. Then, add details about the meeting and attendees in the right panel. (SFDC should update most of it)
8. You must include an Executive Request Briefing Doc. For C-Level meetings, you are required to have Regional VP approval before requesting the meeting.
9. Once complete, select submit. This will then route for approvals through the EBA team, depending on the participants.
10. Once fully approved, this will trigger email invitations to all participants.

#### View Requested Meetings (For Attendees)

1. In salesforce - On the left side, click on the 9 dots (app launcher) and type in JiffleNow
2. Click "JiffleNow Home Page" along the top row
3. Select the 3 dots and click Meetings
4. Along the left side, under Internal Attendees type your name

---

## SECTION: marketing/marketing-operations/marketo/\_index.md

#### About Marketo

Marketo is our marketing automation platform used for email marketing, lead management, and program management.

#### Marketo Tech Stack Guide

Visit the Marketo Tech Stack Guide for more information around provisioning, integrations and system diagrams.

#### Marketo Salesforce.com Connection

When any lead/contact is created in SFDC, it will automatically sync and create in Marketo - nothing is held back. Likewise, when a lead/contact is deleted in SFDC, it will delete in Marketo as well.

Alternatively, Marketo does not automatically push all records to SFDC and a deleted record in Marketo will not delete in SFDC unless specifically told to.

A lead will sync from Marketo to SFDC in these scenarios:

1. Member of Program that is synced to SFDC
1. When a person reaches Inquiry status
1. When they reach MQL status
1. When their PTP score is a 4 or 5
1. Specifically told to sync via a flow step Sync to SFDC

Data is shared between the two via the Marketo User Permission Set with either Read or Read/Write permissions. Accounts fields by default are Read Only. Here are quick links to review them:

- Leads
- Contacts
- Accounts

Marketo also can create and edit SFDC campaigns. The Active checkbox must be checked in order for Marketo to be able to map to that campaign. Go [here](#) for campaign set up directions.

When large updates are made to an SFDC field value, they could cause a sync backlog back to Marketo. To check the backlog, go to this [page](#) and select the object you want to review and click Get Stats. Marketo>SFDC is a push count, while SFDC>Marketo is considered Pull. You must be logged in to Marketo to view this information. Backlogs clear automatically, they are slower during working hours due to system usage (Marketo's user base, not just GitLab), but the sync speeds up off-hours and on weekends.

### Custom Sync Rules with Salesforce

Because certain processes create records with a blank email address in SFDC we want to avoid having those records flowing into Marketo since they are not actionable and the database has increasing costs per the number of records.

Together with Sales Systems, we implemented a custom formula field called BlockMarketoSync. When the field is checked, records will be blocked from syncing by the custom sync rule. Likewise, when the field is unchecked, it will flow to Marketo.

For the sandbox, we have a different set of syncing rules.

### Multi-thread Sync

To avoid or clear SFDC backlogs, multi-thread sync is available to use in Marketo. It enables the use of multiple lanes of data flowing from SFDC to Marketo, greatly increasing the sync rate depending on the resources available on the Marketo servers. Each record in Marketo is

marked with a value between 1-9 on the field Marketo Thread ID based on the first letter of the email address. Records will be synced and distributed on threads based on the value of Marketo Thread ID.

| Letter | Value |
|--------|-------|
| -----  | ----- |
| A B    | 1     |
| D E F  | 2     |
| G H I  | 3     |
| J K L  | 4     |
| M N O  | 5     |
| P Q R  | 6     |
| S T U  | 7     |
| V W X  | 8     |
| Y Z C  | 9     |

NB: This feature is not always-on and only Marketo Support can enable it. A support ticket must be opened with 7 days before planning any massive updates from SFDC or at any time there is a significant backlog

#### Enabling Multi-Thread Sync

To enable, you must create an issue 7 days in advance with the Marketing Operations team and include the following, so that we can open the ticket with Marketo.

1. Anticipated date of mass update
1. Business impact
1. Which field(s) are updating that will result in a backlog

#### Sandbox

We do have a sandbox to work in for Marketo. The sandbox is used for training, creation of API links and overall testing before we move to production. There is not a way to promote a program from the sandbox to Prod, so building programs in the sandbox first is not always required. Guidelines for when to build in the sandbox is TBD, but for custom API and webhook integrations, it is highly recommended.

If you'd like access to the sandbox, please fill out an AR.

To limit the number of leads that pass from SFDC staging to Marketo Sandbox, we have instituted a custom rule that will only allow leads to sync from SFDC Staging to Marketo Sandbox IF Marketo Sync = TRUE. This is opposite logic than what we have for production.

#### Reconnecting Sandbox to SFDC Staging

Sales Systems refreshes the SFDC staging environment periodically. When this occurs, there are several steps to take to reconnect it to the Marketo sandbox outlined on that page.

#### Forms

Use the instructions below with the documentation here. Nearly all the forms on our website (about.gitlab.com) are Marketo embedded forms. Marketing Operations is responsible for maintaining existing forms and creating any new forms.

We primarily use Global forms, which means the form is used on multiple landing pages and the automation for the form is handled on the individual Marketo programs. If you need fields that are not available on the global forms, you need to request a custom form.

A few examples of when you need a custom form:

- Adding a field that is not visible on a current form
- Using a single landing page and collect registrations for multiple related events
- Addition of drop downs or checkboxes for specific event dates
- Collecting comments or uncommon information (like t-shirt sizes)
- When registrants need to indicate a preference (such as which session tracks to attend)

If you aren't sure if your program requires a custom form but your program requires something outside of our standard set-up, ask the MOps team during your planning process so we can help guide you and keep your program timeline on track.

If you need a new custom form created, please open a form creation issue. The general timeline for form creation and complex automation is 2 weeks.

If you are using an existing form on a NEW page in Contentful, please enter a request so that we can build the automation behind the form. If there is no automation created for the form, the person filling out the form will enter Marketo, but will not be processed into a campaign or sent for follow up.

Form documentation can be found here. It contains all of our current forms, as well as standardized country and state picklists.

Translated Forms Available: Spanish, French, Italian, Korean, German, Portuguese, and Japanese. These are global forms, go to the Design Studio > Forms > Translated Forms. It is important to use these (and not clone) as they influence the localization segmentation of Language Preference.

Localized forms require special hidden fields to properly capture Preferred Language. Refer to this issue for detailed set-up instructions.

If you require a new language or need a new form, please gather the translations and then request help.

All forms should follow these guidelines:

- Do not use lightboxes
- Label width = 150 / Field width = 300
- Fields should be stacked in a vertical line
- Country field label should be Country/Region
- State/Province only visible when Country = United States or Canada or Australia; the visibility rule dynamically displays Province when Canada is selected or State when United

States or Australia is selected

- See more information on the standardization of Country &/or State Values to avoid sync errors
- Generally City is only visible when Country = Ukraine
- Forms should all contain a checkbox to obtain consent to opting in to communications via email
- When Country = Ukraine there is an additional checkbox for the submitter to confirm they do not live in the Crimean region of Ukraine
- Country should not include embargoed countries
- All forms should have hidden fields for gclid and google analytics tracking

If you are collecting home addresses for direct mail campaigns, you must include the following language on the landing page or form. Additionally, you must set up a deletion campaign in Marketo to remove their address information once you have sent the item. Please also ensure the vendor we are using to ship the items also deletes this from their records. By giving us your home address, you are giving us permission to mail items to your home. We will not use this data for any other purposes.

### Website Form Management

The forms on about.gitlab are embedded Marketo forms. Any changes to the fields, layout, labels and CSS occur within Marketo and can be pushed live without having to make any changes to the source file on GitLab. When needing to change or embed a whole new form, please open an issue using the formrequest template.

Each Marketo form should push an event after successful submission to trigger events in Google Analytics. We use the following event labels to specify which events to fire.

1. demo for static demos on /demo/ and /demo-leader/
1. webcasts for forms on any page in /webcast/
1. trial for the form on /free-trial/
1. resources for forms on any page in /resources/
1. events for forms on any page in /events/
1. services for form on /services/
1. sales for form on /sales/
1. public-sector for forms on /solutions/public-sector/
1. mktoLead legacy custom event label used on Newsletter subscription form submission events. Currently used for primary, security, and all-remote newsletter form submissions.

We add the following line above return false in the form embed code. Please update the event label from demo to reflect the appropriate form completion.

```
javascript
dataLayer.push(
{
  'event' : 'demo',
  'mktoFormId' : form.getId(),
  'eventCallback' : function()
  {}, 'eventTimeout' : 3000
});
```



## Database Recurring Purge

Marketing operations has created an automated process to purge inactive leads from the database on a recurring basis. This helps maintain data quality and reduce costs associated with storing unnecessary records. The leads are deleted from both Marketo and salesforce and follows these criteria:

| Filter Description<br>Activity               | Criteria                                             | Date of   |
|----------------------------------------------|------------------------------------------------------|-----------|
| -----                                        | -----                                                | -----     |
| -----                                        |                                                      |           |
| Not Clicked Link in Email<br>years           | Email: is any                                        | in past 2 |
| Not Was Added to Opportunity<br>years        | Opportunity: is any                                  | in past 2 |
| Not Opened Email<br>years                    | Email: is any                                        | in past 2 |
| Not Filled Out Form<br>years                 | Form Name: is any                                    | in past 2 |
| Not Clicked Link on Web Page<br>years        | Link Name: is any                                    | in past 2 |
| Not Had Interesting Moment<br>years          | Type: is not empty                                   | in past 2 |
| Not Visited Web Page<br>years                | Web Page: is any                                     | in past 2 |
| Not Person was Created<br>  SFDC Type        | in past 2 years  <br>  SFDC Type: is Lead            | -         |
| Person Status<br>'Recycle', 'Ineligible'   - | Person Status: is 'Raw', 'Inquiry', 'Disqualified',  |           |
| Account Type                                 | Account Type: is not Customer; Partner; Reseller   - |           |
| Not SFDC Activity was Logged<br>year         | Subject: is any                                      | in past 2 |
| Not currently sequencing in Outreach         |                                                      |           |

The purge process runs weekly and permanently deletes leads meeting all of the above criteria.

It's important to note that this process does not affect leads with any recent activity, those who have been through programs, or those associated with opportunities or current customers. This ensures that valuable leads are retained while removing truly inactive records.

Marketing Operations team members should regularly review the purge logs to ensure the process is running correctly and to identify any potential issues or exceptions that may need to be addressed.

The process runs through this smart campaign and deletes all records that meet the criteria from this list.

## Program Asset Expiration

Starting in November 2022, teams within Marketo will transition to utilizing the asset expiration feature added to the product in early 2022 as a way to declutter our expired landing pages and no longer relevant smart campaigns. Detailed instructions on this process can be found in our handbook on the Campaigns and Programs page.

Beginning in July of 2024, Marketo will now link to our Events Page (<https://about.gitlab.com/events/>) for asset expirations. This will be the new Redirect instead of homepage. By utilizing asset expiration this allows us to avoid having to manually go in and update each LP no longer in use and have the page redirect to /events rather than the home page. Note: The fallback page is only used for unrecognized landing pages and whenever a landing page is unavailable. If you choose to not setup asset expiration and want a page available for longer you can do so and manually close with a redirect at a later time.

## Product data in Marketo

Data and engineering teams have developed integrations to bring data related to in-product customer and trial usage to Marketo.

1. Marketing Contact Datamart & Pump: Fields start with [CDB]
1. SaaS Trial & Handshakes: Fields start with [PQL]
1. Propensity to Buy Models: Fields start with [PTP] - Trial users only at the moment

## Campaign Limits

There is a set limit of 250,000 records that can be processed through a given smart or email campaign. If the smart campaign smart list is set to update or email over 250,000 records, it will not run and will be aborted. This is in place to prevent accidental mass updates and emails. If you need to run a campaign over that limit, reach out to MarOps.

## Standardization of Country &/or State values

There are several workflows that clean the Country &/or State fields to ensure the value meets required Salesforce format. States should be spelled out, not using abbreviations (ex. CA should be California). If a Country &/or State/Province standardization does not match SFDC exactly, the lead will not sync. If a new standardization is needed, please open an issue in the Marketing Operations project. If a country/state is updated in SFDC, the customersDOT YML file will also need to be updated to prevent sync issues.

All of the standardization smart campaigns are contained in:

Marketing Activities -> Operational - Do not edit -> Data Management -> 01 Data Management -> 04-Normalize Data

- These countries are the only ones that accept a state value: United States, Canada, Ireland, India, Brazil, Australia, China, Italy, Mexico
- All 50 US states and all Canadian Provinces have standardization campaigns to set them from their two letter abbreviation to their full spelling.
- The following countries have common variations updated to their accepted values: United

States, Bolivia, Canada, China, France, Germany, Hong Kong, India, Iran, Ireland, Macao, Myanmar, Netherlands, Russia, South Korea, Sweden, Switzerland, United Kingdom, Venezuela, Vietnam.

## MQL and Lead Scoring

A Marketing Qualified Lead is a lead that has reached a threshold of 100 points, based on demographic/firmographic and/or behavioral information. The MQL Scoring is detailed below and is comprised of various actions and/or profile data that are weighted with positive or negative point values.

For a visual overview, please use this slide.

## Re-MQL

For additional information, visit the lead lifecycle page.

A Lead/Contact will be allowed to re-MQL if they are in a Recycle status and reach the MQL threshold again.

The number of times they MQL will be counted with the MQL Counter field. The Initial MQL DateTime contains the very first time a prospect reached the MQL threshold. MQL Date will be overwritten to be the most recent date that a lead has reached the MQL threshold.

When a lead is set to Recycle, their Behavior Score is reset to 0. Their Person Score is reset to the value of the Demographic Score. Additionally, a person who has reached MQL in the past, is given an additional score of +20 when they are reset to Recycle and take an action to increase their behavior score. If a lead was Accepted before it reached the MQL threshold, and is then set to Recycle within 30 days, the lead's Behavior Score will reset to the value it was while in Inquiry when they take an action, the Demographic Score will be re-run and their overall Person Score will be the sum of those two values.

When a lead Re-MQLs from Recycle to MQL, their Recycle Reason field is set to Null, but that Recycle Reason value is preserved in the field Previous Recycle Value on the lead or contact. That field is set by Marketo only. The Recycle DateTime only updates the first time. When a lead re-reaches an MQL status, they are not re-routed by LeanData for round-robin, they stay in their original owners name.

Follow the figjam flow chart to see the lead lifecycle. Notice you cannot go backwards in status to Raw or Inquiry from a later step.

## Scoring Model

The lead scoring model is a 100 point system in order to MQL. Positive and negative points are assigned to a record based on their demographic and/or firmographic information, and their behavior and/or engagement with GitLab marketing. Their Person Score is the sum of their Behavior Score and their Demographic Score. The Person Score must reach 100 in order to MQL, and their Behavior Score cannot be 0.

There is a flow that runs everynight to reset leads that have gone negative back to 0.

The Demographic, Behavior and Person scores at the moment of MQL are recorded within Marketo via 3 separate fields, titled X Score at MQL.

Some leads are excluded from scoring if they:

- Have a @gitlab.com email address
- Are a competitor
- Status = Disqualified or Ineligible
- Company name of student, personal, test and similar
- Actively worked by a partner (Prospect Share Status = Sending to Partner, Accepted, or Pending)
  - Scores are time-stamped at the time of being shared with partners and saved for when the leads return to the in-house SDR teams. The scores are re-applied to leads, with score decay, when returning to our team members for further prospecting

Why Do We Use A Scoring Model?

A slide deck of the "why" we use a scoring model, along with a few pointers, can be found here. Note, this is the slide deck used in the LevelUp course.

Scoring Revamp FY25Q1

For details on the data driven changes made to lead scoring at the beginning of FY25, refer to this slide deck and this slide deck to review the data set findings.

Auto-MQL

Based on certain criteria, a lead may auto-MQL. Note that any auto-MQL is considered to be part of the Behavior score category. The scenarios are listed below:

- <!-- Self-Managed Trial + Business email domain
- SaaS Trial - Signed Up + Business email domain
- SaaS Trial Signed Up + Setup for Company/Use = TRUE-->

| Auto-MQL Behavior                                                      | Campaign Description                                                                                                                                                                   | Points Assigned | Schedule/Flow Limit |
|------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------------|
| -----                                                                  | -----                                                                                                                                                                                  | -----           | -----               |
| Follow Up Requested                                                    | Follow Up Requested, <br> Conference > Meeting Attended                                                                                                                                | +100            | Everytime           |
| Inbound                                                                | Contact Request, <br> Renewals, <br> Hand Raise PQL, <br> In-app Health Check, <br> Duo Requests <br>                                                                                  | +100            | 1/day               |
| PTP Score                                                              | Newly assigned a 4 or 5 score via the Propensity Model alongside being assigned an A or B ranking via Lead Score Classification.<br> See Educational deck or handbook for details <br> | +100            | 1/90 days           |
| Web Chat - <br>Qualified                                               | Web chat interaction or meeting scheduled                                                                                                                                              | +100            | 1/day               |
| Inbound - Med Inbound form, not above and excluding Startup applicants |                                                                                                                                                                                        | +100            | 1/day               |

Behavior Scoring

Behavior scoring is based on the actions that person has taken. The cadence of how often they can be scored is listed below. For campaign scoring, there must be a success in order to

capture the score, those below are marked with a . Refer to the programs page and progression statuses to see what constitutes a success.

| Behavior         | Campaign Description                                                                                           | Points Assigned | Schedule/Flow Limit |
|------------------|----------------------------------------------------------------------------------------------------------------|-----------------|---------------------|
| Registered       | Registered, <br> Conference > Meeting Requested                                                                | +20             | Everytime           |
| Program High     | Executive Roundtables, <br> Owned Event, <br> Speaking Session,<br> Vendor Arranged Meetings,<br> Webcast <br> | +40             | Everytime           |
| Program Med      | Conference > Visited Booth, <br> Sponsored Webcast <br> Visited Booth, <br> Workshop / Demo                    | +20             | Everytime           |
| Program Low      | Conference > Attended, <br> Paid Social                                                                        | +10             | Everytime           |
| Content - High   | Analyst Reports                                                                                                | +35             | Everytime           |
| Content - Med    | Gated Content                                                                                                  | +15             | Everytime           |
| Content - Low    | Content Syndication                                                                                            | +10             | Everytime           |
| Survey - Med     | (None Defined)                                                                                                 | +30             | Everytime           |
| Survey - Low     | Googleforms, <br> Default                                                                                      | +15             | Everytime           |
| PathFactory      | Consumes PF content                                                                                            | +10             | Everytime           |
| Subscription     | Fills out Subscription Form                                                                                    | +5              | 1/week              |
| Trial - Default  | SaaS,<br>Subscription Portal                                                                                   | +20             | 1/day               |
| Trial - Personal | Signed up with generic email domain: <br> SaaS,<br>Self-Managed,<br>Subscription Portal                        | +10             | 1/day               |
| Trial            | SaaS,<br>Self-Managed,<br>Subscription Portal                                                                  | +30             | 1/day               |

## Interaction Boosters

Boosts to scores occur when a special action takes place above the traditional action above.

| Interaction Boosters | Campaign Description                                                                                                    | Points Assigned | Schedule/Flow Limit |
|----------------------|-------------------------------------------------------------------------------------------------------------------------|-----------------|---------------------|
| Re-MQL Score         | Status is Nurture,user takes an activity that increases behaviour score<br>MQL Counter >0                               | +20             | 1/month             |
| Visits Key Webpage   | /pricing/,<br> /sales,<br> /install,<br> /features,<br> /direction,<br> /solutions/startups/,<br> /releases/gitlab-com/ | +25             | 1/week              |
| 6QA identified       | When 6sense's predictive intent data model identifies leads and contacts showing interest in GitLab                     | +20             | 1/ 3 month          |

|                         |                                         |     |           |
|-------------------------|-----------------------------------------|-----|-----------|
| PF Engagement Booster 2 | Engagement Time > 4 minutes             | +15 | Everytime |
| PF Engagement Booster 1 | Engagement Time > 2 minutes < 4 minutes | +10 | Everytime |

-->

## Demographic Scoring

For Job role/function and seniority descriptions can be found here. There is a 70 pt hard limit on demographic scoring that limits further person score accumulation as it relates to demographic score after the max is reached.

| Demographic Characteristic | Campaign Type                                               | Points | Schedule/Flow Limit |
|----------------------------|-------------------------------------------------------------|--------|---------------------|
| Setup for Company/Team Use | Self-Identified as using for company or team in the product | +25    |                     |

|Once|  
 |Business Email Domain|Has a valid business email address| +35 |Once|  
 |Seniority - High|Find descriptions here| +15 | Once|  
 |Seniority - Med|Find descriptions here| +15 | Once|  
 |Seniority - Low|Find descriptions here| +5 | Once|  
 |Function - High|Find descriptions here| +20 | Once|  
 |Function - Med|Find descriptions here|+15| Once|  
 |Function - Low|Find descriptions here| +10 | Once|  
 |Country - Tier 1, Tier 2 |Country = Tier 1, Tier 2| +5 |Once|

## Score Decay

Please note that score decay also applies to scores frozen by the lead being in partner status

|Behavior Decay|Campaign Description|Points Removed|Schedule/Flow Limit|  
 |:-----:|:-----:|:-----:|:-----:|  
 |No activity in 30 days|No web, scoring, program activity in last 30, not created in last 30|  
 -10 | 1/month|  
 |Web: Visits Low Value|/jobs, /careers, /unsubscribe| -10 |1/day|  
 |Email: Bounce |Email Hard Bounces| -20|1/month|  
 |Email: Unsubscribed|Unsubscribed from Email| Score Reset based on Demographic score  
 |1/month|  
 | Demographic Decay |-|-|  
 |Generic Domain|Contains generic email domain| -10 |Once|  
 |Seniority - Negative|Find descriptions here| -10 | Once|  
 |Function - Negative|Find descriptions here| -20 | Once|

## Lead Score Classification

A lead score classification is a 2-character score/designation meant to classify the likelihood of a prospect to convert to an SAO - with the score being modeled after the lead's current demographic and behavior scores. A visual representation of the scores and their definitions are pictured below in the Lead Classification Matrix. Lead that have their lead status set into Ineligible or Disqualified will have their lead score classification set to Disqualified or Ineligible.

The Lead Classification Matrix and the Lead Classification Definitions Table exist in Figma, if the handbook page ever becomes broken.

## How to use the Lead Classification Matrix and read the Lead Classification

The lead classification score --and its visual companion matrix-- is designed to help prioritize lead follow-up based on both profile fit and engagement levels. The demographic fit of a lead is associated with letters/columns A, B, C and D. The behavior level of a lead is associated with rows 1, 2, 3 and 4. Both A and 1 are the highest designations while D and 4 are the lowest. When looking at the matrix, the lowest classification is the bottom left, D4, and the highest classification is the top right, A1.

In order to best utilize the lead score classification, read the definition provided on the matrix or via the definitions table below and act appropriately. For instance, a lead classified as B2 or A2 is more likely to produce a closed-won opportunity than a lead classified as D2 because attributes within categories A and B fit the ideal buyer profile defined by GitLab. A D2 lead can still lead to a closed-won opportunity due to interest being shown, but with a low demographic fit it's likely missing the ideal buyer attributes that often lead to higher conversion and opportunities. As pointed out in the Lead Scoring educational slide deck, classification squares green in color signify the range in which a person with ideal buyer persona attributes will MQL, with A1 signifying a definitive MQL.

|                     | D (Demographic - Low)       | C                                    | B                          | A (Demographic - High)           |
|---------------------|-----------------------------|--------------------------------------|----------------------------|----------------------------------|
| 1 (Behavior - High) | Wrong fit, very interested  | Not ideal prospect, very interested  | Good fit, very interested  | Right prospect, very interested  |
| 2                   | Wrong fit, showing interest | Not ideal prospect, showing interest | Good fit, showing interest | Right prospect, showing interest |
| 3                   | Wrong fit, little interest  | Not ideal prospect, little interest  | Good fit, little interest  | Right prospect, little interest  |
| 4 (Behavior - Low)  | Wrong fit, no interest      | Not ideal prospect, no interest      | Good fit, no interest      | Right prospect, no interest      |

## Lists and Segmentation

### Segmentations

Marketo segmentations are used similar to a smartlist, but they are permanent and can only be changed by marketing ops. They are used to create dynamic content (emails and landing pages) and are used for faster processing of lists. Segmentations are constantly running in the background in Marketo, so they never need to be refreshed for current numbers. We can only have 20 total segmentations in Marketo. Segmentation criteria waterfalls down based on the order of the segment lists that make up the segmentation. You can only be in one segment of a segmentation.

The following segmentations that are approved and live.

<details><summary>Buyer Personas - Function</summary>  
Segmentation in Marketo

Based off of guidance on Buyer Persona page.

- App Dev
- Back Office
- Blank title
- Compliance
- InfoSec
- Platform
- PMO
- Release
- Tech Leader
- Default

</details>

Compliant and Emailable

<details><summary>Personas - Level</summary>

- C-Level Executives
- Executives
- Directors
- Managers
- Individual Contributor
- Student / intern
- Blank title
- Default

</details>

<details><summary>Sales Segment</summary>

- Enterprise
- Mid-Market
- SMB
- PUBSEC
- Default

</details>

<details><summary>Region</summary>

Not recommended for email. Region uses the country of the parent account, which might not be the location of the person being emailed. This segmentation is not recommended for email marketing unless the message is meant to be based on Account Demographics.

- AMER
- EMEA
- APAC
- LATAM
- Default

</details>

<details><summary>Person Region</summary>

Recommended for email lists. Person Region uses the country of the lead/contact, not the account. Use Person Region when you are offering a local event or are sending messaging for people in-region.

- AMER
- EMEA
- APAC
- LATAM
- Default



</details>

<details><summary>Funnel Stage</summary>

- Raw > INQ - Status = NULL, Inquiry or Raw OR (Status = Recycle AND Person Score < 75)
- INQ > MQL - Status = MQL, Accepted or Qualifying OR (Status = Recycle AND Person Score > 74)
- MQL > SAO - Status = Qualified OR 1 Open Opportunity OR Has an Open Opportunity
- Customer - Current Customer = TRUE OR Status = Web Portal Purchase OR Is Paid Tier = True
- Disqualified - Status is Disqualified or Ineligible

</details>

<details><summary>Priority Countries</summary>

Complete list of priority countries as found here.

- Tier 1
- Tier 2
- Tier 3
- Embargoed
- Default

</details>

<details><summary>Language Preference</summary>

- French
- Japanese
- German
- Korean
- Spanish
- Portuguese
- Italian
- Non-English, not otherwise listed
- Default (English)

</details>

<details><summary>Personas - Role</summary>

- Developer
- DevOps
- Security / Compliance
- Engineering
- Education (Student / Professor)
- Analyst
- Architect
- Database Admin
- Project Manager
- Sales and Marketing
- IT

- HR
- Purchasing / Buyer
- Accounting / Finance
- C-Level (President / CEO/ COO)
- Retired
- Default

</details>

<details><summary>Sales Territories</summary>

- Currently available for US Public Sector only
- List of available segments can be found in this doc

</details>

<details><summary>Order Type</summary>

- First Order
- Growth
- Default

</details>

<details><summary>Product</summary>

- Ultimate
- Premium
- Bronze
- SM Trial
- SaaS Trial
- Free User - with previous trial
- Free User
- Default

</details>

<details><summary>Education Sector</summary>

Documentation describing this segment can be found here

- Students
- Teachers
- Faculty
- Unrelated Faculty
- Edu Domain

</details>

Snippets

Localized email footer (unsubscribe language only) - This snippet can be applied to localized emails to automatically include the translated unsubscribe language. The unsubscribe language will be localized if the recipient has a known Preferred Language. If they do not have a preferred language on file, the footer will be in English.

Localized footer, gray full footer - LOC-Full footer(gray) - This is the full footer including the View in Web Browser and direct link to localized blogs. Use this on emails that have a gray footer.

Localized footer, charcoal full footer - Footer - LOC - Charcoal - This is the full footer including the View in Web Browser and direct link to localized blogs. Use this on emails that have a charcoal footer.

Localized footer, blue full footer - Footer - LOC - Blue - This is the full footer including the View in Web Browser and direct link to localized blogs. Use this on emails that have a blue footer.

{{% details summary="How to use the localized email footer snippet" %}}

To use the Localized email footer snippet in an email:

1. select the "Body Text 1 Column" module from the email modules template in the right sidebar. Drag this section below the existing unsubscribe language.

1. Click on the generic copy, then click on the gear that appears. Note that there are two things you can select here - the copy and the module itself. Be sure to select the gear for the copy.

1. Select Replace with Snippet, then select Localized email footer and click Save.

1. You can then select the module with the existing unsubscribe language, click the gear, and click, Delete. You should only see the unsubscribe language/footer once now.

To test the snippet, click Preview, then select View by: Segmentation. Select "Language Preference", then the language you would like to preview. You will see that the unsubscribe language changes based on the language you select.

{{% /details %}}

Trust Logo snippet - This snippet is used to display approved customer logos. It is typically used on thank you pages, but can be used on landing pages as well. The snippet will display when the Trust Logos section of the landing page is toggled on. Only Marketing Operations should edit this snippet based on direction from the customer advocacy team.

{{% details summary="MOps use - How to edit the trust logo snippet" %}}

The instructions below are for MOps Admin users.

1. All images must be black or grayscale and sized to 50px high x no more than 110px wide. You can use this template in Canva to size the image. Marketo rejects .svg files downloaded from Canva, so it will be easiest to save the file as a .png.

1. The template has space for 14 logos. If you add logos, you should remove an equal amount. The customer advocacy team should provide guidance on which logos to update.

1. Add the sized images to the Design Studio. The image will look distorted in the preview because the preview shows larger than the size of the image. It will be fine on the page. Copy the link for each logo onto a separate document to make it easier for yourself when editing the

html.

1. We have a TEST trust logo snippet available. It is advised that you should make your changes on the test snippet first to view them and gain approval from the customer advocacy team before making changes to the live snippet. Changes on the live snippet will be applied to all live landing pages. You can view how the changes look on this test thank you page. The editing instructions below are for both the test snippet and the live snippet.

1. Create a draft of the Trust Logo snippet (or the test snippet if you are just getting started on the updates). Click on HTML to edit the snippet. The formatting for the snippet is controlled by the landing page template, so the snippet itself doesn't look good.

1. Click on "HTML" to make your edits. Copy this code:

```
<a href="INSERT LINK TO CUSTOMER CASE STUDY" target="blank"> </a>
```

1. Place it just before the </div> at the bottom of the html and replace the text in caps as instructed. The alt text should not be all caps. This will add the new logo to the end of the list. If you would like it in another location, place the code where you would like the logo to appear.

1. After you have updated the code, click Apply. Once auto-save completes, you can close the snippet. Then, Approve the draft and select "Update all". "Update All" will add the snippet to all approved assets and all draft assets. It will not auto-approve draft assets. Details about the No-Draft Snippet updates can be found in the Marketo documentation.

{{% /details %}}

#### Other Field Documentation and Definitions

{{% details summary="Email Validations - Populated by ZoomInfo connection and other Marketo datapoints such as bounces." %}}

| Field Name                | Definition                         | OK to send? |
|---------------------------|------------------------------------|-------------|
| Valid                     | Verified as real address           | Yes         |
| Invalid                   | Verified as not valid              | No          |
| Disposable                | A temporary, disposable address    | No          |
| Accept all (Unverifiable) | A domain-wide setting (learn more) | Yes/No      |
| Unknown                   | The server cannot be reached       | No          |

{{% /details %}}

#### Account Based Marketing List

ABM lists are built by request for the Field Marketing and Marketing Program team to target & send emails/invitations to accounts deemed to be high priority by Sales. You can find these lists in the DMA folder in the Marketo Database.

The MktgOps team is responsible for creating & maintaining these lists.

If a new ABM list is needed, please open an issue using the Target list issue template and tag marketing ops.

#### Geographic DMA List

The Geographic DMA (direct marketing area) were built for the Field Marketing and Marketing Campaigns team to target & send emails/invitations related to Field &/or Corporate marketing events. The MktgOps team is responsible for creating & maintaining these lists. You can find these lists in the Database of Marketo in the Geographic DMA List Folder.

If a new DMA list is needed, please open an issue in the Marketing Operations project & utilize the DMArequest issue template.

### Focused Email Lists

The Field Marketing and Marketing Campaigns teams use targeted email lists as a tool when pursuing specific regions, sectors or companies. Email list requests must be submitted using this template. From there, the campaign managers or marketing ops will build or review the list

### SLA for Targeted Lists

- List request is required 7 days prior to email deployment - FMM / MPM
- Final Smart List is available 2 days prior to email deployment - MOps

### List Exports

If you need a list export, please fill out an export request issue.

A few users have permissions to export, they should follow proper data management procedures and avoid downloading PII for data analysis.

### Marketo Sales Insight

Marketo Sales Insight (MSI) is used to help give SFDC users visibility into the different actions Marketo is taking, and user actions through Marketo. Users can use this intelligence to have more meaningful conversations with prospects and also priority their leads based on score. You can read more on Marketo's docs page.

The MSI tab can be placed on Leads, Contacts and Accounts page layouts. If you do not see it, or want access to it, create a sales systems issue.

You can also find MSI in a tab in your SFDC instance - click the + icon on your main SFDC banner and find Marketo. On that tab you will see an aggregate view of MSI.

There are a few main components to MSI:

### Insights

This tab shows a timeline of the most recent activity of a person. It shows ALL upcoming email campaigns and events (NOTE: This contains ALL upcoming emails/events, not just the ones sent to that prospect). In the timeline you can see web activity, email opens/clicks, and interesting moments. You can click into the lead timeline to see the specifics of each action. You will also see their overall score and a graph of the changes in the last 30 days. See screenshot below:

## Interesting Moments

Interesting moments are captured when a milestone is reached, usually when a person attends an event, program status changes or they fill out a form. SDRs use the Last Interesting Moments field in their lead views to quickly see what the last action the prospect took before becoming an Inquiry or MQL. If you would like an interesting moment added for a certain activity, reach out to Mops to have them build it for you.

For additional information, visit [this page](#)

## Web Activity

This tab shows all of the web activity of a cookie'd user in this view and includes the referring page. For lead/contacts it shows the activity for that particular person, for Accounts it shows activity for all contacts related to that account.

## Score

Use this tab to see what the most recent score changes are. This is helpful to see all the different activities the person took to achieve the score they have. The campaign that caused the scoring can be cross referenced to the scoring rubric above.

## Email

This tab shows all the emails sent to that specific person, the date and check boxes for if they opened or clicked.

## Quick Actions and Watch List

You can add people to your watch list to keep a closer eye on them. You can access that watchlist by clicking the glasses next to email. Quick actions currently are not configured, but in the future may be used to add prospects to campaigns or to send an email via marketo.

---

## SECTION: marketing/marketing-operations/marketo/interesting-moments.md

## Overview

Interesting moments are used by Marketo to show relevant information to the sales team and others in Salesforce.com

Interesting Moments show in two places on records, in the Marketo Sales Insight window or in the Last Interesting Moment Description field. This field updates dynamically every time an Interesting Moment is updated and date stamped.

## Common Interesting Moments

| Interesting Moment | Description                                                                                                                               | SFDC Campaign | SDR Action                                                                                                          |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------|---------------|---------------------------------------------------------------------------------------------------------------------|
| -----              | -----                                                                                                                                     | -----         | -----                                                                                                               |
|                    | This lead is part of a namespace that has checked to setup GitLab for Company/Team use                                                    |               | Owner indicated on signup that this namespace is for company or team use. This person is a member of that namespace |
|                    | n/a                                                                                                                                       |               | no action, more of an FYI                                                                                           |
|                    | Filled out Contact Us Form - GitLab Dedicated                                                                                             |               | Filled out an interest form for GitLab Dedicated                                                                    |
|                    | Request - GitLab Dedicated                                                                                                                |               | No action necessary                                                                                                 |
|                    | Filled out startup application form                                                                                                       |               | Startup applicant                                                                                                   |
|                    | FY20Startup Application                                                                                                                   |               | Pass to User: Community Advocate                                                                                    |
|                    | HandRaise PQL - Contact Us                                                                                                                |               | Requested contact via in product handraise                                                                          |
|                    | Request - Hand Raise PQL                                                                                                                  |               | Follow Up                                                                                                           |
|                    | Engaged with Content Track: {{lead.PathFactory Experience Name}}, Session Engagement Time (seconds): {{lead.PathFactory Engagement Time}} |               | Fast Moving Buyer alert from PathFactory                                                                            |
|                    | PF - Fast Moving Buyer Alert                                                                                                              |               | No action necessary                                                                                                 |
|                    | Created from GitLab Subscription Portal                                                                                                   |               | Lead started the web direct purchase process (may or may not be completed)                                          |
|                    | N/A                                                                                                                                       |               | Check for duplicates with Web Direct                                                                                |
|                    | Downloaded XX from 3rd Party site: Integrate                                                                                              |               | GitLab owned assets downloaded via content syndication platform                                                     |
|                    | Various                                                                                                                                   |               | Navigate to Campaign history/campaign details to see the asset and campaign description                             |
|                    | Lead has reached 6QA status, and this SMB lead has been autosequenced in Outreach                                                         |               | New SMB 6QA lead has been created and is autosequenced in Outreach.                                                 |
|                    | N/A                                                                                                                                       |               | Monitor the progress of the sequence for any replies.                                                               |
|                    | Lead has reached 6QA status and this MM/ENTG lead has been added to the SFDC dashboard.                                                   |               | Proceed with outreach.                                                                                              |
|                    | New MM/ENTG 6QA lead has been created.                                                                                                    |               | N/A                                                                                                                 |
|                    | Review leads in the SFDC dashboard and proceed with outreach.                                                                             |               |                                                                                                                     |

---

## SECTION: marketing/marketing-operations/marketo/tech-stack-guide-marketo.md

> Note: Refer to the Tech Stack Index to browse Apps and Tech Stack Applications to manage Apps.

{{% tech-stack "Marketo" %}}

## Integrations

To see the different systems that are connected to Marketo, please visit the Marketo System Infrastructure Mapping FigJam.

## Data Model

Marketo is a flat database that utilizes Email Address as the unique ID. The Person Object is the main object.

## Key Reports / Dashboards

---

## SECTION: marketing/marketing-operations/mutiny/index.md

## About Mutiny

Mutiny is a no-code solution for building microsites. As of September 2024 we are starting to implement Mutiny for the ABM team. This page is currently under construction and will be updated throughout implementation. For questions about implementation, visit the Epic or ask in mktgops on Slack.

## How to Use

## WIP

## Integrations

Mutiny has several integrations to WIP

### Salesforce.com

Placeholder for the specifics of the connection and what it does. Mutiny and Salesforce are integrated bi-directionally.

### Marketo

Placeholder for the specifics of the connection and what it does

### 6Sense

Placeholder for the specifics of the connection and what it does

---

## SECTION: marketing/marketing-operations/pathfactory/\_index.md

## What is PathFactory?

PathFactory is an intelligent B2B content experience platform used to create personalized content journeys for your audience. The global content team is primarily responsible for all the of the content within the PathFactory. Campaign managers work with other teams in marketing to organize and curate assets into tracks that are then disseminated for use in Marketo, about.gitlab.com, and other campaign-related channels.

### What is PathFactory used for?

- PathFactory is used primarily for email nurture streams, landing pages, advertising, and virtual event follow-up.

- Assets are bundled together (around 5-7) in a "content track" and shared as one link. Instead of sharing multiple links to individual assets, one link provides a curated content experience.

### What PathFactory is not used for



- Sharing individual assets. It's meant to encourage a visitor to "binge" the content and self-nurture towards MQL. For sharing individual assets, please direct to the GitLab website.

- Creating web pages. Pathfactory is a content library that curates experiences (think of it like Netflix for B2B content). Pathfactory is not a replacement for Marketo.

### PathFactory vs. Marketo

- PathFactory · Email Nurture. PathFactory is a tool that - instead of driving to a single asset - drives to a related-content experience.

Nurture is a channel to bring an individual to the content. Just like ads, social, website, etc. drive to CTAs, PathFactory link is the CTA - a powerful CTA because it can lead the individual down a "choose your own adventure" path of consumption which we track.

What are the differing goals of PathFactory and Marketo?

- Marketo nurture: To keep the GitLab top of mind and deliver relevant content (via PathFactory)

- PathFactory: To increase consumption/engagement with GitLab content

Can records be in Marketo nurture and PathFactory nurture at the same time? If not, is 1 prioritized over the other?

Yes, the PathFactory track acts as a supplement to the existing Marketo nurture instead of a replacement. It allows us to provide related content in a seamless way for the end-user (better than simply providing a PDF link and to improve "binging" of content).

### PathFactory vs. CMS vs. DAM

PathFactory is not a single source of truth (SSoT) for all GitLab content, but rather content that has been activated in a marketing campaign.

Content Management System (CMS) - A content management system is a software application that can be used to manage the creation and modification of digital content.

Digital Asset Management (DAM) - Digital asset management (DAM) is a system that stores, shares and organizes digital assets in a central location.

PathFactory - Content experience software used to allow buyers to binge-consume content, remove friction, and create more qualified leads, faster.

### Access

The Marketing Operations team is responsible for managing access requests & provisioning the appropriate level of access for each role/function. PathFactory is not provisioned as a baseline entitlement. If you or your team require access, please open a Single Person Access Request issue and provide business reason why access is needed. For certain permissions or roles, you may be required to go through training before access is provisioned.

## User Roles

There are four levels of access - Admin, Author, Reporter, Viewer, and Uploader - which are granted based on the persons' role and team function within GitLab. All access levels have the ability to view analytics within the tool.

- Admin access is granted to Marketing Operations and at times, other teams such as sales or business operations to manage integrations between systems.
- Author access allows user to build, edit and publish content tracks applying existing tags to the assets.
- Viewer access provides general visibility to content within PathFactory but does not allow end user to create or modify any of the content, tracks or tags. This level of access is granted for the general GitLab team member both within Marketing and elsewhere who have a business need to have access.
- Uploader access allows users to create, edit, and delete content within tracks that have already been created, but does not allow users to create, edit, or delete tracks
- Reporter access allows users to view all analytics pages within our instance of PathFactory.
- Sales User is anyone who has a valid email domain associated with our PathFactory instance, but who does not have a login. These users are not able to login to PathFactory, but they will be able to share any content tracks that Admins select on the Sales Configuration page.

For more info on the capabilities of each role, see the knowledge base article.

## Rules of Engagement by Team

| Team                                   | User Roles                                     | Rules of Engagement                                                                                                                              |
|----------------------------------------|------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| Marketing Operations                   | Admin                                          | Manage, quality assurance, user management, system integrations, training                                                                        |
| Content Marketing                      | Author                                         | Add content, quality assurance, participate in quarterly content audits                                                                          |
| Campaign Managers                      | Author                                         | Add content, create and edit tracks for use in campaigns, define form strategy for conversion on tracks, participate in quarterly content audits |
| Product Marketing                      | Author (select users), Reporter (select users) | Upload new content, participate in quarterly content audits, collaborate with Authors of tracks on content selection                             |
| Field Marketing                        | Author (select users), Viewer (select users)   | Upload content from virtual workshops, clone existing workshop tracks for use in follow-up emails, view content performance                      |
| Account-Based Marketing                | Author                                         | Add content, create and edit content tracks for use in campaigns                                                                                 |
| Customer Reference Programs            | Author                                         | Upload new case studies and customer content                                                                                                     |
| Developer Adbo                         | Author                                         | Upload new technical content                                                                                                                     |
| Sales Development Representative (SDR) | Sales user (PathFactory for Sales only)        | PathFactory for Sales (SFDC)                                                                                                                     |
| All Remote                             | Author                                         | Upload new all remote content, create and edit content tracks for use in all-remote campaigns                                                    |
| Partner Marketing                      | Author (select users)                          | View content library, create and clone content tracks for partners, reporting                                                                    |
| Customer Programs                      | Author (select users)                          | View content library, create content tracks for                                                                                                  |

customer onboarding where a CSM is not assigned or requested, reporting |

## Support

1. Knowledge base, The Nook (requires user in PathFactory and the email you use for PathFactory will be the same to access The Nook, however, the password is not.)

1. Success Series Webinars

1. Release Notes

## Training

1. The Path to Understanding: Onboarding Training

1. Getting started video series

1. Digital marketing brown bag session overview - Slides

1. Author role training (Do not share externally - PII data presented)

1. Reporter role training (Do not share externally - PII data presented)

1. How to Create a Website Promoter

## Issue Templates

## Marketing Operations

1. PathFactory Author Onboarding

1. Generic PathFactory request

1. PathFactory QA Review request

1. New PathFactory form request

1. PathFactory Content Audit

1. PathFactory Bulk Upload

1. PathFactory Microsite Request

## Campaigns

1. Pathfactory Upload Request - per rules of engagement, the content owner is DRI on uploading their new content

- The upload issue may be created in the content owner's GitLab project; this issue template may be helpful in outlining the steps, campaigns team is not responsible for uploads.

1. Pathfactory Bulk Upload Request

- This issue template should be used sparingly, as content should be added to Pathfactory by content owners ongoing as it becomes available. This is helpful for examples like a number of videos produced during a Commit event with many sessions.

1. Pathfactory Track Request

## Important Note Using PathFactory

PathFactory has no built-in audit log or trail for changes that are made within the content library (only that it was updated and by whom) or content tracks. It is critically important that everyone with Author role access to PathFactory follow the instructions and documentation outlined in this handbook. Any changes made to the content library or content tracks can have a negative impact on those content tracks which are tied to campaigns, reporting, and attribution.

For instance, if an asset is deleted from the content library and that asset exists in campaign-related content tracks, the user that visits that asset within that track will be redirected to [about.gitlab.com](https://about.gitlab.com), which has the following impacts:

1. Breaks the content track experience for the user by de-railing them from their intended destination
1. Skews data in the campaign, reporting, and attribution
1. Potentially loses out on further nurturing that user, or making an unknown user known through gating

The same impacts above can happen if an Author role makes changes to an existing content track without collaborating with the Author of that track.

Before making any of these impactful changes, please collaborate with the Author of a content track before making any changes or asking in mktgops before deleting any assets in the content library.

If these changes are made, it is also critically important to input them to the PathFactory changelog so that we can correct them accordingly.

## Changelog

Periodically, significant changes are made or added to PathFactory and processes that affect overall data and reporting. As such we have a changelog. Everyone with Author access that is making significant changes in PathFactory should add their changes to the changelog with a linked issue and/or relevant PathFactory links.

Scenarios for adding to the changelog:

1. Creation or launch of a new content track and where it will be used
1. Creation or launch of a new website promoter
1. Additions or changes to a form strategy within a [LIVE] content track
1. Additions or changes to assets within a [LIVE] content track
1. Expiration of an asset from the content library
1. Change of a custom URL slug for an asset or content track and why
1. Change of promote settings within a [LIVE] content track and why

## Instructions

1. Open the PathFactory changelog doc.
1. Add the date you made the change if it doesn't already exist.
1. Add a bullet with your GitLab username and document the changes you made, making sure to include links to issues or relevant PathFactory links.

## Content Library

The content library is where all content uploaded to PathFactory is added and tagged for use in content tracks and experiences. An asset must exist in the content library first before it can be utilized in a PathFactory experience.

## PathFactory Campaign Tools

There are multiple types of PathFactory experiences that you can create under Campaign Tools:

### 1. Content Tracks (target or recommend)

- Target Tracks - Target Tracks are collections of content that you have selected and organized in order to give your visitors a specific content journey.

- Recommend Tracks - Recommend Tracks are collections of content specifically selected by you, and which rely on machine-learning to suggest the ideal content to show your prospects based on what they are already viewing.

### 1. Explore Pages - Explore Pages allow your visitors to quickly view all content assets in a content track. Each Explore Page you create is built on top of an existing Target or Recommend Content Track.

### 1. Website Promoters - Website promoters allow you to harness the power of PathFactory's content promoters directly on your website. They provide more opportunities for interested parties to find and enter your Content Tracks by connecting eye-catching CTAs to content tracks.

## Naming Conventions

### Assets

When adding assets to the content library, please ensure both the public and internal titles match the title of the asset. Do not add any extra prefixes to the asset title (ex: BLOG] - Title of blog). Content types are already indicated by the content type field. Remove any extra SEO meta title information such as |GitLab that is appended to the title once PathFactory pulls in the information about the asset from the URL. Follow the [editorial team's guidelines for formatting and case (sentence cas