

e).

When adding localized content to Pathfactory, enter the localized title and description in the Public Configuration section. This is what external viewers of the content will see. Under Internal Configuration, enter the language with the English asset name (example: [Japanese] GitLab in Action Overview Demo). Internal Configuration is only viewable internally in Pathfactory.

Tracks

When creating and editing content tracks, please use the following naming convention to let others know the status of your track. These track names are not shown to the visitor of the track. Name the track so that other Author roles understand the use of your track. Add start and end dates for your campaign if relevant so it can be archived/deleted at a later date. Add persona in the track title if the track is for a specific persona. Add a GTM motion to the title if the track assets are focused toward a specific GTM motion.

- 1. [WIP] - [Campaign Name] - work in progress track; not live
- 1. [LIVE] - [Campaign Name] - live track; traffic is flowing to track
- 1. [ARCHIVED] - [Campaign Name] - archived track; not in active use; traffic may or may not be flowing to track

Track Labels

Track labels are used to document the channels that a content track is distributed on. These track labels are arbitrary and do not tie to any functionality within PathFactory. They are simply used to indicate to other Author roles within PathFactory how you intend to use your content track.

Label	Use
-----	-----
archived	content track no longer in use and marked for archiving, possibly future deletion
email	content track to be sent from a Marketo email or nurture stream
event	content track is shared as part of a corporate event or partner event
external	content track is shared externally (ex: third-party website)
in-app	content track sent from an in-product message or notification
integrated campaign	content track is part of an integrated campaign
internal use only	content track is distributed to GitLab team members only
landing page	content track is sent to a visitor after filling out a form on a landing page
organic social	content track is shared in an organic social media post
paid search	content track is part of a paid search campaign
paid social	content track is part of a paid social campaign
SAE inbound	content track is enabled for PathFactory for Sales for SAEs to share inbound
SAE outbound	content track is enabled for PathFactory for Sales for SAEs to share outbound
SDR inbound	content track is enabled for PathFactory for Sales for SDRs to share inbound
SDR outbound	content track is enabled for PathFactory for Sales for SDRs to share outbound

survey/quiz	content track is shared in a survey or quiz
web promoter	content track is used in a website promoter within PathFactory
website	content track is linked on a web page on about.gitlab.com

Track Folders

Track folders are set up by team as different teams within marketing use and distribute content tracks for various use cases. This helps to ensure that team members only make change to content tracks within their team folder.

Forms

Forms should not be served based on the amount of time spent in a track, but rather after a visitor consumes 2-3 pieces of content. When a visitor progresses to the next piece of content (after the initial 2-3), they'll be asked to complete a form.

When naming forms, please follow the naming convention:

1. WIP forms: [WIP] Language - Purpose - Marketo Form ID (example: [WIP] Korean - Contact Us - 2963)
1. Live forms: [LIVE] Language - Purpose - Marketo Form ID (example: [LIVE] Korean - Contact Us - 2963)
1. Test forms (MktgOps only): [TEST] Language - Purpose - Marketo Form ID (example: [TEST] English - PF<>Bizible - 2715)

Content Tracks

Before creating a new content track, decide what type of content track (target vs. recommend) you want to create. Use the criteria below to decide the best option:

Best Practices

Target track

1. Curated content
1. Known audience
1. Personalized journey (email, website, targeted display)
1. 5-7 pieces of content
1. Use target in webinar reg and follow-up
1. Use target to GUIDE

Recommended track

1. Dynamic content sequence (it will automatically move content to the top of the track that is performing well)
1. Anonymous audience
1. Personalized journey (web, general display, social)
1. Tracks the most popular journey (which pieces are being viewed, can be exported into a target track)
1. Use recommend to DISCOVER

Create a Content Track

1. When you're ready, login to PathFactory SSO via Okta.
1. Go to Content Activation on the top navigation bar >> Select Standard Experiences (formerly Campaign Tools) >> Select the content track type you want to create (Target or Recommend).
1. Click the Create track button on the top right.
1. Name your content track. Be descriptive about the topic or campaign that your track will be used for. If you're unsure, review the names of other content tracks to get an idea. The content track name is for internal use only and will not be shown to visitors. Each content track has to have a unique name. You cannot use duplicate names for content tracks.
1. Choose to clone an existing content track, which will copy all assets from that content track into yours, or simply start from scratch.
1. Choose the folder where your content track will live. Follow the current folder hierarchy for organization which is currently set up by team.
1. Tag your content track with labels that will tell everyone accessing the content track which channels it will be used on (internal use only).
1. Click Create Track.
1. On the left panel, change the custom URL slug to be descriptive of the track with no stop words (and, the, etc.) - ex. ci-aware
1. Add assets to your track by clicking the Add content button at the top right. A window will pop up with the content library. Use the sorting options at the top to quickly add content by topic, type, funnel stage, etc. PathFactory content tracks are meant to encourage content binging (visitors reading more than 1 asset to accelerate them in the pipeline by helping them self educate faster in one visit). So as best practice, have more than 1 asset in a track.

Configure Content Track Settings

1. DO NOT SKIP THIS STEP! Set the custom URL slug for the content track. Follow the instructions for creating a custom URL slug for an asset.
 - Important: All content tracks should be set up with custom URL slugs to prevent any future changes to the track from breaking the link and thus the user experience.
 - If you change the custom URL slug after a PathFactory link has been implemented, those links have to be updated wherever they were used (ads, emails, website, etc.).
1. Ensure that the Search Engine Directive is set to No Index, No Follow.
1. Set the appearance for the track.
1. Set the language for the track.
1. Leave Links & Sharing set to default.
1. Leave External Code and External ID 1 set to default (None).
1. Turn on the Cookie Consent before providing the approved content track link for live use.

Promoters

Promoters are the tools that allow visitors to navigate the Content Tracks and encourage them to view additional recommended content. Think of promoters as the guides through a content track; the promoters you use determine how and when content will be presented to visitors. Note the different functionality of each below. Before going live, you can test each promoter to find the one that works best for the goals of your PathFactory experience.

- You can only use the Header feature with the Sign Posts and Bottom Bar promoters.
- The Header is used to add additional branding to your content track.

- The Flow, Sign Posts, and Bottom Bar cannot be used together. Choose 1 of the 3.
 - Flow: Scrollable content menu allows visitors to jump ahead in their Content Track, or simply use the Next buttons to move forward.
 - Sign Posts: Customizable Next and Previous buttons allow visitors to navigate through content. Used for more of a linear journey through the content.
 - Bottom Bar: Collapsible content menu along page bottom.
- The End Promoter, Exit, and Inactivity promoters can be used in conjunction with either the Flow, Sign Posts, or Bottom Bar promoters.
 - End Promoter: Opens final asset in a new tab.
 - Available overrides:
 - Link
 - CTA Label
 - Delay (seconds)
 - Exit: Suggested content window appears when visitor tries to navigate away from the Content Track. In order to provide a popup-free web experience, please do not enable an Exit promoter without explicit approval from Craig Mestel (CMO) and Michael Preuss (Director, Digital Experience)
 - Available overrides:
 - Headline
 - Message
 - Items to show (choose from assets within the current track)
 - Delay (seconds)
 - Inactivity: Message flashes on tab when left inactive.
 - Available overrides:
 - Inactive tab title
 - Delay (seconds)

CTAs

Call-to-action (CTA) buttons encourage further engagement from your visitors within your Content Tracks. CTAs can be added to any Target or Recommend Content Track. These CTA buttons can link to either a form or a URL.

Create a CTA

1. Click the settings (gear icon) and navigate to CTAs under User Experience.
1. Click the Add CTA button.
1. Enter a name for the CTA (internal purposes only). Be specific so others know what the main goal of the CTA is.
1. Enter a button label for your CTA. This is what the user will see. Copy for CTAs should typically be 2-3 words max (18 characters) and include action words such as Watch a demo.
1. Choose your CTA type (form, link, email).
 - If choosing form as your CTA type, it must include proper capture tags and script. Do not choose a WIP form as your CTA.
 - If choosing link as your CTA type, it must include UTM parameters for proper tracking (ex: utmsource=pathfactory&utmmedium=cta-name)
 - For email, simply input the email address you want users to contact from clicking the CTA.
1. Click Save.

Form Strategy

Form strategy is used on content tracks to collect data from unknown visitors. This is done by "gating" an asset within a track or by creating a track rule with an engagement threshold (example: spent at least 60 seconds in the track and viewed 2 assets). Not all content tracks will or should have form strategy turned on - it depends on the goal of your campaign. Form strategy should only be used when a track entry point is a direct link from a digital ad bypassing a webform or gated landing page. Please bypass form strategy entirely when linking to PathFactory from emails since we are sending to known users. In the event the recipients (known users) forwards the emails to unknown users, we chose to forgo capturing their information for better user experience.

Please Note: PathFactory activity is tied into the MQL scoring model. This means that you do not need to add form strategy to a content track if entry point is from a landing page.

- Form strategy best practices

GDPR Considerations: When using time-based form strategy, aim for at least 15-30 seconds in order for the user to have plenty of time to accept the cookie consent pop-up prior to filling out the form.

Add Form Strategy to a Content Track

1. In the content track settings sidebar (left), toggle "Forms Strategy" to On.
1. Click View Form Strategy located below the Add Content button.
1. Determine whether the form strategy will be applied to individual assets or the entire track. For individual assets, you'll choose Content Rules; for form strategy on the entire content track, you'll choose Track Rule.

Form strategy by asset:

1. Click Add Rule in the Content Rules row.
1. Select the General Form (2074) LIVE form unless otherwise required according to campaign needs. Do not select a form marked [WIP].
1. Under Display Behavior, click the dropdown and choose the assets where you want the form to show. (Please Note: only assets that you have added to the content track will show in the dropdown. If you want the form to show on an asset that is not in the track, you will need to add it first.)
1. Select the amount of seconds you want to delay before the form shows on the asset. 10 seconds is the default selection.
1. Select additional options for the form behavior. If you will be using the content track or individual asset links in an email, you are working with a known audience and therefore should only select Show to unknown users. This prevents forms being shown to users who are already known in Marketo. However, if you are using the form on the web or other channels, you'll want to select Show to unknown users only.
1. Ensure Show to Known Visitors is toggled off.
1. Leave If submitted, allow form to show again toggled off.
1. You can allow visitors to dismiss the forms if it is not crucial to its use to have them submit their info.
1. The option Keep promoters active when form is shown is up to the Author. For example, if the Flow promoter is used on a content track, they will still be able to see the sidebar of available content while the form is shown to them. If this option is toggled off, the visitor

will not be able to click on any content in the sidebar until they fill out the form.

Form strategy for content tracks:

1. Click Add Rule in the Track Rule row.
1. Select the General Form (2074) LIVE form unless otherwise required according to campaign needs.
1. Under Display Behavior you can choose to serve the form based on the number of content assets viewed or the total time spent on the track.
1. All other options for content track rules are the same for individual assets (see above).

Testing a Track Link

1. Click through the experience to ensure assets, CTAs, and forms load properly and that promoters are working as intended.
1. Remove any extraneous ? (there should only be one immediately after the end of the URL).
1. Watch for extra & when appending UTMs.
1. Test and ensure the experience is working as intended.

When a track is LIVE (in use):

1. Change the target track title in use to [LIVE] Name of track.

When a track has been archived (no longer in use):

1. Change the target track title that's no longer in use to [ARCHIVED] Name of track.

Adjustments to Live Content Tracks

- You can add assets and adjust the position of assets to a [LIVE] content track.
- Removing an asset or changing the custom URL slug of an asset in a [LIVE] track can disrupt the user experience for the visitor and activate the all track or fallback URL (about.gitlab.com) instead of the intended content track. Please ensure that the link to the asset is not being used in any other marketing channels before deleting.

Prescriptive Buyer Journey Content Tracks {pbj-content-tracks}

DRI for track creation: Campaign Managers

- This GDoc tracks progress toward all prescriptive buyer journeys being built out in Pathfactory, including live links.
- These tracks live under Target Tracks > Demand Gen > Segment Campaigns (subject to change if the folders get massive - HB to update as needed)
- These tracks align to the Prescriptive Buyer Journeys ("PBJs") which will be iterated on collaboratively across marketing
- The Campaigns Team will iterate and test out different styles, form strategy, end promoter settings, and .
- The Example "PBJ" Track has the following elements and settings applied (for easy cloning) but only contains one asset when the future ones would have 3-4 assets:
 - Reminder Campaigns Team: The example below is just a starting point. Experimentation and

testing recommended!

- Track settings: (FYI) set to default according to these instructions
- Track Settings: Custom URL Slug (REQUIRED): motion]-[stage]-[persona]] (i.e. ci-awareness-prac1 or vcc-) - [see more
- Flow: ON > Start Free SaaS Trial
- End Promoter: ON
- End Promoter Link: Set this to point to the next track in the prescriptive buyer journey. (i.e. if you're on CI Awareness Practitioner 1, set the end promoter to go to CI Awareness Practitioner 2 to move them to the next stage and continue binging)
- End Promoter CTA Label: Add an enticing CTA, but keep it short... max characters TBD
- End Promoter Delay: 5 seconds
- Forms Strategy: Set to trigger to Unknown Visitors after EITHER 30 seconds on main offer OR 30 seconds overall on track.
- Forms Strategy: Not dismissable.

PathFactory Forms

The forms used in PathFactory are hardcoded Marketo form script. They are added to PathFactory using the Marketo script, but they should also include the PathFactory capture tags and custom parameters to capture additional information behind the form fill. If a new form is created, the PathFactory capture tag and custom parameters must be hardcoded in the script.

Request a new PathFactory Form

To request a new form to use in PathFactory, the form must first exist in Marketo. If one does not exist, first create an issue in the marketing ops project using the formrequest.md template. Once the Marketo form is completed, then create an issue in the marketing ops project using the pathfactoryform.md template.

Capture Tags

A Capture Tag is a snippet of code added to a Marketo form code itself. The Capture Tag sees the visitor's email address on submitted form, and sends it to PathFactory. This allows PathFactory to associate the email address of a visitor to their engagement data; the visitor will then be a known visitor rather than anonymous.

We use external forms (added by External URL or Custom HTML generated from Marketo) in PathFactory. The information submitted in the form is sent directly to Marketo. In order for PathFactory to associate the submitted email address with the visitor's engagement data, you must use a Capture Tag. This is what allows PathFactory to identify the individual as a known visitor.

PathFactory Links

- Only content track links are meant to be used and shared. Do not share individual asset links from the content library.
- You can use a content track link for multiple use cases as long as you apply UTMs appropriately. Applying UTMs helps us differentiate how the track performed across different channels.
- If the link breaks or an asset is deleted, the user will be redirected from your content

track to the all track, which includes all assets uploaded to PathFactory. In a case where the user is not redirected to the all track, they will be redirected to the Fallback URL which is set to about.gitlab.com.

- Do not use the lbemail= parameter when sharing about.gitlab.com links in Marketo emails. This parameter is used on learn.gitlab.com links to identify anonymous track visitors.

Target Track Links

1. Use the Get Share URL feature next to the title of the track. Share links are to be used in locations such as the website whereas Email tracking links are only for use in email. Note: If it's in email, it's a known audience so don't gate any assets in the track. Only use share links on the web and those tracks can have gated assets within PathFactory.

1. If you want a particular asset to show first, that asset should be located in the first position of the target track.

Recommend Track Links

1. To use a recommend track link, click on any of the assets in the track and copy the link from the asset window on the right. The asset you choose to share the link will be shown to the user first.

Appending UTMs to PathFactory Links

1. First check and see if there is a question mark ? already existing in the PF link. Typically there is one. The only time it won't have a ? is when you set a custom URL.

1. If there is a question mark ?, first add an ampersand & at the end of the PF link, followed by the UTMs.

- For example:

- PF Link: <https://learn.gitlab.com/c/10-strategies-to-red?x=53kuPb>

- PF Link with UTMs: https://learn.gitlab.com/c/10-strategies-to-red?x=53kuPb&utm_source=email&utm_campaign=test

1. If there is no question mark ?, first add a question mark ? at the end of the PF link, followed by the UTMs.

- PF Link: <https://learn.gitlab.com/c/10-strategies-to-red>

- PF Link with UTMs: https://learn.gitlab.com/c/10-strategies-to-red?utm_source=email&utm_campaign=test

Marketo links

1. For a PF Marketo link, it will typically already include a question mark "?". To add UTMs, first add an ampersand & at the end of the PF link, followed by the UTMs.

- Example: https://learn.gitlab.com/c/devops-explained-git?x=GVFK3F&lbemail={{lead.Email Address}}&utm_source=email&utm_campaign=test

1. Remove any extraneous ? (there should only be one immediately after the end of the URL).

1. Watch for extra &.

1. Test the link before implementation for quality assurance purposes.

PathFactory links behind a form fill on a landing page

1. When using a PathFactory link as the redirect behind a form fill on a landing page, the link

format should be as follows:

<https://learn.gitlab.com/c/gcn-dev-sec-ops-how-?x=XOIXTI&lemail=>

Using a content track with a custom URL

1. If your content track has a custom URL, you will notice the ? in a different location than with content tracks that don't have a custom URL.

- With no custom URL: [https://learn.gitlab.com/c/gcn-dev-sec-ops-how-?x=XOIXTI&lemail=\(x=XOIXTI = content track ID\)](https://learn.gitlab.com/c/gcn-dev-sec-ops-how-?x=XOIXTI&lemail=(x=XOIXTI=content%20track%20ID))

- With custom URL: [https://learn.gitlab.com/c/cicd/cloud-ci-tools-matur?lemail={{lead.Email Address}}](https://learn.gitlab.com/c/cicd/cloud-ci-tools-matur?lemail={{lead.EmailAddress}})

Hiding Top Navigation When Adding Pages from the Marketing Site to a Track

1. Add ?menu=hide to the end of the asset's source URL. For example,

<https://about.gitlab.com/blog/2021/04/28/devops-platform-supply-chain-attacks/?menu=hide>

Note: for simplicity in tracking, we strongly urge you to use a custom URL slug on all tracks.

Video regarding custom URL slugs

Custom Query Strings

PathFactory's custom query string manager allows you to manage and append query strings when sharing a link to a content track or explore page.

1. Select Organization Settings in the dropdown menu in the top right corner.

1. Select the Custom Query Strings tab.

1. Create your custom query. When you save the new query string, it will be available whenever you access a content track in PathFactory and click the Share button or icon.

Note: Do not delete or edit the default query string for Marketo as that query string is an important way to integrate with PathFactory.

Microsites

PathFactory's Microsite Builder enables marketers to display multiple types of Content Tracks within a custom-designed landing page or multi-page microsite with navigation. Microsites should be used when you want to educate users about a specific topic or topics. Microsites are NOT a catchall nor a replacement for other types of landing pages. If you are unsure whether a Microsite is right for your campaign, please free to reach out in the mktgops slack channel.

Use Cases

- Resource center
- Event or webcast follow-up
- Personalized/co-branded resource hub

Explore Pages vs. Microsites

Microsite builder expands on how Explore Pages are used and improves on Explore Pages with a more robust and advanced feature set.

With Microsite builder you can:

- Include more than one Content Track on a page.
- Tie multiple pages together with navigation
- Use your own custom code to add page sections and elements

Creating a Microsite

You can request a new microsite, or an update to an existing microsite via this issue.

Microsite templates:

- Personalized/co-branded content hub: [Template] Partner Custom Microsite
- Resource center: TBA
- Event or webcast follow-up: TBA

Explore Pages

Explore pages allow your visitors to quickly view all content assets in a content track. Each explore page you create is built on top of an existing target or recommend content track.

Use Cases

- Resource center
- Event or webcast follow-up
- Co-branded resource page
- Personalized information hub

Create an Explore Page

Before you make an explore page ensure that you have already built a content track (target or recommended) that you will use as the base.

1. Select Explore from the left navigation.
1. Click on the Create Explore Page button.
1. Enter a name for your explore page and select a content track to use as your base. You can either create an entirely new explore page built on an existing target or recommend content track, or clone an existing explore page.
1. Select which folder the explore page will live in, then click Create Explore Page. Please follow the hierarchy of folders by dept. from the content tracks.
1. The colors, fonts, imagery, and layout of your explore page can be customized in Appearances. Select your desired appearance from the left navigation in your explore page under Page Settings.
1. Under Page Settings, ensure that the Search Engine Directive is set to No Index, No Follow.
1. Choose your desired layout under Layout Settings.
1. Choose your desired content settings under Content Settings.
1. Be sure to test your explore page fully.

Explore Page FAQs

Why can't I change the background color behind my cover image?

The cover background color only shows when the cover image is set to "Fixed Width." Because of this, the color selection square is only available when "Fixed Width" has been selected.

I don't want this header on my Explore page, how do I get rid of it?

The header is applied to an Explore experience from the base content track you chose for the explore page. If you don't want the header on your explore page, go to the base content track and turn the header off.

I don't like the order that my content is arranged on the Explore page; how do I move my content around?

All changes to the content in an explore page has to be done in the base content track that the explore page is built from. This includes the order of your content, so if you want to reorder your content you have to do so in the base content track.

Can I create a custom hero for a header on my page?

Yes! You can add a custom hero image by navigating to Appearances Configuration and selecting the appearance you would like to modify. Then click on the Explore tab and select cover image for Hero layout and upload your custom image under Hero Image. Make sure you click save on both the explore image upload and then again to save the appearance edits you have made (recommended size for a hero image is 1600x500).

Appearances

Appearances allow you to control the look and feel of your content tracks. By creating different appearance groups you are able to quickly and easily apply different colors, fonts, and logos to content tracks without having to configure them each time you build a new track. Appearance settings allow you to control how your promoters look, select favicons for your tracks, and configure the appearance of your cookie consent messaging.

You are able to change the appearance of the following components of a content track:

- 1. Promoters
- 1. Cookie Consent and Cookie Message
- 1. Favicon
- 1. Header

Walkthrough of appearances

Create a new appearance group

- 1. Click the gear icon at the top right of the page. Select Appearances from the drop-down menu.
- 1. Click Add Appearance.

1. Name the appearance group.
1. Select the color of the text and the primary color by clicking on the colored boxes.
1. Change the font of the text by selecting from the drop-down menu. Click the B button to bold the text. Click on the A buttons to change the text size.
1. When you are done making changes click Add Appearance.
1. Once you've created your Appearance groups, you can apply this styling to any of your content tracks. Simply select the appearance group from the drop-down menu under Experience Settings.

PathFactory Localization

The Languages feature gives you complete control over the text displayed to visitors on your promoters within content tracks and on website promoters. This feature also allows you to create language groups for languages other than English, and to customize the text that will be displayed for those languages.

There is no native integration between Smartling and PathFactory. To create a new language configuration in PathFactory and submit the default English source text available in PathFactory's language configuration menu, you must create a CSV. You can only include/exclude columns for translation in CSV. See the help center article for more info on formatting CSV files to submit for translation.

1. We currently have English, French, German, Korean, and Japanese configurations for Languages.
1. Languages PathFactory currently supports
 1. Asset types (content types) support localization
 1. Explore Pages now have a dedicated tab within Language Settings where you can set localized text for the Featured Label, Search Button Title, Search Input Field Placeholder, Filter By Content Type Title, and Filter By Topic Title. See more info.
 1. You can see a list of the number of assets by language in the content library using the content tag filters.

Create a New Language Config

1. In PathFactory, click the gear icon in the top right navigation and select Languages under User Experience.
1. Click the Add Language button in the top right or in the left sidebar under the other language configurations.
1. Select the language from the drop down menu.
1. If there are sections of the language configuration that are not translated in your selected language, please open an issue.

PathFactory Tracking

PathFactory Webhook

Webhooks allow PathFactory to automatically connect with a third party system and send data every time someone visits or interacts with a PathFactory experience. There are 3 types of PathFactory webhooks (form capture, visitor session, visitor activity).

We currently use the Visitor Session Webhook to connect to Marketo. The Visitor session webhook is triggered off of session data. A visitor session begins when a visitor arrives on a content track and ends when that visitor has stopped engaging with content for thirty minutes. This webhook is triggered when a visitor session ends. This means that the webhook will trigger and send data to Marketo thirty minutes after the visitor has finished engaging with content. The data sent through this webhook provides an overview of the level of engagement the visitor had with your content track and the content assets inside them during the session.

PathFactory Scoring

PathFactory applies a score to a person based on how much time they spent viewing an asset by its content type. The PathFactory score is incorporated into the Behavior score in Marketo.

Content Type	Content Engagement Score	Engagement Time Threshold (seconds)
-----	-----	-----
Analyst report	1	120
Assessment	1	60
Case Study	1	45
Data sheet	1	45
Demo	1	60
Infographic	1	15
Landing page	1	45
Presentation	1	120
Pricing	1	30
Product Article	1	60
Research report	1	120
Solution Article	1	90
Technical Blog Post	1	60
Testimonials	1	30
Thought leadership Blog Post	1	60
Topic Article	1	120
Video	1	60
Webcast	1	600
Whitepaper	1	60
eBook	1	60

Bizible

External forms in PathFactory will apply a Bizible touchpoints using JavaScript.

MOps: Form Submit-Bizible: Applies a Bizible touchpoint upon form submit within a PathFactory track

Learn more about Bizible attribution with PathFactory

Custom PathFactory Fields

There are custom PathFactory fields available in Salesforce and Marketo.

Field Name	Purpose
------------	---------

| ----- | ----- |

| PathFactory Asset Type | A tag to help categorize types of content (whitepaper, video, eBook, etc) |

| PathFactory Assets Viewed | Cumulative number of assets viewed. This is not associated to time consumed! See Content Count for difference |

| PathFactory Content Count | Cumulative count of assets consumed. Example: if person consumes 2 whitepapers, 1 video and blog post for minimum of 20 seconds each in a single session this field would show 4. |

| PathFactory Content Engagement Threshold | The engagement threshold time setting (in seconds) of the content asset. |

| PathFactory Content Journey | Shows users path through a PathFactory experience (next asset viewed from previous asset based on slug) |

| PathFactory Content Language | The language of the content asset. |

| PathFactory Content List | Cumulative list of each assets content id/slug for each asset consumed. |

| PathFactory Content Slug | The custom slug of the content asset. |

| PathFactory Content Source URL | The URL of the underlying source content of the content asset. |

| PathFactory Content Title | The public title of the content asset. |

| PathFactory Content URL | The current public URL of the asset being rendered in the content track. |

| PathFactory Engagement Score | Each asset in content library can be assigned an engagement score; this score is passed from PF to SFDC and used to determine meaningful engagement with content. |

| PathFactory Engagement Time | Cumulative time a person spends consuming assets in session. |

| PathFactory Experience Name | The PathFactory track name - more details |

| PathFactory External ID | A non-unique ID that can be added to tracks &/or assets, which can be leveraged to organize content and configure it in Marketing Automation Platform (i.e Marketo) |

| PathFactory Funnel State | Each asset is tagged with stage of funnel most applicable to asset - Top of Funnel, Middle of Funnel or Bottom of Funnel |

| PathFactory Query String | Returns any values captured by a query string which you have added to the content experience URL. |

| PathFactory Query String Value | The value of a key in the query string. |

| PathFactory Topic List | Assets are tagged by topic. This is manually set & aligns with the tracking content list. |

| PathFactory Track Custom URL | The custom URL of the content track. |

| PathFactory Track ID | The automatically generated PathFactory ID of the content track. |

PathFactory Analytics

There are a variety of analytics and reports available in PathFactory that show the overall effectiveness of content. See more info [here](#).

About iFrames

An iframe, or inline frame, is a tag `<iframe>` `</iframe>` that is used to embed an HTML document inside another HTML document on a website. The iframe HTML element can be used to insert content from another source, such as an advertisement, into a web page.

PathFactory uses iframes to serve content inside content tracks. Some web pages have restrictions that prevent their content from displaying in an iframe.

- About iFrame Blocking

Google Chrome Extension

The Google Chrome Extension for PathFactory lets PathFactory users share content tracks and explore pages via Gmail. This functionality lets you embed content thumbnails and titles when sending emails using Gmail. See FAQ in The Nook.

How to install

1. Download the PathFactory Chrome extension [here](#). Once you download the app, the PathFactory logo will appear in the top right corner of your Chrome address bar.
1. The PathFactory icon in your browser will appear greyed out unless you are in Gmail. Click the PathFactory icon when in the Gmail tab of your Google Chrome browser.
1. Sign in with your Google credentials.

How to include PathFactory content in Gmail

1. Compose a new email in Gmail.
1. After composing your message, click the PathFactory icon next to the Send button.
1. Navigate to the desired content track or content asset using the folder system. Use the search bar to find a specific track or content asset, and/or the filter to find content with specific topics.
1. There are two ways for you to include content in your email:
 - Embed content thumbnails in an email: select a content asset, then click the Insert in the bottom right.
 - Hyperlink to either a content track or to a specific content asset within a track: click Copy Link next to the content track or content asset. Close the modal to return to the email, select the text you want to link from, click the Insert Link button, then paste the copied link.

Only Admins can enable content tracks in the organization settings for use in the Chrome extension. Open an issue in the marketing operations project if you would like a specific content track enabled.

Tracking

The PathFactory Google Chrome Extension will only de-anonymize users who view content sent in emails if the following is true:

1. The email is only sent to 1 recipient
 - This means only 1 recipient in total, if using To, CC, or BCC
1. You use the Embed content thumbnail option (not the copy link option)

Access Protection

Access protection protects content and events so only a select group of people can access it,

based on them having a valid email address or email domain based on an allowed list. This allows you to share more confidential information with prospects, customers and employees in a content track or a VEX Event without the worry of someone viewing it who shouldn't be.

Set Up Access Protection

1. Select the cog menu, and select Access Protection.
1. Select an existing group you wish to modify or create a new group. Each group is an allowed list that you can apply to experiences you build in PathFactory. You can apply one or more groups as allowed lists to specific content tracks or Explore pages. Ensure the name and description of the group is clear for other users.
1. Add the email addresses or email domains of the individuals you would like to grant access to. You can do this by manually typing it in or pasting a comma or space separated list into the input field.
1. Press enter to lock them in and then press Add Email to save. You can edit or delete these values at any point.

Note: Anyone who has an email address in the Domains list or the Email Address list will be able to access the content.

Localized Access Protection

1. In the cog menu, click Languages.
1. Select the language group on the side and navigate to Access Protection.
1. Configure all the messages a user might receive when access protection is applied to a track:
 - Title: The title a visitor will see when they try to access a protected track
 - Email Success Message: The message a visitor will see when they have entered an email address that is in the list of email address/domains entered in the group
 - Email Failed Message: The message a visitor will see when they enter an email address that doesn't exist in the group list
 - Email Confirmed Message: The message a visitor will see when they have already gained access to the track and need to go to their email to click the link to access
 - Email Instruction Message: The message a visitor will see when they try to access a protected track
 - Email Body Content: The message a visitor will get in the email they receive for successfully gaining access to the track
 - Helper Message: The message that appears when a visitor is trying to access a track under the button to help them through the process

Note: These messages will apply for all users who use access protection in PathFactory. Ensure the messages are generic to apply to all use cases.

Change Access Protection Appearance

1. In the cog menu, navigate to the Appearances tab.
1. Select the appearance your content track will be using.
1. Under the General tab, configure the styling that will apply when someone is trying to access the content track. The fonts and colors will apply to messages within the windows that appear while trying to gain access to the content track, and the logo configured here is also

displayed in the first message someone sees when they try to gain access.

Adding Access Protection to a Content Track

1. Navigate to your content track.

1. In the track settings on the left-hand side, set the language and access protection applicable for that track.

How Access Protection Works

1. When someone tries to access the content track, they will be prompted to enter their email address.

1. When they submit an email address which is in the group, they will get the confirmation message and will need to navigate to their email inbox where they will find an email from support (support@pathfactory.com) with the link to access the content track.

1. The visitor must click this link to validate that they are the owner of the email address. Once they click the link in the email they will gain access to the content track.

1. If they enter an email address that is not in the access protection group(s) you've selected, they will get the warning message you set in the configuration and will have the ability to try again.

SECTION: marketing/marketing-operations/pathfactory/content-library.md

Content Library

The content library is where all your uploaded assets are stored and tagged in PathFactory.

Before uploading content

1. Use the search to determine if it's already been added. Be thorough, as the asset could also have a different URL. If you try to add a file or URL that's already in the library, the system will tell you it already exists. For example, uploading

<https://about.gitlab.com/customers/extra-hop-networks/> and

<https://about.gitlab.com/customers/extra-hop-networks> would be considered different URLs and both would be uploaded to the library (note the trailing /).

1. Ensure you have the most valuable version of the asset (blog post vs. case study or PDF).

1. Ensure you have the most recent version of the asset.

1. Follow the blog style guide.

How to upload content

1. Click Add Content in the top right of the content library.

1. Choose how you will upload the asset (Website URL, file upload, or CSV).

- For a Website URL, copy/paste the URL. For multiple URLs, paste one per line.

- For a file upload, select this option and either drag and drop the file onto the file upload window or select it from your computer. Files can be up to 100MB.

- Follow the bulk upload instructions to upload multiple assets to the content library via CSV.

1. Enter the title of the asset under Public Configurations. Ensure that the title is free of SEO meta information such as | GitLab.
1. Provide a clear and concise description of the content if one does not exist.
1. Select the content type from the dropdown.
1. An engagement score will populate based on the content type selected. Scoring thresholds by content type can be referenced [here](#)
1. Copy and paste the public title into the internal title field.
1. Funnel stage and estimated cost is set automatically based on the content type you chose earlier. Please leave these auto-generated tags as is and do not force change.
1. Set the language of the asset.
1. Select the Business Unit of the asset based on GTM motion.
1. Set the expiry date of the asset if one exists.
1. Leave External ID blank.
1. Select the content topics on the right-hand side that categorize the asset. Follow the content tag map below when tagging content with topics.

After adding the asset to the library

1. Select the asset you just added to the library. A preview of the content will appear on the right-hand side of the content library. Scroll down the window pane under source URL and locate Custom URL slug.
1. Update the custom URL slug to be descriptive of the content with no stop words (and, the, etc.).
 1. Please Note: DO NOT change a custom URL slug that is part of a [LIVE] content track. You can see whether an asset is part of a live content track by clicking on it in the content library and scrolling to the bottom of the preview pane. This action can affect any links to this item that have been previously shared.
 1. If a URL slug needs to be modified, please open an issue in the marketing operations project.
1. We force https:// to content tracks by default. As a result, all assets must use https:// in the link to work in the content track properly. If you upload content that is not secure, it will not show a lock icon next to the URL and it will not work in a secure content track. Please manually add https:// if it is not already there.

Replacing or updating the version of an asset after initial upload

If you need to replace an asset source but keep the same link, you can do so from the content library.

- Select the asset from the content library
- On the right side, in the preview panel, scroll until you see Source URL
- When you hover over Source URL a pencil appears to the right
- Click the pencil/edit icon
- In the popup that appears, choose File Upload or Website URL as relevant
- Choose the updated version from your computer (or paste the new URL in)
- Click upload
- QA that the new version appears in "Preview" mode
- If used in a track, QA that the correct version appears in the track preview

Bulk upload

You can bulk upload multiple new assets to the content library via a CSV file.

1. Download this CSV template. This CSV file has the exact format as the CSV bulk upload template.

1. Provide all the information in the template for your new assets and save as a CSV.

1. Follow the standard procedure for uploading content and select CSV upload.

1. Upload your file and select the checkbox Overwrite all duplicate content assets.

1. Select the Upload File button.

Content owners understand how their content should be tagged. Marketing operations can assist with a bulk upload but are not responsible for tagging the content with metadata (types, topics, etc.). If you would like marketing operations assistance with a bulk upload, open an issue in the marketing operations project using the PathFactory Bulk Upload template.

Analyst reports

Expiry dates will not automatically deactivate content after expiration. You must manually deactivate the content if it's past the expiry date. To expire an analyst report from PathFactory, open an issue in the Campaigns project using the campaigns-expire-analyst issue template.

Vimeo links

To upload a Vimeo video to PathFactory, you must first upload your video to Vimeo. Once your video is uploaded to Vimeo, follow these steps to add to PathFactory:

1. Navigate to the Settings of your video in Vimeo.

1. Under General > Privacy, select Hide this video from vimeo.com. Note: Other privacy settings will not allow the video to be embedded in a content track.

1. Under Where can this be embedded? select Specific domains and enter learn.gitlab.com and gitlab.lookbookhq.com.

1. Click on the plus sign and you'll see the subdomain added to under the field.

1. Click save, and you'll notice Vimeo now indicates the video is private (in the top right corner).

1. Click on Embed in the left sidebar.

1. Click on the Embed Code Button in the top right corner.

1. Copy the player URL from within the Embed Code modal window.

1. Add this URL to the content library, and configure as usual.

Example embed code with Vimeo player URL:

```
<iframe src="https://player.vimeo.com/video/514439220" width="640" height="360" frameborder="0" allow="autoplay; fullscreen; picture-in-picture" allowfullscreen></iframe>
```

The Vimeo player URL is the <https://player.vimeo.com/video/514439220> link within the embed code. This is the link used to upload to PathFactory.

When the asset is added to a content track, you'll have a working, embedded, private Vimeo video.

Removing an asset from the library

Important: Do not remove an asset from the content library without first checking which content tracks it is in and following the procedure below. Certain assets within content tracks may be directly tied to an integrated campaign, digital advertising, or other live campaign. If you remove the asset from the library, it consequently removes it from whatever content tracks it is in, thus breaking the campaign setup and tracking.

1. Select the asset from the content library. A preview pane will pop-up on the right side.
1. Scroll to the bottom of the preview pane to view which content tracks the asset is in.
1. Collaborate with the Author of the respective tracks the asset resides in to ensure it is not linked within an ad, email, etc.
1. After confirming the asset is not directly linked in any external channel, remove the asset first from each content track, and then from the content library.
1. Post this change in the PathFactory changelog.

Asset thumbnails

For assets that don't pull in a relevant thumbnail image, you can choose to upload a thumbnail image that closely matches the topic of the asset. The design team has made topical thumbnail images available for upload to PathFactory. The thumbnail images are available in either an orange or dark purple background for the following topics:

- Agile
- CI/CD
- Cloud Native
- DevOps
- Git
- IT Management
- Microservices
- Open Source
- Security
- Single app
- Digital transformation
- VSM
- Workflow

To use a thumbnail image, visit the web design repository where they are stored, choose the png folder, choose your preferred background color, then select the .png that most closely matches the topic of the asset in PathFactory you're uploading the image to. Use the list of topics above to determine the best topic fit.

Adding a thumbnail for an existing asset in the content library

1. Select your asset from the content library.
1. When the preview pane appears on the right, hover over the image and click the edit icon.
1. Under the thumbnail images tab, click to upload the thumbnail image you just downloaded. All images are already properly sized for PathFactory.

Adding a thumbnail for newly uploaded content

1. Follow the regular process for uploading new content to the library.
1. Directly under Public Configurations, you'll find the thumbnail for the asset. Hover over the image and click the edit icon.
1. Under the thumbnail images tab, click to upload the thumbnail image you just downloaded. All images are already properly sized for PathFactory.

Content types

Unsure what content types align with your asset? Use the table below as a guideline to tag content you upload to PathFactory accordingly.

Type	Use	Example
---	---	-----
Analyst report	Third-party content licensed from an analyst firm	Gartner Magic Quadrant for ARO
Assessment	Content with the primary purpose of providing a self-assessment, quiz, or maturity model.	
Case study	Web articles that focus on the stories and opinions of GitLab customers.	Goldman Sachs improves from 1 build every two weeks to over a thousand per day
Data sheet	A document providing the specifications of GitLab the product or feature/feature set.	GitLab data sheet
Demo	A live-action video recording demonstrating how to do or use a technical product.	GitLab Security & Compliance Capabilities Demo
eBook	An eBook presents educational information that helps the reader gain a comprehensive understanding of a subject. eBooks are casual in tone and are most often an awareness-stage asset.	Modernize your CI/CD
Infographic	A visual asset used to represent information or data.	
Landing page		
Presentation	Video recording or slides of a live talk.	Multicloudcon Keynote: The Multicloud Maturity Model
Pricing	A document that details pricing for GitLab products.	GitLab pricing
Product article		
Research report	An informational report which uses a specific research methodology to validate findings.	2019 Global Developer Survey: DevSecOps
Solution article		
Technical blog post		
Testimonials	A formal statement from a customer or user regarding GitLab's value.	
Thought leadership blog post		
Topic article		
Video	A scripted, edited, & post-produced video. Videos can be promotional, educational, and/or animated.	GitLab Infomercial
Webcast	A live broadcast & recording that includes a presenter, slides, and a live audience.	Cloud Native Transformation with Ask Media Group
Whitepaper	Whitepapers are data-driven, persuasive, and opinionated reports that address a specific problem for a niche audience. A whitepaper presents new research, addresses a specific problem, and argues in favor of a specific solution. Whitepapers are academic and authoritative in tone. Whitepapers are most often introduced in the consideration or decision making stage to prove or validate a concept or solution.	A seismic shift in application security

Content topics

Unsure what content topics align with your asset? Use the table below as a guideline to tag content you upload to PathFactory accordingly.

Topic	Use	Example
-----	---	-----
Agile		
All-remote	Content that covers remote work, including best practices, stories, and advice.	
The case for all-remote companies		
Amazon Web Services (AWS)	Content that relates Amazon Web Services. Likely use cases are case studies where the customer uses GitLab + AWS and integration information & tutorials.	
How to set up multi-account AWS SAM deployments with GitLab CI/CD		
Azure	Content that talks specifically about Microsoft Azure. Likely uses cases are tutorials on using GitLab + Azure cloud or competitive content.	
Competitive analysis page for Azure DevOps		
Bitbucket		
Checkmarx		
Cloud native	Content that relates container-based environments. Specifically, technologies are used to develop applications built with services packaged in containers, deployed as microservices and managed on elastic infrastructure through agile DevOps processes and continuous delivery workflows.	
A Cloud Native Transformation		
Continuous delivery	Content that covers methods and tools for delivering or updating software in smaller increments, resulting in a better end-user experience. Both technical and strategic content may be found.	
Securing the journey to Continuous Delivery		
Continuous integration		
DevOps	Content that relates to DevOps methods, process, culture, and tooling. Keys to DevOps success with Gene Kim	
DevSecOps	Content that relates specifically to integrating and automating security into the software development lifecycle. Content that relates to cybersecurity should be tagged security and not devsecops.	
A seismic shift in application security		
Digital transformation	Content that covers the process, methods, and strategy of integrating technology into all aspects of business. This content also includes strategies, tools, and tactics for furthering innovation, building new efficiencies, and delivering higher value faster.	
The cloud adoption roadmap		
GitHub		
GitOps		
Google Cloud Platform (GCP)		
Hashicorp		
Infrastructure as code		
Infrastructure automation		
Jenkins	Content that is specifically about Jenkins. Likely uses cases are integrations, competitive, comparisons, and case studies.	
3 Teams left Jenkins: Here's why		
JFrog		
Jira		
Kubernetes	Content that relates to implementing and using kubernetes. Likely use cases are cost/benefits, tutorials, and use cases.	
Kubernetes and the future of cloud native: We chat with Kelsey Hightower		
Open source	Content that covers open source projects, partnership initiatives, and community contributions.	
What to consider with an open source business model		
Pulumi		
Rally		

Source code management	Content that relates to source code management, Git, GitLab Flow, and version control.	GitLab Workflow: An Overview
Veracode		
Version control and collaboration		

Industry Verticals

Industry verticals are set using a standard list in SFDC per this issue.

1. Aerospace & Defense
1. Agriculture
1. Apparel
1. Automotive
1. Banking
1. Biotechnology
1. Chemicals
1. Communications
1. Construction
1. Consulting
1. Education
1. Electronics
1. Energy
1. Engineering
1. Entertainment
1. Environmental
1. Finance
1. Food & Beverage
1. Government
1. Healthcare
1. Hospitality
1. Insurance
1. Local
1. Machinery
1. Manufacturing
1. Media
1. Not For Profit
1. Other
1. Recreation
1. Retail
1. Shipping
1. State
1. Technology
1. Telecommunications
1. Transportation
1. Utilities

Personas

1. Software Developer
1. Application Development Director

- 1. Vice President Application Development
- 1. Security Analyst
- 1. Infosec Director
- 1. Chief Information Security Officer
- 1. Operations Engineer
- 1. Infra Engineering Director
- 1. Vice President Infrastructure and Operations
- 1. Program Manager

Business Unit

- 1. CI/CD
- 1. DevOps Platform
- 1. GitOps

Blocked Content from Third-Party Web Pages

If you try to upload a web page from a domain that you do not own and that web page has not whitelisted your PathFactory track URLs, you will be served an error message telling you that you cannot upload this content to the Content Library.

Because you do not own this web page, your options are limited. You will be unable to add these third party web pages to the Content Library. You can use this content in an End Promoter in a content track if the following is true:

- 1. You are building your Content Track in Target (this is not currently supported in Recommend)
- 1. You are using the Flow or Signpost Promoter (this is not currently supported for other Target promoter types)

What you can do:

When you enable the End Promoter, add the destination URL of the blocked content. When a visitor reaches the end of the Content Track, they will be prompted with your call to action End Promoter. If the visitor clicks on this promoter, the destination URL (of the blocked content) will open in a new tab.

More on iFrame blocking can be found [here](#).

When uploading third-party assets, always ensure they are secure URLs (<https://>). Content that is not secure will not display in content tracks. Also, third-party web pages would need to allow iFraming as PathFactory tracks are served within an iFrame.

Content Expiration Policy

Two years from the day it was uploaded. Please review any assets in the library older than two years and consider expiring from the content library.

Important: Please consult with marketing operations before removing an asset from the library as it can have negative impacts (reporting, attribution) on content tracks that are tied to integrated campaigns.

PathFactory Content Audits

On a quarterly to bi-quarterly basis, the marketing operations and content teams will conduct content audits in PathFactory to ensure the assets in the library are tagged with the correct metadata. Content audits in PathFactory are done to ensure the content performance reports are accurate. This helps all teams understand how certain types and topics of content perform. Without an accurate tagging of assets in the library, the data in our reports would be skewed, and thus our understanding of how our content performs.

Both marketing operations and the content marketing team work in collaboration with demand generation and product marketing to ensure alignment to GTM strategies as well.

SECTION: marketing/marketing-operations/pathfactory/pathfactory-analytics.md

PathFactory Analytics

All roles and permissions have access to reporting functionality in PathFactory. Feel free to peruse Path Analytics or view insights in the content library and content tracks. If you would like a scheduled report or have a different PathFactory data request, create an issue in the Marketing Operations project. All of the below links lead to PathFactory's knowledgebase, The Nook. The Nook requires a separate password from PathFactory but you should use the same email address used to login to PathFactory.

- Glossary
- Diving into content analytics

Using Safari

If you are using Safari as your preferred browser, ensure Prevent cross-site tracking is disabled in your privacy settings. Path Analytics uses Looker which requires external cookies. If this option is enabled, you will not be able to view Path Analytics using Safari.

Target Track Analytics

1. Analytics for a Specific Target Track
1. Analytics for All Target Tracks

Recommend Track Analytics

1. Analytics for a Specific Recommend Track
1. Analytics for All Recommend Tracks

Explore Page Analytics

1. Explore Page Analytics

ABM Analytics

- 1. Understanding Account Based Analytics
- 1. Understanding Route Analytics

Website Promoter Analytics

- 1. Website Promoter Analytics

Defining Visitor Activities

- 1. Understanding Visitor Activities

Path Analytics

- 1. Introducing: Path Analytics
- 1. Path Analytics: Overview Dashboard
- 1. Path Analytics: Visitors
- 1. Path Analytics: Accounts
- 1. Path Analytics: Content
- 1. Path Analytics FAQ
- 1. Using and Sharing Path Analytics Reports
- 1. Types of Path Analytics Reports
- 1. Path Analytics Reports FAQ

Using Account-Based Analytics

- 1. Using Account Based Analytics

Google Analytics

PathFactory is integrated with our Google Analytics instance via Google Tag Manager script in PathFactory's External Code Configuration menu. The integration sends page view data to Google Analytics after the user consents to cookies.

- 1. MOps: GTM head
- 1. MOps: GTM bottom

SECTION: marketing/marketing-operations/pathfactory/pathfactory-for-sales/index.md

About

In the process of being removed from SFDC, it is no longer in our contract. However, fast moving buyer alerts are still active.

PathFactory for Sales is an extension of PathFactory within Salesforce that gives the sales development and sales teams a direct view into content and lead insights, and allow them to select content tracks to send to prospects.

Fast-Moving Buyer Alerts

A fast-moving buyer alert or FMB alert is an email alert set up in Marketo to send a lead's details to the lead owner. The alert is triggered when a lead spends at least 90 seconds and views at least 3 assets in a PathFactory experience. Below is an example of what the FMB alert looks like:

The fast-moving buyer alert also triggers a global interesting moment from Marketo.

FAQs

I want to have better conversations with my prospects via Marketing-approved PathFactory Content and track their real engagement. How do I ensure that their content engagement appears within Salesforce?

The email must be sent via Marketo or Outreach.

Can I export or download this data?

Engagement data is only available for download from within PathFactory Analytics, and not via Salesforce.

SECTION: marketing/marketing-operations/youtube/index.md

Channels

There are two YouTube channels we use at GitLab:

1. Branded: used for content intended for people in the wider community, including marketing and event content, customer, community and user stories, employment branding, and polished sales videos and demos. For example our GitLab infomercial.
1. Unfiltered: used for content intended for team and community members, including (but not limited to) team meetings, discussions, monthly release kick-offs, office hours, CEO 101 meetings, and casual demos. For example a weekly meeting of the Plan group.
1. Community coders: A community run channel, used for content intended for team and community members, including (but not limited to) community coding and pairing sessions.

Everything posted to our Branded channel should pass through digital production for quality control on branding and production standards. If you are wondering if your video should go on the Branded channel, reach out to the Digital Production team in Slack.

Public or Private Streaming

Everyone within the GitLab team is encouraged to live stream their meetings and events on GitLab Unfiltered. First time livestreaming? Find out how below!

Why livestream?

We prefer livestreaming over uploading because:

1. it allows more people to participate in real-time.
1. You don't have to upload the video to YouTube later on (extra step).
1. You can't forget about uploading the video.
1. It is clear to all participants that the content will be public.

But it can happen that you're not in a livestream and something interesting comes up. In that case, you can upload it to YouTube.

Considerations for livestreams

1. Please remember to follow the guidelines on starting a recorded video.
 1. If you're not a host, you can't livestream direct from zoom, but the current host can promote another attendee to host.
 1. If there is more than one host for the meeting the host that joins the meeting first is the only host that can livestream direct from zoom. From the Zoom meeting, the host can promote someone else to host if another team member has been designated to start the live stream.
- Instructions to change the host:
- Host will move over the name of the participant you are passing host controls to
 - Select 'More'
 - Click 'Make Host' and select 'Yes'
 - The new host will now have the ability to livestream the call from Zoom
1. Generally, for a livestream, it's helpful to have a separate person handling promoting people to panelist.
 1. To improve accessibility, enable live transcription.
 1. Please don't include any confidential information in the description of your YouTube video since there is a bug that can cause private video descriptions to propagate over to public ones

Livestream with Zoom

1. Ensure you have access to the GitLab Unfiltered YouTube Channel. Check this by confirming you can sign in with the GitLab Unfiltered Account. If you cannot access private videos on GitLab Unfiltered follow the Access Instructions and double check that the user you are signed in with at the top left-hand corner is GitLab Unfiltered and not your work or personal email address.
1. Configure your Zoom advanced meeting options to enable livestream