

e best email to start based upon your current conversations.

Copy and paste the emails as-is into Gmail.

Personalize it, but do not edit the hyperlinks in the email templates. Each one is linked to a Pathfactory track with recommended content for optimal user experience.

1. ☐ Check your own email inbox for alerts showing which contacts have responded (Example email alerts: [Contact request, Email offer engagement])

1. ☐ Conduct the meeting suggested below (1, 2, or 3) for the corresponding email to which they responded.

1. ☐ Update sales stage in SFDC.

1. ☐ Determine the cadence for progressing to the next step based upon the initial meeting. We recommend sending the next email in the sequence after 7-10 days, even if they didn't respond to the last one sent. The flow is intended to move their thinking along even if they don't call you to discuss each one.

1. ☐ Repeat with next recommended email until you finish the meeting sequence, get to a POV, or to a sale. If you reach the end of the recommended emails and meetings and don't see progress, please leave feedback in [this issue or in slack at gtm-ci-cd. Where are you stuck? How can we help?

Small Business Accounts

Strategy

For SMB customers, we will rely on inbound responses to the marketing-generated 'contact sales' emails in the recommended email sequence. Marketing is the key driver for this segment to get to an initial meeting, then sales will use actions below for follow up with interested prospect.

SMB Sales Actions

1. ☐ Review the list of [target accounts/contacts]

1. ☐ By Friday, 2021-04-23, identify individual contacts that need to be excluded from the marketing generated emails by filling out columns A & B on [this target list. The default approach should be to include as many accounts and customers as possible, excluding only where such communication would be disruptive to existing deals. The first automated email will go out starting Tuesday, April 27th and subsequent emails will follow every 7 days.

1. ☐ Familiarize yourself with context for this play (above), especially differentiators and objections

1. ☐ Familiarize yourself with the email sequence and next steps (below).

1. ☐ Check your own email inbox for alerts showing which contacts have responded (Example email alerts: [Contact request, Email offer engagement])

1. ☐ Conduct the meeting suggested below (1, 2, or 3) for the corresponding email to which they responded.

1. ☐ Update sales stage in SFDC.

1. ☐ Determine the cadence for progressing to the next step based upon the initial meeting. We recommend sending the next email in the sequence after 7-10 days, even if they didn't respond to the last one sent. The flow is intended to move their thinking along even if they don't call you to discuss each one.

1. ☐ Once they click 'contact sales' on an automated email You must send subsequent emails manually using the templates provided. This allows you to determine the cadence and next step based upon the initial meeting. Please use the templates as they provide tracking links so we

can alert you on their responses (and marketing can see what is most useful). You can modify the templates in Gmail to fit your unique conversations as needed.

1.] Repeat with next recommended email until you get to a POV or sale. If you reach the end of the recommended emails and meetings and don't see progress, please leave feedback in [this issue or in slack at gtm-ci-cd. Where are you stuck? How can we help?

Recommended email sequence and email templates {recommended-email-sequence-email-templates}

This sequence of recommended emails is intended to move the prospect from interest to POV.
Note:

Marketing will be sending these emails to SMB targets generate leads.

MM and ENT Sales will choose the best email to start with based upon current conversations. Then use the template to send it to the contacts provided and any additional, to generate leads.

1. Email template 1

Subject: Interested in speed and security?

Offer 1: From DevOps to DevSecOps: Automate your security tests with CI

1. Email template 2

Subject: Learn how to deploy to production 6x faster

Offer 2: How Chorus uses GitLab to power its development

1. Email template 3

Subject: No more afterthought security

Offer 3: Tired of afterthought security? Take a fresh look at GitLab Ultimate

Next Steps

Meetings to get to value alignment

If your customer engages with emails (sent either from marketing or from yourself), the lead will come to you via email and will it show what asset they clicked on and if they clicked the 'contact us' button. Based upon this insight, and any conversations you may have had, you will want to choose where in this progression is most appropriate to begin.

The following sequence is recommended to progress the customer from awareness and interest in GitLab security capabilities to consideration, agreement of solutions alignment to expected value, and ultimate purchase (pun intended)

Meeting 1 - assess business objectives

Use Value Discovery above along with these recommended assets to determine their business

priorities, existing security tools, chief pain points:

Security and Compliance Overview (focus on desired outcomes slide)
Manage Compliance with GitLab
Securing your software supply chain (assets coming soon).

Ask 4 questions:

1. Wanting to shift left? (If no, talk to the Dev or DevOps team instead of security)
1. What tool currently in use and/or consideration? (for each: SAST, DAST, Dependencies, License Compliance, Container scanning). Is this a Microsoft shop? Enter into SFDC (please, it's super helpful).
1. Using containers and/or Kubernetes? If yes, are you scanning containers? Helm charts? Testing APIs?
1. Which desired outcomes do they most relate to: efficiency, consistency, risk, predictable costs?

Milestones: Identify key value driver, champion, and economic buyer, agree to second meeting

Metric: Opportunity stage 0 - pending acceptance or stage 1 - Sales Accepted Opp or no opportunity

Meeting 2 - assess security priorities

Based on their business objectives, assess interest in learning more on these topics then schedule deep dive with your SA. (@cblake and the ssecure slack channel can help with any questions you may have.) Identify key value driver, champion, and economic buyer.

If Priority = speed and efficiency then use:

- Simplifying DevSecOps
- Shift security left
- HackerOne case study

If Priority = consistency/compliance then use:

- [Auditing and Compliance reporting], Sam Kerr, PM.
- Security of software supply chain (deck coming soon), Cindy Blake, PMM

If Priority = predictable cost to scale then ask for ROI discussion - see meeting 3

If Priority = vulnerabilities/risk then use:

- For the security pro: Accelerate AppSec Efficiency with the GitLab Security Dashboard
- For the developer: Shift security left
- For securing modern apps via containers: Container security blog and deck, Sam White, PM

Milestones: Identify key value driver, champion, and economic buyer, agree to meeting with economic buyer

Metric: Opportunity Stage 1 - Discovery

Meeting 3 - help them see the value

Use the provided ROI framework slide to help the customer identify all of his obvious costs, now and most importantly, into the future. Show how GitLab can provide predictable costs as

they scale. Make sure it's clear that our greatest value is our all-in-one approach that provides all types of security scans integrated into a united UI for both dev and sec. Be sure to include the value of this benefit along with tool costs.

Security CISO deck (includes value framework slide)

IF a more detailed ROI is if needed, consider one from Darwin Sanoy. Please provide feedback to help us tune these models in this issue.

Determine if additional steps are needed for solutions alignment (e.g., additional demonstrations, hands-on workshop, POV)

Do NOT push for a POV. Explore more efficient activities with the customer. If the customer requests a POV, move to POV agreement steps.

Milestones: agree to next meeting

Metric: Opportunity Stage 2 - Scoping or Stage 3 - Technical Evaluation

POV agreement (If POV is requested and necessary)

1. Define POV requirements like this (link to David Astor's SKO preso or Cherry Han's package)

1. Execute POV. Move requirements met to complete on issue board. Orchestrate collaboration with PMs for any unmet needs. Use ssecure slack channel or capabilities page to identify the right PM to engage on the POV issues. Get customer to engage with PMs on the issues.

1. Measure success of POV

1. Propose solution/Ask for order and for reference

Additional Resources to use

Will have specific resources under actions above. This is for additional resources.

GitLab Ultimate specific features and value handbook page

SKO Expanding to Ultimate slide deck

Why GitLab Ultimate slide deck

Selling DevSecOps resource page

Selling security (need link) see John Blevin's online classroom material

New Gartner MQ for Plan (Expected in May)

Gartner MQ for AST (expected in May 2021)

Measuring progress

Consider these milestones and adjust stages in SDLC as you progress.

Milestones

[] Gameplan with GitLab champion (MEDDPIC)

[] Meeting with Security team or other economic buyer

[] Agreement to do POV

[] POV requirements defined

[] Successful POV

[] Proposal

Metrics:

- [] Avg days per stage to progress
- [] Longest step (common blockage?)
- [] Economic buyer titles - common factor?
- [] Retro on sales play

Note: progress of the GTM Motion will be measured at the campaign level with clicks/opens/page visits, SAO.

Related Marketing Campaign

Marketing is running a related demand gen campaign.

Initial launch will include the email campaign outlined above for SMB to drive leads using the Message house.

An 'air cover' campaign will raise awareness of GitLab's Ultimate capabilities. It will likely include Security (first) and Planning capabilities (next).

SECTION: marketing/strategy-performance/_index.md

<link rel="stylesheet" type="text/css" href="/stylesheets/biztech.css" />

<i id="biz-tech-icons" class="far fa-newspaper"></i> Charter

Marketing Analytics supports the entire Marketing team to develop and execute a Global Marketing Strategy working with Marketing Leadership and GTM teams, as well as owning the overall measurement strategy for GitLab marketing working with the data team.

<i id="biz-tech-icons" class="fas fa-users"></i> Meet the Team

- Christine Lee, VP, Marketing Operations & Analytics
- Viola Hempel, Director, Marketing Analytics
- Jerome Ahye, Staff Data Analyst, Data Analytics
- Robert Kohnke, Senior Analytics Engineer
- David Egan, Staff Data Analyst
- Djordje Micovic, Staff Data Analyst
- Dennis Charukulvanich, Senior Data Analyst
- Ankit Kanwar, Senior Data Analyst
- Luke Salmas, Senior Data Analyst

<i id="biz-tech-icons" class="far fa-paper-plane"></i> How to Communicate with Us

Slack channels

We can be reached via our own mktg-analytics channel, although we also monitor the general marketing channel and mktgops. We attempt to avoid direct messages where possible as it discourages collaboration.

*<i id="biz-tech-icons" class="far fa-life-ring"></i>*How to Get Help

```
<div class="flex-row" markdown="0">
```

```
<div>
```

```
<a href="https://gitlab.com/gitlab-com/marketing/marketing-strategy-
performance/-/issues/new" class="btn btn-purple" style="width:170px;margin:5px;">Issue
tracker</a>
```

```
</div>
```

```
</div>
```

See the following page for information specifically pertaining to Marketing Analytics - Analytics Engineering.

*<i id="biz-tech-icons" class="fas fa-tasks"></i>*Our Work

As part of our work, we publish self-service dashboards for team members to understand campaign performance and key marketing KPIs. Our dashboard page lists our currently supported dashboards and our framework for publishing a new dashboard.

*<i id="biz-tech-icons" class="fas fa-tasks"></i>*How We Work

We use milestones to create 2 week sprints(iterations). Below are links to our project within GitLab.com and a view of our current and upcoming milestones.

```
<div class="flex-row" markdown="0">
```

```
<div>
```

```
<a href="https://gitlab.com/gitlab-com/marketing/marketing-strategy-
performance/-/boards/2084660?iterationid=Current" class="btn btn-purple"
style="margin:5px;">Marketing Analytics local issue board</a>
```

```
<a href="https://gitlab.com/gitlab-com/marketing/marketing-strategy-performance" class="btn
btn-purple" style="margin:5px;">Marketing Analytics project</a>
```

```
</div>
```

```
</div>
```

Issues

The team works from issues and issue boards. If you are needing our assistance with any project, please open an issue and use the ~MktgSandP::0 - To Be Triaged label anywhere within the GitLab repo. Prior to opening a new issue, feel free to reach out to one of us to see if there is already a related issue that you can add your comments to.

With Agile Delivery being one of the solutions that GitLab (as a product) addresses, the Marketing Analytics team aims to follow many of the agile methodologies. To help us in that effort, please create any Marketing Analytics issues in the following format.

Note: This format is the Agile user story format and helps the issue-requester (you) and the Strategy team by clearly stating what as well as why for each request and concern.

Format: As a (role in marketing), I would like to (need), so that (reason).

Marketing Analytics uses a local issue board within the Marketing project.

Issue Weights

Marketing Analytics uses the Fibonacci sequence when creating issue weights. We start with a weight of 2, smaller is too simple for an issue. Similarly, we break any issue larger than 13 into an epic.

Epics

In order to categorize various related issues, we make use of epics to help each team member organize their work, especially when it crosses multiple milestones. If it is a Marketing Analytics epic, we will add the In Epic label to it, so that we can easily see that it is part of an epic on our kanban board.

Labeling

We use labels for two purposes:

1. Categorize the tool or area that is affected
1. Identify the stage they are in

<details>

<summary markdown='span'>

Categories

</summary>

- Bizible: Used to highlight a data related tech stack tool.
- MktgSandP- Reporting: Used to highlight that the issue is one requiring or related to a report or dashboard.
- In Epic: Bright yellow label to show that it is part of a Marketing Analytics epic.

</details>

<details>

<summary markdown='span'>

Backlog

</summary>

- MktgSandP::0 - To Be Triaged: Issue initially created, used in templates, the starting point for any label that involves Marketing Analytics ; no real discussion on the issue; generally unassigned.
- MktgSandP::1 - Planning: Issues assigned to a Marketing Analytics team member and are currently being scoped/considered but are not being actively worked on yet.
- MktgSandP::2 - On Deck: Issues that have been scoped/considered and will be added to an upcoming iteration/milestone.
- MktgSandP::5 - On Hold/Blocked: Issue that is not within existing scope of Marketing Analytics current focus, or another department as deprioritized. May be a precursor to being closed out. OR Issue that was being worked on by Marketing Analytics and at least one other team wherein Marketing Analytics is waiti-related task/issue, or external (non-GitLab) blocker.

</details>

<details>

<summary markdown='span'>

In Milestone

</summary>

-related task/issue, or external (non-GitLab) blocker.

</details>

<details>

<summary markdown='span'>

In Milestone

</summary>

- MktgSandP::3 - In Process: Issues that are actively being worked on in the current two-week sprint/milestone.

</details>

Milestones

The Marketing Analytics team works in two week sprints/iterations which are tracked as Milestones at the GitLab.com level. We use the same interval dates used by Mktg Ops, Sales Ops and Sales Systems. Each individual contributor (IC) is responsible for adding issues to the milestone that will be completed in the two week time frame. If needed, the IC will separate the main issue into smaller pieces that are workable segments of the larger request.

The Marketing Analytics team generally creates just one milestone beyond the current iteration, so at any given time there will be the current milestone and upcoming milestone. Any other issue that is not included will be added into future milestones &/or added as work is completed in the current milestone.

If there are handbook updates that need to be made as a result of work done in a given milestone, a separate MR should be included in that milestone.

<div class="flex-row" markdown="0">

<div>

View Milestones

</div>

</div>

Focus Fridays

The Marketing Analytics team has continued our experiment with MOps on 2020-04-20 to commit to no internal meetings one day of the week. Now the entire Marketing team has moved to Focus Fridays. Please try not to schedule meetings for team members on Fridays, so they can devote time for deep work in milestone-related issues.

Operational Timeline of Changes

Periodically Marketing Analytics becomes aware of significant changes that affect overall data and reporting. To capture these, we have a shared Operational timeline of events with the MktgOps team. They primarily add any process changes to this document as they occur. It has been a great communication tool, especially as we look back at metrics in the past and can track the changes that were made.

Stakeholder Alignment

To give each functional marketing team has a single point of contact for marketing analytics, we use the following stakeholder mapping alignment table.

Functional Marketing Team	MS&A Team Member
-----	-----
Brand	Jerome Ahye
SEO	Dennis Charukulvanich
Account Based Marketing	Jerome Ahye
Sales Dev	Djordje Micovic
Demand Generation Campaigns Team	David Egan
Partner	David Egan
Digital Strategy	David Egan
Lifecycle Marketing	David Egan
Field Marketing	Djordje Micovic
Global Channel Marketing	Djordje Micovic
Digital Experience	Dennis Charukulvanich
Developer Relations	Robert Kohnke

*<i id="biz-tech-icons" class="far fa-folder-open"></i>*Important Resources

- Marketing Metrics
- Dashboards Page
- Marketing Analytics Data Overview and General Information

*<i id="biz-tech-icons" class="fas fa-toolbox"></i>*We are the Bussiness Owners Of the Following Applications

- Bizible
- Allocadia
- Google Analytics

Requesting access to an existing tool

To request access to Bizible or Allocadia, please follow the access request process as outlined in the business operations handbook.

If you are working with a contractor or consultant that requires access to one of these tools, please follow the professional services access request process as outlined in the procurement handbook.

Campaigns and Programs

As is typical of any marketing organization, we often look at our Campaigns to see how they are doing. The Campaigns and Programs Page shows all of the campaign types, their progression statuses and cost tracking.

Initial Source

Similarly, we are interested in the Initial Source of a given prospect. It is the first "known" touch attribution or when a website visitor becomes a known name in our database. The list of currently supported values for initial source can be found on the Mktg Ops page.

Lead and Contact Statuses

The Lead & Contact objects in Salesforce have unified statuses with set definitions.

Touchpoints & Attribution

We use Adobe Marketo Measure (Bizible) for marketing attribution and tracking times when there is engagement with our prospects. The Adobe Marketo Measure handbook page has more details.

Web Traffic Analysis

Google Analytics data is used to gain insights about the visitors and their behavior on our websites. The web traffic analysis data catalog provides details about how to leverage GitLab specific web data (key terms, definitions, KPIs, caveats, data structure)

SECTION: marketing/strategy-performance/google-analytics-4.md

Google Analytics 4

Google Analytics 4 (GA4) is a web analytics tool and the successor to Universal Google Analytics, which was discontinued in July 2024. GA4 provides metrics and dimensions for website traffic and user experience on GitLab's web properties, including:

- about.gitlab.com
- docs.gitlab.com
- page.gitlab.com
- learn.gitlab.com
- university.gitlab.com
- forum.gitlab.com
- customers.gitlab.com (checkout pages)
- gitlab.com (registration pages)
 - /signup/
 - /users/signin
 - /users/almostthere
 - /users/signup/welcome
 - /users/signup/company/new

/users/signup/groups/new
/users/terms
/users/signup/groups
/trialregistrations
/trialregistrations/new
/trials/new
/profile/usagequotas
/subscriptions/new
/subscriptions/buyminutes

Google Consent Mode

To ensure compliance with privacy requirements related to cookie consent, GA4 employs a hybrid approach that combines actual data (via 1st-party cookies) and anonymized data (cookieless pings). When a website visitor declines analytics cookies, Google Analytics refrains from placing any cookies in the browser. Instead, it transmits a cookieless payload that includes user agent information and geolocation data to Google Analytics servers. This updated version of GA4 enhances data integrity by recording events even when cookies are denied, effectively capturing all events. However, without client IDs for denied consent, conversions cannot be properly attributed. In cases where users have enabled DNT (Do Not Track) or GPC (Global Privacy Control) signals in their browser settings, no data is collected whatsoever.

OneTrust is the cookie consent management tool. View the banner matrix and geolocation rules in data collection on this handbook. OneTrust cookie categories are mapped to Google Consent Mode categories.

Events

All data collected in GA4 is tracked as an event, each of which can contain parameters to store additional information. Below is the complete list of events along with their associated parameters as of July 2024:

Event Name	Event Parameters
Event Description	
ctaclick	ctaclicklocation ctaclickname
Link clicks, including the page section and element name.	
navigationmenuclick	navigationmenulevel1 navigationmenulevel2
Link clicks from the navigation menu	
videostart	videotitle videoid videohost
Video play, including title, ID, and hosting platform.	
videoprogress25	videotitle videoid videohost
Video play pass the 25% milestone, including title, ID, and hosting platform.	

| videoprogress50 | videotitle
videoid
videohost
| Video play pass the 50% milestone, including title, ID, and hosting platform.
|

| videoprogress75 | videotitle
videoid
videohost
| Video play pass the 75% milestone, including title, ID, and hosting platform.
|

| videocomplete | videotitle
videoid
videohost
| Video complete, including title, ID, and hosting platform.
|

| pricingfaqexpand | pricingfaqquestion
| FAQ toggle to expand on the Pricing page, including the FAQ question.
|

| pricingfaqcollapse | pricingfaqquestion
| FAQ toggle to collapse on the Pricing page, including the FAQ question.
|

| pricingfeatureexpand |
| Feature section toggle to expand on the Pricing page.
|

| pricingfeaturecollapse |
| Feature section toggle to collapse on the Pricing page.
|

| pricingfeatureinfoclick | pricingfeature
| Pricing page bullet point info click, including the feature name.
|

| pricingusercalculator |
| User calculator on the /pricing/premium/ and /pricing/ultimate/ page. The trigger will fire when a number is inputted into the fields. |

| accountregister | registermethod
registertype
| Account registrations on the Trials Registration and Sign Up pages, including form submissions and SSO clicks. |

| saastrialform |
| Form submission on the "Start Your Ultimate Trial" page. This is a conversion point for SaaS trial. Returning users can reach this page with an existing GitLab account. |

| saastrialcompany | saastrialcompanytype
| Form submission on the "About Your Company" page. This is a conversion point for SaaS trial. New users can reach this page from the account registration flows. |

| saastrialcreategroup |
| Form submission on the "Almost There" page within the SaaS trial. Returning users can reach this page after the "Start Your Ultimate Trial" page. |

| saastrialcreategroupproject |
| Form submission on the "Create or Import Your First Project" page. New users can reach this page after the "About Your Company" page. |

| saastrialimportproject | saastrialimportprojectplatform
| Click on a platform CTA on the "Create or Import Your First Project" page. New users can reach this page after the "About Your Company" page. |

| formsubmit | formtype
formid
| Lead generating form submissions across the About, Page, and Learn subdomains, including the form ID and type. |

| scrolldepth25 |
| Vertical page scroll passing the 25% depth.

scrolldepth50		Vertical page scroll passing the 50% depth.
scrolldepth75		Vertical page scroll passing the 75% depth.
scrolldepth100		Vertical page scroll passing the 100% depth.
searchsuggestion	searchedquery	Site search suggestion click, including the searched query.
searchresult	searchedquery	Search result load, including the searched query.
searchresultclick	searchedquery	Click on a search result item, including the searched query.
searchfilter	searchedquery searchsourcename	Filter selection on the search result page, including the filter name and searched query.
searchsort	searchedquery searchsortname	Sorting the search result, including the sort name and searched query.
featuresstageclick	featuresstage	Stage tab clicks on the Features page, including the stage name.
featurescategoryclick	featuresstage featurescategory	Category click for each stage on the Features page, including the stage and category name.
ctaclick	ctaclicklocation ctaclickname featuresstage featurescategory featurescard	Link click on the Features page, including the stage, category, Features card title, and element name.
featuresfilter	featuresstage featuresfiltertier	Filtering cards by pricing tier on Features page, including the stage and tier.
languageselection	languageselected	Localization language drop-down menu selection
qualifiedevent	"qualifiedcategory qualifiedaction"	Qualified chat bot interactions: conversation started, email submission, and meetings booked.
navatticdemo	"navatticeventName navatticflowname navatticprojectname navatticclickurl navatticstepnumber"	Navattic interactive demos (e.g. https://about.gitlab.com/small-business/)
6senseloaded	"Sixsense Employee Range Sixsense Confidence Sixsense Country Sixsense Blacklisted Sixsense Sales Segment Sixsense Company Sixsense	

Industry
Sixsense Revenue Range" | 6sense web script successfully loads per pageview. The event parameters are then stored on the user-scope, which is attached to the client ID on subsequent events. |
| saastrialduopro |
| Duo Pro trial registration on gitlab.com/-/trials/duopro/new - 4/1/24
|

Custom Dimensions

Out of the box, GA4 includes dimensions like device and geolocation that can further break down events. Custom dimensions are set up to enhance the analysis of website visitors. 6sense, an ABM tool that identifies visitors at the company level, is integrated with the GA4 data set. The following 6sense dimensions are set on the user scope, which applies to all events for a particular client ID if the user consents to analytics cookies.

Dimension	Description	Example Value
Snowflake Column		
-----	-----	-----
----	-----	
Sixsense Employee Range	The visitor's company employee range	1,000 - 4,999
SSENSEEMPLOYEEERANGE		
Sixsense Confidence	How confident 6Sense is at identifying the user	Low, moderate, high
SSENSECONFIDENCE		
Sixsense Country	The visitor's company country	United States
SSENSECOUNTRY		
Sixsense Blacklisted	If the visitor's company is blacklisted	false
SSENSEBLACKLISTED		
Sixsense Sales Segment	The visitor's company scale based on employee range	SMB, Enterprise, Mid-market
SSENSESALESSEGMENT		
Sixsense Company	The visitor's company name	GitLab
SSENSECOMPANY		
Sixsense Industry	The visitor's company industry	Software and Technology
SSENSEINDUSTRY		
Sixsense Revenue Range	The visitor's company revenue range	\$1M - \$5M
SSENSEREVENUERANGE		

Ecommerce

The eCommerce Purchase report, under the Monetization tab, details e-commerce activities on the Pricing and Checkout pages. Item parameters can be used as dimensions to break down the desired event. The following table outlines the e-commerce events and the associated item parameters.

Event Name	Event Description	Event
Parameters	Item Parameters	
-----	-----	-----
-----	-----	

viewitem	On "Buy Premium" or "Buy Ultimate" CTA click on the Pricing page.	-
itemid (01 = Ultimate, 02 = Premium)	itemname (Ultimate, Premium)	itemcategory

(DevOps) |

addtocart	On "Purchase SaaS" or "Purchase Self Managed" click on the Pricing page.
itemid itemname itemcategory itemcategory2 (SaaS)	
begincheckout	Checkout page load.
itemid itemname itemcategory itemcategory2	
purchase	A successful transaction on the Checkout page.
transaction id revenue currency tax	itemid itemname itemcategory itemcategory2 itemprice itemquantity

Note: The purchase event is not to be confused with annual recurring revenue, as it only tracks the initial self-service transaction, not the annual recurring transactions.

Key Events

A **key event** is a conversion metric that measures important events on the website that align with business goals. Events collected in GA4 can be configured as a conversion. The following table outlines a list of conversions and its definition based on event conditions.

Conversions	Event Conditions
Description	
generatelead	formsubmit event where the formtype dimension does not equal "self managed trial" or "newsletter" All Marketo form submissions across gitlab.com web properties, excluding blog subscription and self-managed trials.
saastrial	saastrialform event and saastrialcompany event where the saastrialcompanytype equals "ultimatetrial" SaaS trial form submissions on the About Your Company and Start Your Free Ultimate Trial pages.
selfmanagedtrial	formsubmit event where the formtype dimension equals "self managed trial" Self-managed trial form submission on the Free Trial page.
purchase	purchase event
	A successful transaction on the Checkout page.
qualifiedemailsubmit	-
	An email submission via the Qualified chat bot.
qualifiedmeetingbooked	-
	A scheduled meeting with Sales via the Qualified chat bot.

Attribution

The Acquisition reports under the Reports pane offers an overview of traffic's referrer based on the session. Key metrics can be paired with the following dimensions: default channel grouping, source, medium, and campaign.

When UTM parameters are applied to the landing page URL, Google Analytics will sort the traffic based on the UTM parameters or document.referrer (if UTMs are not available) into the correlated channel grouping, source, medium, and campaign. Read more about the UTM strategy [here](#).

Conversions can be selected from a drop-down menu located in the top left corner of the reporting UI.

To view different attribution models, view the Model Comparison report under the Advertising pane. Select the desired attribution model to analyze the advertising platform's impact on conversions according to the user's journey. For example, display ads may be part of a brand awareness strategy, and may drive fewer last-click conversions; however, may be more impactful at driving first-click conversions. Read more about the GA4 attribution models [here](#).

Exploration

The Exploration pane provides a user-friendly method to create and visualize a custom analytics report. Dimensions and events can be drag-and-drop, and the visualization will update in real-time. Available visuals: tables, donut charts, line charts, scatter plots, bar charts, and maps. Within the table visual, different techniques can be applied: free form, cohort, funnel, segment overlap, path exploration, user exploration, and user lifetime. The exploration report provides a self-service way to generate a report or monitor trends over time. Refer to the [Events Google Sheet](#) to start building your custom report.

Data Availability for Advanced Visualization

Data Flow

GA4 natively exports daily events into BigQuery project name mktg-goog-analytics4-5e6dc7d6. The Enterprise Data team exports the GA4 events from BigQuery into these Snowflake tables:

PROD.WORKSPACEMARKETING.WKGOOGLEANALYTICS4EVENTS
PROD.WORKSPACEMARKETING.WKGOOGLEANALYTICS4PSEUDONYMOUSUSERS

GA4 data is available from 12/24/2023 onwards. Please use GA360 tables for prior historical data:

PROD.LEGACY.GA360SESSIONHIT
PROD.LEGACY.GA360SESSION

Join Product Data

Snowplow is a SQL-based web analytics tool and the main tool for analyzing product data. Snowplow includes a column that pulls in the GA4 client ID, made available by the Analytics Implementation team leveraging the GA cookie plug-in from Snowplow. The client ID can be used as a primary key between GA4 and Snowplow. The namespace ID in Snowplow is available to join with other tables regarding web-to-product usage.

PROD.COMMON.FCTBEHAVIORWEBSITEPAGEVIEW
PROD.COMMONPREP.PREPSNOWPLOWSESSIONSALL (to be updated to a new table)

Join SFDC Data

Marketo forms include hidden fields that collect the GA4 client ID on about.gitlab.com, page.gitlab.com, and learn.gitlab.com. Look for the GAClientIDc field to find it. Marketo will then feed the client ID to SFDC tables, allowing us to analyze web-to-sales assisted subscriptions.

Dashboards

Tableau is recommended for advanced BI data visualization, particularly when connecting web data to other sources (e.g., linking web visitors to paid subscriptions), leveraging the GA client ID.

For visualization focused solely on web data, consider using Looker Studio for its intuitive drag-and-drop interface. This allows for faster dashboard creation without the need to create a SQL CTE for each metric, unless you're using BigQuery.

SECTION: marketing/strategy-performance/marketing-analytics-engineering.md

<link rel="stylesheet" type="text/css" href="/stylesheets/biztech.css" />

<i id="biz-tech-icons" class="far fa-newspaper"></i>Goal

To have a clear, concise, and efficient process to use when engaging Marketing Analytics' Analytics Engineering (Robert Kohnke).

<i id="biz-tech-icons" class="far fa-paper-plane"></i>Engagement Process/How to Request Help

This information is in addition to the Marketing Analytics - How We Work section of the core page. Where there is conflicting information, the information on this page supersedes the core page.

1. Open an issue in the Marketing Analytics Project with the MktgAnalytics-Data-Ops label on it.

1. Fill out the template, analyticsengineerrequest to expedite your issue, the task at hand, and eliminate redundant back-and-forth between requester and assignee.

1. Main audience: Marketing Analytics team

<i id="biz-tech-icons" class="fas fa-tasks"></i>Areas of Responsibility

Owned

1. Model creation, completion, correction, and improvement/standardization

1. Ex. Creation of Lead 2 Revenue model; adjusting ABM Influence code base; creating standard SQL snippet/repos; building new EDM models from RAW/Source tables for Marketing

1. Main point of contact for interfacing with Central Data Team (Analytics Eng cadence) - ensuring MS&A team issues are being prioritized and actioned, advocating for projects our team is working on

- 1. Ex. Making and updating, as well as processing/completing MRs with CDT.
- 1. Ex. Working with CDT to build out BATP Snapshots and Cohort analysis
- 1. Authoring, updating, reviewing code for use in DBT, Tableau, Snowflake
 - 1. Ex. General code reviews: ABM, DG influenced, Marketing Pipe; Eventually, creation of Tableau-specific models and subsets of models

Supporting

- 1. Support maintaining existing code and bug fixes when needed
 - 1. Ex. Troubleshooting of team-s code when needed
- 1. General coding - help, support, work, and creation
 - 1. Ex. Coding reviews/discussions to build out something new/improve something that already exists

SECTION: marketing/strategy-performance/marketing-metrics.md

Marketing Metrics

Below are the definitions of our primary Marketing Metrics.

Inquiry

An inquiry is a stage of the lead/contact objects in SFDC. GitLab defines inquiry as an Inbound request or response to an outbound marketing effort.

First Order Inquiries

Inquiries that are part of a parent account that has not made an order through GitLab are classified as first order inquiries. To find them, we join the account table to the person table on the inquiry's account ID. If the field `hasfirstorderavailable` is true on the corresponding account object, the inquiry is first order. If the inquiry does not have an account associated with it, it is also first order.

Date of Inquiry

Finding when a person became an inquiry requires accounting for person records who skipped the inquiry stage. To do this take the lesser of `inquirydate` and `inquiryinferreddate`.

The logic for finding when a person became an inquiry is captured in the `trueinquirydate` field. It should always be used to report inquiries unless you are looking for something specific.

Technical Definition

Any lead or contact with Status != to Raw and the first date between Inquiry Date and Inquiry Inferred.

Any lead or contact from the `ftcrmperson` table where Status != to Raw and `inquirydate` or `inquiryinferreddate` is not null.

Example Query, this will return a list of inquiries with the date they became an inquiry:

```
sql
SELECT
dimcrmpersonid,
sfdcrecordid,
emailhash,
inquiryreportingdate
FROM commonmartmarketing.martcrmperson
where
lower(Status) != 'raw'
and trueinquirydate is not null
```

Source & Metric

An Inquiry is defined by records in the Person Mart. To find the number of inquiries, take the unique count of emailhash

MQL

A Marketing Qualified Lead (MQL) is a stage of the lead/contact objects in SFDC. GitLab defines an MQL as a person who is Marketing Qualified through systematic means.

First Order MQLs

MQLs that are part of a parent account that has not made an order through GitLab are classified as first-order MQLs. To find them, we join the account table to the person table on the MQL account ID. If the field hasfirstorderavailable is true on the account, the MQL is first order. If the MQL does not have an account associated with it, it is also first order.

There is a set of fields that show information regarding the First Order (FO) status of a MQL:

1. Is First Order Person - this shows whether or not the record is currently a FO record
1. FO Intial MQL - this shows whether or not, at the time of the Intitial MQL DateTime (the first time the record MQL'd), the record was a FO record
1. FO MQL - this shows whether or not, at the time of the MQL DateTime (the most recent time the record MQL'd), the record was a FO record

Date of MQL

To find the date of when someone became an MQL, we use the date field from Marketo (Marketo MQL DateTime in SFDC). While this field is not stamped and can change if someone re-MQLs, it makes our reporting easier to understand, matches what Sales Development uses, and matches the data in Marketo.

While we use Marketo MQL DateTime for all our standard reporting, we are aware of some of the issues with using this field:

- MQL Dates can change if a person re-MQLs

- The MQL field will be blank for someone who skips the MQL stage

For circumstances where the cavacts above impact reports, we have created the MQL fields below:

Field Label (SFDC)	Field API Name	Definition
Purpose and When to Use		
----- ----- -----		
----- -----		
Marketo MQL DateTime	MQLDatec	Set by Marketo when a record reaches the MQL Threshold. Updates each time this happens.
Default when reporting on MQLs		
[Beta] MQL DateTime	TrueMQLDatec	The true/reportable MQL Date for the most recent MQL of a record. Lesser of Marketo MQL DateTime and SFDC MQL DateTime
Current MQL Count/ When a record most recently MQL'd		
Initial MQL DateTime	TrueInitialMQLDatec	The true/reportable MQL Date for the first/initial MQL of a record. Lesser of Initial Marketo MQL DateTime and Initial SFDC MQL DateTime
When a record First MQL'd		
Initial Marketo MQL DateTime	InitialMQLDatec	Set by Marketo when a record reaches the MQL Threshold. Stamped the first time this happens
input metric - not needed for reporting		
Initial SFDC MQL DateTime	InitialMQLDateTimeec	Set by SFDC when a record skips the MQL Stage, Inquiry > Accepted for example. Stamped the first time this happens.
input metric - not needed for reporting		
SFDC MQL DateTime	MQLDateTimeInferredc	Set by SFDC when a record skips the MQL Stage, Inquiry > Accepted for example. Updates each time this happens.
input metric - not needed for reporting		

Technical Definition

Any lead or contact from the fctcrmperson table where the MQL latest or Inferred MQL date is not null.

This is captured in the fctcrmperson table by the ismql = TRUE.

Example Query, this will return a list of MQLs with the date they became an MQL:

```
sql
SELECT
dimcrmperson.dimcrmpersonid,
dimcrmperson.sfdcrecordid,
Dimcrmperson.emailhash,
collate(mqldatelatestpt, inferredmqldatelatest) as mqldate
FROM martcrmperson
where
ismql = TRUE
```

Source

An MQL is defined by records in the Person Mart.

SAO

A Sales Accepted Opportunity (SAO) is an Opportunity that has reached the accepted stage, the criteria to accept or reject an opportunity is set by sales and defined in their handbook.

First Order SAOs

SFDC stamps the order type on each SAO when it is created, meaning that each SAO knows its order type. The ordertype field stores this information.

The logic for first-order SAOs is captured in the isnewlogofirstorder flag. It should always be used when querying for FO SAOs.

Date of SAO

To find the date the opportunity became an SAO, use the salesaccepteddate field.

Technical Definition

Any opportunity from the fctcrmopportunity table where the stagename is not 10-Duplicate and iseduoss is 0, and the salesaccepteddate is not null.

These conditions are captured in the issao field on the fctcrmopportunity table.

Example Query

```
sql
SELECT
salesaccepteddate,
dimcrmopportunityid
FROM martcrmopportunity
WHERE
issao = TRUE
and isnewlogofirstorder = TRUE
```

Source

An SAO is defined by records in the Opportunity Mart.

Sisense Snippet

```
..rptcrmopportunityacceptedperiodsao
```

Closed Won Opportunity

A Closed Won Opportunity (CW) is an opportunity where the sales team won the deal.

First Order CW Opportunities

Because a closed-won deal is an opportunity, the ordertype field stores the first order information.

When querying for First Order Closed Won, it's best to use the isnewlogofirstorder flag, this ensures that all our dashboards are using the same logic to find FO CW.

Date of Closed Deal

To find the date the opportunity closed, use the closedate field.

Finding Net ARR for an Opportunity

When reporting on the Net ARR of a closed deal, we need to ensure the deal will contribute to the company's Net ARR. To this, add the isnetarrcloseddeal flag as true to the query.

Technical Definition

Any opportunity from the fctcrmopportunity table where the stagename is not 10-Duplicate and iseduoss is 0, and the iswon is true, and isclosed is true.

These conditions are captured in the isclosedwon field on the fctcrmopportunity table. The isclosedwon field should always be used when querying for closed-won deals.

Example Query

```
sql
SELECT
salesaccepteddate,
dimcrmopportunityid
FROM martcrmopportunity
WHERE
isclosedwon = TRUE
and isnewlogofirstorder = TRUE
and isnetarrcloseddeal = TRUE
```

Source

A CW Opportunity is defined by records in the Opportunity Mart.

Sisense Snippet: rptcrmopportunityclosedperiodclosedwon

SaaS Trials

SaaS Trial Volume

GitLab counts the number of SaaS trial signups by counting the number of Inquiries in Salesforce with a lead source = 'SaaS Free Trial'.

Trial-to-Paid Conversion Metric

GitLab measures the Trial-to-Paid conversion rate by looking at the number of top-level group namespaces created for business use by time period, then finding the percent of those namespaces that became paying after 45 days from their trial start date.

We do not count every namespace trial. Instead, we only include those with the following criteria:

- Only trials considered Valuable Signups
- First time going through the trial
- Top-level namespaces
- Non-GitLab company related namespaces.

Trial-to-Paid Dashboard

You can find the SSoT for the Trial-to-Paid metric in Tableau. This dashboard is the source of trial conversion metrics for Marketing in Key Reviews and other executive readouts. The dashboard cohorts the company trial conversion rate described above to 45 days, 30 days, and 90 days. While the 45-Day rate is the primary metrics we use for reporting, we've included the others as they give more context to decision-makers.

The dashboard creates the cohorts in the following way:

1. Find all trial records that meet the criteria above
1. Find the 30, 45, and 90 days from the start of the trial. These calculated dates define when the trial record enters into the 30, 45, and 90-day cohort
1. Create a row for each cohort above for each trial
1. Since many trials will not have reached any of the cohorts, they are hidden from the dashboard until they have aged at least 30 days
1. Add fiscal dates to datasource
1. Chart the percent of converted trial records by the cohort date

Filters on the Dashboard:

The dashboard has the following filters:

Date Grouping - This filter changes the resolution of the view, the data is calculated by date but can be presented from Week to Fiscal Year

Time Period - This filter selects which fiscal quarters are included in the dashboard view

Order Type - A filter limit to the view to persons in SFDC who are consider first order

You can see the code in this file.

Marketing Sisense Dashboards

In Sisense there are mutlipe marketing metric dashboards. You can quickly find the current source of truth dashboards by referencing the Marketing topic within Sisense. There are 3 topics that marketing leverages:

1. Marketing - These are the actively maintained dashboards.
1. Marketing-WIP - These are the WIP dashboards. They can be viewed but are not reliable yet.
1. Marketing-Archive - These are the archived/old dashboards. They are not to make decisions off of and no longer supported.

Below you can find a few of the major dashboards in use and descriptions/links of/to them.

Marketing sources

To help us improve our paid and organic campaigns, we split marketing activities out by source in to Inbound and Demand Generation related activity. Inbound and Demand Generation sources use the following Google Analytics mediums for our breakdown.

Inbound

- Organic
- Direct/none
- Non-paid social
- Referral

Demand Generation

- Display
- Paid Social
- Generic Paid Search
- Branded Paid Search

Defining Conversion Rate

There are several ways we can use conversion rate optimization to improve marketing performance on GitLab web properties. To create a common, MECEFU oriented definition for our teams we use the following formulas.

Overall conversion rate

We use the overall conversion rate to quickly measure the effectiveness of our marketing website. This measurement helps us establish a baseline for engagement and move to update CTAs and offers across our marketing website to improve our conversion motions. This is the formula we use to arrive at the overall conversion rate.

overall conversion rate = goal conversion events on about.gitlab.com/total sessions on about.gitlab.com

For example, in December 2020 there were 2,829,601 sessions across our Google Analytics profile, with 23,218 goal conversion events.

Our overall conversion rate in December 2020 was 0.82% (23,218/2,829,601).

Offer specific conversion rate (trial, demo, etc)

We use offer specific conversion rates to help us measure the effectiveness of pages with conversion events. This includes our trial page, demo, webcasts, resources, and other pages we use to convert visitors to inquiries. We use this formula to calculate the offer conversion rate.

offer conversion rate = offer conversion/visits to offer pages

Looking at December 2020 again, there were 7,226 /demo/ pageviews with 600 demo conversion events.

Our demo conversion rate in December 2020 was 8.3% (600/7,226).

Marketing Metrics Dashboard

The Marketing Metrics Dashboard is the centralized hub of all major marketing metrics and marketing KPIs. It is an evergreen source of information brought in from Salesforce that is comprised of numerous individual graphs/charts and allows the viewer to quickly filter results using pre-defined filters on the dashboard itself.

Marketing Attribution

The Marketing Linear Attribution Dashboard provides insight into the campaigns, channels, assets, forms and landing pages that drive our goals.

Marketing trial sign up flow

We use a variety of methods and systems to collect leads and understand how people discover GitLab. This is a basic overview of these visitors move through marketing systems.

Note: The time delay between a record being added to SFDC and the time it takes to process in Marketo, get a score, and get pushed back to SFDC as a MQL causes a discrepancy between Inquiries and MQLs for trials on a given day or in a given month (when the trial occurs on the first/last day of the month) when viewed on the Marketing Metrics Dashboard.

Alternative Method for Account Demographics Fields on Leads

In Q3 FY23 we completed the first phase of creating an alternative method for supplementing our Account Demographics fields on SFDC leads. We started this project after noticing a large portion of our leads had null values in the Account Demographics fields for segment, geo, etc.

To address this, we created and validated two new alternative mappings to account demographics fields for Segment and Geo. We took a waterfall approach, by first using the Account Demographics fields if present, then falling back to data enrichment fields on the lead record.

Below is the more detailed logic:

To find Segment the logic is as follows (employeebucketsegmentcustom):

- If LeanDataMatchedAccountSalesSegmentc shows as pubsec, use it first; otherwise use Account Demographics
- If still null, use the ZoomInfo employee count
- If still null, use the manual input employee count

To find Geo the logic is as follows (geocustom):

We used the FY23 Territories Mapping File - SSoT mapping doc to find how countries mapped to Geos across segments.

- If Account Demographics, use it
- Otherwise find the first non-null value from Zoominfo then Cognism
- Map the found country to a GEO via a hardcoded list.

This logic has been added to DBT, and can be used in models as needed.

We have added new charts to the Weekly Marketing Dashboard with the alternative mappings while keeping the Account Demographics (original) version. We have also added tables to the Integrated Marketing Dashboard, ensuring we left the original Account Demographics versions too.

Filters on Marketing Dashboards

Filters are a native and integral piece of any dashboard! They allow you to quickly and easily isolate and filter your data based on pre-determined values and sets. They are of no use to anyone if we don't all know what a specific filter represents though! Here are the most common filters used on marketing dashboards, what data they pull from, and what they mean to you as the end-user!

Date Filters

1. GroupbyTime - this groups the X-axis dates by the specified value - either Month, Quarter, or Year
1. Fiscal Year - this groups the X-axis dates (unless noted on the chart) by GitLab's Fiscal Years

Salesforce Data Filters

All of these filters pull from the linked/specified field(s) from Salesforce. Notes will indicate when there are groupings used. As all of these pull directly from SFDC and are not cleaned (except for those specified as being bucketed/grouped, anomalies may occur when our data is not properly maintained in SFDC)

1. User Segment Name - this pulls from SoT for Segment for each object as shown below in the Reporting Fields Source of Truth section.
1. Source Bucket - this pulls from the Lead Source for Leads/Contacts as shown below in the Reporting Fields Source of Truth section. Note: these are grouped into buckets which, once updated, will be displayed in a table below. This is considered the SoT for where a specific Lead/Contact came from/was sourced.
1. Sales Qualified Source - this pulls from the Sales Qualified Source of the Opportunity. This is considered the SoT for where an Opportunity came from/was sourced.
1. Order Type - this pulls from the Order Type field on the Opportunity. It is used to define whether an Opportunity is New First Order, New Connected, etc.
1. User Region Name - Using the Opportunity Owner's User Region
1. User Geo Name - Using the Opportunity Owner's User Geo
1. User Area Name - Using the Opportunity Owner's User Area

Lead Source Buckets

To give executives a better view of lead sources and showing where leads and contact are

sourced from we created a bucketed feild. Its often refered to as lead source buckets in Sisense.

This grouping was first used in the CMO Plan

Below is the table mapping for each lead source and its Source Bucket.

Initial Source	Source Bucket
Advertisement	
paid demand gen	
AE Generated	
AE Generated	
CE Download	
product	
CE Usage Ping	
product	
Channel Qualified Lead	
partner marketing	
Clearbit	
SDR prospecting	
Conference	
paid demand gen	
CORE Check-Up	
product	
Datanyze	
SDR prospecting	
Demo	
organic inbound	
DiscoverOrg	
SDR prospecting	
Drift	
organic inbound	
Education	
organic inbound	
Email Request	
organic inbound	
Email Subscription	
organic inbound	
Employee Referral	