

|

| Templates | For any templates used in Email Assist or Programs start all templates with

| Email Assist: {Insert Template Name} or Email Program: {insert Template Name} Email - subject Example: Email Onboarding Program: Email 1 - Intro to GitLab |

| Email Template Folders | Create email template folders that indicate the purpose of the email

| Email Assist Templates Onboarding Templates Renewal Templates

|

Rule title labeling

When creating rules, we add the following prefixes to rule titles for organization and clarity:

- STAGING: For any rules that are being tested/are not live/are not active or scheduled. Meant to be either deleted/deactivated or name-changed once done with testing.
- OTR: One-time run rules. These are used in specific situations such as loading historical data, clearing fields, etc. Should be deactivated after use.
- Load to SFDC: Rules that push data to Salesforce. Example: Load to SFDC - Account Attributes
- Load to Company/GS Object Name: Rules that update any Gainsight object. Example: Load to Company - Last Timeline Activity
- CTA
- Set Score

See more about labeling in this issue.

<details>

<summary markdown='span'>Gainsight Rule Label Recommendations</summary>

| Gainsight Feature | Admin Recommendation | Example |

| --- | --- | --- |

| Rules | The start of each rule should be named with its primary "action or purpose."Always make sure rules contain a clear description of purpose.When creating new rules that are being built and not yet live, start the rule name with: STAGING so it is clear which rules are currently in the build process. These rules should be put into the STAGING folder and moved to their new applicable folder once they are live. | {Insert Name of CTA} Set Score: {Insert Name of Scorecard Measure} Load to {Object}: {Insert Name of Data Load Task} Load to People: Load Contact Role from Oppty |

| Folders | Folders should be created for each type of rule. | (CTA Rules, Load to Object Rules, Set Score Rules, etc). |

| Rules Chains | Rules should be put into rules chains when applicable for more efficient management and workflow. | Group CTA rules into a CTA Rule Chain. Group Scorecard Rules into a Scorecard Rule Chain. |

| Inactive Rules | For inactive rules, if they will need to be referenced in the future for any reason, deactivate the rule and put it in a deprecated folder.For rules that will never need to be referenced or used in the future, delete the rule entirely to keep the instance clean and the of inactive rules low. | |

| Reports and Dashboards | Report naming should be up to each admins own discretion to name it accordingly.Stay active on deleting reports that were created or cloned for testing purposes.Do not keep reports that are no longer needed. | |

| Report Folders | The best naming convention for report folders is to name them by either who they are created for, or the general purpose of the reports; | C360 Reports CSM Reports Manager Reports Executive Reports |

| Dashboards | Dashboards should be named to clearly indicate the purpose/meaning of the dashboard or the user profile/team the dashboard is created for. | |

| Dashboard Folders |

- Creating Dashboard folders is often not necessary and can be repetitive. They are useful when your Gainsight instance is very large and there are a lot of different user profiles (Onboarding, CSM, etc).
- Remove any unused dashboards or dashboard folders; there is rarely a strong reason to keep deprecated dashboards.

 |

| Data Model Improvements and Upkeep |

- When managing MDA data tables out of Data Management, always remove unused Data tables to limit technical debt. The only tables that should exist are those that are active or in staging.
- Always add descriptions to every custom MDA table. The description should clearly indicate what data resides in the table.

 | |

| Journey Orchestrator |

- Remove old/unused templates as well as outdated programs that are no longer in use and analytics will not need to be referenced in the future.
- Create folders for different types of programs.

 | (Onboarding Programs, Adoption Programs, Retention Programs, Growth Programs) |

| Templates | For any templates used in Email Assist or Programs start all templates with | Email Assist: {Insert Template Name} or Email Program: {insert Template Name} Email - subject Example: Email Onboarding Program: Email 1 - Intro to GitLab |

| Email Template Folders | Create email template folders that indicate the purpose of the email | Email Assist Templates Onboarding Templates Renewal Templates |

</details>

Description recommendations

- Always add a rule description when creating rules.
- Link to the GitLab issue in the description: Issue 275: GS Documentation - Review rule descriptions and titles

Gainsight Scorecards

We are currently using the following scorecard groups and measures:

Group Name	Measure Name	Rules and Methodology
---	---	---
Customer Outcomes	ROI	
Customer Sentiment	CSM Sentiment	
	Engagement	
Support Experience	Support Issues	
Product Usage	License Usage	
	User Engagement	
	SCM Adoption	
	CI Adoption	
	DevSecOps Adoption	

Product usage data in Gainsight

We bring in product usage data to Gainsight directly from Snowflake. We use a Data Designer project called MonthlyMart SelfManager Usage Data.

The Gainsight integration with Snowflake is still new, so we use a Data Designer project to import the data. Once Gainsight enhances the Snowflake connection we will be able to use a Connector job if needed.

(To be completed:)

- Identifiers explained and why we have multiple identifiers
- How instances roll up to account
- Different types of instances

Troubleshooting tips

- If you see a null value in Gainsight, check Snowflake. If there are values in Snowflake and not Gainsight, try a Data Designer reset and report update.

Explanation of redis, namespaceids, and snowplow collection

The data team does not use Snowplow as a source for the new Automated Service Ping processes. Instead, they use clones of GitLab.com postgres and GitLab.com Redis counters.

Here are the four types of Service Ping we have:

1. Self-Managed Service Ping
1. Manual SaaS Service Ping
1. Automated SaaS Instance Service Ping
1. Automated SaaS Namespace Service Ping

The namespaces list used by SaaS Namespace Service Ping is driven by a clone of the GitLab namespaces table.

Caveat: Redis-sourced metrics (noted in the metric dictionary as either redis or redishll) are not yet available at the namespace level. For the time being, SaaS Namespace Service Ping will only have Postgres-sourced metrics (as of 2021-09-08).

Data definitions

- UUID: originally intended as unique identifier
- Hostname: the url for the company's on-prem server (e.g., gitlab.gainsight.com)
- Namespace id: the GitLab-defined ID for namespaces (SaaS)
- Namespace name: the customer-defined name for their namespace. Note: many are listed as "BLOCKED" because of PII
- Metric definitions: <https://metrics.gitlab.com/>
- Pingdate: The specific date of the Service Ping (e.g., 2021-08-11 12:00). This is a weekly ping so the rows of data are updated with the latest ping values.
 - Use case: Use this field to see the exact date that the ping was sent.

- Snapshotmonth: each row of data is tied to the snapshot month. The pingdate field will update the values in Snapshotmonth for the current month.

- Example: The monthly values (the fields) are updated on a weekly basis (Friday). Using July as an example, the ping date will update (July 1, July 8, July 15, July 22..) but the snapshotmonth will remain 2021-07-01. When comparing July and August, you'll see the value as of July 31 (roughly) and August 7 (assuming 1 week off). Put differently, July and August may be very similar in numbers.

- Use case: 99% of the time use snapshotmonth vs. pingdate.

- Reasons we wouldn't see snapshot month:

- Canceled subscription (they canceled in May and, thus, stopped sending us data)

- Data quality (something broke somewhere)

- For self-managed, the customer disabled or blocked sending us data

Product usage data flows

Product usage mapping

GitLab customers will have an account and may have multiple subscriptions. Each subscription may have multiple instances, such as production or staging.

In Gainsight there is a tri-level structure, so an account will have multiple instances related to it. While we have the subscription ID mapped so we can see which subscriptions have instances, the visualization in Gainsight is a one-to-many relationship (Account:instances).

Journey Orchestrator Program Names

When the CS Ops team creates a new program in Journey Orchestrator, utilizing an easy-to-follow naming convention will allow other Gainsight Administrators to understand its context. Try to use the following order:

1. Issue - Related issue number from the Customer Success Operations GitLab Project.
2. Segment - CSM/CSE or Sales Segment this JO Program affects.
3. Title - Description of the program's purpose or objective.
4. Region - The region/timezone this program is designed to serve.

The naming convention is as follows:

[Issue] - Segment - Title (Region)

E.g., 1661 - Scale - CI Enablement (APAC)

From this program name, we are able to quickly understand that it relates to Issue 1661, focuses on Scale segment customers in the Asia-Pacific region and is a CI Enablement program. Don't forget to add the program to your preferred folder!

Snowflake tables

- Monthly metrics
- Latest metrics
- Self-managed and SaaS

SECTION: sales/field-operations/customer-success-operations/gainsight/gainsight-gtm.md

Gainsight

Gainsight is a system that our CSMs use in order to support our customers and to manage their workflow. The integration between Salesforce and Gainsight is documented on this page. The applicable rules that sync the data between the systems, as well as system processes that have been set up within the system itself.

Gainsight Rules Engine

The Rules engine is a business automation tool build within Gainsight that allows for automation to be built within Gainsight but also to sync out to other systems. It is used in a variety of ways in our instance from enriching data that we bring in from Salesforce (i.e. Company Hierarchies) to Call To Action automations and even syncing data back from Gainsight to Salesforce. More info can be found on the Rules Engine on Gainsights Website/About/RulesEngineOverview).

Bi-Directional syncs: Salesforce <> Gainsight

- Bi-Directional syncs between Salesforce and Gainsight have to be coordinated on a schedule in order to preserve the data integrity between the two systems. In order to accomplish this we only pull in updated information into Salesforce by leveraging date stamps of when our bi-directional fields are updated. After this is complete we push back all of the data to Salesforce so that any information that was updated within Gainsight makes it back to Salesforce. This ensure that both systems have the updated information.

Bi-Directional rules

- Bi-Directional Builds
 - Pull/Push CSM changes: This rule maintains the Customer Success Manager on the account between the two systems.

Syncing data from Salesforce to Gainsight

Connectors 2.0

The Connectors 2.0 is used as one of the main ingestion methods of data from Salesforce to Gainsight and is a native built integration that exists between the two systems. The connector is authenticated using a Gainsight Integration user in our Salesforce Instance. More information in regards to the connector and how to set it up in Gainsights Knowledge Base.

The Connectors 2.0 is used between our Salesforce instance and Gainsight instance to mainly sync three objects:

- Accounts
- Contacts
 - The Upsert key for contacts is their email address. This is useful when it comes to the bi-directional sync of contacts that are created in Gainsight.
- Salesforce users

For a list of fields that are ingested from Salesforce through the Connector 2.0, see Gainsight GTM Technical Documentation.

Rules Engine

While the Connectors 2.0 are very powerful, we also have to supplement the data that is brought in through the connector to correctly display it within Gainsight and to coordinate bi-directional data syncs. The rules that exist in Gainsight are highlighted and shared in a manner that reflects their use in various Rule Chains in Gainsight.

- Admin Daily - Load to Company
- Admin - Load Ultimate Parent Accounts
- Admin - Load Non-Customer Child Accounts
- Admin - Load Prospect Details to Company

These rules are built out in order to correctly associate our accounts to one another in a manner that matches our account hierarchy in Salesforce.

This is on hold as we work with the CSMs on the final outcome.

- Admin - Set Company Status (Active/Inactive)

This is an admin rule that controls which accounts are active in Gainsight. This helps ensure we are not billed extra for accounts that are not customers.

- Admin - Load Public Sector Flag

Flags accounts in Gainsight as Public Sector. This is important for our sharing settings.

- Admin - Load Inactive Users (Permission Set Based)

This rule maintains users status in Gainsight as active or inactive. User access and status in Gainsight is controlled by whether or not they are assigned the Gainsight NXT permission set in Salesforce and are also an active user in Salesforce.

- Admin - Load Onboarding Start Date to Company
- Admin - Load Onboarding End Date to Company
- Admin - Load First Engagement Date to Company

- Admin - Load Last Activity Date to Company

These rules act as rollups for data that exists within Gainsight, that are native Gainsight objects.

- Admin - Load Open Zendesk Ticket Count to Company

This rule acts as a rollup calculation used for ZenDesk tickets within Gainsight.

- Admin - License Utilization Calculation

This updates a calculation field on the account nightly.

- Admin - Delete UnMatch Records

This flags accounts that have been deleted from Salesforce since they were merged or deleted, and that need to be deleted from Gainsight.

- Admin - Load GS Contacts to SFDC

This is the second half of the bi-directional sync of contacts between Gainsight and Salesforce. Gainsight pushes contacts back to Salesforce that do not have an External Contact Id and that have a unique email address that does not already exist within Salesforce, in order to avoid duplicates. This External Id is then appended by the Connector 2.0 on the next scheduled sync.

- SFDC RefEdge Reference Status

This pushes to our Reference Profile in SFDC what a Gainsight directed Reference Status would be. The goal is to get better alignment between the Reference Team and the Customer Success Team. It also helps decrease the amount of time it takes for the Reference Team to learn of any improvements or problems with our reference accounts.

Admin Daily - Stage Adoption

- Admin - Load Stage Counts to Company
- Admin - Load Aggregated Stage Adoption Data to MDA

These rules act as field rollups to calculate fields within Gainsight.

- Admin - Load Usage Ping Data to Company

This rule associates the latest usage ping with Accounts in Gainsight.

CTAs - Daily

- CTA - New Account CSM Assignment v2
- CTA - Onboarding v2
- CTA - Success Planning v2
- CTA - Post Onboarding Check-ins

These rules trigger the various Calls To Action to be created, and each have their own criteria.

Scorecard rules

- Set Score - Support Issues
- Set Score - Load Sentiment Scores from Timeline

These rules assist updating and maintaining various health scores in Gainsight. They do not control the overall health score within Gainsight but rather the individual sub-score that is used in the overall rollup of the account's health score.

Syncing data from Gainsight to Salesforce

Data is synced back to Salesforce a few different ways - depending on the object. While Gainsight does have some objects that can automatically sync back to Salesforce through their base integration other objects and data points have to be synced back via the Rules Engine

Connector 2.0

Activity Timeline is automatically synced back from Gainsight to Salesforce

Push to SFDC

A variety of data points are pushed back from Gainsight to Salesforce. To see the complete list of fields and objects that are synced back from Gainsight to Salesforce, see Using Gainsight Data in SFDC.

This rule also pushes back to contacts in Salesforce in the event that anyone in Gainsight marks them as someone who has opted out of marketing communication, as well as any contacts that were created in Gainsight and that do not exist in Salesforce.

Gainsight sync timing

Gainsight syncs any updates, new customer accounts, and more up into Gainsight first before pushing information back to Salesforce.

Rule	Rule Type	Time	Day Type
User, Company, and Company Person sync	Connector 2.0	12:00AM PST	Daily
Admin Daily - Load to Company	Gainsight Rules Engine	3:00AM PST	Daily
Admin Daily - Stage Adoption	Gainsight Rules Engine	3:30AM PST	Daily
Scorecard Rules	Gainsight Rules Engine	4:00AM PST	Daily
CTAs - Daily	Gainsight Rules Engine	4:30AM PST	Daily
Bi-directional Builds - Weekday	Gainsight Rules Engine	5:00AM PST	Weekday
Push to SFDC - Weekday	Gainsight Rules Engine	5:30AM PST	Weekday
Push to SFDC - Weekend	Weekend	9:00AM PST	Weekend
Bi-directional Builds - Weekend	Weekend	8:00AM PST	Weekend

Syncing data from Zendesk to Gainsight

Zendesk is synced directly into Gainsight via Connectors. This is different from the Connectors 2.0 within Gainsight.

Due to limitations of the integrations between Zendesk, Gainsight and Salesforce it is possible that the sync of tickets may be disrupted.

Zendesk does not push the Zendesk Organization ID over to Salesforce. To address this, a one-time upload of Zendesk Organization IDs was completed in Salesforce (Zendesk Organization ID (ADMIN)). This field is then imported to Gainsight via the Salesforce Connectors 2.0. Gainsight then uses this Organization ID to match tickets that are synced over from Zendesk with accounts that are synced over from Salesforce.

There is an open issue to address this shortcoming and we are exploring solutions to this. If you find that this limitation impacts your flow, re-import Zendesk IDs into Salesforce so that as many accounts have Zendesk Organization IDs associated with them as possible.

The tickets that are seen on the company view within Gainsight are shown there by selecting one report from the dropdown list. As a specific report is selected the Zendesk tickets that are associated with that company and that meet the reports filter criteria are shown. This means it is relatively easy to create different views of the Zendesk tickets associated with the account, similar to list views in Salesforce, but that are specific only to one company.

Gainsight roles (bundles)

Below are the Gainsight bundles (permission sets) and relevant access categories.

Area	Capability
Default Bundle (Admin role)	SALUsers ViewGroup CSM Journey Orchestrator TAMUsers GS Admin sans provisioning
-----	-----
-----	-----
-----	-----
Home	Dashboard view access
·	·
·	·
Timeline	End user account Timeline history view
·	·
·	·
Cockpit	View and execute Calls to Action (CTAs)
·	·
·	·
C360 Account	View and edit customer Account data
·	·
·	·
Surveys	Access to create surveys
·	·
·	·
Surveys	Access to analyze surveys and view NPS results

·	·	·	·	·
·				
Admin: Journey Orchestrator		Administrative access to creating and deploying one-		
to-many email campaigns ·			·	
	·			
Admin: Data / Integrations Operations		Administrative access for Gainsight customer data and		
integrations ·				
	·			
Admin: Email Configuration		Admin access for backend of email domain, including		
CNAME setup ·				
	·			
Admin: Reporting		Admin access to build, share, and modify reports and		
dashboards ·				
	·			
Admin: Rules Engine		Admin access to create rules (workflows) to run CTAs		
and other operations ·				
	·			
Admin: User Provisioning		Admin access: user provisioning and deprovisioning		
access ·				

SECTION: sales/field-operations/customer-success-operations/gainsight/gainsight-user-management.md

<link rel="stylesheet" type="text/css" href="/stylesheets/biztech.css" />

The specific aspects of user management in Gainsight are detailed here.

GitLab Access Requests and Offboarding Issues

For a user to gain access to Gainsight, an Access Request (AR) must be created. These should be created automatically for new employees. Similarly, when users leave GitLab an Offboarding issue will be created. The following GitLab pages will show any ARs or Offboarding issues that need to be actioned by the CS Ops team:

- Access Requests: When a user joins GitLab, the CSOps::Action Needed label should automatically be added to their AR (there may be situations where this will need to be added manually). If an AR has this tag it will appear on the list. Once the needed actions have been taken, change the label to CSOpsAR::Completed and it will no longer appear on the list.
- Offboarding Issues: Any issues that DO NOT have the CSOps::Offboarding Complete label will appear on this list. Once the needed actions have been taken, change the label to CSOps::Offboarding Complete and it will no longer appear on the list.

There are some situations where an AR is not automatically created. If this happens for a user that should receive a Gainsight license, direct the user/user's manager to create an AR. Make sure to add the CSOps::Action Needed label to the AR once it is created so it will not get lost.

If a user that is not already approved to receive a Gainsight license requests access to Gainsight, work with CS Ops leadership to determine if the user should receive a Gainsight license or not.

Salesforce Account Setup & License Provisioning

A Salesforce account should be automatically created when a user joins GitLab. If you cannot locate the user's Salesforce account, see the Troubleshooting section below.

Once you have located the user record, follow these steps. Although some of these steps may be already completed by Sales Systems, it is important to confirm that the user's setup is done correctly in Salesforce before giving access in Gainsight.

1. In Salesforce, navigate to the SFDC User page:
 1. Setup · Manage Users · Users · Find user on list
2. On the user's page, confirm that the following things are correct:
 1. The Active box is checked
 2. The User License = Salesforce
 3. The Role is populated/correct
 4. The Profile is populated/correct (will be Account Manager for most users)
 5. The [Comp] CSM Team is populated/correct
 6. The Manager field is populated/correct
3. Also on the user's page, confirm they have the Gainsight permission set:
 1. At the top of the page click on Permission Set Assignments and confirm they have the "Gainsight NXT" permission set. If that is not on the list, click Edit Assignments. Find Gainsight NXT on the list and add to their list of permission sets, then click Save.

Once you have confirmed the user account is set up correctly, you will need to assign a license:

1. Navigate to this link or follow these steps in Salesforce:
 1. Click Setup · Installed Packages · Gainsight CSM
 2. Click Manage Licenses (this will display the number of allowed vs used licenses)
 3. Click Add Users to find a person to add. They must already exist as a user in Salesforce to appear on the list.

You can see the amount of used and allowed licenses on the Gainsight CSM Package Details page. In a situation where we run out of Gainsight licenses, work with CS Ops leadership to determine a plan - will either need to remove licenses from existing users or purchase more licenses.

Gainsight Account Setup

Once a license has been provisioned in Salesforce, you will need to perform some additional steps in Gainsight to complete the user setup.

SFDC User Connector Job

{{% alert title="Important" color="warning" %}}

All users in Gainsight are imported from Salesforce, we do not create users directly within Gainsight.

{{% /alert %}}

Gainsight uses the a Connector job to sync users and user information from Salesforce. This job is called SFDC User Sync and can be accessed on this page in Gainsight or by navigating to Administration · Integrations · Connectors 2.0 · Jobs tab.

This job runs once a day and brings in any new users as well as updates any information that has changed in Salesforce.

To confirm that a user has been synced successfully from Salesforce you can search for the user by:

1. Navigate to User Management and search for the user (recommended to search by email)
2. Click the ... menu and choose Edit User
3. Confirm that the following fields have synced from Salesforce and are correct:
 1. User Role
 2. Profile Name
 3. Manager

If the user has not yet been synced from Salesforce to Gainsight, you can either 1) wait until the next sync job or 2) trigger a manual sync. You can do a manual sync by clicking the 3 dots by the job name · Run Job · Data modified since last sync date and time.

{{% alert title="Note" color="warning" %}}

The SFDC User Sync job will only sync users that are Active in Salesforce. If the user has not yet been created in Salesforce or if they have not been set to Active, the sync will not bring them over to Gainsight.

{{% /alert %}}

You can see the logs/details of a specific sync by navigating to Connectors 2.0 · Activities tab. Then find the sync in the list, click the 3 dots, and select Job Activity. From here you can see the number of successful and failed records. You also have the option to download any failed records to see the specific error messages.

For more information on troubleshooting specific errors, see the Troubleshooting section below.

Gainsight User Management

Once you have confirmed the user has synced from Salesforce successfully, you will need to do the following:

1. In User Management click Edit User
2. Confirm the following fields are filled out/have been synced from Salesforce:
 - The User Role is populated/correct
 - The Manager field is populated/correct
3. Under License Type, select Full User
4. Click Add Permission Bundles and add the user to the correct bundle (this is usually specified on the Access Request issue). For more information see the Gainsight Bundles (Permission Sets) section.
5. Perform these steps if applicable to the user:

- (If applicable) For Sales users, fill in the Page Layout field to say "Account Planning"
- (If applicable) For CSM Managers or anyone who needs to be able to edit the CSM assigned to an account, change the CSM Edit? field to "Yes".
- (If applicable) If the user is a PubSec CSM or leader, set the US PubSec User field to Yes.
- (If applicable) From the main User Management page there will be a status next to the user's name. Occasionally the user is inactive, and you will need to click the ... menu and select Activate User

6. Add the user to the Okta gainsight user group:

1. Navigate to <<https://groups.google.com/>> (you must be a groups.google.com admin any groups to appear).
2. Go to the okta-gainsight-users group
3. Go to Members, then Add Members and use the new user's email address to add them to the group. Once they have been added successfully, they will see a Gainsight tile in Okta (this may take some time to appear).

{{% alert title="Note" color="warning" %}}

The most important fields that you should confirm are filled out are the User Role field, and for PubSec users the US PubSec User field. These fields are used to automatically add the user to the correct Sharing Group (see more details below in the Data Permissions/Sharing Groups section.

{{% /alert %}}

Gainsight Bundles (Permission Sets)

Gainsight bundles give access to specific pages and modules in Gainsight. You can navigate here by going to Administration · Users and Permissions · Permission Bundles.

From here you can assign users to a bundle (can also be done from the user's record as described above), check which users are in a specific bundle, create new bundles, or change access permissions for a specific bundle.

To add a user to a bundle or see a list of users in a bundle, click the 3 dots next to the bundle name · Assign users.

To change access for a specific bundle, click the 3 dots next to the bundle name · Edit.

{{% alert title="Note" color="info" %}}

If Gainsight releases a new feature that a specific group of users will need access to, you will probably need to go into each applicable group, navigate to the new feature, and check the box. This will not be done automatically.

{{% /alert %}}

These are the most used bundles:

Bundle Name	Description
Default	Bundle assigned to GS admins, provides access to all areas of Gainsight.
GS Admin sans provisioning	This is a GS admin role that has access to everything except for

User Management. |

| CSM Users | Permission group for CSM Users. Includes access to C360, Dashboards, Home, Timeline, Cockpit, Success Plans, and analytics for surveys and NPS. This is the bundle assigned to most users. |

| SAL Users | This is the role for SALs to run and manage their account planning. |

| View | Default View User Group allows admin to assign view access to resources for selected users. |

| View Analytics | Default permission bundle for Viewer Analytics Licensed Users which gives access to Dashboards, Timeline, and Company 360. |

Data Permissions and Sharing Groups

We use data permissions and sharing groups to grant or restrict access to specific records in Gainsight. This is used at GitLab specifically to protect PubSec data. You can access this by navigating to Administration · Users and Permissions · Data Permissions.

In order for a user to access Gainsight data they need to be assigned to a sharing group. They should be added to a group automatically based on their user role. If the user role is not filled out or wasn't when the user was synced from Salesforce, you will need to add them to a sharing group manually.

1. In Data Permissions, click on the Sharing Groups tab

2. From the list, find the appropriate group for the user.

1. The most important consideration is whether or not the user is PubSec or not. Most users are not PubSec and will be added to the NonPubSec group. But in order for a PubSec user to access PubSec records in Gainsight, they must be added to a PubSec group.

3. Click the pencil icon to edit the group

4. If you have added the User Role on the user's record, you can click on the Refresh User Group button and the user should be added to the correct group automatically. You can search for the user at the top of the list of users

5. To add a user manually, click Add Users Manually. From there you can search for the user, check the box by their name, and click Save.

You can see which account records are displayed to which sharing groups by navigating to Data permissions · Company · Rule based.

Page Layouts

C360 page layouts allow us to hide or display different C360 views to users in Gainsight. You can view/edit layouts by navigating to Administration · 360 Layouts · C360. Users are automatically assigned to the Default layout unless specified otherwise.

We currently have three main C360 layouts:

Name	Description
Default	The default layout for CSMs and non-SALs. The CSM field is displayed but not editable.
CSM Edit	An exact copy of the default layout except the CSM field is editable. This

is assigned to users when the CSM Edit? field on the User record = Yes. |
| Account Planning | Layout specifically for Sales/SALs for account planning. This is assigned to users when the Page Layout field on the User record = Account Planning. |

Removing Gainsight Access

When a user leaves GitLab or no longer requires access to Gainsight, you can remove deactivate their account and remove their license. For GitLab employees who leave GitLab, an offboarding issue should be created as detailed in GitLab Access Requests and Offboarding Issues.

To deactivate a user's Gainsight account:

1. Navigate to User Management and search for the user (recommended to search by email)
2. Click the ... menu and choose Make Inactive
3. You will now see a red "INACTIVE" box next to their name in the User list. This user will now not be able to log in or view Gainsight in any way.

You may also need to remove the user's Gainsight license in Salesforce:

1. Click Setup · Installed Packages · Gainsight CSM
2. Click Manage Licenses
3. Search for the user on the list and click the Remove next to their name.

User Access to Gainsight

Users can access Gainsight directly from Okta or through Salesforce.

To access Gainsight through Okta:

1. Go to <https://gitlab.okta.com/app/UserHome>
2. Click on the Gainsight tile.
 - If you don't see the Gainsight tile, first try searching for it with the search bar at the top.

If you are unable to locate the Gainsight tile, ask for help on the gainsight-users Slack channel

To access Gainsight through Salesforce:

1. Log in to Salesforce, and click on the "Gainsight NXT" tab at the top of the screen.
 - If you don't see "Gainsight NXT" as a choice, you can add it by clicking the "+" sign, choosing "Customize My Tabs" and choosing Gainsight NXT from the applications list.
- To hide the Salesforce header to maximize Gainsight screen space, click the "double arrow" icon in the top right corner of the Gainsight header, next to your profile icon.

Troubleshooting

Coming soon!

Table of Contents

1. Overview
2. Use Cases
3. Metrics Definitions
 - Financial Measures
 - Adoption & Activities
4. FAQ

Overview

The CS Monthly Metrics dashboard is a comprehensive business intelligence tool designed specifically for Customer Success leaders. This dashboard consolidates critical Customer Success metrics in one central location, providing monthly trends and performance data to support Monthly Metrics meetings.

The dashboard enables CS leaders to:

- Track key financial and operational metrics across their book of business
- Identify trends that require attention
- Make data-driven decisions to optimize Customer Success outcomes

Use Cases

The CS Monthly Metrics dashboard is primarily designed to serve the following use case:

1. Monthly Business Reviews: CS leaders can use this dashboard to prepare for and conduct monthly business reviews with their teams and leadership, highlighting key performance indicators and progress toward goals.

Metrics Definitions

The CS Monthly Metrics dashboard includes the following metrics, organized by category:

Financial Measures

Metric	Description	Business Question	Why does this matter?
Total Segment ARR	Sum of ARR in Segment	How much ARR is in this book of business?	This metric provides the foundation for all CS metrics and planning. ARR size determines resource allocation, and sets the context for retention and growth performance. Tracking ARR by segment helps identify which areas of the business are thriving or need attention, and enables prioritization based on revenue impact.
Renewal Rate	Won ATR/ATR	How well are we retaining dollars at renewal?	Renewal rate is the most direct measure of CS effectiveness and customer satisfaction. In a SaaS business, where customer acquisition costs are high, retaining existing customers is typically more profitable than acquiring new ones. Small improvements in renewal rates can dramatically impact company valuation and long-term growth.

| Renewal Rate Attainment | Renewal Rate/Target Renewal Rate | How well are we retaining dollars at renewal relative to the target? | This metric measures performance against expectations and commitments. It helps identify if targets are realistic, if teams are executing effectively, and if market conditions are impacting renewals in unexpected ways. Consistently missing targets may indicate systemic issues in how you serve customers or how you set goals, while consistently exceeding targets might signal that goals are too conservative. |

| Average Contract Term Length | Sum of Contract Term/Sum of Contracts | How well are we driving Customers to renew for longer contract terms? | Longer contract terms increase business stability, reduce administrative overhead from frequent renewals, and allow for more strategic customer relationships. They also reflect customer confidence in your product and commitment to your platform. For GitLab, longer terms provide more runway to drive adoption and integration, which typically leads to stickier, more successful implementations. |

| Growth Net ARR | Sum of Growth Net ARR | How much Net ARR have we closed from our Customer base? | Expansion within existing accounts is typically more efficient than new customer acquisition. This metric shows how effectively you're growing customer value beyond initial purchase. For a DevSecOps platform like GitLab, expansion indicates deeper adoption across the software development lifecycle and broader usage within the organization, both of which contribute to greater customer success and stickiness. |

| Growth Net ARR Attainment | Closed Growth Net ARR to Geo target | How much Net ARR have we closed from our Customer base relative to the target? | This metric measures if your growth strategy is working as expected across regions. It helps identify where expansion motions are most effective and where they need refinement. Consistent underperformance may indicate misalignment between customer needs and your expansion offerings, or issues with how teams position and sell additional value to existing customers. |

| Success Tier Net ARR | Closed Won Success Tier Net ARR | How much Net ARR have we closed for Success Tiers? | Success tiers represent premium service offerings that directly generate revenue while improving customer outcomes. Strong performance in this metric indicates that customers value your expertise and services beyond the core product. For GitLab, success tiers help customers accelerate DevOps transformation and maximize platform value, leading to deeper integration and higher retention. |

Adoption & Activities

Metric	Description	Business Question	Why does this matter?
No Data %	Percentage of ARR that is not sending us data	What percentage of our Customer base (in ARR) is not sending us utilization data relative to all ARR?	How well are we driving Customers to send us data or move them to Cloud licensing? Without usage data, we operate blindly in serving customers and measuring success. High percentages of "no data" ARR limit our ability to identify at-risk accounts, understand adoption patterns, and proactively address issues. For GitLab, data visibility directly impacts our ability to guide customers toward successful DevSecOps practices and demonstrate the ROI of our platform, which ultimately affects retention.
No Data ARR	ARR that is not sending us data	What is the ARR value of all the Customers not sending us data?	This metric quantifies the revenue at risk due to lack of visibility. Without usage data, we can't effectively measure customer health or adoption, making these customers statistically more likely to churn. Understanding the absolute ARR value helps prioritize efforts to improve data visibility, especially for high-value accounts where retention is business-critical.
Red License Utilization %	Percentage of ARR that fall under red for license utilization		

What percentage of our Customer base (in ARR) has red license utilization relative to all ARR? How well are we driving license consumption? | Underutilization directly correlates with renewal risk. When customers don't fully leverage their licenses, they struggle to justify the investment at renewal time. This percentage shows what portion of our revenue is at risk due to adoption challenges. For GitLab, ensuring customers effectively use their licenses means they're integrating our platform into their workflows, which increases stickiness and renewal likelihood. |

| Red License Utilization ARR | ARR of accounts that fall under red for license utilization | What is the ARR value of all the Customers with Red license utilization? | This quantifies the absolute revenue at risk due to low license deployment. It helps prioritize intervention efforts based on business impact rather than just customer count. For a DevSecOps platform like GitLab, underutilization often indicates that customers haven't successfully integrated the tool into their development workflows, which significantly increases churn risk. |

| Premium CI Adoption Red | ARR of accounts that have red CI adoption | What is the ARR value of Premium customers with red CI adoption? | CI is a core component of GitLab's Premium tier. Poor CI adoption indicates customers aren't realizing the primary value of their investment. This metric shows how much revenue is at risk specifically due to CI adoption challenges. |

| Premium CI Adoption Red % | Red CI ARR from Premium Customers/All ARR from Premium Customers | Of all Premium customers, what % of ARR has red CI adoption? | This percentage indicates how systemic CI adoption challenges are across the Premium customer base. A high percentage suggests fundamental issues with how CI features are positioned, implemented, or designed. Since CI is central to the Premium value proposition, this metric directly impacts the health of this important product tier and its retention rates. |

| Ultimate Security Adoption Red | ARR of accounts that have red Security adoption | What is the ARR value of Ultimate customers with red Security adoption? | Security features are key differentiators of GitLab's Ultimate tier. Low adoption means customers aren't using what they specifically paid for. This metric quantifies revenue at risk because customers aren't receiving the security value they purchased, which makes these accounts prime targets for downgrade or churn. |

| Ultimate Security Adoption Red % | Red Security ARR from Ultimate Customers/All ARR from Ultimate Customers | Of all Ultimate customers, what % of ARR has red Security adoption? | This percentage shows how widespread security adoption challenges are across the Ultimate tier. High percentages indicate systemic issues with security feature positioning, implementation complexity, or competitive displacement. Since security adoption is critical to Ultimate tier retention, this metric directly impacts the health of GitLab's highest-value customer segment. |

| CSP Red Count | The count of Accounts that do not have a Customer Success Plan or have one but it is in Draft status or has 0 objectives defined. | How well are driving account teams and Customers to create Customer Success Plans? | Customer Success Plans are foundational to driving intentional outcomes. Without CSPs, customer engagements lack clear goals, timelines, and success metrics. This percentage indicates how much of our customer base lacks this critical success framework. High percentages correlate with reactive rather than proactive customer management, which typically leads to lower satisfaction and retention. |

| Verified Outcomes Red | The count of Accounts that have not had a Verified outcome completed in over a year | How well are we helping Customers achieve their goals? | Outcome achievement directly impacts renewal decisions. When customers don't reach their goals with our product, they're less likely to renew. This metric shows how effectively we're delivering on our customer promises. For GitLab, helping customers achieve their DevOps objectives is central to demonstrating value, especially in complex enterprise environments where multiple stakeholders evaluate ROI. |

| EBR Red Count | The count of EBRs that are more than 1 year overdue (Essentials) or 6 months over due (Advanced, Signature) | How well are we driving executive alignment? | Executive alignment is critical for renewal and growth. Without regular EBRs, we lack visibility into executive priorities and can't effectively position our value at leadership levels. This percentage indicates how much of our customer base lacks proper executive engagement, which puts these relationships at risk, especially during renewal evaluations when executives may be the final decision-makers. |

| Workshop Red Count | The count of Workshops that are more than 90 days overdue or not scheduled | Are we delivering workshops in a timely manner? | Workshops drive knowledge transfer and adoption. Delayed workshops mean customers aren't receiving timely enablement on key features, which impacts their time-to-value and overall success. This metric indicates potential service delivery constraints that could be negatively affecting customer experience and adoption across the customer base. |

| Accelerator Red Count | The count of Accelerators that are more than 120 days overdue or not scheduled | Are we delivering accelerators in a timely manner? | Accelerators help customers overcome specific challenges and accelerate adoption. Delays mean customers face extended periods of struggling with key aspects of the platform. This percentage indicates potential service delivery issues that directly impact customer time-to-value. For GitLab, timely accelerator delivery is particularly important given the technical complexity of fully implementing DevSecOps practices. |

| Successful Case Closure % (CSE) | Percentage of ARR of customers that had a closed case (any outcome) within the given period | How well are CSEs managing cases? | Case resolution directly impacts customer satisfaction and perception of support quality. This metric shows what percentage of our customer base is receiving timely resolution to their technical challenges. Low percentages may indicate capacity constraints or process inefficiencies that are negatively affecting the customer experience across a significant portion of the business. |

| CSE Timeline Entries Weekly Avg | Average CSE timeline entries per week | How well are CSEs executing all activities? | Timeline documentation provides visibility into customer engagement quality and frequency. Regular entries indicate proactive engagement and thorough customer management. This metric helps assess whether CSEs are providing consistent, high-quality service across the customer base, which directly impacts the customer experience and the effectiveness of our customer success efforts. |

| Forecasted C&C Engaged (CSE) | Dollar value of open forecasted C&C with CSE engagement/Total open C&C. Expressed as monthly average in a given FQ | How well are we addressing renewal risk in the On-Demand segment? | This metric reveals how proactively we're addressing potential churn with our technical expertise. When CSEs engage with accounts forecasted to churn, they can identify and resolve technical blockers that might be driving the churn decision. |

| Total ARR Engaged (CSE) | The ARR value of Accounts with CSE engagement/Total ARR. Expressed as monthly average in a given FQ. | How much of our Customer base are CSEs engaged with? | This metric shows the reach and coverage of our technical expertise across our customer base. CSE engagement typically indicates deeper technical implementation, more complex use cases, and higher strategic value. |

| ESAT Response Rate (CSE) | Response rate of ESAT survey post CSE engagement | How well are we driving Customers to respond to surveys after a CSE engagement? | Survey responses provide critical feedback for service improvement. Without adequate response rates, we lack representative data on engagement quality. This metric indicates how effectively we're capturing the voice of the customer, which is essential for continuous improvement of our service delivery and ensuring that our CSE program is meeting customer needs. |

| ESAT Score (CSE) | Average ESAT score from ESAT survey | What is the quality of a CSE engagement from a Customer point of view? | ESAT directly measures customer perception of our

technical expertise and service quality. This score reflects how well we're meeting customer expectations during critical technical engagements. For a complex platform like GitLab, high-quality CSE interactions are essential for helping customers overcome challenges and achieve their technical objectives. |

| Ending Escalated ARR | ARR from Customers with escalations | What is the ARR value of escalated Customers? | Escalations indicate significant customer dissatisfaction that threatens retention. This metric quantifies the revenue currently at high risk due to serious customer issues. For GitLab, escalations often involve complex technical or strategic challenges that require cross-functional resolution, making this ARR particularly vulnerable without proper attention. |

| Ending Escalated ARR % | Escalated ARR/Total Cohort ARR | Of our Escalated Customers what is their ARR value relative to all ARR? How well are we reducing escalations? | This percentage indicates the portion of our business currently experiencing serious satisfaction issues. High percentages may signal systemic product or service problems affecting a significant portion of customers. Tracking this over time helps assess whether our customer experience is improving or deteriorating, which directly impacts overall business health and growth potential. |

FAQ

General Questions

Q: How often is the CS Monthly Metrics dashboard updated?

A: The dashboard is updated daily.

Q: Who should use this dashboard?

A: This dashboard is primarily designed for Customer Success leaders, but can also be valuable for executive leadership, CS strategy and operations teams, and cross-functional stakeholders who need visibility into CS performance metrics.

Q: Can I see historical data on this dashboard?

A: Yes, the dashboard includes 12-month trending for all metrics, allowing you to observe seasonal patterns and year-over-year performance.

Q: How can I get help if I have questions about or see discrepancies with the data?

A: For questions about the data or dashboard functionality, please contact the CS Analytics team in the cs-operations-and-analytics slack channel

Q: Is the CS Monthly Metrics dashboard a forecasting tool?

A: No. The CS Monthly Metrics dashboard is specifically designed to report on actual performance and progress, not to project future outcomes. It provides visibility into historical and current metrics to inform decision-making, but does not generate forecasts.

Q: Where should I go for forecast data if not this dashboard?

A: For forecasting data such as Renewal Rate and Growth Net ARR refer to the CSx Forecast dashboard. The CS Monthly Metrics dashboard complements these tools by providing the actual performance data against which forecasts can be measured.

Q: How does this dashboard relate to our forecasting process?

A: This dashboard serves as the "actuals" side of the forecast-to-actuals comparison. CS leaders can use this dashboard to compare actual performance against previously forecasted

expectations, but should use dedicated forecasting tools for future projections. The "Forecast Completeness %" metric tracks how thoroughly teams are engaging in the forecasting process, but does not display the forecast content itself.

Q: Can I use this dashboard to predict future performance?

A: While the dashboard shows trends over time that might inform your expectations, it is not designed as a predictive tool. Its primary purpose is to provide accurate reporting on actual metrics. The historical data may help inform your own forecasting activities, but the dashboard itself does not generate predictions.

Dashboard Comparison

Q: What's the difference between the CS Monthly Metrics dashboard and the Account Landscape dashboard?

A: The CS Monthly Metrics dashboard focuses on Customer Success GTM KPIs aggregated at a segment level, providing monthly trending for CS leaders to track program effectiveness. The Account Landscape dashboard provides more granular, instance-level information for day-to-day account management and visibility.

Q: When should I use the CS Monthly Metrics dashboard vs. the Account Landscape dashboard?

A: Use the CS Monthly Metrics dashboard for Monthly Metrics performance review, leadership reporting, and tracking CS metrics against targets. Use the Account Landscape dashboard for account-specific details, day-to-day account management, and individual customer insights.

Q: Does the CS Monthly Metrics dashboard replace the Account Landscape dashboard?

A: No. These dashboards serve complementary purposes. The CS Monthly Metrics dashboard provides program-level, monthly aggregated metrics for CS leadership, while the Account Landscape dashboard offers more detailed account-specific information.

Q: How does the CS Monthly Metrics dashboard differ from Gainsight?

A: While Gainsight and the CS Monthly Metrics dashboard share some data points, they serve different purposes. The CS Monthly Metrics dashboard provides more comprehensive financial metrics and segment-level analyses that aren't readily available in Gainsight. Additionally, this dashboard consolidates key metrics in a single view optimized for leadership reporting and monthly business reviews, whereas Gainsight is primarily designed for customer-level engagement tracking and health scoring.

Q: Should I use this dashboard for compensation reporting?

A: No. The CS Monthly Metrics dashboard is not to be used for compensation reporting or calculations. While it shows performance metrics that might be related to compensation plans, the official source for compensation data is Xactly. Any questions or issues related to compensation should be logged via HelpLab. This dashboard is designed for business reviews, not for compensation administration.

Metrics Questions

Q: What does "red" mean in the utilization and adoption metrics?

A: "Red" indicates performance below the established threshold for that metric, typically representing customers at risk or requiring intervention. Specific thresholds may vary by metric but generally indicate performance requiring attention.

Q: Why doesn't the dashboard show metric attainment against compensation targets?

A: The dashboard intentionally does not calculate metric attainment for compensation targets as target values are considered sensitive information specific to each team and region. If you need to calculate your own attainment take the relevant metric data from the dashboard and calculate attainment against target as Actual/Target and expressed as a percentage.

Q: How is ARR calculated?

A: ARR (Annual Recurring Revenue) represents the annualized value of all active subscriptions for the specified segment or customer group.

Q: What timeframe do the metrics cover?

A: These metrics reflect the current state as of the last data refresh and represent the percentage of accounts or ARR that are currently in a given status. It's important to note that the Financial metrics are calculated as quarter to date while the Adoption metrics reflect month to date data for that quarter. For example, if today is March 15th the Renewal rate for Q1 would include all relevant renewal opportunity data from February 1st to March 15th. For an adoption metric, such as No Data, that metric calculation is based on data from March 1st to March 15th.

Q: What should I do if the data doesn't look right?

A: If you notice data discrepancies or have concerns about data accuracy, please report the issue to the cs-operations-and-analytics slack channel with specific details about what you're seeing.

Q: Can I get direct access to the underlying data?

A: Access to raw data is restricted to maintain data governance. However, you can export aggregated data from the dashboard for further analysis.

Q: Does this dashboard include all customers?

A: Yes, the dashboard includes all active customer segments, though you can filter to view specific segments as needed.

SECTION: sales/field-operations/customer-success-strategy/customer-success-strategy-analytics.md

Customer Success Strategy & Analytics

Vision

The Customer Success Strategy and Analytics team drives customer-centric growth by providing strategic insights and data-driven recommendations. We partner closely with Customer Success, Renewals, Sales, Support, Data and Product teams to optimize customer journeys, improve retention, and maximize customer value. By leveraging advanced analytics, scalable processes, and tailored strategies, we empower teams to enhance customer satisfaction, identify opportunities for expansion, and ensure long-term success. Our mission is to bridge the gap between data and action, enabling impactful decisions that foster strong, enduring customer relationships.

Meet the Team

Person	Role
-----	-----
John Budreski	Senior Manager, CS Strategy & Analytics
Heather Kacmarski	Renewal Analytics Analyst
Derek Gonzalez	Customer Success Analytics Analyst
Iz Woodhouse	Customer Success Analytics Analyst
Brandon Butterfield	Customer Experience Analytics Analyst
Michael Arntz	Customer Success Strategy Manager

How We Work

The CSSA team manages strategy and analytics work via issues while planning cycles occur on a Quarterly and Monthly basis followed by monthly communications out to our stakeholders. See team issue boards below:

CSSA Team Board

CS Analytics Issue Board

CS Strategy Issue Board

What We Do

The CSSA team is responsible for supporting the business via a number of different methods and modalities. While our stakeholders span across numerous functions within the business our core stakeholders are within the Customer Success team which includes CSAs, CSMs, CSEs, Digital CS, RMs and their respective leadership teams. Our core functions include but are not limited to:

- Dashboards
- Reports
- Scorecards
- QBR support
- Ad-hoc analysis
- Project and planning support
- GTM Strategy
- Territory and Resource planning
- Product and Use Case scoring and analytics
- Customer Journey analytics

Analytics Resources

GitLab maintains a number of valuable analytics resources for Customer Success and the broader field organization. Reports and Dashboards can be found in Tableau, Gainsight and Salesforce. Below are some of the more critical resources available:

- Gainsight
- Use Case Adoption Scoring
- Account Landscape
- Customer 360
- CS Leader Monthly Metrics

Get in Touch

Head over to cs-operations-and-analytics on Slack to get in touch with us and the broader Customer Success Operations team. We use this channel for general support, and key system status updates. We attempt to avoid direct messages where possible as it discourages collaboration.

SECTION: sales/field-operations/data-intelligence/_index.md

 Charter

Data Intelligence (DI) is a part of Field Operations reporting to Revenue Operations. Our goal is to ensure the field has reliable and quality Salesforce.com sales data to empower them to make repeatable and structured decisions to increase sales and make GitLab more successful. We aim to manage data well and be viewed as a trusted business partner for Sales Operations, Marketing Operations, and Management.

Data intelligence aims at ensuring that impacted parties understand the data and the best uses of the data. This is achieved through enablement to the field on data enrichment, data governance, data cleaning, and overall fostering a data culture to make data-driven decisions and drive results.

Our Data Governance page can be found here

 Meet the Team

- Brianna Vandre, Senior Manager, Data Intelligence

Data Intelligence reports into Field Operations.

The detailed Data Intelligence Handbook is located in the internal handbook.

 Teams We Work Closely With

- Sales Operations
- Sales Systems
- Marketing Operations
- People Operations
- Finance Analytics
- Sales Strategy & Analytics
- Marketing Strategy & Analytics
- The Data Team
- Sales Development
- Compliance

 How to Communicate with Us

Slack channels

We do not use or create tool-specific Slack channels (e.g. zoominfo).

- dataintelligencehelp - We use this channel for general data intelligence support. We attempt to avoid direct messages where possible as it discourages collaboration.

Focus Fridays

Focus Fridays. Please try not to schedule meetings for team members on Fridays, so they can devote time for deep work in milestone-related issues.

Tech Stack

For information regarding the tech stack at GitLab, please visit the Tech Stack Applications page of the Business Operations handbook where we maintain a comprehensive table of the tools used across the company. Below are tools that are primarily owned and managed by data intelligence.

Integrated with Salesforce

- OpenPrise
- OpenPrise Enrichment: TAMI, Cognism, D&B
- ZoomInfo

SECTION: sales/field-operations/data-intelligence/data-governance.md

Data Intelligence and Governance Defined

Data Governance

At GitLab, maintaining data governance includes data definitions, policies, processes an