

width="500"/>

1. Utilize the dropdown menu to the right of the email address to select the permission level to grant the individual(s)

- Please refer to the Google Drive Permission Levels for more information on each permission level

1. Select the Notify people if you wish for the individual(s) to receive an email informing them of their new access to the file or folder.

1. Select the Send Button

1. You will now see the next to the shared file or folder

How to Access Shared Google Drive Files

{{% panel header="Note" header-bg="info" %}}

There are multiple ways to access shared Google Drive files and folders.

{{% /panel %}}

Using drive.google.com

1. Log into drive.google.com with your GitLab email address

1. In the left-hand side menu bar select Shared with me

- This will show you all documents that are shared with you including documents from Shared Drives


- By default, the documents are listed in descending order of when the document was shared with you.

1. Utilizing the Search in Drive search bar at the top center of drive.google.com search for the team member whose files you wish to find that are shared with you.

- When you click in the search bar it will populate a list of users who have recently shared documents with you. If the team member appears in this list you can select them here or continue to type in their email in the search bar

1. Type in the email address of the team member whose files you wish to find

1. Select the team member when it populates.
 - This will prepend owner: to the search result.
 - If the email address does not show you will have to manually add owner: in the search bar. i.e. owner:alibby@example.com

A placeholder for an image with alt text "Google Shared Drive Access Final" and width "500".

1. All documents that are shared with you by the team member will now populate in the Search results
 - You can add filters as needed to search for a specific file.

Google Drive Permission Levels

There are three levels of permissions when sharing a file from My Drive

- Viewer - People can view, but can't change or share the file with others
- Commenter - People can make comments and suggestions, but can't change or share the file with others
- Editor - People can make changes, accept or reject suggestions, and share the file with others

SECTION: security/corporate/end-user-services/laptop-management/_index.md

Purpose

This page displays different pieces of information surrounding GitLab laptop procurement and management.

Scope

At GitLab, we use centralized laptop management for company issued devices. If you are in possession of a company issued laptop, the details below apply to you. However, not all endpoint management technologies GitLab deploys will be required for Apple, Linux, and Windows laptops. Some technologies may be specific to the hardware platform or operating system.

Roles & Responsibilities

Role	Responsibility
GitLab Team Members	Responsible for following the requirements in this procedure
Corporate Security	Responsible for implementing and executing this procedure
Corporate Security Management (Code Owners)	Responsible for approving significant changes and exceptions to this procedure

GitLab Laptops

Team members that live in these countries can be serviced via the IT Laptop Ordering Process:

USA, Canada, Mexico, all of the EU, Thailand, South Korea, Japan, Philippines, Singapore, Australia, New Zealand, India, Israel and the UK.

We are adding supported countries to this list as we discover our ability to order in them.

We currently cannot procure laptops for Brazil, Costa Rica, Chile, Armenia, or Ukraine. If your country is not listed above or for any general laptop procurement questions please contact laptops@gitlab.com or your Candidate Experience Specialist to discuss alternate options. If the team member requires financial assistance to purchase the hardware, the Company can advance the funds to help facilitate the purchase (see Exception Processes below).

New Hire Laptop Ordering Process

The laptop ordering process for new hires starts once the initial welcome email is sent by the Candidate Experience Specialist. The email will include a link to place a request for a GitLab issued laptop. Processing time will vary by location. Please fill out the form as soon as possible to avoid delays. After the new hire fills out the form, they can expect their laptop to arrive the week before their start date.

If, in the rare case your laptop arrives damaged or unusable prior to your start date, please reach out to your Candidate Experience Specialist and CC laptops@gitlab.com for next steps on an immediate replacement or repair.

{{% alert title="Warning: fake job scams" color="warning" %}}
Scammers may impersonate GitLab and target job seekers. GitLab will never ask new hires to send us funds for equipment purchases.

Read the "What to know about a fake job scam impersonating GitLab" blog post to learn the warning signs and how to protect yourself.

{{% /alert %}}

Laptop Refresh

Team members are eligible for a laptop refresh, no questions asked, after 3 years of active use. The 3-year period:

Begins when a team member starts actively using their assigned laptop, not necessarily when it was first received

Resets when a replacement laptop is issued due to damage, malfunction, or other circumstances

Is based on the device's usage period, not the team member's employment duration

If the laptop is sufficient for your needs, you may opt to continue using the laptop until it no longer receives the latest macOS version from Apple (approximately 5 years).

Please use this template to request a laptop refresh.

The old laptop must be wiped or returned within 2 weeks of receiving the replacement laptop. We

recommend using AirDrop or Google Drive to transfer files directly from the old to the new MacBook.

After 3 years of use, the team member may retain the old laptop after it has been wiped at no cost. Note that the option to keep a laptop at no cost may be voided where the team member is involved in cases of investigation, misconduct, termination for cause, any violation of GitLab's Code of Business Conduct & Ethics, as well as other legal or security related inquiries. Please also refer to our Laptop Buyback Policy below.

GitLab Laptop Replacement Program

We get it, sometimes things change! If your laptop is not sufficient for your role, you can request a replacement laptop if you are not yet eligible for a 3 year refresh. Replaced laptops do not qualify for the Laptop Buyback Policy and will need to be returned to be repurposed at GitLab IT's discretion.

Replacement laptops can be requested by creating an issue in the End User Services issue tracker project. Please describe the reason for your replacement in the issue. (i.e., laptop is not sufficient for job duties, internal transfer to a new role) Replacements will require approval from IT as well as your manager within the issue.

Many team members can use their company issued laptop until it breaks. If your productivity is suffering, you can request a new laptop. The typical expected timeframe for this is about three years, but it can depend on your usage and specific laptop.

Please note

Laptops paid for or reimbursed by the company are property of GitLab. They must be enrolled using the proper Endpoint Management System for accurate asset tracking.

Laptop Repair

Any loss or damage must be reported to IT as soon as it occurs.

If your laptop has been damaged, you must open an issue in the End User Services Issue Tracker to document what is broken. GitLab IT will be able to assess the damage and provide guidance on the most beneficial repair option.

Repair options

In some regions, GitLab IT has an Apple certified vendor to perform repairs. At GitLab IT's discretion and vendor availability, the broken laptop may be sent to the vendor for repair. Our GitLab IT team can check if vendor support is available in your region. For minor repairs or when vendor support isn't an option, they may suggest visiting an Apple authorized service center in your area.

Estimates or quotes from an Apple authorized service center must be included in the issue before approval. Approval must be given by IT and your manager prior to any repair work being done. Either a picture or PDF are both acceptable and should include some identifying information about the laptop (Serial number, year, make, model). If the quote for the repair is

less than \$1,000 USD, and can be completed within a short time frame, GitLab IT may recommend/approve the Apple authorized service center to complete the work. If the repair is going to take longer than a day, make sure you have a back up laptop that uses an approved OS.

However, if the repair is going to be more than \$1,000 USD and/or take too long to fix, GitLab IT may decide to replace the laptop. In those cases, a replacement laptop will be shipped out and the broken laptop collected to be repaired or recycled. Be advised, broken laptops do not qualify for the Laptop Buyback Policy and will need to be returned to GitLab IT. Replacements for broken laptops may be used, but will be the same model of laptop (a performance model wouldn't be replaced by a standard model).

If IT confirms the laptop needs to be replaced, please create an issue for the replacement and link it to the laptop repair issue.

When you receive the new laptop, please follow the guidelines in the replacement template. If you are still using the old laptop, we will have it sent off to be recycled or repaired.

Laptop Purchasing and Shipping Process

After End User Services receives your laptop order, we will start working on the request. New hires can expect their GitLab laptop to arrive the week before their start date. We leverage business relationships with several different vendors across the globe to accomplish this remotely. Please note delivery times will vary depending on location, hardware supply, vendor selection, and shipping method.

In some instances, we may be able to work out priority or overnight delivery. We will not be able to service this for all cases and regions. If this is needed please reach out to laptops@gitlab.com or talk with your hiring manager to review all options available.

If you are a hiring manager or member of the hiring/recruiting team, you may check the status and content of a new hires order in the IT Equipment Order Process Project

Minimum processing time for laptop orders before shipping. Some countries may take longer due to required documentation for delivery.

US/Canada New Hires - 2 weeks (Apple) and 5 weeks (Linux)
EMEA/APAC New Hires - 2 weeks (Apple) and 5 weeks (Linux)
Other Regions - 3 weeks (Apple) and 9 weeks (Linux)

Key Performance Indicators

KPI 90% of laptops will arrive prior to start date or 21 days from the date of order.

Exception Processes

Laptops Out of Spec

If a requested laptop is outside the standardized specifications listed here, approval will be required from the team member's manager as well as the Device Logistics Team before IT will purchase the laptop. Once your manager has approved, please tag [@gitlab-com](https://twitter.com/gitlab-com)/gl-security/corp/logistics for logistics approval.

Self procurement

Cost will not be covered by GitLab without proper approval

IT approval is required for self procurement of laptops. Self procurement is only available if you are in a region where we are not able to have a laptop delivered. If the team member desires financial assistance to purchase the hardware, GitLab can advance the funds to help facilitate the purchase. See the handbook page for Temporary Advances. For current team members, please obtain two quotes from local retailers (online or physical) and include them in the refresh/replacement issue.

IT must verify the laptop specs and cost before approval is given. The created issue will be verified by the AP team to release funds.

Additional Laptop Request

If you are in need of a additional device, have a business justification, have manager approval and IT approval, you can request an additional laptop through the Laptop Refresh/Upgrade template. Please note that if the secondary device is approved it will be a refurbished device and not a new device.

Use of Personal Laptop

We do not allow personal laptops to be used for GitLab work. If a laptop is not available to a new GitLab team member upon their start date, it is permissible for them to temporarily use a personal macOS or Linux laptop.

Laptop exceptions not listed

Any circumstance that falls outside of the listed exceptions or if GitLab IT deems it necessary, a Laptop Exception can be created using this template. These requests require approval from leadership across multiple departments and are discouraged due to the possibility of data leakage.

Laptop Configurations

GitLab approves and supports the use of Apple's macOS as the OS for employee laptops. To keep GitLab IT Support efficient, Linux & Windows are not supported as a hardware laptop OS.

Further information on GitLab authorized operating systems, versions, and exception process is available on the Approved Operating Systems for GitLab Team Member Endpoint Systems page.

The operating system choices have obviously affected the hardware selection process.

NOTE: GitLab's IT Ops team uses a corporate discount for our corporate-purchased Apple products only. Apple does not have an employee discount program for GitLab at this time.

Apple Hardware

Chipset specifications not listed as they will vary based on current inventory levels.

MacBook Pro 14-inch - 16GB Unified memory / 512GB storage Standard model
MacBook Pro 16-inch - 36GB Unified memory / 1TB storage Performance model
MacBook Pro 14-inch - 36GB Unified memory / 1TB storage Performance model

Most roles that require higher performance machines are approved for a 14" or 16" MacBook Pro performance model. Please see this spreadsheet (public) to locate your department group and determine which machine you are eligible for.

Linux Hardware

{{% alert color="warning" %}}

IT strongly encourages team members to select Macs; please only request a Linux laptop if you are experienced in Linux and capable of self-support. As of 2025-06-30, Linux will no longer be offered for new hires or refreshes. Linux laptops will no longer be offered due to fragmented support requirements across distributions and the lack of an automated method to ensure our security tools are installed. Additionally, Okta does not enable Device Trust on Linux systems. {{% /alert %}}

Below are roles that qualify for Linux Laptops

Engineers, Support Engineers, Data Analysts, Technical Marketing Managers, Product Designers, UX Managers, Product Managers, Technical Writers, and Digital Production are eligible for Dell Precision Mobile Workstation laptops from the 5690 line. Due to supply constraints, specific models available from these lines may vary. IT will work with each person to find an available model meeting the following specifications: 16" display/1TB SSD/32 GB of RAM/Intel Core CPU.

\\NOTE: The maximum price of Linux laptops is not to exceed the price of the equivalent 16" MacBook Pro laptop. Please make sure you order this model a minimum of 14 days, based on your locality, prior to your desired date to receive.

Our only approved Linux laptop vendor at this time is Dell. These laptops generally come pre-loaded with Ubuntu Linux in order to save money on unused Windows licenses. Dell do not currently sell laptops pre-installed with Linux in Australia and New Zealand; staff will need to install Linux themselves.

Dell is GitLab's exclusive Linux vendor for the following reasons:

Dell has the longest history of shipping laptops with Linux pre-installed among major manufacturers.

Dell is able to ship laptops to all countries in which GitLab employees live.

As we move forward with Zero Trust networking solutions, we need to have a stable and unified platform for deployment of software components in the GitLab environment.

Standardization on a single platform for Linux simplifies this.

The current Ubuntu LTS is the preferred Linux platform; Ubuntu LTS has a record of stability and quick patching.

Purchasing laptops from a single vendor opens the possibility of corporate discounts.

Dell is a certified Ubuntu vendor with multiple laptop choices available. They even have their own Ubuntu OEM release of Ubuntu they maintain, and as a result of their effort, the standard Ubuntu Linux 20.04 LTS image natively supports Dell hardware and even firmware updates.

To date, all of Dell's major security issues have not been related to their hardware.

Laptops are purchased by GitLab IT during a team member's onboarding process; the team member will be sent a form to fill out for ordering.

Windows for Customer Support and Product Development

While GitLab limits the Laptop Hardware OSES supported for team member daily work, specific roles will need to use Windows for Customer Support and Product Development to ensure excellent platform and ecosystem support for GitLab customers and partners who develop for the Microsoft Ecosystem.

Microsoft Windows Professional (Desktop OS) and Windows Server may need to be used by some technical roles for supporting GitLab customer usage of Windows and developing GitLab software. These editions can be used for support and development purposes using virtualization or cloud instances and are self-supported and must be in compliance with all endpoint policies, including installation of Fleet as well all information in this section.

Complete details about Windows usage is available on the [Approved Operating Systems for GitLab Team Member Endpoint Systems](#) page.

Laptop Vendor Selection Criteria

When recommending or approving end user device vendors for team member access, the Security Team tries to balance privacy, security, and compliance to ensure a solid choice for accessing GitLab data. Our current recommendations include Apple MacBook Pro running macOS.

By its very nature, GitLab has historically been very open as a company, starting as open source and migrating from a group of coders with their own laptops to an organization that needs to protect not just their own corporate data but customer data as well.

Having developed a Data Classification Policy and implemented Zero Trust, we've had to make adjustments in laptop recommendations.

Our laptop vendor selection criteria is as follows:

Team member need

The main needs center around processing power and the operating system support for required workloads. Most modern systems meet the processing power needs of our team members. Apple macOS meet the operating system needs.

Security needs

GitLab needs the ability to ensure a secure and stable platform. From an operating system perspective, macOS and Linux meet the needs. The Security team has found a slight advantage in Ubuntu as a Linux distribution due to their rapid response time when it comes to patching security flaws, and we recommend this distribution. It is necessary to use an approved Linux distribution.

Compliance needs

To meet compliance needs for the various certifications, programs, and industry regulations, we

have to meet criteria including the ability to restrict access to sensitive data to company-issued laptops running company-monitored software.

In many cases we need to be able to prove this via auditing, including outside auditors.

Using one vendor for macOS (Apple by default) and one for Linux (Dell by default).

A part of this process will include ensuring systems are patched, and in the Linux case we want to ensure firmware patches are applied.

Very few hardware vendors not only supply Linux as an operating system but also provide a way to apply patches - including security patches - to firmware via the normal Linux patch process.

There is no specific example for using one brand over another from a compliance perspective.

That being said, there are customers we wish to sell GitLab products that have specific requirements internally, and to align ourselves with those requirements can be not only a positive sign we understand the customer space, but give us a competitive advantage.

For example, since there is a strong push to sell to agencies within the US Government, we will already face restrictions such as support from only US-citizen GitLab team members while on US soil.

As these agencies also have access to classified (non-public) reports on such things as computer vendors, one only has to note which laptops are approved for purchase.

For that reason, we will restrict our vendor list to vendors that are currently approved by the various organizations issuing those certifications and programs we are trying to be compliant with.

This simplifies the ability to support those customers which may impose restrictions on team members working in support roles for that customer solely based upon the hardware they are using.

In other words, we eliminate this possibility of becoming a situation to be managed.

Logistics needs

To be able to use a laptop vendor, we have to be able to purchase and ship hardware to our team members regardless of where they live.

Therefore the vendor should be able to handle most if not all shipping requirements to all team members. Our current hardware vendors are: CDW for US requests. Presidio for EMEA requests. Sycomp for most other regions.

GitLab laptops that are procured from our vendors will come with GitLab branded asset labels by default. Please refer to this issue for more information on GitLab asset labels. [GitLab Branded Laptop Labels](#)

Configuring New Laptops & Apple Account

New laptops should be configured with security in mind.

We require the use of an @gitlab.com Apple Account that is separate from any personal Apple Account's you may have.

Some of these reasons include:

Backups, keychains and documents are all considered sensitive information, and should not be stored in personal services.

2FA for remote lock, wipe, or account resets are common methods of account compromises, and ensuring the use of GitLab.com email addresses also ensures we are in control of that aspect of multi-factor authentication.

Keeping a strong separation between work and personal accounts will help prevent the accidental leak of information from one to the other, in either direction.

Defense in depth, in part, means you make a best effort to be secure at each layer. To read through more instructions, please refer to security best practices when configuring your new laptop.

Certain circumstances (world region and availability of hardware) might require the self installation of Linux on a Dell that was shipped with OEM Windows. Please make sure you follow any needed requirements when self installing and open an issue with GitLab IT if needed for verification.

For laptops shipped with OEM Windows you may want to make a full drive backup (e.g. by using open source utility Clonezilla) to the external drive before installing Linux. That way you could restore your laptop to the original state at any time. It will make the RMA process much easier in case you need it.

Laptop Buyback Policy

Please refer to the laptop buyback policy.

Laptop Recycle/Return

We use SIPI Asset Recovery for devices that need to be recycled. At GitLab IT's discretion, laptops may also be sent to our vendor for repair. Either way, GitLab IT can provide a shipping label and box upon request at no cost to yourself. If you are able to purchase and expense the box, please do so.

We use Sycomp for devices that need to be repaired. At GitLab IT's discretion, laptops may also be sent to be recycled. Either way, GitLab IT can request a shipping label and box from the vendor at no cost to yourself. If you are able to purchase and expense the box, please do so.

If the IT department has record of a current litigation hold for the offboarded employee, IT will consult with Legal before proceeding.

All team member laptops must be securely wiped before being returned. This not only protects the company, but also protects you since it is possible for personal information to exist on these machines.

Reformatting a computer is not sufficient in these cases because it is possible for sensitive data to be recovered after reinstalling an operating system.

Laptop Wipe

Laptop wipes must be performed by scheduling an appointment with an IT analyst to wipe the machine, re-install the base operating system, and remove all software and configurations that were supplied by GitLab. Laptops must be wiped with Jamf for macOS, and Fleet for Linux. Using these tools ensures a clean disk wipe is performed and GitLab can retain evidence of the disk wipe.

Under no circumstance should you perform your own disk wipe unless you are doing so at the

request of IT to troubleshoot a technical problem with the laptop. If GitLab discovers that a device has not been wiped according to policy, GitLab may act to enforce a remote wipe without notice.

Laptop Donations

Donating hardware/laptops will help people in disadvantaged areas and/or from underrepresented groups with their ability to learn about technology. Therefore GitLab offers the possibility to donate hardware devices to vendors on a curated list after 3 years of use. This curated list has been a result of the Upstream Diversity Working Group.

The vendors on the list have been meeting the following criteria:

1. Their focus group should be people in disadvantaged areas and/or underrepresented groups
1. They should be non-profit
1. Their values have to align with GitLab's CREDIT values
1. They should pass a "negative-press" check (first 2 pages of Google)

If you, as a GitLab team member, would like to add a vendor aligned with the criteria, please comment in the Vendor sheet.

Steps for donating your hardware

1. Create an issue for laptop refresh
1. Indicate in the issue you want to donate your used laptop to a vendor on the curated list.
1. For security reasons we must make sure all laptops are fully wiped before being donated.
1. After the wipe has processed, you can complete the donation.

Other Resources

Backblaze

Backblaze is a tool that might be deployed to backup data on your company owned device in the event of a security or legal hold/investigation and only following a request of the Legal and People Ops teams, subject to local data, privacy and employment laws.

Google Workspace Deprovisioning

IT Ops has an automated workflow that triggers upon a notification from PeopleOps of a team-member offboarding. This automated workflow is composed of 2 parts that are outlined below. The first part happens within 1 hour of the offboarding. The second part occurs after 90 days of the offboarding. This workflow will send out notifications throughout this 90 day period to let the Former Team member's manager know that the final deadline is approaching.

These are the steps that follow immediately upon termination of a team-member

The former team-member (FTM) is removed from all Google groups
The former team-member (FTM) is locked from access to their laptop
The former team-member (FTM) is removed from access to all GitLab provisioned services linked to their Okta account

The former team-member (FTM) is removed from access to all GitLab provisioned services not linked to their Okta account

Unless there is a legal hold on their laptop, the laptop is securely wiped

The FTM's manager is setup as a delegate to their Gmail and Google Calendar

The FTM's manager gains editor privileges to all "My Drive" Google Drive Files

The FTM's account is moved to the Former Team Members OU

Remove the FTM account from the Global Address List

All of the account's sign in cookies/sessions are cleared and the account password is reset to a random 64 character password

The account's recovery email is set to null

The account's recovery phone number is set to null

The FTM's auto-response email message is setup.

These are the steps that follow after the Former Team Member has been gone for 90 days

All of the former team-member (FTM) aliases are removed

Archive of all Google Drive files in the users My Drive that are marked as owner

These are saved in the Offboarded Users Drive Archive

Each user has their own folder in the following format <emailUsername>googledrive

The FTM's account is suspended

The FTM's account will be moved to NoGSuiteLicense OU

The Google Workspace License is removed from the account

The following notifications will be sent out to the FTM's manager and IT over Slack

Immediate Slack notification:

> Hello <Manager Firstname><Manager Lastname>, you are receiving this notification to let you know that one of your direct reports <Firstname><LastName> has been deprovisioned from GitLab's Google Workspace. In keeping with our standard offboarding policy you will receive a copy of this user's Google Drive data as well as delegated access to their email and calendar account. This delegate access will remain available to you for 90 days after which the account will be closed, and all data will be archived. Please be sure to copy anything you wish to keep to your own account before this time. For more information about how to access this data please see information in this Handbook page (provide link).

>

> You will receive another notification 30 days before and then a final notification at 1 week before this account is closed. If you have any questions about this process, or need assistance with access the data, please feel free to reach out to the Corp IT team in the ithelp Slack channel.

30 Days Slack notification

> Hello <Manager Firstname><Manager Lastname>, you are receiving this notification to let you know that one of your direct reports <Firstname><LastName> was deprovisioned from GitLab's Google Workspace 60 days ago. In keeping with our standard offboarding policy you will continue to have delegated access to their email and calendar account for another 30 days after which the account will be closed, and all data will be archived. Please be sure to copy anything you wish to keep to your own account before this time. For more information about how to access this data please see information in this Handbook page (provide link).

>

> You will receive another notification at 1 week before this account is closed. If you have any questions about this process, or need assistance with access the data, please feel free to reach out to the Corp IT team in the ithelp Slack channel.

7 Days Slack notification

> Hello <Manager Firstname><Manager Lastname>, you are receiving this notification to let you know that one of your direct reports <Firstname><LastName> was deprovisioned from GitLab's Google Workspace 83 days ago. In keeping with our standard offboarding policy you will continue to have delegated access to their email and calendar account for another 7 days after which the account will be closed, and all data will be archived. Please be sure to copy anything you wish to keep to your own account before this time. For more information about how to access this data please see information in this Handbook page (provide link).

>

> This is the final notification. If you have any questions about this process, or need assistance with access the data, please feel free to reach out to the Corp IT team in the ithelp Slack channel.

Final Slack notification

> The GitLab Google Workspace account for <Firstname><LastName>` has been archived after 90 days as per our standard offboarding policy.

Exceptions

Exceptions to this procedure will be tracked as per the Information Security Policy Exception Management Process.

References

Controlled Document Procedure

```
<!-- "controlled document: true" flag was present but the file was not included in CODEOWNERS -->
```

SECTION: security/corporate/end-user-services/okta/_index.md

What is Okta?

From the Okta website

> Okta is the foundation for secure connections between people and technology.
> It's a service that gives employees, customers, and partners secure access to the tools they need to do their most important work.

In practice - Okta is an Identity and Single Sign On solution for applications and Cloud entities.

It allows GitLab to consolidate authentication and authorisation to applications we use daily

through a single dashboard and ensure a consistent, secure and auditable login experience for all our GitLab team members.

How is GitLab using Okta?

GitLab is using Okta for a few key goals:

- We can use Okta to enable Zero-Trust based authentication controls upon our assets, so that we can allow authorised connections to key assets with a greater degree of certainty.
- We can better manage the login process to the 80+ and growing cloud applications that we use within our tech stack.
- We can better manage the provisioning and deprovisioning process for our users to access these application, by use of automation and integration into our HRIS system.
- We can make trust and risk based decisions on authentication requirements to key assets, and adapt these to ensure a consistent user experience.

What are the benefits to me using Okta as a user?

- A single Dashboard that is provided to all users, with all the applications you need in a single place.
- Managed SSO and Multi-Factor Authentication that learns and adapts to your login patterns, making life simpler to access the assets you need.
- Transparent Security controls with a friendly user experience.

What are the benefits to me as an application administrator to using Okta?

- Automated provisioning and group management
- Ability to transparently manage shared credentials to web applications without disclosing the credentials to users
- Centralised access for users, making it easy to add, remove and change the application profile without the need to update all users.

How do I get my Okta account set up?

All GitLab team members will have an Okta account set up during onboarding. You should receive an activation email in your personal email account before your start date. Please follow the steps in the email to activate your Okta account.

Once you've signed in to Okta, access your work Gmail and look for a 1Password activation email titled "Welcome to 1Password!" to set up your account.

Important: Set up Okta on your work computer (not on mobile or the mobile app) as the process includes setting up the Okta Verify mobile app.

GitLab requires all team members to use either Biometrics or YubiKey as your Okta authentication

I want to add Touch ID / Face ID / Face Authentication / YubiKey to Okta

Using WebAuthn authentication is required for all team members.

1. While logged in to Okta from the device you wish to add, access the Settings page.
1. In the 'Security Methods' section of the page, choose Set up or Set up another next to Security Key or Biometric.
1. You will then be presented with a password verification and passkey verification prompt.
1. After pressing Set up twice, a prompt from your web browser will appear, or a 1Password prompt may appear. Click the "YubiKey" icon to bypass if it appears and you wish to save it in iCloud Keychain (recommended) or the local Chrome browser.

1. By default, you will be prompted to save it in your iCloud KeyChain.

1. If you press cancel, you will be given options to save the passkey in different places.

1. For Security Key, choose "Use a phone, tablet, or security key" and a QR code will appear. You can then tap the security key to save the passkey.

1. You may be prompted for a PIN, and then finally click Allow.

1. We recommend enrolling both Chrome and Safari for redundancy on your computer, as well as a mobile device. Each browser needs to be enrolled separately, unless you use iCloud Keychain. Note that separate Chrome browser profiles also need to be enrolled separately. You should enroll one computer browser (for example, Chrome), then add the mobile device), then if required add the other computer browser (for example, Safari).

1. If clearing your browser cache, please be careful as you can delete your passkey.

1. In Chrome, if using "Clear Browsing Data" function please ensure that you DO NOT check "Passwords and other sign-in data" (under "Advanced" tab). By default, this is unchecked.

1. In Safari, the credential is stored under "Settings->Password". This is separate from the "Settings->Privacy" and "Manage Website Data" where you would click "Remove all" to remove the cache.

Follow the GitLab Okta FAQ.

We have also prepared Introductory Videos on Configuring Applications and Dashboard Tips.

Adding a Passkey to 1Password

1. With the 1Password browser extension installed, access the Settings page.

1. In the 'Security Methods' section of the page, choose Set up or Set up another next to Security Key or Biometric.
1. You may then be presented with another prompt to confirm if you wish to Set up another, followed by an Enroll prompt.
1. After pressing Enroll, a prompt from your web browser will appear.
1. From 1Password, you'll see a pop up notification from 1Password with the options "New Item" or "Update Existing". Select "Update Existing" and your Okta account to continue.

Add biometric authentication to Okta for mobile devices (accessing Okta apps on your phone)

These steps are for an iPhone, and may be slightly different for Android. If you are using an iPhone, you are required to have the "Passwords" app installed. We recommend enrolling a phone even if you don't plan to use it often, in case you need a way to add a new computer or your credential gets accidentally removed on the computer.

1. On the computer, if using Chrome, please check that it is on the latest version by visiting the URL <chrome://settings/help> - if a new version is available, please use the Relaunch button to restart the browser.
1. On your Mac, please check under "System Settings"->"Privacy & Security"->"Bluetooth" and make sure that Google Chrome has Bluetooth access enabled.

1. On the computer, login into your Okta.
1. On the computer, click on your name on the top right to open the drop down menu (similar to above) and navigate to "Settings".
1. On the computer, under Security Methods click "Set up another" beside Security Key or Biometric. This will take you to a setup authentication screen, click "Verify". Provide Touch ID.
1. On the computer, click "Set up", then click "Set up" again on the next screen.
1. On the computer, ignore all popups from the 1Password browser extension as it could interfere with the process of transferring the passkey. Click the "Yubikey" icon to bypass if it appears.

1. On the computer, the next step depends on the browser and version.
 1. In Chrome and Safari you will see a pop up asking to "Use Touch ID to sign in?" Click "Cancel" to continue setting up your mobile device.

Next, choose "Use a phone, tablet or security key".

This should display a QR code that you can scan.

1. In Safari, click "Other options", then choose "iPhone, iPad or Android device - save a passkey on a device with a camera", then "Continue".

1. On the mobile device, open your camera app and scan. (It may take a few seconds for it to connect). This requires Bluetooth to be enabled on both devices, but does not require pairing.

1. On the mobile device, a popup should show up to allow the credential to be saved.

1. On a iPhone or iPad, it will prompt to create a passkey. Choose the Passwords app.

1. If saving the credential fails, go to Settings->your name->iCloud and make sure that Passwords and Keychain is set to "On" and the "Passwords" app is installed.

1. If it still fails, you can also try force restart and then trying to sign out of iCloud on your mobile device, and then sign back in to iCloud.

1. On Android, this may appear "Use this device with screen lock". Choose this.

1. For Samsung phones: Please make sure that you save the passkey to Google's passkey manager and not Samsung Passkey

1. When prompted if you want to "Skip the QR code next time", select "Not now". This should prompt you to save the passkey to Google instead.

1. On the mobile device, attempt to sign in by visiting Okta.

I want to login or add a new computer to Okta and I have a mobile device enrolled

This method has been verified on Macs and Linux with Chrome. For Safari, it requires macOS Ventura 13+. Steps below for iPhone require iOS 16+, may be slightly different for Android.

1. On the computer, log in with username and password

1. On the computer, a popup appears to "Verify your identity with gitlab.okta.com"

1. On the computer, choose "Use phone with a QR code". This requires Bluetooth to be enabled on both the phone and the laptop, but doesn't require pairing.

1. On the mobile device, scan the code using the Camera app

1. On the mobile device, click "Sign in with a Passkey"

1. On the mobile device, a "Sign in" popup appears - "Do you want to sign in to "gitlab.okta.com" with your saved passkey for "xxxxx@gitlab.com"? Click Continue and provide biometric.

1. On the computer, you will now be signed in to Okta.

1. If applicable, follow the standard steps to enroll your Touch ID into Okta.

I don't have an enrolled phone or computer but have a YubiKey

If both of previous devices are not available, you could use a YubiKey as another form of authentication (if you have one set one up). Use that to access your settings page and follow the steps above to enroll a new device.

I would like to get a YubiKey, how can I do so?

Please fill open up the Slack form using /yubikey in a DM to yourself, (check out our guide for some additional information), and we will coordinate shipment of one to you thru our group buy.

Lost access to your 2FA or your OKTA account has been locked out because of failed attempts?

- Head to ithelp in Slack or email it-help@gitlab.com and ask for a 2FA Reset, please be prepared to verify your identity
- Once Okta 2FA is reset please reconfigure it by logging into your Okta account and setting up with either Biometrics or a YubiKey.
- If your account is locked please head to ithelp and ask to have your account unlocked. As a precaution, you will also need to change your Okta Password.

Device Trust

Okta Device Trust ensures that team members are accessing Okta applications from a managed device. For additional details and timelines, please see the internal handbook.

Device Trust Setup on macOS

1. Open the Okta Verify application on macOS via Spotlight by selecting the magnifying glass in the menu bar (top right corner of display). Another method to open Spotlight is to use cmd + Space

1. Search for Okta Verify

1. Select Get Started

1. Select Next

1. Confirm gitlab.okta.com is populated for Sign-in URL and then select Next

1. A browser window will open to gitlab.okta.com to confirm your identity

1. After doing so, you will see the Your Identity is Verified message and you can close the browser

1. The Okta Verify application will refresh. Press Next if you are using Touch ID on your Mac (most common), or Skip if you are not. Okta Verify uses macOS's Touch ID capability, and the mathematical calculation is stored locally within Apple's Secure Enclave and not available to Okta or GitLab.

1. If you pressed Next, then click Enable Touch ID

1. Your GitLab Okta account will now be available to use with Okta Verify on macOS

After enrolling

You will continue to be able to use a YubiKey in addition to Touch ID to login to Okta from macOS device. You will not be able to login from a personal macOS device.

A macOS device missing the certificate (even when enrolled with Okta Verify), will quickly show:

Then re-direct to the following error:

Managing Okta Access Using Google Groups

The GitLab Team Member Enablement team has created a new process for Owners and Provisioners to manage access to Okta applications. If you are listed as an Owner/Provisioner for an application in the tech stack you will be using the method below to add users to a Google group, which will then sync this group to Okta and assign the application to users. This process was created to empower business application owners to effect Access Requests which require Okta application assignment.

- Sign in to Google Groups.
- Click My groups.
- Click the name of the group were you want to add/remove a user. (Note that all Google groups which manage users in Okta application start with okta-xxxxx-users)
- Next press the People tab on the left side and select Members.

- This will show you all the members currently in the group.
- To add a member press the Add Members button. To remove access mouse over a user and press on the little white box that appears, this will mark the user. After that on the right side press the remove member button (Looks like a circle with a horizontal line across).

When a member is added/removed from the group it may take up to 1 hour for the sync to happen between Google and Okta. Once the sync happens the user will see the application in Okta, if removed the opposite.

If you have any questions or require assistance please reach out to the IT team in the it-help Slack channel.

Why isn't an application I need available in Okta?

Create a new corpsec issue and tag @gitlab-com/gl-security/corp/identity

Okta is currently configured with assigned groups/roles based on a team member's role/group. Refer to the Access Change Request section of the handbook for additional information on why an application may not be available in Okta.

How do I get my application set up within Okta?

If you are an application owner please submit an Okta app change issue on the Okta project page for your application.

We will work with you to verify details and provide setup instructions.

I have an application that uses a shared password for my team, can I move this to Okta?

Yes you can!

Submit a new application setup issue on the Okta project page for your application.

We will work with you to verify details and provide setup instructions.

If you are having problems with being asked for multiple MFA authentications during the day, please log an issue, tag `gitlab-com/gl-security/corp/identity`, and we can look into it.

Why does GitLab.com ask for an additional MFA when I login via Okta?

Your `gitlab.com` account will have 2FA installed as required by our policy.

Note that the 2FA for GitLab.com is different to the MFA you use to log into Okta.

This issue has been opened to propose a solution.

GitLab Google Workspace on Android doesn't prompt for biometrics or security key after Okta sign-in

When attempting to add a Google Workspace account to an Android device, Okta authentication proceeds in the Android's embedded browser (WebView).

Since Okta does not support embedded web browsers for WebAuthn based verification, which causes an issue where nothing prompts you after you sign-in to Okta, so you cannot add the Google Workspace account to Android devices.

Please reach out to `ithelp` Slack channel to request temporary enable Okta Verify as a workaround.

Where do I go if I have any questions?

- For Okta help, setup and integration questions: `ithelp` slack channel

SECTION: `security/corporate/end-user-services/okta/okta/admin/onboarding/_index.md`

Overview

The Okta Admin Onboarding runbook provides setup instructions for team members that have been provisioned a BLACK admin account to get started with setting up Okta, Google Workspace, and 1Password that is configured separately from your PURPLE accounts.

- Handbook Page: Access Level Wristband Colors
- Access Request Template: AdminBlackAccount
- Provisioner Time to Complete: 15-30 Minutes (not including approvals)
- User Time to Complete: 30 Minutes Assisted Sync or 45 Minutes Async

- Who Can Provision: Erik Lentz, Jacob Waters, Steve Ladgrove
- Runbook DRI: Erik Lentz, David Zhu

Transferring Black Accounts to New Laptops

If you're transferring a Black account to a new laptop, you will not need to follow all of the same tasks. This should be able to be self-serviced without a member of IT.

You should follow the process beginning at Task 1.2: Open a Chrome Incognito Browser Window. After that step, steps that are unique to the laptop transfer process are called out as notes under the relevant steps. If no note exists, you should assume the step is required for the transfer process.

Step 0: Provisioner Pre-Work

Provisioner Task 0.1: Verify Approvals

This runbook requires an access request using the AdminBlackAccount template. All approvals must be completed before provisioning can take place.

Provisioner Task 0.2: Create an Admin (Black) User Account

1. Create a new 1Password record in your AR Temp Credentials vault named Okta Temp Admin - {firstInitial}{lastName}-admin@gitlab.com.
1. Set the 1Password record username to {firstInitial}{LastName}<-admin@gitlab.com>.
1. Use 1Password to generate a 64-char password with numbers and symbols.
1. Set the 1Password record website to <https://gitlab.okta.com>.
1. Save the 1Password record.
1. Open Chrome and choose your Admin profile.
1. Sign in to <https://gitlab.okta.com> and navigate to Directory > People.
1. Click the Add person button.
 - User Type: User
 - First name: {First name}
 - Last name: {Last name}
 - Username: {firstinitial}{lastname}-admin@gitlab.com
 - Primary email: {firstinitial}{lastname}-admin@gitlab.com
 - Activation: Activate Now
 - I will set password: (checked)
 - Password: (copy from 1Password)
 - User must change password on first login: (checked)
1. Click Save.

Provisioner Task 0.3: Add User to Admin Group

> This task will automatically provision the user's Google Workspace email account based on the G Suite SSO application being assigned to the group.

1. Navigate to Directory > Groups.
1. In the search bar, search for tfoktaadmingroup.
1. Right click and open the groups in a new tab.

- tfoktaadmingroupeveryone
 - itoktaadmingroup{role} (based on the access request)
1. Open the tfoktaadmingroupeveryone tab.
 1. Click the Assign people button.
 1. In the search box, search for the {firstInitial}{lastName}-admin@gitlab.com (not their non-admin user).
 1. Click the + icon to add the user to the group.
 1. Click the Done button in the top right corner.
 1. Close the browser tab.
 1. Open the tfoktaadmingroup{role} tab.
 1. Click the Assign people button.
 1. In the search box, search for the {firstInitial}{lastName}-admin@gitlab.com (not their non-admin user).
 1. Click the + icon to add the user to the group.
 1. Click the Done button in the top right corner.
 1. Close the browser tab.

Provisioner Task 0.4: Add User to 1Password Activation Workflow

> This task requires the Google Workspace user account to be initialize for a few minutes before 1Password invitation email can be sent to avoid undeliverable bounce messages. Please take this opportunity to update the access request with the steps that you have performed so far (including screenshots) before starting these steps.

1. Navigate to Directory > Groups.
1. In the search bar, search for 1PW-Workflow-Activation and open the group.
1. Click the Assign people button.
1. In the search box, search for the {firstInitial}{lastName}-admin@gitlab.com (not their non-admin user).
1. Click the + icon to add the user to the group.
1. Click the Done button in the top right corner.
1. Close the browser tab.

Provisioner Task 0.5: Create 1Password Share Link for Temporary Credentials

> STOP! This task should be performed on the same day that you perform the assisted onboarding call and should not be performed at the time that you provision the previous tasks.

1. Open 1Password and locate the previous record that you created in your AR Temp Credentials vault named Okta Temp Admin - {firstInitial}{lastName}-admin@gitlab.com.
1. Just before the Zoom assisted onboarding or migration call, right click on the 1Password record and choose Share.

``

1. Provide the share link via Slack DM or Zoom chat.

> This is ephemeral for 60 minutes and the password is about to be changed so there is not a security risk with how you share it.

Step 2: Google Account Activation

Task 2.1: Configure your Google Account Profile Picture

> Laptop Transfer? You can skip this task.

1. On the Okta user dashboard for your new account, click the G Suite SSO Account tile.
1. On the Welcome to your new account screen with the terms and conditions, click the I understand button.

```

```

1. You will be redirected to the Google Account homepage.

```

```

1. Click the Personal Info link in the left navigation.

1. Click the Photo icon to upload an avatar. If you don't have a picture readily available, navigate to <https://gitlab.com/{username}> and right click on your avatar and choose Save image as to save it to your desktop.

```

```

Task 2.2: Configure Google Account 2FA

> Laptop Transfer? You can skip this task if you are using the same YubiKey from your old laptop.

1. Click the Security link in the left navigation.

```

```

1. In the Signing in to Google section, click the 2-Step Verification row.

1. In the prompt, click the GET STARTED button.

1. Ignore the phone number instructions and click the Show more options link in the bottom left corner, then click Security Key.

```

```

1. When prompted for Have your security key?, click the NEXT button. You can ignore the instructions for Make sure your key is with you, but not connected to your device. You can leave your YubiKey inserted.

```

```

1. When prompted, touch your YubiKey.

```


1. After your Security Key has been registered, you will be prompted to assign a name to the YubiKey. This is at your discretion, however the model number is a best practice (ex. YubiKey 5C FIPS).



1. After your key has been enrolled, your Google Account activation is complete.

1. Close the incognito browser window.

### Task 2.3: Create Google Chrome Profile

1. Using your normal Google Chrome browser window (not in incognito mode), click on your avatar in the top right corner, then click the Add button below the Other Profiles section.



1. When prompted to Set up your new Chrome profile, click the Sign in button.



1. When prompted to Sign in to Chrome, enter your admin email address (ex. dmurphy-admin@gitlab.com).



1. You will be redirected to Okta to sign in with your dmurphy-admin@gitlab.com credentials. Copy the password from the 1Password record.



1. Remember that we never save passwords in Chrome. You can click the Never button.

1. When prompted to verify your identity, click the USB security key option.



1. You will be prompted by Google to verify it's you. Click the Continue button.



1. You will be prompted that Your organization will manage this profile. Click the Continue button.



1. When prompted to Turn on sync?, click the Settings button.



1. Click the Manage what you sync section.





1. Change the Sync everything to Customize sync, then uncheck the Passwords toggle.

1. Click the arrow to the left of Manage what you sync to return back to the main configuration screen.



1. To the right of your name, click the Confirm button.



1. Click the Customize your Chrome profile row.



1. Set the name to GitLab Admin (Black) and choose a theme color (ex. Black). This name refers to the PURPLE vs BLACK wristband access levels.



1. You can verify your Chrome profile in the top right corner by clicking on your avatar. You can switch between profiles as needed.



#### Task 2.4: Add bookmarks for Okta and Gmail

> Laptop Transfer? You can skip this task since your profile should automatically sync.

1. In your Chrome browser window with your GitLab Admin (Black) profile selected, press Cmd+Shift+B to show the bookmarks menu bar.

1. Navigate to <https://gitlab.okta.com> and sign in with your {handle}-admin@gitlab.com account using the credentials stored in 1Password. You will be prompted to verify your identity with USB Key MFA and touching your YubiKey.

1. On the Okta user dashboard, right click on the Admin button and open in a new tab.

1. Press the star icon to bookmark this page, and edit the name to Okta Admin.



1. Close the browser tab.

1. On the Okta user dashboard, right click on the G Suite SSO Mail tile and open in a new tab.

1. Press the star icon to bookmark this page, and edit the name to Gmail.

1. Do not close the browser tab.

#### Questions and Feedback

If you experience any problems, please tag @it-eng in ithelp for assistance.

If you have feedback on this runbook, please create a new merge request with suggested changes.

---

## SECTION: security/corporate/end-user-services/okta/okta-enduser-faq/index.md

Below are frequently asked questions about Okta and GitLab's implementation of it. If you have an additional question that is not listed here, please ask in ithelp.

How do I use Okta to log into an application?

1. Visit [gitlab.okta.com](https://gitlab.okta.com) and you'll see a list of applications available to you.
2. Search for the application you want to log into and then click on it.
3. This will open a new tab and should automatically log you in.

If you are having issues logging into an application with Okta SSO, please post in the ithelp channel in Slack. Please include a screenshot of the error that you're seeing.

How will Okta support GitLab's account creation?

The activation workflow is triggered by the creation of account within Workday.

Which browsers does Okta work on?

Okta supports Firefox, Safari and Chrome.

What is a plugin?

Plugins are applications that can easily be installed and are used as a part of a web browser.

Do I have to use a plugin?

GitLab is using Secure Web Authentication (SWA) for many of its apps, and the Okta plugin is necessary to work with these applications. For applications that support SAML, the Plugin is not necessary. GitLab recommends all users install the browser plugin as required.

Is it safe to install the Okta plugin?

Yes, the Okta plugin is very safe to install.

How do I create a new tab?

To create a new tab, click on the '+' sign next to the last tab. You will be asked to enter a new tab name (for example, "Personal"). Enter the new name of the tab and click save to create it.

How many tabs can I have?

You can have up to five tabs.

How do I delete a tab?

To delete a tab, you will need to move all applications out of that tab into another one. Once the tab has been emptied you will see a Delete Tab option. Select that option and your tab will be deleted.

How do I request an app to be added?

First, please open a CorpSec Issue

All new software must go through Procurement before being added to Okta.

Things to consider before opening a request:

- Has the Vendor Representative (AE, CSM) confirmed that SSO, SAML or SCIM is supported?
- Please set up a call with a technical contact for the vendor and start an email thread to confirm availability