

```

      fffff; font-weight: normal; padding: 2px 4px; border-radius: 0.25rem; letter-spacing: 0.05em;
font-size: 10px;">USER 1PASS/SSO</span>
<span style="background-color: d97706; color: fffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN 1PASS/SSO</span>
<span style="background-color: 71717a; color: fffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN APP ROLE</span>
</td>
</tr>
<!-- GitLab (dev) -->
<tr>
<td>
<a href="/handbook/security/corporate/systems/gitlab/dev">GitLab
(dev)<br><code>dev.gitlab.org</code></a></td>
<td>
<i class="fas fa-user-plus mr-2"></i><a href="https://gitlab.com/gitlab-com/team-member-
epics/access-requests/-/issues/new?issuabletemplate=gitlabdevdefault">Open an Access
Request</a><br>
<i class="fas fa-gear mr-2"></i><a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-
tracker/-/issues/new?issuabletemplate=gitlabdevdefault">Engineering Issue</a>
</td>
<td>
<a href="https://gitlab.com/gitlab-com/team-member-epics/access-
requests/-/issues/?labelname%5B%5D=corpsys-gitlab-dev">ARs</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-
tracker/-/issues/?labelname%5B%5D=corpsys-gitlab-dev">Issues</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/groups/gitlab-com/gl-
security/corp/-/epics?labelname[]=corpsys-gitlab-dev">Epics</a>
<br>
<i class="fas fa-book mr-2"></i><a
href="https://handbook.gitlab.systems/gitlab/dev">Administration Runbooks</a><br>
<i class="fas fa-tag mr-2"></i><code>corpsys-gitlab-dev</code><br>
<i class="fa-brands fa-gitlab mr-2"></i><a href="https://gitlab.com/groups/gitlab-
com/corpsys/gitlab-dev">@gitlab-com/corpsys/gitlab-dev</a><br>
<i class="fa-brands fa-slack mr-2"></i><code>@corpsysadmins-gitlab-dev</code><br>
<i class="fa-brands fa-slack mr-2"></i><code>ithelp</code><br>
<i class="fa-brands fa-slack mr-2"></i><code>sproductionengineering</code><br>
<i class="fas fa-shield-halved mr-2"></i>
<span style="background-color: eab308; color: fffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">USER 1PASS/SSO</span>
<span style="background-color: d97706; color: fffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN 1PASS/SSO</span>
<span style="background-color: 71717a; color: fffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN APP ROLE</span>
</td>
</tr>
<!-- GitLab (stg) -->
<tr>
<td>
<a href="/handbook/security/corporate/systems/gitlab/stg">GitLab
(stg)<br><code>staging.gitlab.com</code></a></td>

```

<i class="fas fa-user-plus mr-2"></i>Open an Access Request <i class="fas fa-gear mr-2"></i>Engineering Issue	
<td> ARs Issues Epics <i class="fas fa-book mr-2"></i>Administration Runbooks <i class="fas fa-tag mr-2"></i><code>corpsys-gitlab-stg</code> <i class="fa-brands fa-gitlab mr-2"></i>>@gitlab-com/corpsys/gitlab-stg <i class="fa-brands fa-slack mr-2"></i><code>@corpsysadmins-gitlab-stg</code> <i class="fa-brands fa-slack mr-2"></i><code>ithelp</code> <i class="fa-brands fa-slack mr-2"></i><code>sproductionengineering</code> <i class="fas fa-shield-halved mr-2"></i> USER 1PASS/SSO ADMIN 1PASS/SSO ADMIN APP ROLE </td> </tr> <!-- GitLab (cfg) --> <tr> <td> GitLab (cfg) <code>cfg.gitlab.systems</code></td> <td> <i class="fas fa-user-plus mr-2"></i>Open an Access Request <i class="fas fa-gear mr-2"></i>Engineering Issue </td> <td> ARs Issues <a href="https://gitlab.com/groups/gitlab-com/gl-	

```

security/corp/-/epics?labelname[]=corpsys-gitlab-cfg">Epics</a>
<br>
<i class="fas fa-book mr-2"></i><a
href="https://handbook.gitlab.systems/gitlab/cfg">Administration Runbooks</a><br>
<i class="fas fa-tag mr-2"></i><code>corpsys-gitlab-cfg</code><br>
<i class="fa-brands fa-gitlab mr-2"></i><a href="https://gitlab.com/groups/gitlab-
com/corpsys/gitlab-cfg">@gitlab-com/corpsys/gitlab-cfg</a><br>
<i class="fa-brands fa-slack mr-2"></i><code>@corpsysadmins-gitlab-cfg</code><br>
<i class="fa-brands fa-slack mr-2"></i><code>ithelp</code><br>
<i class="fa-brands fa-slack mr-2"></i><code>security-corpsec-infra</code><br>
<i class="fas fa-shield-halved mr-2"></i>
<span style="background-color: 0284c7; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">USER SSO</span>
<span style="background-color: b91c1c; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN SSO</span>
<span style="background-color: 71717a; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN APP ROLE</span>
</td>
</tr>
<!-- GCP (billing) -->
<tr>
<td>
<a href="/handbook/security/corporate/systems/google/cloud/billing">Google Cloud Platform
(Billing)</td>
<td>
<i class="fas fa-user-plus mr-2"></i><a href="https://gitlab.com/gitlab-com/team-member-
epics/access-requests/-/issues/new?issuabletemplate=gcpbillingdefault">Open an Access
Request</a><br>
<i class="fas fa-gear mr-2"></i><a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-
tracker/-/issues/new?issuabletemplate=gcpbillingdefault">Engineering Issue</a>
</td>
<td>
<a href="https://gitlab.com/gitlab-com/team-member-epics/access-
requests/-/issues/?labelname%5B%5D=corpsys-gcp-billing">ARs</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-
tracker/-/issues/?labelname%5B%5D=corpsys-gcp-billing">Issues</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/groups/gitlab-com/gl-
security/corp/-/epics?labelname[]=corpsys-gcp-billing">Epics</a>
<br>
<i class="fas fa-book mr-2"></i><a
href="https://handbook.gitlab.systems/google/cloud/billing">Administration Runbooks</a><br>
<i class="fas fa-tag mr-2"></i><code>corpsys-gcp-billing</code><br>
<i class="fa-brands fa-gitlab mr-2"></i><a href="https://gitlab.com/groups/gitlab-
com/corpsys/gcp-billing">@gitlab-com/corpsys/gcp-billing</a><br>
<i class="fa-brands fa-slack mr-2"></i><code>@corpsysadmins-gcp-billing</code><br>
<i class="fa-brands fa-slack mr-2"></i><code>cloud-finops</code><br>
<i class="fa-brands fa-slack mr-2"></i><code>security-corpsec-infra</code><br>
<i class="fas fa-shield-halved mr-2"></i>
<span style="background-color: 0284c7; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">USER SSO</span>

```

```

<span style="background-color: 16a34a; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">USER APP ROLE</span>
<span style="background-color: b91c1c; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN SSO</span>
<span style="background-color: 71717a; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN APP ROLE</span>
</td>
</tr>
<!-- GCP (com) -->
<tr>
<td>
<a href="/handbook/security/corporate/systems/google/cloud/com">Google Cloud Platform
(com)<br><code>gitlab.com</code></a></td>
<td>
<i class="fas fa-cloud-arrow-up mr-2"></i><a
href="/handbook/security/corporate/systems/google/cloud/com/projects">Create Project for
Service/Workload</a><br>
<i class="fas fa-users mr-2"></i><a
href="/handbook/security/corporate/systems/google/cloud/com/users">User and Role
Management</a><br>
<i class="fas fa-user-plus mr-2"></i><a href="https://gitlab.com/gitlab-com/team-member-
epics/access-requests/-/issues/new?issuabletemplate=gcpcomdefault">Open an Access
Request</a><br>
<i class="fas fa-gear mr-2"></i><a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-
tracker/-/issues/new?issuabletemplate=gcpcomdefault">Engineering Issue</a>
</td>
<td>
<a href="https://gitlab.com/gitlab-com/team-member-epics/access-
requests/-/issues/?labelname%5B%5D=corpsys-gcp-com">ARs</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-
tracker/-/issues/?labelname%5B%5D=corpsys-gcp-com">Issues</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/groups/gitlab-com/gl-
security/corp/-/epics?labelname[]=corpsys-gcp-com">Epics</a>
<br>
<i class="fas fa-book mr-2"></i><a
href="https://handbook.gitlab.systems/google/cloud/com">Administration Runbooks</a><br>
<i class="fas fa-tag mr-2"></i><code>corpsys-gcp-com</code><br>
<i class="fa-brands fa-gitlab mr-2"></i><a href="https://gitlab.com/groups/gitlab-
com/corpsys/gcp-com">@gitlab-com/corpsys/gcp-com</a><br>
<i class="fa-brands fa-slack mr-2"></i><code>@corpsysadmins-gcp-com</code><br>
<i class="fa-brands fa-slack mr-2"></i><code>infrastructurelounge</code><br>
<i class="fa-brands fa-slack mr-2"></i><code>sproductionengineering</code><br>
<i class="fa-brands fa-slack mr-2"></i><code>security-corpsec-infra</code><br>
<i class="fas fa-shield-halved mr-2"></i>
<span style="background-color: 0284c7; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">USER SSO</span>
<span style="background-color: 16a34a; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">USER APP ROLE</span>
<span style="background-color: b91c1c; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN SSO</span>

```

```

<span style="background-color: 71717a; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN APP ROLE</span>
</td>
</tr>
<!-- GCP (sandbox) -->
<tr>
<td>
<a href="/handbook/security/corporate/systems/google/cloud/sandbox">Google Cloud Platform
(sandbox)<br><code>gitlabsandbox.cloud</code></a></td>
<td>
<i class="fas fa-cloud-arrow-up mr-2"></i><a
href="/handbook/security/corporate/systems/google/cloud/sandbox/projects">Create My GCP
Project</a><br>
<i class="fas fa-gear mr-2"></i><a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-
tracker/-/issues/new?issuabletemplate=gcpsandboxdefault">Engineering Issue</a>
</td>
<td>
<a href="https://gitlab.com/gitlab-com/team-member-epics/access-
requests/-/issues/?labelname%5B%5D=corpsys-gcp-sandbox">ARs</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-
tracker/-/issues/?labelname%5B%5D=corpsys-gcp-sandbox">Issues</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/groups/gitlab-com/gl-
security/corp/-/epics?labelname[]=corpsys-gcp-sandbox">Epics</a>
<br>
<i class="fas fa-book mr-2"></i><a
href="https://handbook.gitlab.systems/google/cloud/sandbox">Administration Runbooks</a><br>
<i class="fas fa-tag mr-2"></i><code>corpsys-gcp-sandbox</code><br>
<i class="fa-brands fa-gitlab mr-2"></i><a href="https://gitlab.com/groups/gitlab-
com/corpsys/gcp-sandbox">@gitlab-com/corpsys/gcp-sandbox</a><br>
<i class="fa-brands fa-slack mr-2"></i><code>@corpsysadmins-gcp-sandbox</code><br>
<i class="fa-brands fa-slack mr-2"></i><code>sandbox-cloud-questions</code><br>
<i class="fas fa-shield-halved mr-2"></i>
<span style="background-color: 0284c7; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">USER SSO</span>
<span style="background-color: 16a34a; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">USER APP ROLE</span>
<span style="background-color: b91c1c; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN SSO</span>
<span style="background-color: 71717a; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN APP ROLE</span>
</td>
</tr>
<!-- GCP (systems) -->
<tr>
<td>
<a href="/handbook/security/corporate/systems/google/cloud/systems">Google Cloud Platform
(systems)<br><code>gitlab.systems</code></a></td>
<td>
<i class="fas fa-user-plus mr-2"></i><a href="https://gitlab.com/gitlab-com/team-member-
epics/access-requests/-/issues/new?issuabletemplate=gcpssystemssysadmin">Sysadmin Access

```

Request

[Engineering Issue](https://gitlab.com/gitlab-com/gl-security/corp/issue-tracker/-/issues/new?issuabletemplate=gcpssystemdefault)

ARs

Issues

Epics

Administration Runbooks

`corpsys-gcp-systems`

@gitlab-com/corpsys/gcp-systems

@corpsysadmins-gcp-systems

security-corpsec-infra

ADMIN SSO

ADMIN APP ROLE

Google Cloud Platform (cells-dev)

`gitlab-cells.dev`

Open an Access Request

Engineering Issue

ARs

Issues

Epics

Administration Runbooks

`corpsys-gcp-cells-dev`

@gitlab-com/corpsys/gcp-cells-dev

```

com/corpsys/gcp-cells-dev">@gitlab-com/corpsys/gcp-cells-dev</a><br>
<i class="fa-brands fa-slack mr-2"></i><code>@corpsysadmins-gcp-cells-dev</code><br>
<i class="fa-brands fa-slack mr-2"></i><code>sproductionengineering</code><br>
<i class="fas fa-shield-halved mr-2"></i>
<span style="background-color: 0284c7; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">USER SSO</span>
<span style="background-color: 16a34a; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">USER APP ROLE</span>
<span style="background-color: b91c1c; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN SSO</span>
<span style="background-color: 71717a; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN APP ROLE</span>
</td>
</tr>
<!-- GCP (cells-prd) -->
<tr>
<td>
<a href="/handbook/security/corporate/systems/google/cloud/cells-prd">Google Cloud Platform
(cells-prd)<br><code>gitlab-cells.com</code></a></td>
<td>
<i class="fas fa-user-plus mr-2"></i><a href="https://gitlab.com/gitlab-com/team-member-
epics/access-requests/-/issues/new?issuabletemplate=gcpcellsprddefault">Open an Access
Request</a><br>
<i class="fas fa-gear mr-2"></i><a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-
tracker/-/issues/new?issuabletemplate=gcpcellsprddefault">Engineering Issue</a>
</td>
<td>
<a href="https://gitlab.com/gitlab-com/team-member-epics/access-
requests/-/issues/?labelname%5B%5D=corpsys-gcp-cells-prd">ARs</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-
tracker/-/issues/?labelname%5B%5D=corpsys-gcp-cells-prd">Issues</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/groups/gitlab-com/gl-
security/corp/-/epics?labelname[]=corpsys-gcp-cells-prd">Epics</a>
<br>
<i class="fas fa-book mr-2"></i><a href="https://handbook.gitlab.systems/google/cloud/cells-
prd">Administration Runbooks</a><br>
<i class="fas fa-tag mr-2"></i><code>corpsys-gcp-cells-prd</code><br>
<i class="fa-brands fa-gitlab mr-2"></i><a href="https://gitlab.com/groups/gitlab-
com/corpsys/gcp-cells-prd">@gitlab-com/corpsys/gcp-cells-prd</a><br>
<i class="fa-brands fa-slack mr-2"></i><code>@corpsysadmins-gcp-cells-prd</code><br>
<i class="fa-brands fa-slack mr-2"></i><code>sproductionengineering</code><br>
<i class="fas fa-shield-halved mr-2"></i>
<span style="background-color: 0284c7; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">USER SSO</span>
<span style="background-color: 16a34a; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">USER APP ROLE</span>
<span style="background-color: b91c1c; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN SSO</span>
<span style="background-color: 71717a; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN APP ROLE</span>

```

```

</td>
</tr>
<!-- GCP (dedicated-dev) -->
<tr>
<td>
<a href="/handbook/security/corporate/systems/google/cloud/dedicated-dev">Google Cloud Platform
(dedicated-dev)<br><code>gitlab-private.org</code></a></td>
<td>
<i class="fas fa-cloud-arrow-up mr-2"></i><a
href="/handbook/security/corporate/systems/google/cloud/dedicated-dev/projects">Create My GCP
Project</a><br>
<i class="fas fa-user-plus mr-2"></i><a href="https://gitlab.com/gitlab-com/team-member-
epics/access-requests/-/issues/new?issuabletemplate=gcpdedicateddevdefault">Open an Access
Request</a><br>
<i class="fas fa-gear mr-2"></i><a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-
tracker/-/issues/new?issuabletemplate=gcpdedicateddevdefault">Engineering Issue</a>
</td>
<td>
<a href="https://gitlab.com/gitlab-com/team-member-epics/access-
requests/-/issues/?labelname%5B%5D=corpsys-gcp-dedicated-dev">ARs</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-
tracker/-/issues/?labelname%5B%5D=corpsys-gcp-dedicated-dev">Issues</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/groups/gitlab-com/gl-
security/corp/-/epics?labelname[]=corpsys-gcp-dedicated-dev">Epics</a>
<br>
<i class="fas fa-book mr-2"></i><a
href="https://handbook.gitlab.systems/google/cloud/dedicated-dev">Administration
Runbooks</a><br>
<i class="fas fa-tag mr-2"></i><code>corpsys-gcp-dedicated-dev</code><br>
<i class="fa-brands fa-gitlab mr-2"></i><a href="https://gitlab.com/groups/gitlab-
com/corpsys/gcp-dedicated-dev">@gitlab-com/corpsys/gcp-dedicated-dev</a><br>
<i class="fa-brands fa-slack mr-2"></i><code>@corpsysadmins-gcp-dedicated-dev</code><br>
<i class="fa-brands fa-slack mr-2"></i><code>gdedicated-team</code><br>
<i class="fas fa-shield-halved mr-2"></i>
<span style="background-color: 0284c7; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">USER SSO</span>
<span style="background-color: 16a34a; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">USER APP ROLE</span>
<span style="background-color: b91c1c; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN SSO</span>
<span style="background-color: 71717a; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN APP ROLE</span>
</td>
</tr>
<!-- GCP (dedicated-prd) -->
<tr>
<td>
<a href="/handbook/security/corporate/systems/google/cloud/dedicated-prd">Google Cloud Platform
(dedicated-prd)<br><code>gitlab-dedicated.com</code></a></td>
<td>

```



```

<i class="fas fa-user-plus mr-2"></i><a href="https://gitlab.com/gitlab-com/team-member-
epics/access-requests/-/issues/new?issuabletemplate=gcpdedicatedprddefault">Open an Access
Request</a><br>
<i class="fas fa-gear mr-2"></i><a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-
tracker/-/issues/new?issuabletemplate=gcpdedicatedprddefault">Engineering Issue</a>
</td>
<td>
<a href="https://gitlab.com/gitlab-com/team-member-epics/access-
requests/-/issues/?labelname%5B%5D=corpsys-gcp-dedicated-prd">ARs</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-
tracker/-/issues/?labelname%5B%5D=corpsys-gcp-dedicated-prd">Issues</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/groups/gitlab-com/gl-
security/corp/-/epics?labelname[]=corpsys-gcp-dedicated-prd">Epics</a>
<br>
<i class="fas fa-book mr-2"></i><a
href="https://handbook.gitlab.systems/google/cloud/dedicated-prd">Administration
Runbooks</a><br>
<i class="fas fa-tag mr-2"></i><code>corpsys-gcp-dedicated-prd</code><br>
<i class="fa-brands fa-gitlab mr-2"></i><a href="https://gitlab.com/groups/gitlab-
com/corpsys/gcp-dedicated-prd">@gitlab-com/corpsys/gcp-dedicated-prd</a><br>
<i class="fa-brands fa-slack mr-2"></i><code>@corpsysadmins-gcp-dedicated-prd</code><br>
<i class="fa-brands fa-slack mr-2"></i><code>gdedicated-team</code><br>
<i class="fas fa-shield-halved mr-2"></i>
<span style="background-color: 0284c7; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">USER SSO</span>
<span style="background-color: 16a34a; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">USER APP ROLE</span>
<span style="background-color: b91c1c; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN SSO</span>
<span style="background-color: 71717a; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN APP ROLE</span>
</td>
</tr>
<!-- Google Workspace Apps -->
<tr>
<td>
<a href="/handbook/security/corporate/systems/google/apps">Google Apps (Workspace)</a></td>
<td>
<i class="fas fa-window-restore mr-2"></i><a href="https://gitlab.com/gitlab-com/team-member-
epics/access-requests/-/issues/new?issuabletemplate=googleappcreate">Authorize/Create
App</a><br>
<i class="fas fa-gear mr-2"></i><a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-
tracker/-/issues/new?issuabletemplate=googleappdefault">Engineering Issue</a>
</td>
<td>
<a href="https://gitlab.com/gitlab-com/team-member-epics/access-
requests/-/issues/?labelname%5B%5D=corpsys-google-app">ARs</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-
tracker/-/issues/?labelname%5B%5D=corpsys-google-app">Issues</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/groups/gitlab-com/gl-

```

```

security/corp/-/epics?labelname[]=corpsys-google-app">Epics</a>
<br>
<i class="fas fa-book mr-2"></i><a
href="https://handbook.gitlab.systems/google/apps">Administration Runbooks</a><br>
<i class="fas fa-tag mr-2"></i><code>corpsys-google-app</code><br>
<i class="fa-brands fa-gitlab mr-2"></i><a href="https://gitlab.com/groups/gitlab-
com/corpsys/google-app">@gitlab-com/corpsys/google-app</a><br>
<i class="fa-brands fa-slack mr-2"></i><code>@corpsysadmins-google-app</code><br>
<i class="fa-brands fa-slack mr-2"></i><code>ithelp</code><br>
<i class="fas fa-shield-halved mr-2"></i>
<span style="background-color: b91c1c; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN SSO</span>
<span style="background-color: b91c1c; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN SSO ROLE</span>
</td>
</tr>
<!-- Google Workspace Calendar -->
<tr>
<td>
<a href="/handbook/security/corporate/systems/google/calendar">Google Calendar</a></td>
<td>
<i class="fas fa-gear mr-2"></i><a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-
tracker/-/issues/new?issuabletemplate=googlecalendardefault">Engineering Issue</a><br>
<i class="fas fa-book mr-2"></i><a
href="/handbook/security/corporate/systems/google/calendar/delegation">Delegation Guide</a><br>
</td>
<td>
<a href="https://gitlab.com/gitlab-com/team-member-epics/access-
requests/-/issues/?labelname%5B%5D=corpsys-google-cal">ARs</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-
tracker/-/issues/?labelname%5B%5D=corpsys-google-cal">Issues</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/groups/gitlab-com/gl-
security/corp/-/epics?labelname[]=corpsys-google-cal">Epics</a>
<br>
<i class="fas fa-book mr-2"></i><a
href="https://handbook.gitlab.systems/google/calendar">Administration Runbooks</a><br>
<i class="fas fa-tag mr-2"></i><code>corpsys-google-cal</code><br>
<i class="fa-brands fa-gitlab mr-2"></i><a href="https://gitlab.com/groups/gitlab-
com/corpsys/google-cal">@gitlab-com/corpsys/google-cal</a><br>
<i class="fa-brands fa-slack mr-2"></i><code>@corpsysadmins-google-cal</code><br>
<i class="fa-brands fa-slack mr-2"></i><code>ithelp</code><br>
<i class="fas fa-shield-halved mr-2"></i>
<span style="background-color: 0284c7; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">USER SSO</span>
<span style="background-color: b91c1c; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN SSO</span>
<span style="background-color: 71717a; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN APP ROLE</span>
</td>
</tr>

```

```

<!-- Google Workspace Drive -->
<tr>
<td>
<a href="/handbook/security/corporate/systems/google/drive">Google Drive (Docs, Sheets,
Slides)</a></td>
<td>
<i class="fas fa-user-plus mr-2"></i><a href="https://gitlab.com/gitlab-com/team-member-
epics/access-requests/-/issues/new?issuabletemplate=googledrivemanage">Create or Update
Drive</a><br>
<i class="fas fa-user-plus mr-2"></i><a href="https://gitlab.com/gitlab-com/team-member-
epics/access-requests/-/issues/new?issuabletemplate=googledriveusers">Add or Remove
Users</a><br>
<i class="fas fa-gear mr-2"></i><a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-
tracker/-/issues/new?issuabletemplate=googledrivedefault">Engineering Issue</a>
</td>
<td>
<a href="https://gitlab.com/gitlab-com/team-member-epics/access-
requests/-/issues/?labelname%5B%5D=corpsys-google-drive">ARs</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-
tracker/-/issues/?labelname%5B%5D=corpsys-google-drive">Issues</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/groups/gitlab-com/gl-
security/corp/-/epics?labelname[]=corpsys-google-drive">Epics</a>
<br>
<i class="fas fa-book mr-2"></i><a
href="https://handbook.gitlab.systems/google/drive">Administration Runbooks</a><br>
<i class="fas fa-tag mr-2"></i><code>corpsys-google-drive</code><br>
<i class="fa-brands fa-gitlab mr-2"></i><a href="https://gitlab.com/groups/gitlab-
com/corpsys/google-drive">@gitlab-com/corpsys/google-drive</a><br>
<i class="fa-brands fa-slack mr-2"></i><code>@corpsysadmins-google-drive</code><br>
<i class="fa-brands fa-slack mr-2"></i><code>ithelp</code><br>
<i class="fas fa-shield-halved mr-2"></i>
<span style="background-color: 0284c7; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">USER SSO</span>
<span style="background-color: 16a34a; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">USER APP GROUP</span>
<span style="background-color: b91c1c; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN SSO</span>
<span style="background-color: 71717a; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN APP ROLE</span>
</td>
</tr>
<!-- Google Workspace Groups -->
<tr>
<td>
<a href="/handbook/security/corporate/systems/google/groups">Google Workspace Groups (Mailing
Lists)</a></td>
<td>
<i class="fas fa-user-plus mr-2"></i><a href="https://gitlab.com/gitlab-com/team-member-
epics/access-requests/-/issues/new?issuabletemplate=googlegroupmanage">Create or Update
Group</a><br>

```

```

<i class="fas fa-user-plus mr-2"></i><a href="https://gitlab.com/gitlab-com/team-member-epics/access-requests/-/issues/new?issuabletemplate=googlegroupusers">Add or Remove Users</a><br>
</td>
<td>
<a href="https://gitlab.com/gitlab-com/team-member-epics/access-requests/-/issues/?labelname%5B%5D=corpsys-google-group">ARs</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-tracker/-/issues/?labelname%5B%5D=corpsys-google-group">Issues</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/groups/gitlab-com/gl-security/corp/-/epics?labelname[]=corpsys-google-group">Epics</a>
<br>
<i class="fas fa-book mr-2"></i><a href="https://handbook.gitlab.systems/google/groups">Administration Runbooks</a><br>
<i class="fas fa-tag mr-2"></i><code>corpsys-google-group</code><br>
<i class="fa-brands fa-gitlab mr-2"></i><a href="https://gitlab.com/groups/gitlab-com/corpsys/google-group">@gitlab-com/corpsys/google-group</a><br>
<i class="fa-brands fa-slack mr-2"></i><code>@corpsysadmins-google-group</code><br>
<i class="fa-brands fa-slack mr-2"></i><code>ithelp</code><br>
<i class="fas fa-shield-halved mr-2"></i>
<span style="background-color: 0284c7; color: ffffff; font-weight: normal; padding: 2px 4px; border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">USER SSO</span>
<span style="background-color: 16a34a; color: ffffff; font-weight: normal; padding: 2px 4px; border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">USER APP GROUP</span>
<span style="background-color: b91c1c; color: ffffff; font-weight: normal; padding: 2px 4px; border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN SSO</span>
<span style="background-color: 71717a; color: ffffff; font-weight: normal; padding: 2px 4px; border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN APP ROLE</span>
</td>
</tr>
<!-- Google Workspace Org -->
<tr>
<td>
<a href="/handbook/security/corporate/systems/google/org">Google Workspace Org Config</a></td>
<td>
<i class="fas fa-gear mr-2"></i><a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-tracker/-/issues/new?issuabletemplate=googleorgchange">Change Management Issue</a><br>
<i class="fas fa-gear mr-2"></i><a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-tracker/-/issues/new?issuabletemplate=googleorgdefault">Engineering Issue</a><br>
<i class="fas fa-user-plus mr-2"></i><a href="https://gitlab.com/gitlab-com/team-member-epics/access-requests/-/issues/new?issuabletemplate=googleorgsvc">Service Account Request</a><br>
<i class="fas fa-user-plus mr-2"></i><a href="https://gitlab.com/gitlab-com/team-member-epics/access-requests/-/issues/new?issuabletemplate=googleorgsysadmin">Sysadmin Access Request</a><br>
</td>
<td>
<a href="https://gitlab.com/gitlab-com/team-member-epics/access-requests/-/issues/?labelname%5B%5D=corpsys-google-org">ARs</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-

```

[tracker/-/issues/?labelname%5B%5D=corpsys-google-org">Issues](#)
[Epics](#)

 <i class="fas fa-book mr-2"></i>Administration Runbooks

 <i class="fas fa-tag mr-2"></i><code>corpsys-google-org</code>

 <i class="fa-brands fa-gitlab mr-2"></i>@gitlab-com/corpsys/google-org

 <i class="fa-brands fa-slack mr-2"></i><code>@corpsysadmins-google-org</code>

 <i class="fa-brands fa-slack mr-2"></i><code>ithelp</code>

 <i class="fas fa-shield-halved mr-2"></i>
 ADMIN SSO
 ADMIN APP ROLE
 </td>
 </tr>
 <!-- Jamf -->
 <tr>
 <td>
 Jamf MDM
<code>gitlab.jamfcloud.com</code>
 </td>
 <td>
 <i class="fas fa-laptop-medical mr-2"></i>Laptop Setup Instructions

 <i class="fas fa-gear mr-2"></i>Engineering Issue
 </td>
 <td>
 ARs
 Issues
 Epics

 <i class="fas fa-book mr-2"></i>Administration Runbooks

 <i class="fas fa-tag mr-2"></i><code>corpsys-jamf</code>

 <i class="fa-brands fa-gitlab mr-2"></i>@gitlab-com/corpsys/jamf

 <i class="fa-brands fa-slack mr-2"></i><code>@corpsysadmins-jamf</code>

 <i class="fa-brands fa-slack mr-2"></i><code>ithelp</code>

 <i class="fas fa-shield-halved mr-2"></i>
 ADMIN SSO
 ADMIN APP ROLE

```

</td>
</tr>
<!-- Linux -->
<tr>
<td>
<a href="/handbook/security/corporate/systems/linux">Linux (OS)</a>
</td>
<td>
<i class="fas fa-laptop-medical mr-2"></i><a
href="/handbook/security/corporate/systems/linux/setup">Laptop Setup Instructions</a><br>
<i class="fas fa-gear mr-2"></i><a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-
tracker/-/issues/new?issuabletemplate=linuxdefault">Engineering Issue</a>
</td>
<td>
<a href="https://gitlab.com/gitlab-com/team-member-epics/access-
requests/-/issues/?labelname%5B%5D=corpsys-linux">ARs</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-
tracker/-/issues/?labelname%5B%5D=corpsys-linux">Issues</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/groups/gitlab-com/gl-
security/corp/-/epics?labelname[]=corpsys-linux">Epics</a>
<br>
<i class="fas fa-book mr-2"></i><a href="https://handbook.gitlab.systems/linux">Administration
Runbooks</a><br>
<i class="fas fa-tag mr-2"></i><code>corpsys-linux</code><br>
<i class="fa-brands fa-gitlab mr-2"></i><a href="https://gitlab.com/groups/gitlab-
com/corpsys/linux">@gitlab-com/corpsys/linux</a><br>
<i class="fa-brands fa-slack mr-2"></i><code>@corpsysadmins-linux</code><br>
<i class="fa-brands fa-slack mr-2"></i><code>ithelp</code><br>
</td>
</tr>
<!-- Linux -->
<tr>
<td>
<a href="/handbook/security/corporate/systems/macos">macOS (OS)</a>
</td>
<td>
<i class="fas fa-gear mr-2"></i><a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-
tracker/-/issues/new?issuabletemplate=macosdefault">Engineering Issue</a><br>
<i class="fas fa-book mr-2"></i><a
href="/handbook/security/corporate/services/laptops/onboarding">Onboarding Hardware Ordering
Guide</a><br>
<i class="fas fa-book mr-2"></i><a
href="/handbook/security/corporate/services/laptops/refresh">Refresh/Replace Guide</a><br>
<i class="fas fa-book mr-2"></i><a href="handbook/security/corporate/services/laptops">Repair
Guide</a><br>
<i class="fas fa-book mr-2"></i><a
href="/handbook/security/corporate/services/laptops/wipe">Wipe (Factory Reset) Guide</a><br>
<br>
<i class="fas fa-book mr-2"></i><a
href="/handbook/security/corporate/systems/macos/setup">Apple macOS Setup Guide</a><br>

```

[Onboarding Software Setup Guide](/handbook/security/corporate/support/onboarding)
[Security Configuration Standards](/handbook/security/corporate/services/laptops/security)

- [Apple ID for Work](/handbook/security/corporate/services/laptops/security/appleid)
- [Backups](/handbook/security/corporate/services/laptops/security/backups)
- [Disk Encryption](/handbook/security/corporate/services/laptops/security/encryption)
- [Firewall](/handbook/security/corporate/services/laptops/security/firewall)
- [Hostnames and Usernames](/handbook/security/corporate/services/laptops/security/names)
- [iCloud Drive](/handbook/security/corporate/services/laptops/security/icloud)
- [Locking When Unattended](/handbook/security/corporate/services/laptops/security/unattended)
- [Password Management](/handbook/security/corporate/services/laptops/security/passwords)
- [Personal Use](/handbook/security/corporate/services/laptops/security/personal)
- [Remote Management \(MDM and EDR\)](/handbook/security/corporate/services/laptops/security/management)
- [Software Updates](/handbook/security/corporate/services/laptops/security/updates)
- [Touch ID \(Biometric Passwords and 2FA\)](/handbook/security/corporate/services/laptops/security/touchid)
- [Web Browsers](/handbook/security/corporate/services/laptops/security/browsers)
- [Wireless Networks and VPN](/handbook/security/corporate/services/laptops/security/networks)

[Issues](https://gitlab.com/gitlab-com/gl-security/corp/issue-tracker/-/issues/?labelname%5B%5D=corpsys-macos)
[Epics](https://gitlab.com/groups/gitlab-com/gl-security/corp/-/epics?labelname[]=corpsys-macos)

```

<i class="fas fa-book mr-2"></i><a href="https://handbook.gitlab.systems/macros">Administration
Runbooks</a><br>
<i class="fas fa-tag mr-2"></i><code>corpsys-macos</code><br>
<i class="fa-brands fa-gitlab mr-2"></i><a href="https://gitlab.com/groups/gitlab-
com/corpsys/macros">@gitlab-com/corpsys/macros</a><br>
<i class="fa-brands fa-slack mr-2"></i><code>@corpsysadmins-macos</code><br>
<i class="fa-brands fa-slack mr-2"></i><code>ithelp</code><br>
</td>
</tr>
<!-- Nira -->
<tr>
<td>
<a href="/handbook/security/corporate/systems/nira">Nira (Google Drive)</a></td>
<td>
<i class="fas fa-user-plus mr-2"></i><a href="https://gitlab.com/gitlab-com/team-member-
epics/access-requests/-/issues/new?issuabletemplate=niradefault">Open an Access Request</a><br>
<i class="fas fa-gear mr-2"></i><a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-
tracker/-/issues/new?issuabletemplate=niradefault">Engineering Issue</a>
</td>
<td>
<a href="https://gitlab.com/gitlab-com/team-member-epics/access-
requests/-/issues/?labelname%5B%5D=corpsys-nira">ARs</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-
tracker/-/issues/?labelname%5B%5D=corpsys-nira">Issues</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/groups/gitlab-com/gl-
security/corp/-/epics?labelname[]=corpsys-nira">Epics</a>
<br>
<i class="fas fa-book mr-2"></i><a href="https://handbook.gitlab.systems/nira">Administration
Runbooks</a><br>
<i class="fas fa-tag mr-2"></i><code>corpsys-nira</code><br>
<i class="fa-brands fa-gitlab mr-2"></i><a href="https://gitlab.com/groups/gitlab-
com/corpsys/nira">@gitlab-com/corpsys/nira</a><br>
<i class="fa-brands fa-slack mr-2"></i><code>@corpsysadmins-nira</code><br>
<i class="fa-brands fa-slack mr-2"></i><code>ithelp</code><br>
<i class="fas fa-shield-halved mr-2"></i>
<span style="background-color: 0284c7; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">USER SSO</span>
<span style="background-color: b91c1c; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN SSO</span>
<span style="background-color: 71717a; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN APP ROLE</span>
</td>
</tr>
<!-- NordLayer -->
<tr>
<td>
<a href="/handbook/security/corporate/systems/vpn">NordLayer VPN</a>
</td>
<td>
<i class="fas fa-user-plus mr-2"></i><a href="https://gitlab.com/gitlab-com/team-member-

```


epics/access-requests/-/issues/new?issuabletemplate=vpndefault">Open an Access Request

<i class="fas fa-gear mr-2"></i>Engineering Issue
</td>
<td>
ARs
 Issues
 Epics

<i class="fas fa-book mr-2"></i>Administration Runbooks

<i class="fas fa-tag mr-2"></i><code>corpsys-vpn</code>

<i class="fa-brands fa-gitlab mr-2"></i>@gitlab-com/corpsys/vpn

<i class="fa-brands fa-slack mr-2"></i><code>@corpsysadmins-vpn</code>

<i class="fa-brands fa-slack mr-2"></i><code>ithelp</code>

<i class="fas fa-shield-halved mr-2"></i>
USER SSO
ADMIN SSO
</td>
</tr>
<!-- Okta Apps -->
<tr>
<td>
Okta Applications

<code>gitlab.okta.com</code>

</td>
<td>
<i class="fas fa-book mr-2"></i>New Application (Vendor) Setup

<i class="fas fa-book mr-2"></i>Access Request Guide

<i class="fas fa-user-plus mr-2"></i>Open an Access Request

<i class="fas fa-gear mr-2"></i>Engineering Issue

<i class="fas fa-gear mr-2"></i>New Application Request

<i class="fas fa-gear mr-2"></i>Update Application Request

<i class="fas fa-gear mr-2"></i>Deprecate Application Request

</td>
<td>

```

<a href="https://gitlab.com/gitlab-com/team-member-epics/access-requests/-/issues/?labelname%5B%5D=corpsys-okta-app">ARs</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-tracker/-/issues/?labelname%5B%5D=corpsys-okta-app">Issues</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/groups/gitlab-com/gl-security/corp/-/epics?labelname[]=corpsys-okta-app">Epics</a>
<br>
<i class="fas fa-book mr-2"></i><a href="https://handbook.gitlab.com/systems/okta/app">Administration Runbooks</a><br>
<i class="fas fa-tag mr-2"></i><code>corpsys-okta-app</code><br>
<i class="fa-brands fa-gitlab mr-2"></i><a href="https://gitlab.com/groups/gitlab-com/gl-security/corp/svc/ar">@gitlab-com/gl-security/corp/svc/ar</a><br>
<i class="fa-brands fa-gitlab mr-2"></i><a href="https://gitlab.com/groups/gitlab-com/corpsys/okta-apps">@gitlab-com/corpsys/okta-apps</a><br>
<i class="fa-brands fa-slack mr-2"></i><code>@corpsysadmins-okta-apps</code><br>
<i class="fa-brands fa-slack mr-2"></i><code>ithelp</code><br>
<i class="fa-brands fa-slack mr-2"></i><code>security-corpsec-identity</code><br>
<i class="fas fa-shield-halved mr-2"></i>
<span style="background-color: 0284c7; color: ffffff; font-weight: normal; padding: 2px 4px; border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">USER SSO</span>
<span style="background-color: 16a34a; color: ffffff; font-weight: normal; padding: 2px 4px; border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">USER SSO GROUP</span>
<span style="background-color: b91c1c; color: ffffff; font-weight: normal; padding: 2px 4px; border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN SSO</span>
<span style="background-color: 71717a; color: ffffff; font-weight: normal; padding: 2px 4px; border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN APP ROLE</span>
</td>
</tr>
<!-- Okta Groups -->
<tr>
<td>
<a href="/handbook/security/corporate/systems/okta/group">Okta Groups (for App Assignment)</a><br>
<code>gitlab.okta.com</code><br>
</td>
<td>
<i class="fas fa-book mr-2"></i><a href="/handbook/security/corporate/systems/okta/ar">Access Request Guide</a><br>
<i class="fas fa-user-plus mr-2"></i><a href="https://gitlab.com/gitlab-com/team-member-epics/access-requests/-/issues/new?issuabletemplate=oktagroup">Open an Access Request</a><br>
<i class="fas fa-gear mr-2"></i><a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-tracker/-/issues/new?issuabletemplate=oktagroupdefault">Engineering Issue</a>
</td>
</tr>
<a href="https://gitlab.com/gitlab-com/team-member-epics/access-requests/-/issues/?labelname%5B%5D=corpsys-okta-group">ARs</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-tracker/-/issues/?labelname%5B%5D=corpsys-okta-group">Issues</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/groups/gitlab-com/gl-security/corp/-/epics?labelname[]=corpsys-okta-group">Epics</a>

```

```

<br>
<i class="fas fa-book mr-2"></i><a
href="https://handbook.gitlab.systems/okta/group">Administration Runbooks</a><br>
<i class="fas fa-tag mr-2"></i><code>corpsys-okta-group</code><br>
<a href="https://gitlab.com/groups/gitlab-com/gl-security/corp/svc/ar">@gitlab-com/gl-
security/corp/svc/ar</a><br>
<a href="https://gitlab.com/groups/gitlab-com/corpsys/okta-groups">@gitlab-com/corpsys/okta-
groups</a><br>
<i class="fa-brands fa-slack mr-2"></i><code>@corpsysadmins-okta-groups</code><br>
<i class="fa-brands fa-slack mr-2"></i><code>ithelp</code><br>
<i class="fas fa-shield-halved mr-2"></i>
<span style="background-color: 16a34a; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">USER SSO GROUP</span>
<span style="background-color: b91c1c; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN SSO</span>
<span style="background-color: 71717a; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN APP ROLE</span>
</td>
</tr>
<!-- Okta Org -->
<tr>
<td>
<a href="/handbook/security/corporate/systems/okta/org">Okta Org Configuration and
Policies</a><br>
<code>gitlab.okta.com</code><br>
</td>
<td>
<i class="fas fa-gear mr-2"></i><a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-
tracker/-/issues/new?issuabletemplate=oktaorgchange">Change Management Issue</a><br>
<i class="fas fa-gear mr-2"></i><a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-
tracker/-/issues/new?issuabletemplate=oktaorgdefault">Engineering Issue</a><br>
<i class="fas fa-user-plus mr-2"></i><a href="https://gitlab.com/gitlab-com/team-member-
epics/access-requests/-/issues/new?issuabletemplate=oktaorgsvc">Service Account Request</a><br>
<i class="fas fa-user-plus mr-2"></i><a href="https://gitlab.com/gitlab-com/team-member-
epics/access-requests/-/issues/new?issuabletemplate=oktaorgsysadmin">Sysadmin Access
Request</a><br>
</td>
<td>
<a href="https://gitlab.com/gitlab-com/team-member-epics/access-
requests/-/issues/?labelname%5B%5D=corpsys-okta-org">ARs</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-
tracker/-/issues/?labelname%5B%5D=corpsys-okta-org">Issues</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/groups/gitlab-com/gl-
security/corp/-/epics?labelname[]=corpsys-okta-org">Epics</a>
<br>
<i class="fas fa-book mr-2"></i><a
href="https://handbook.gitlab.systems/okta/org">Administration Runbooks</a><br>
<i class="fas fa-tag mr-2"></i><code>corpsys-okta-org</code><br>
<i class="fa-brands fa-gitlab mr-2"></i><a href="https://gitlab.com/groups/gitlab-
com/corpsys/okta-org">@gitlab-com/corpsys/okta-org</a><br>

```

```

<i class="fa-brands fa-slack mr-2"></i><code>@corpsysadmins-okta-org</code><br>
<i class="fa-brands fa-slack mr-2"></i><code>security-corpsec-identity</code><br>
<i class="fas fa-shield-halved mr-2"></i>
<span style="background-color: 0284c7; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">USER SSO</span>
<span style="background-color: 16a34a; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">USER SSO GROUP</span>
<span style="background-color: b91c1c; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN SSO</span>
<span style="background-color: 71717a; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN APP ROLE</span>
</td>
</tr>
<!-- Okta Users -->
<tr>
<td>
<a href="/handbook/security/corporate/systems/okta/user">Okta SSO and Users</a><br>
<code>gitlab.okta.com</code><br>
</td>
<td>
<i class="fas fa-user-lock mr-2"></i><a style="color: red;"
href="/handbook/security/corporate/systems/okta/user/lockout">2FA and Password Lockout
Guide</a><br>
<i class="fas fa-book mr-2"></i><a href="/handbook/security/corporate/systems/okta/ar">Access
Request Guide</a><br>
<i class="fas fa-user-plus mr-2"></i><a href="https://gitlab.com/gitlab-com/team-member-
epics/access-requests/-/issues/new?issuabletemplate=oktauserdefault">Open an Access
Request</a><br>
<br>
<i class="fas fa-book mr-2"></i><a
href="/handbook/security/corporate/systems/okta/user/android">Android Setup Guide</a><br>
<i class="fas fa-book mr-2"></i><a
href="/handbook/security/corporate/systems/okta/user/ios">iOS (iPhone/iPad) Setup Guide</a><br>
<i class="fas fa-book mr-2"></i><a
href="/handbook/security/corporate/systems/okta/user/linux">Linux Setup Guide</a><br>
<i class="fas fa-book mr-2"></i><a
href="/handbook/security/corporate/systems/okta/user/macOS">macOS Setup Guide</a><br>
<i class="fas fa-book mr-2"></i><a
href="/handbook/security/corporate/systems/okta/user/passkey">Passkey 2FA Setup Guide</a><br>
<i class="fas fa-book mr-2"></i><a
href="/handbook/security/corporate/systems/okta/user/touchid">Touch ID 2FA Setup Guide</a><br>
<i class="fas fa-book mr-2"></i><a
href="/handbook/security/corporate/systems/okta/user/yubikey">YubiKey 2FA Setup Guide</a><br>
<br>
<i class="fas fa-book mr-2"></i><a
href="/handbook/security/corporate/systems/okta/user/provisioning">Provisioning
Architecture</a><br>
<i class="fas fa-book mr-2"></i><a
href="/handbook/security/corporate/systems/okta/user/faq">Frequently Asked Questions
(FAQ)</a><br>

```

```

<br>
<i class="fas fa-gear mr-2"></i><a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-tracker/-/issues/new?issuabletemplate=oktauserdefault">Engineering Issue</a>
</td>
<td>
<a href="https://gitlab.com/gitlab-com/team-member-epics/access-requests/-/issues/?labelname%5B%5D=corpsys-okta-user">ARs</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-tracker/-/issues/?labelname%5B%5D=corpsys-okta-user">Issues</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/groups/gitlab-com/gl-security/corp/-/epics?labelname[]=corpsys-okta-user">Epics</a>
<br>
<i class="fas fa-book mr-2"></i><a href="https://handbook.gitlab.systems/okta/user">Administration Runbooks</a><br>
<i class="fas fa-tag mr-2"></i><code>corpsys-okta-user</code><br>
<i class="fa-brands fa-gitlab mr-2"></i><a href="https://gitlab.com/groups/gitlab-com/corpsys/okta-users">@gitlab-com/corpsys/okta-users</a><br>
<i class="fa-brands fa-slack mr-2"></i><code>@corpsysadmins-okta-users</code><br>
<i class="fa-brands fa-slack mr-2"></i><code>ithelp</code><br>
<i class="fas fa-shield-halved mr-2"></i>
<span style="background-color: 0284c7; color: ffffff; font-weight: normal; padding: 2px 4px; border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">USER SSO</span>
<span style="background-color: b91c1c; color: ffffff; font-weight: normal; padding: 2px 4px; border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN SSO</span>
<span style="background-color: 71717a; color: ffffff; font-weight: normal; padding: 2px 4px; border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN APP ROLE</span>
</td>
</tr>
<!-- Okta Workflows -->
<tr>
<td>
<a href="/handbook/security/corporate/systems/okta/workflows">Okta Workflows</a><br>
<code>gitlab.okta.com</code><br>
</td>
<td>
<i class="fas fa-gear mr-2"></i><a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-tracker/-/issues/new?issuabletemplate=oktaworkflowdefault">Engineering Issue</a>
</td>
<td>
<a href="https://gitlab.com/gitlab-com/team-member-epics/access-requests/-/issues/?labelname%5B%5D=corpsys-okta-flow">ARs</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-tracker/-/issues/?labelname%5B%5D=corpsys-okta-flow">Issues</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/groups/gitlab-com/gl-security/corp/-/epics?labelname[]=corpsys-okta-flow">Epics</a>
<br>
<i class="fas fa-book mr-2"></i><a href="https://handbook.gitlab.systems/okta/workflows">Administration Runbooks</a><br>
<i class="fas fa-tag mr-2"></i><code>corpsys-okta-flow</code><br>
<i class="fa-brands fa-gitlab mr-2"></i><a href="https://gitlab.com/groups/gitlab-

```

```

com/corpsys/okta-flows">@gitlab-com/corpsys/okta-flows</a><br>
<i class="fa-brands fa-slack mr-2"></i><code>@corpsysadmins-okta-flows</code><br>
<i class="fa-brands fa-slack mr-2"></i><code>security-corpsec-identity</code><br>
<i class="fas fa-shield-halved mr-2"></i>
<span style="background-color: b91c1c; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN SSO</span>
<span style="background-color: 71717a; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN APP ROLE</span>
</td>
</tr>
<!-- Sandbox Cloud -->
<tr>
<td>
<a href="/handbook/security/corporate/systems/hackystack">Sandbox Cloud (HackyStack)</a><br>
<code>gitlabsandbox.cloud</code><br>
</td>
<td>
<i class="fas fa-book mr-2"></i><a href="/handbook/security/corporate/systems/sandbox-
cloud/guides">Self Service Guide</a><br>
<i class="fas fa-gear mr-2"></i><a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-
tracker/-/issues/new?issuabletemplate=sandboxclouddefault">Engineering Issue</a>
</td>
<td>
<a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-
tracker/-/issues/?labelname%5B%5D=corpsys-sandbox-cloud">Issues</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/groups/gitlab-com/gl-
security/corp/-/epics?labelname[]=corpsys-sandbox-cloud">Epics</a>
<br>
<i class="fas fa-book mr-2"></i><a
href="https://handbook.gitlab.systems/hackystack">Administration Runbooks</a><br>
<i class="fas fa-tag mr-2"></i><code>corpsys-sandbox-cloud</code><br>
<i class="fa-brands fa-gitlab mr-2"></i><a href="https://gitlab.com/groups/gitlab-
com/corpsys/sandbox-cloud">@gitlab-com/corpsys/sandbox-cloud</a><br>
<i class="fa-brands fa-slack mr-2"></i><code>@corpsysadmins-sandbox-cloud</code><br>
<i class="fa-brands fa-slack mr-2"></i><code>sandbox-cloud-questions</code><br>
<i class="fas fa-shield-halved mr-2"></i>
<span style="background-color: 0284c7; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">USER SSO</span>
<span style="background-color: 6d28d9; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">ADMIN SSH</span>
</td>
</tr>
<!-- SentinelOne EDR -->
<tr>
<td>
<a href="/handbook/security/corporate/systems/sentinelone">SentinelOne</a><br>
</td>
<td>
<i class="fas fa-user-plus mr-2"></i><a href="https://gitlab.com/gitlab-com/team-member-
epics/access-requests/-/issues/new?issuabletemplate=sentinelonesysadmin">Sysadmin Access

```

Request

[Engineering Issue](https://gitlab.com/gitlab-com/gl-security/corp/issue-tracker/-/issues/new?issuabletemplate=sentinelonedefault)

ARs

Issues

Epics

Administration Runbooks

`corpsys-sentinelone`

@gitlab-com/corpsys/sentinelone

@corpsysadmins-sentinelone

ithelp

ADMIN SSO

ADMIN APP ROLE

Slack

`gitlab.enterprise.slack.com`

Open an Access Request

[Engineering Issue](https://gitlab.com/gitlab-com/gl-security/corp/issue-tracker/-/issues/new?issuabletemplate=slackdefault)

ARs

Issues

Epics

Administration Runbooks

`corpsys-slack`

```

<i class="fa-brands fa-gitlab mr-2"></i><a href="https://gitlab.com/groups/gitlab-
com/corpsys/slack">@gitlab-com/corpsys/slack</a><br>
<i class="fa-brands fa-slack mr-2"></i><code>@corpsysadmins-slack</code><br>
<i class="fa-brands fa-slack mr-2"></i><code>ithelp</code><br>
<i class="fas fa-shield-halved mr-2"></i>
<span style="background-color: 0284c7; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">USER SSO</span>
<span style="background-color: 71717a; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">USER APP ADMIN ROLE</span>
</td>
</tr>
<!-- Teleport -->
<tr>
<td>
<a href="/handbook/security/corporate/systems/teleport">Teleport</a><br>
</td>
<td>
<i class="fas fa-user-plus mr-2"></i><a href="https://gitlab.com/gitlab-com/team-member-
epics/access-requests/-/issues/new?issuabletemplate=IndividualBulkAccessRequest">Open an Access
Request</a><br>
<i class="fas fa-gear mr-2"></i><a href="https://gitlab.com/gitlab-com/gl-infra/production-
engineering/-/issues/new?issuabletemplate=teleport-troubleshooting">Troubleshooting Issue</a>
</td>
<td>
<a href="https://gitlab.com/gitlab-com/team-member-epics/access-
requests/-/issues/?labelname%5B%5D=corpsys-teleport">ARs</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/gitlab-com/gl-security/corp/issue-
tracker/-/issues/?labelname%5B%5D=corpsys-teleport">Issues</a>
&nbsp;&nbsp;&nbsp;<a href="https://gitlab.com/groups/gitlab-com/gl-
security/corp/-/epics?labelname[]=corpsys-teleport">Epics</a>
<br>
<i class="fas fa-book mr-2"></i><a href="https://gitlab.com/gitlab-
com/runbooks/-/blob/master/docs/teleport/teleportadmin.md">Administration Runbooks</a><br>
<i class="fas fa-tag mr-2"></i><code>corpsys-teleport</code><br>
<i class="fa-brands fa-gitlab mr-2"></i><a href="https://gitlab.com/groups/gitlab-
com/corpsys/teleport">@gitlab-com/corpsys/teleport</a><br>
<i class="fa-brands fa-slack mr-2"></i><code>@corpsysadmins-teleport</code><br>
<i class="fa-brands fa-slack mr-2"></i><code>security-corpsec</code><br>
<i class="fas fa-shield-halved mr-2"></i>
<span style="background-color: 0284c7; color: ffffff; font-weight: normal; padding: 2px 4px;
border-radius: 0.25rem; letter-spacing: 0.05em; font-size: 10px;">USER SSO</span>
<span style="background-color: b91c1c; color: ffffff; font-weight: normal; padding: 2px 4px

```