

customer communications stemming from the security incident. Contact the on-call manager via supportleadership in Slack. If it's urgent page the Support Manager On-call using /pd-support-manager command in Slack. To ensure this group has early awareness on security incidents and events they are autotagged as an FYI in the security-external-incident-or-event-response template.

- Developer Relations: May need to respond to customers and the general public via social channels, as such should be engaged before public-facing materials are released. Any prepared responses or FAQs should be provided to assist with their interactions. Contact this group in developer-relations or any Slack channel by pinging @devrel. To ensure this group has early awareness on security incidents and events they are autotagged as an FYI in the security-external-incident-or-event-response template.

- Designated Approvers: This is the group of individuals who act as reviewers and approvers across each piece of communications developed for a security incident. It includes representatives from Security, Support, Customer Success, Legal, Corporate Communications and Investor Relations.

Communicating internally

Security incidents can be high-pressure, high-stress situations. Everyone is anxious to understand the details around the investigation, scope, mitigation and more. Ensuring that stakeholders across security, infrastructure, engineering and operations teams are informed and engaged is one of the chief responsibilities of the Security Incident Manager On Call. The Security Incident Manager On Call should focus on providing high-level status updates without delving too deeply into the technical details of the incident, including:

- Current Risk
- Users Impacted (some, many, all?)
- Services Impacted (production, enterprise apps, other)
- Timeline of events
- Mitigation steps that have been taken
- Current status of the incident
- Next steps

Communicating with GitLab team members

Any time there is a service disruption for team members, the CMOC should post details regarding the disruption and related issue(s) in whats-happening-at-gitlab, and cross-post in any related channels. It is important to identify if this is a production incident affecting gitlab.com or a service used by the organization.

Incident response channel on Slack

In the cases of incidents that are on-going and require constant communication the Security Engineer on Call will set up an incident response Slack channel. All security incident team members and extended POCs should be invited. If the nature of the incident allows, the Slack channel will be public to GitLab and a link to this channel will also be shared in security-division Slack channel to increase visibility.

Engaging key internal stakeholders (when/how)

Group & Contacts	When to Engage	DRI to Engage	At what Cadence	In what Channel
VP of Security Operations	For S1 incidents immediately upon determination of the S1 severity rating	SIMOC/CMOC	30 minute intervals (unless otherwise requested)	In incident response Slack channel
CISO	For S1 incidents immediately upon determination of the S1 severity rating	VP of Security Operations	30 minute intervals (unless otherwise requested)	Slack direct message
Broader e-group	Immediately in cases of a data breach or an RCE with evidence of exploitation	CISO	30 minute intervals (unless otherwise requested)	e-group Slack channel
Sr. Director of Corporate Marketing and Director of Corporate Communications	Immediately, if the incident has been publicly reported or if there is a regulatory requirement to make an announcement. In other cases, once the full impact and associated risk has been determined.	SIMOC/CMOC	Continuous	In incident response Slack channel
Legal	If GitLab EE customers are impacted, or if the security incident includes a data breach including but not limited to: Exposure of PII / Personal Data Private Projects Financial Information	CISO	Continuous	Incident response Slack channel
Designated key approvers	As soon as we know we'll need to communicate with customers	CMOC	Continuous	Incident response Slack channel

Communicating externally

External communications should happen as soon as possible after the scope and impact of the security incident is determined, using concise and clear language. The first external communications are directed to affected parties. Examples include: Affected customers and third parties (including JiHu), providers of products, services or organizations involved in the supply chain for system components as related to the incident. Regulatory authorities are contacted based on incident scope, regulatory and legal requirements.

Turnaround on customer messaging

Once it has been determined that external response is needed, the SIRT team should aim to develop, gain approval on a final customer communication and distribute and/or publish within 6 hours for an S1 severity vulnerability.

Process for security incident external communications

1. Once we've determined that we need to make an external statement or communicate with customers in some way, open a new issue using the Security incident external response issue template. This issue will be used by the SIMOC/SecCMOC to track content development, reviews and approvals.
 1. The new security incident external response issue should be assigned to the SecCMOC.
 1. Once all the actions under the "CMOC actions to take upon opening this issue" section are completed and a first draft(s) is/are in place, add Corporate Communications team into the issue for first review and consult on communications forms/channels (more details below).

Communications review, approval and deployment process

1. Once all of the various suggested communications is ready, the SecCMOC should add Corporate Communications team in the related security incident external response issue and security incident slack channel for first round review and edits.

1. In parallel, our Security External Communications team will engage the appropriate marketing teams for support (PR, Marketing Ops, Content teams) and begin creating the related issues for parallel marketing support and message deployment efforts.

1. When Security External Communications has completed their review, the SecCMOC should route the communication doc to the designated key approvers as outlined below for their collaboration and review; being sure to note the time at which all approvals must be achieved (targeted deployment time is 6 hours, and includes 1-2 hours for information gather and communications drafting, and 1 hour of deployment time for blogs to be published and emails to be deployed). At this time, the designated key approvers have 30 minutes to review and make any necessary edits to the doc. Reviews must be provided or a stand-in appointed within this 30 minute time limit.

1. Once all feedback and edits have been synthesized by the SecCMOC, the designated key approvers should be tagged in slack for their final review and approval. This review and approval process should take no more than 30 minutes and approvers should mark their approval in the approval matrix at the top of the working incident response comms google doc.

1. When the communication(s) is/are final, our Security External Communications will work with the appropriate marketing and communications teams to deploy the communications to the appropriate external and internal audiences.

1. Our Security External Communications will ensure all final materials and associated deployment details are noted in the related communications issue and close the issue.

Designated key approvers

Our intent is to provide clear and accurate information to GitLab users as quickly as possible. In the case of an S1 (critical) vulnerability, the targeted turnaround time on approved and deployed communications is 6 hours. Because of this accelerated response window, our security team (SecCMOC or Incident Commander) will announce the targeted cut-off time for approvals at the beginning of the review and approvals process (6 hours from the start of communications drafts) and will move forward, if needed at that time, when at least 2 of the 4 required groups (Security, Legal, Customer Success and Investor Relations) have approved. See below for more information.

| Group | Blog | Customer Email | FAQs for Support Teams | Media Response | Social/Forum Response |

|-----|-----|-----|-----|-----|
--|-----|

| VP of Security Operations | Approver | Approver | Approver | Approver if quote attributed to Security, FYI otherwise | FYI Only |

| Senior Director of Legal, Privacy and Product | Approver | Approver | Approver | Approver | Approver |

| VP Customer Success | Approver | Approver | FYI Only | Approver | FYI Only |

| Support Manager on Call | FYI Only | FYI Only | FYI Only | FYI Only | FYI Only |

| Director of Corp Comms | FYI Only | FYI Only | FYI Only | DRI/Contributor | FYI Only |

| VP of Investor Relations | Approver | Approver | FYI Only | Approver | FYI Only |

{{% alert title="Note" color="primary" %}}

See this doc for contact details

{{% /alert %}}

Designated back-up approvers (engaged if primary reviewer is unavailable or unresponsive)

- For the "required" approvers, we need at least 2 designated back-up approvers.
- Security: If VP of Security Operations is not available, one of the VP of Security may approve, if not available move to VP of Engineering.
- Legal: Senior Director of Legal, Privacy and Product can approve. If not available, then move to Legal Counsel, and then move to CLO.
- Customer Success: VP of Customer Success can approve. If not available, Snr Director, Customer Success Managers, then Director of Customer Success, Public Sector.
- Support Team: Support Manager on call can approve. If not available, move to a member of Support Senior Leadership, then to Support Managers if needed.
- Corporate Comms: Director of Corp Comms can approve. If not available, move to Manager, Public Relations and then move to Manager, Corp Comms if needed.
- Investor Relations: VP of Investor Relations can approve. If not available, move to Chief Financial Officer, and then move to VP Finance and Business Technology for back-up approval.

{{% alert title="Note" color="primary" %}}

See this confidential issue for contact details.

{{% /alert %}}

Agreed upon response time for designated key approvers

Designated key approver response time: 30 minutes

Per our crisis comms firm and GitLab's Corporate Incident Response plans, each approver has 30 minutes to respond and review communications (providing feedback or edits) before we engage back-ups. Once feedback from the approvers has been received, reviewed and consolidated, a final review from approvers will be requested and each approver has 30 minutes response time to provide their approval. If we are nearing the established deploy time for communications and a given teams' review and approval is not achieved within 30 minutes, we will move forward to finalization and deployment once we have approval from at least 2 of the 4 required groups (Security, Legal, Customer Success and Investor Relations). See below for more information.

Contacting designated key approvers on an urgent basis

- See this confidential issue for more information on how to contact designated key approvers.

Engaging designated backUp approvers

If 30 minutes has passed and the SecCMOC has not heard from a specific designated key approver, we move to engage all of that individual's designated back-up approvers in the incident-related slack channel and issue. If we are nearing the established deploy time for communications and a given teams' review and approval is not achieved within 30 minutes, we will move forward to finalization and deployment once we have approval from at least 2 of the 4 required groups (Security, Legal, Customer Success and Investor Relations).

Communications channels and forms

The communications channels and forms that should be used in an incident or event can vary but should align with our need to be responsive to our customers and our transparency value, and be balanced with the potential risk and exposure to customers.

Commonly used forms and channels of communication:

- Our most common form of customer response is via direct email communications to affected customers.
- When a deeper dive response is needed, or to ensure broader coverage on a security incident or event, a blog post may be developed on an urgent basis.
- See deeper dive explanations on forms and channels for consideration
- Communication to JiHu should happen via the security-vulnerability channel within the JiHu Slack workspace. GitLab team members Dominic Couture, James Ritchey, Jerome Ng, Mek Stittri and Kevin Chu have access to this channel.

Helpful templates and runbooks

- · Our Security external incident or event response template (this is an internal template) has links to templates that can be used (make a copy)to start various communications.
- · Security incident communications runbooks are located here (internal only).

Preparing and enabling external facing teams

It is important to keep in mind, any time we are communicating externally, we need to advise our support, customer, social and developer relations teams that we'll be making external communication about an issue that affects customers and/or the community.

For this reason, each incident response (direct email, media statement, blog post, etc) should have accompanying:

- Social media statement
- FAQs for our Support and customer-facing teams

On-going, live incidents on GitLab.com

For on-going, live site incidents on GitLab.com, updates are provided by the SIMOC/CMOC through status.io to <https://status.gitlab.com/> and the @GitLabStatus twitter handle.

External statements and other public, official communications

Depending on scope, impact or risk associated with the incident, our Corporate Communications and Marketing team may determine that additional outreach is necessary. Any official statements about the security incident would be made by GitLab's Director of Corporate Communications, VP of Corporate Marketing, CMO or VP of Security.

Other helpful information

Potential channels for use in a security incident

| Communications Channels | Purpose/Message | Additional Details |

| ----- | ----- | ----- |

| Incident Response Customer Email | Provides incident background, response, potential, impact, follow-up actions, and who to contact with questions. | Drafted by SIMOC/CMOC and reviewed by DRIs from Support, Legal, External Comms and Security. Sent from incident-response@gitlab.com. Should be in plain text with no link tracking. If an accompanying blog post is published, blog should be linked. |

| Mitigation and response blog post | Details the background, GitLab response and any action required by our customers. | Developed when it is determined that a longer, more-in-depth response is needed, Content for the blog post is provided by the SIMOC/CMOC, and reviewed and approved by designated key approvers. The content team performs copyedits and merges. Note: collaboration and work on the response blog post should happen in the related incident response channel on slack. |

| GitLab Security Release Alert/Email | Indicates required action for customers and links to related mitigation and response blog. | Email sent to opt-in security notices distribution list. If a related blog post has been published, this email should include a link. Prepared and sent by Security External Communications or Marketing Ops, Sent to Security Notices distro through Marketo. Users can sign up for this distribution list through our Communication Preference Center. |

| Customer Frequently Asked Questions (FAQs) | List of early customer questions and responses, or probable questions and responses. | Created by SIMOC/CMOC and Support DRI. Provided to appropriate Support group. |

| Social media post | For distribution of related blog post, details our response to X issue. | Security External Communications engages @devrel in the incident response Slack channel. Provides Community Expert(s) with tweet text and blog link. GitLab social media team should also be alerted for ongoing awareness and monitoring, using @social in slack. |

Sync meetings to develop and review customer communications

When appropriate, key stakeholders for contribution, review and approval should meet synchronously in a Zoom session to create and fine-tune customer communications (emails, FAQs, blog post, etc). Meeting synchronously in this case allows us to expedite the development of communications with key inputs from stakeholders in security, customer support and beyond and quickly move into the review stage. These zoom sessions are recorded and will be linked into the related security incident external response issue.

Exceptions

Exceptions to this procedure will be tracked as per the Information Security Policy Exception Management Process.

References

- Security Incident Response Guide
- Security Communications Runbooks (internal)
- Incident Communications Plan
- Marketing Emergency Response process

Sample issue template for security incident communications review and approvals (publicly-accessible)

This sample issue template can be used to route, review and track approvals on the communications surrounding critical security incidents. As this is a sample, you would need to adjust/modify/tailor as necessary to suit your own organization's structure, processes and needs. Given that each organization is different and critical security incidents may vary, GitLab cannot guarantee any results with respect to your use of the template.

SECTION: security/security-operations/sirt/security-shadow-security-operations.md

Security Incident Response Team (SIRT)

GitLab's Security Incident Response Team is the first line of defense for the GitLab SaaS and GitLab as an organization. The primary goal of SIRT is to minimize and control damage from security incidents. This is accomplished through the development and deployment of detection tools to identify when a security incident has occurred, taking action to identify and contain the event to limit its scope and impact, remediating the underlying issue that led to the security event, and recovering from the security event so that operations can return to normal. In addition to responding to incidents, the SIRT works to proactively prevent security incidents through the management and deployment of cyber defense tools, ensuring compliance with security best practices for our infrastructure and team members, and maintenance and training around the incident response process.

Schedule / Topics Covered:

- SIRT101.1: Intro to Incident Response
- SIRT101.2: Log investigation
- SIRT101.3: Detection, triage, remediation
- SIRT101.4: Hands-on SIRT Team Exercise

Course Length:

4 days, 8 hours

Team Managers: Robbie Dickson - @rdickson1, Mitra Jozenazemian - @mjozenazemian, Nicholas Slaughter - @nslaughter

Enrollment

Ready to enroll? [Click here for more information.](#)

SECTION: security/security-operations/sirt/severity-matrix.md

Purpose

The purpose of this document is to establish a standardized framework for classifying security incidents based on their severity and priority. This classification system enables the Security Incident Response Team to respond appropriately to security incidents, allocate resources effectively, and ensure consistent communication about incidents across the organization.

Scope

This document applies to all security incidents affecting GitLab's infrastructure, services, applications, and data. SIRT will use the criteria defined in this document when assigning labels and will refer to the SIRT Escalation Guide for escalation procedures.

Roles & Responsibilities

Role	Responsibilities
GitLab Team Members	Responsible for following the requirements in this procedure
SIRT	Responsible for implementing and executing this procedure
SIRT Management (Code Owners)	Responsible for approving significant changes and exceptions to this procedure

Procedure

Priority

The priority label is used to indicate the importance and guide the response timing of the incident. Priority labels are expected to be set based on the circumstances of the incident, number of impacted users, and affected systems. Priority should be adjusted as the incident is worked and the conditions change.

Urgency	Example	Expected Response	GitLab Label
Immediate	A service which is critical for day-to-day operations is unavailable. The incident's sphere of impact is expanding rapidly, or quick action may make it possible to limit its scope. Time-sensitive work or customer actions are affected. The incident affects high-status individuals or organizations (i.e., upper management or major clients). Unauthenticated RCE vulnerability on production instances.	Immediate response from SEOC is needed. Work should continue in every region (follow-the-sun), with updates per shift in relevant channels.	<code>\~priority::1</code>
High	The fact that an incident is still ongoing influences the urgency score. Furthermore, if credentials were leaked in the process, we need to act sooner than possible. A patched RCE vulnerability on production instances.	The issue can wait until next business day. Work should continue in every assigned region, with daily updates in relevant channels.	<code>\~priority::2</code>
Moderate	Affected services are optional and used infrequently. The effects of the incident appear to be stable. Important or time-sensitive work is not affected. A patched RCE vulnerability on production instances that is being rolled out to the wider public.	No urgent action required, but actively monitored by SIRT. Work should continue in every assigned region. Updates are posted in the incident issue when needed.	<code>\~priority::3</code>
Low	Limited to no affected services. Actions being taken are cleanup or preventative. A previously revoked and investigated access token has been discovered.	No action required, monitored in case the situation changes. Updates are posted in the incident issue when needed.	<code>\~priority::4</code>
Eventually	False positives kept open for review, informational notices.	No action required, handled when/if SIRT has spare cycles. Updates are posted in the incident issue when needed.	<code>\~priority::5</code>

Severity

The severity label is used to indicate the actual or potential impact and helps determine the priority of the incident. Severity should remain the highest level assessed once triage has been done. If it is determined the severity was inaccurately assessed, it should be updated with why the adjustment was made and how we arrived at that conclusion clearly documented in the issue comments.

| Impact | Example | GitLab Label |

| --- | --- | --- |

| Critical | Severe impact to production data confidentiality, integrity or availability is likely if immediate action is not taken. Current controls do not satisfactorily mitigate the risk. Possibility of mass customer impact. Or, reputational risk is severe. | \~severity::1 |

| High | Impact to production data confidentiality, integrity or availability is likely if one or more security controls are circumvented. Current controls mitigate the initial risk. Customer impact or high likelihood of customer impact. Or, reputational risk is high. |

\~severity::2 |

| Moderate | Unlikely to impact production data confidentiality, integrity or availability unless multiple security controls fail or are bypassed. Current controls mitigate the initial risk. No customer impact. Or, reputational risk is moderate. | \~severity::3 |

| Low | No risk to impact production data confidentiality, integrity or availability unless multiple security controls fail or are bypassed. Current controls are adequate. No risk of customer impact. Reputational risk is low or highly unlikely. | \~severity::4 |

Considerations for determining severity

There are a few factors we take into account when determining impact. Every time we are faced with a security incident, we evaluate the scope and exposure of the risk, the confidentiality level, and more. By doing so, we split the issue into multiple, easier to assess, sub-issues. Here are a few examples:

How many of the following areas of the CIA Triad apply?

- Confidentiality
- Integrity
- Availability

Affected Surface - What is the affected surface?

- GitLab infrastructure
- Customer data
- Cloud accounts
- One particular application
- A customer's instance
- Your own machine
- GitLab Critical Security Control Systems (IDS/IPS, MDMs, EDR, CDR, IAM, SIEM, network security systems, change detection mechanisms, audit logging mechanisms, automated security testing tools, segmentation controls)

Exploitability - How easy is it to exploit the issue?

- Very easily - Attacker simply needs to run a command or script to trigger the issue.
- Requires some effort - Attacker requires specific conditions such as someone else to be logged in to exploit the issue.
- Difficult - Attacker requires specific conditions that are difficult to achieve.

Visibility - Who can see this issue?

- Everyone
- Someone with specific access
- Only me

The more areas of the CIA Triade that apply combined with the significance of the Affected Surface, Exploitability, and Visibility should be used to determine an estimated Severity

Exceptions

Exceptions to this procedure will be tracked as per the Information Security Policy Exception Management Process.

References

- Security Incident Response Guide
- SIRT Escalation Guide

SECTION: security/security-operations/threat-intelligence/_index.md

Engaging Threat Intelligence

Please follow our RFI process to contact the team.

For a less formal discussion, you can find us in Slack in the sdsecuritythreatintel channel.

Our Vision

Empower GitLab to make informed, intelligence-driven decisions that keep our company and customers secure, while setting a new standard for transparency and collaboration across the industry.

Our Mission Statement

Our mission is to provide actionable intelligence that empowers GitLab to make informed, proactive decisions about security.

We monitor the threat landscape with a focus on identifying the most relevant risks to GitLab. We analyze these risks, track the associated threat actors, and build relationships with industry peers. These connections give us access to timely, unique insights that are not otherwise available. We focus on extracting the information most relevant to our organization, allowing us to deliver clear, concise reports that recommend immediate actions.

By staying vigilant and sharing targeted intelligence, we strive to help GitLab anticipate challenges, move swiftly, and protect our customers and our platform.

The Team

Current Structure

We are in the early stages of our Threat Intelligence journey, and currently have one dedicated engineer. This is augmented by cross-functional participants from SIRT and the Red Team, who dedicate 10-20% of their time to the program while still prioritizing their primary roles. They focus on building capabilities, delivering actionable intelligence, and demonstrating early results.

Current Priorities

The teams's current priorities are:

1. Delivering actionable intelligence: Preparing and presenting concise, actionable reports that inform GitLab of relevant threats, their potential impact, and recommended actions.
1. Building meaningful connections: Establishing relationships with industry peers, government entities, and other experts who specialize in the top threats most impactful to GitLab.

As the program matures, we will focus on program efficiencies using data correlation, automation, and AI.

Services We Provide

Threat Intelligence Reports

Reports are the foundation of our Threat Intelligence program and are always actionable. We use GitLab.com to write the reports, enabling collaboration and allowing direct linking to recommendations and results.

All reports, regardless of type, consistently:

- Include linked issues with clearly defined next steps to address each topic covered
- Answer the following questions for each threat addressed:
 - How is this relevant to GitLab?
 - How well is GitLab prepared to deal with this threat today?
 - What steps is GitLab taking to better handle this threat?

The specific reports types we offer are described below.

Flash Reports

Flash Reports are delivered on an ad-hoc basis in response to rapidly emerging threats. They focus on a single topic, generally a specific threat actor, campaign, or vulnerability.

These reports help GitLab make quick decisions to protect our customers and our organization.

Recommendations linked to Flash Reports are often time-sensitive and critical. They are leveraged for activities like:

- Rapid iterations to security controls and detection capabilities
- Threat hunting
- Security communications
- Purple Team Flash Operations

Flash Reports use this template.

Threat Briefings

Threat Briefings offer regular, higher-level updates on the evolving threat landscape by aggregating Flash Reports and other Security Operations activities over each month. Threat Briefings aim to provide an ongoing view into the most relevant trends, actors, and campaigns that could affect GitLab in the coming weeks or months.

These reports help team members stay informed, vigilant, and prepared.

Recommendations linked to Threat Briefings are not as time-sensitive as those from a Flash Report. Threat Briefing recommendations are leveraged for more strategic activities like:

- Product roadmap and prioritization
- Standard iterations to security controls and detection capabilities
- Training on security awareness and job-specific skills
- Purchasing decisions and vendor evaluations

Threat Briefings are produced monthly using this template and include a live presentation with a Q&A session.

Threat Actor Tracking

Threat Actor Tracking is an ongoing effort where we closely monitor the threat actors that pose the greatest risk to GitLab. By continuously monitoring their activities, tactics, and techniques, we develop a better understanding of their motivations and capabilities.

This intelligence helps us anticipate their next moves and proactively strengthen our defenses. It also helps us attribute early indicators to these groups, giving us a heads-up when they are actively targeting us.

Threat Actor Tracking is done inside our Threat Intelligence Platform (TIP).

Requests For Information (RFI)

RFIs allow GitLab team members to request our help in analyzing threats and making intelligence-informed decisions. Team Members can open an issue in our tracker using the RFI template.

Some examples where an RFI can provide value:

- Investigating active security incidents and exposure to third-party breaches
- Decisions on product security features and functionality
- Helping draft threat-informed communications about GitLab security decisions
- Third-party vendor and product evaluations

Supporting S1 incidents will always take priority over all other work.

Requests for Information use this template.

How We Measure Success

We measure the success of our threat intelligence program using three key metrics: Impact, Adoption Rate, and Attribution. We track these metrics using GitLab.com issues and custom labels.

1. Impact: Measures how often our intelligence helps prevent incidents, detect attacks, and improve response times, and drive significant product improvements that keep our customers secure.

1. Adoption Rate: Measures the extent to which our intelligence-driven recommendations are accepted and implemented.

1. Attribution: Measures the accuracy, relevance, and source of our intelligence by tracking how often it is validated by real-life events.

Monitoring these metrics helps us continually refine our services, prioritize high-impact activities, and demonstrate the value of our program.

Metric Labels

Recommendation Classification Labels:

- Detections & Alerts (TIRec::Detection)
- Security Controls (TIRec::Control)
- Processes and Procedures (TIRec::Process)
- Threat Hunting (TIRec::Hunting)
- Communications (TIRec::Comms)
- Training (TIRec::Training)
- Purple Team Operations (TIRec::PurpleTeamOp)

Recommendation Outcome Labels:

- Under review (RecOutcome::UnderReview)
- Accepted and actively being worked on (RecOutcome::InProgress)
- Accepted but backlogged (RecOutcome::Backlogged)
- Accepted but blocked (RecOutcome::Blocked)
- Fully adopted and closed (RecOutcome::Adopted)
- Partially adopted and closed (RecOutcome::PartiallyAdopted)
- Not adopted and closed (RecOutcome::NotAdopted)

Attribution Labels (source of validated intelligence):

- Threat Briefings (TIAtribution::ThreatBriefings)
- Flash Reports (TIAtribution::FlashReport)
- Threat Actor Tracking (TIAtribution:ThreatActorTracking)
- Request for Information (TIAtribution::RFI)

Impact Labels:

- Intelligence prevented an incident (TIImpact::Prevention)
- Intelligence allowed us to identify an attempted attack (TIImpact::Detection)
- Intelligence allowed us to respond to an incident (TIImpact::Response)

Additional Resources

- Threat Intelligence Templates: Public template repository for reports, RFIs, etc.
- Annual Threat Intelligence Reports: Internal mirror of publicly-available annual threat intelligence reports - team members can subscribe for updates.

SECTION: security/security-operations/trustandsafety/_index.md

<link rel="stylesheet" type="text/css" href="/stylesheets/biztech.css" />

The Trust and Safety team is a sub department of the Security Team at GitLab that forms part of the Security Operations subdepartment in Security at GitLab Inc and are tasked with the mitigation of Abuse on gitlab.com.

Mission

Our mission is to help build and maintain user trust, while keeping the GitLab platform safe and harm-free to help enable everyone to contribute.

We aim to achieve this by building a culture of care, protection, and a respect for privacy. We aim to stop the "bad" while also enabling the "good".

Vision

Our vision for GitLab Trust and Safety is to build a team and tooling capable of achieving both accuracy and scale in our work.

We want to make our corner of the internet a little safer, but also be the best internet citizens we can be by helping to detect and report abuse externally.

Our Responsibilities

- Detect user generated Abuse on GitLab.com
- Review reported accounts for abusive activity on GitLab.com.
- Remove user generated content on GitLab.com that violate of our Terms of Service.
- Mitigating malicious user generated activity on GitLab.com.
- Review Account Reinstatement requests.

- Review DMCA (Digital Millennium Copyright Act) and Trademark Infringement notices.
- Reporting malicious activity impacting GitLab.com to the relevant service providers.

<i class="fas fa-users" id="biz-tech-icons"></i> The Team

Person	Role
Matt Coons	SecOps Manager - Lead T&S Strategy & Project Delivery
Joanna Rubi	Security Engineer, Trust & Safety
Shawn Sichak	Security Engineer, Trust & Safety
Westley van den Berg	Security Analyst, Trust & Safety
Ruby Nealon	Security Engineer, Trust & Safety
Pedro Lopez	Security Engineer, Trust & Safety

Reporting Abuse

- To report abusive activity, see our Abuse on GitLab.com page.
- Copyright and Trademark infringements, see our Intellectual Property on GitLab.com page.
- Frequently Asked Questions, see our FAQ page.

Working with GitLab Trust and Safety Team

- For Open Source Program Partners, Premium and Ultimate customers that would like to discuss, and potentially improve, your current abuse prevention and mitigation strategies, you can reach us at abuse@gitlab.com. Include any relevant information as to the abuse issue you are currently experiencing to help us provide the most relevant information.
- Abuse prevention/mitigation feature requests or suggestions should be created in the Feature Proposal issue from the provided templates in the Project, add the ~Abuse Prevention label.

Feature proposals can be submitted for the following:

- GitLab.com,
- GitLab CE and;
- GitLab EE;

You can tag [@gitlab-com/gl-security/security-operations/trust-and-safety](#) and [@gitlab-org/modelops/anti-abuse](#) to review the GitLab issue.

GitLab team members can reach Trust and Safety via

- Slack: abuse channel using the team Slack handle: [@trust-and-safety](#)
- Non-urgent queries should be created in our Operations Tracker or tag us ([@gitlab-com/gl-security/security-operations/trust-and-safety](#)) in the issue and notify us in the abuse slack channel.
- For URGENT issues that require the immediate attention of the Trust and Safety team, use the `/security` Slack slash command, the command triggers the Trust and Safety Escalation Workflow and requests that you file an incident using a form. The form asks questions about the incident, which will help the Trust and Safety Team automatically determine severity and priority. Depending on which labels get assigned, the Trust and Safety on-call will be paged.
 - URGENT Trust and Safety issues are defined as instances of user generated abuse :
 - that is or has a high probability of resulting in service degradation or outages of GitLab.com and/or its features.
 - on GitLab.com that has the potential of causing significant legal, financial or reputational damage or liability to the company.

Non GitLab team members

- Non GitLab members should use the report Abuse button to report abuse.
- More detailed abuse reports can be sent to abuse@gitlab.com

 Abuse DIY

If you are running your own GitLab instance and looking for some tips and tricks to manage abuse on your instance, have a look at our DIY page for more information.

- Do It Yourself

SECTION: security/security-operations/trustandsafety/abuse-on-gitlab-com.md

<link rel="stylesheet" type="text/css" href="/stylesheets/biztech.css" />

Overview

Reporting Abuse

Report a User Profile

1. Reporting abuse via the Report Abuse button on a user profile.
 - You can use the report abuse button located at the top right of the user profile page.
 - The form will require you to enter information describing the type abuse you are reporting.
 - Reports with insufficient information, cannot be reviewed and will therefore be closed, more detailed reports can be sent to abuse@gitlab.com.

Reporting Merge Requests, Issues and Comments

1. Reporting Comments/Issues/Merge Requests using the Report abuse to admin button.
 1. You can report abuse by using the report abuse to admin dropdown at the top right of the corner of the issue/comment/MR.
 1. Complete the form with detailed information to aid our team in reviewing the reported content.

Email abuse@gitlab.com

1. Detailed abuse reports can be reported via abuse@gitlab.com
 1. If you would like to submit a more detailed report, you can do this by emailing abuse@gitlab.com where a member of our team will review your report.

Reinstating your gitlab.com account

1. Requests to have your reinstated can be done by reaching out to our Support Team.

Exceptions

Malware for Research Purposes

Making use of GitLab.com services to deliver malicious executables or as attack infrastructure is prohibited under the [GitLab Acceptable Use Policy] [link to be added once AUP has been launched].

We do however understand that making such technical details available for research purposes can benefit the wider community, and as such it will be allowed as an exception to our <Acceptable Use Policy> if the content meets the following criteria:

- The Group and Project descriptions must clearly describe the purpose and author of the content.
- Further details about specific project content that can be independently verified by the GitLab Security department must be present in the project README.md file; for example, links to supporting materials such as a blog post describing the project.
- All malicious binaries/files are stored in password-protected archive files, with the passwords clearly documented; for example placed in the repository's README.md.
Example: GitHub
git-lfs is available for use for binary files on GitLab.com.
- Non-profit open source projects may meet the requirements to qualify for our GitLab for Open Source program.

Security Testing Tools

When researching security issues, especially those which may compromise the privacy of others, you must use only test accounts in order to respect our users' privacy. Accessing private information of other users, performing actions that may negatively affect GitLab's users (e.g., spam, denial of service). Activity that is disruptive to GitLab operations will result in account being blocked. Examples of disruptive activity include, but are not limited to:

- Generating abusive requests including API requests.
- Mass creation of users, groups, and projects
- Typo squatting or other name squatting
- Spam-like or other high volume activity

Disruptive activity such as that listed above can be researched freely on your own installation of GitLab. GitLab is an open-core company, with the source code powering gitlab.com available at <https://gitlab.com/gitlab-org/gitlab-foss> and <https://gitlab.com/gitlab-org/gitlab>. You are encouraged to install your own standalone instance for researching vulnerabilities. Screen captures, logs, and videos showing vulnerabilities against your own GitLab installation are encouraged.

- Testing on GitLab.com

When testing on GitLab.com, your @wearehackerone.com address must be associated with the testing gitlab.com user account. If separate accounts are necessary, you can use an alias. This will help us separate testing from other forms of abuse, and help inform the decision of blocking an account. Note that this does not provide immunity, and the Rules of engagement must be followed at all times.

GitLab reporters with 3 or more valid reports are eligible for a 1-year Ultimate license for up to 5 users. As per the H1 policy, reporters will request the license through a comment on one of their issues.

For more information, please refer to our FAQ page.

Abuse Categories

- Below is a list of common abuse types;

{{% details summary="Malware" %}}

- Defined as software that is designed and distributed with the intention of causing damage to a computer, server, client, or computer network.

{{% /details %}}

{{% details summary="Commercial Spam" %}}

- An account that has been created for the purpose of distributing spam in the form of advertising a product, service, item etc.

{{% /details %}}

{{% details summary="Malicious Content" %}}

- An account that has been created for the purpose of distributing fraudulent, illegal, pirated or deceptive content.

- Webpage Spam,
- Phishing Pages
- Pages that contain Obscene or Harmful content
- Harmful or malicious downloads
- Tools/Scripts used to perform cryptomining on gitlab.com and other platforms.

{{% /details %}}

{{% details summary="CI Abuse" %}}

Making use of CI Runners for any other purpose than what it is intended for. Examples include, but are not limited to:

- Cryptocurrency Mining using CI
- Network Abuse (Denial of Service, Scraping, etc.)

{{% /details %}}

{{% details summary="Code of Conduct" %}}

In the interest of fostering an open and welcoming environment, we as contributors and maintainers pledge to making participation in our project and our community a harassment-free experience for everyone, regardless of age, body size, disability, ethnicity, sex characteristics, gender identity and expression, level of experience, education, socio-economic status, nationality, personal appearance, race, religion, or sexual identity and orientation.

- Examples of behavior that contributes to creating a positive environment include:

- Using welcoming and inclusive language.
 - Being respectful of differing viewpoints and experiences.
 - Gracefully accepting constructive criticism.
 - Focusing on what is best for the community.
 - Showing empathy towards other community members.
- Examples of unacceptable behavior by participants include:
- The use of sexualized language or imagery and unwelcome sexual attention or advances.

- Trolling, insulting/derogatory comments, and personal or political attacks.
 - Public or private harassment.
 - Publishing others' private information, such as a physical or electronic address, without explicit permission.
 - Other conduct which could reasonably be considered inappropriate in a professional setting.
- {{% /details %}}

{{% details summary="Prohibited Content" %}}

Distributing harmful or offensive content that is defamatory, obscene, abusive, an invasion of privacy (Personally Identifiable Information/PII) or harassing.

- Reports of Child Sexual Abuse Material (CSAM) please notify INHOPE via the Report it! option (follow the steps outlined on the site to submit a report).
- {{% /details %}}

{{% details summary="Comment Spam" %}}

There are various types of Comment spam but is not limited to:

1. Spammy URL(s)
 1. Advertising
 1. Harmful attachments
 1. Harmful Links
 1. The use of sexualized language or imagery and unwelcome sexual attention or advances.
 1. Trolling, insulting/derogatory comments, and personal or political attacks.
 1. Public or private harassment.
 1. Publishing others' private information, such as a physical or electronic address, without explicit permission.
 1. Other conduct which could reasonably be considered inappropriate in a professional setting.
- {{% /details %}}

{{% details summary="Copyright Abuse" %}}

- URL redirects to popular events.
 - Copyright content of which the account holder does not hold the rights to distribute.
- {{% /details %}}

GitLab Abusive Data Retention Policy

GitLab retains your information for as long as your account is active or as needed to perform our contractual obligations, provide you the Services, comply with legal obligations, resolve disputes, preserve legal rights, or enforce our agreements.

We may delete abusive accounts, associated projects, groups and other contributions after a period of twelve (12) months.

- In some instances we may remove abusive user contributions in less than twelve (12) months if required without prior notice.

SECTION: security/security-operations/trustandsafety/diy.md

<link rel="stylesheet" type="text/css" href="/stylesheets/biztech.css" />

If you are running your own GitLab CE or EE instance with public registration on you've most likely encountered some form of abuse of your own. This could range from bots or people spamming your Issue trackers, creating spam profiles, distributing malware or obscene content.

Lucky for you, you're not the first and we have some knowledge to share.

Not all of this might be applicable to your situation, so use what works for you leave the rest.

If you know something we don't or just want to share your solution to abuse prevention solution, feel free to open an MR to add to this page!

Self-managed customers: preventing, detecting and mitigating spam

GitLab uses Spamcheck to check for spam when users create issues and reCaptcha as an added level of spam and abuse prevention.

This tooling helps respond to the symptoms of abuse, but the root of the problem remains: malicious actors register new accounts, or take over existing accounts and then use the accounts to spam and abuse instances and projects.

So, what more can you self-managed Admins do to prevent and mitigate spam?

2FA

Hosted instances of GitLab can reduce spam by making it more difficult for bots to automate account creation or takeover. Requiring 2FA for all users is one way to prevent legitimate users from having their accounts taken over and used to create spam.

Authentication restrictions

Sign-up restrictions will allow self-managed Admins to:

- Disable new sign-ups.
- Require Admin approval for new sign-ups.
- Require user email confirmation.
- Denylist or allowlist email addresses belonging to specific domains.

In fact, for customers running public-facing GitLab instances, we highly recommend that you consider disabling new sign-ups if you do not expect public users to sign up for an account. Sign in restrictions allow self-managed Admins to customize authentication restrictions for web interfaces as well as Git over HTTP(S). These settings will allow you to enforce: Mandatory 2FA for new users; this makes it more difficult for bots to surpass and prevents legitimate users from getting pwned via single factor auth + weak password combinations. Email confirmation on sign-up; making it more difficult for bots to register new spam accounts.

Harden your instance

Customizing your instance configuration can go a long way to discouraging and reducing spam and abuse. This includes defining how users access your instance and who can have access.

Understand how abuse is reported and managed by self-managed Admins

It's also key to understand how users can report abuse from other GitLab users to GitLab self-managed Administrators, the actions that self-managed Admins can take against abusers and how abuse reports are managed and resolved by Admins.

Rate limits

Finally, if you're in the midst of spam abuse you can impose rate limits to help respond to the increased loads. You can also limit rates on issue creation and impose rate limits on User and IPs.

Suggest an Abuse Prevention Feature

For any abuse prevention feature requests and suggestions for CE and EE, please create a Feature proposal Issue from the provided templates in the GitLab Project and add the ~"Abuse Prevention" label. Feel free to us for additional input @gitlab-com/gl-security/security-operations/trust-and-safety or if you have any questions.

Open Source Program Partners, Premium and Ultimate Customers

Please see the Contact Us section on our Team page for details on reaching us.

SECTION: security/security-operations/trustandsafety/faq.md

<link rel="stylesheet" type="text/css" href="/stylesheets/biztech.css" />

Overview

Below is a list of Frequently Asked Questions.

Account Reinstatements

{{% details summary="What do I do if my account has been blocked?" %}}

1.

1. You can open an Account Reinstatement request with GitLab Support
 - Select GitLab.com (SaaS) user accounts and login issues and complete the form.

1. Wait for feedback from the support team.

{{% /details %}}

DMCA Requests

{{% details summary="I received a DMCA request and my Account is Blocked?" %}}

1. If you received a DMCA request for your account, you can do one of the following.
 - Review the request and determine whether or not you would like to submit a counter notice.
 - If you want to submit a counter notice, visit the Intellectual property on gitlab.compage.
 - Alternatively, you can agree to remove the copyright content from your account immediately.

{{% /details %}}

Trademark Requests

{{% details summary="I received a Trademark request and my Account is Blocked" %}}

1. Should you receive a Trademark take down request, you can do one of the following.
 - Agree to submit proof that you own the rights to use the reported Trademark.
 - Alternatively, you can agree to speedily remove the trademark content from your account.

{{% /details %}}

Reported or Blocked Accounts

{{% details summary="My account was reported for abuse, what can I do?" %}}

1. Should your account be blocked, continue to reach out to the GitLab support team to have your account reinstated.

{{% /details %}}

{{% details summary="My account was blocked for no reason" %}}

1. If you notice that your account was blocked, you can;
 - Reach out to GitLab Support to obtain more information on getting the block removed.

{{% /details %}}

{{% details summary="My account was blocked soon after signing up" %}}

1. If your account gets blocked soon after signing up, you can;
 - Reach out to GitLab Support to obtain more information on getting the block removed.

{{% /details %}}

Security Research

{{% details summary="Can I host Security Research tools?" %}}

Making use of GitLab.com services to deliver malicious executables or as attack infrastructure is prohibited under the GitLab Website Terms of Use (Section 3, "Responsibility of Website Visitors").

We do however understand that making such technical details available for research purposes can benefit the wider community, and as such it will be allowed if the content meets the criteria set out on our dedicated Abuse on gitlab.com page.

{{% /details %}}

Security Testing

{{% details summary="Can I perform Security Testing on GitLab.com?" %}}

When researching security issues, especially those which may compromise the privacy of others, you must use only test accounts in order to respect our users' privacy. Any attempt at accessing private information of other users, performing actions that may negatively affect GitLab's users or disrupt GitLab operations will result in the account being blocked.

Security, or any, testing that could cause disruption on GitLab.com or be in violation of our Website Terms of use can be researched freely on your own installation of GitLab. GitLab is an open-core company, with the source code powering gitlab.com available at <https://gitlab.com/gitlab-org/gitlab-foss> and <https://gitlab.com/gitlab-org/gitlab>. You are encouraged to install your own standalone instance for researching vulnerabilities. Screen captures, logs, and videos showing vulnerabilities against your own GitLab installation are encouraged.

Examples of disruptive activity include, but are not limited to:

1. Port scanning
1. Intrusion Attempts
1. Denial of Service Attack

When testing on GitLab.com, your @wearehackerone.com address must be associated with the testing gitlab.com user account. If separate accounts are necessary, you can use an alias. This will help us separate testing from other forms of abuse, and help inform the decision of blocking an account. Note that this does not provide immunity, and the Rules of engagement must be followed at all times.

{{% /details %}}

Reporting Abuse

{{% details summary="Someone is spamming my account, what should I do?" %}}

1. If a user account is spamming your Issues, Snippets or Merge Requests, you can;
 1. Report the comment using the drop down menu at the top right of the comment,
 1. Then select, report abuse to gitlab admin and complete the report.
 - A member of our team will review the report.

{{% /details %}}

{{% details summary="How can I report Abuse?" %}}

1. There are various ways you can report user generated abuse to GitLab.
 1. Use the Report Abuse button at the top right of the user profile which you are reporting.
 1. Use the Report abuse to gitlab admin dropdown menu on comments, Merge Requests and issues.
 1. If you would like to submit more detailed information, you can always send an email to abuse@gitlab.com where a member of our team will review your report.

{{% /details %}}

{{% details summary="Someone is using my copyright work, what should I do?" %}}}

1. If someone is using your copyright work and do not have sufficient rights to do so, you can;

1. Submit a complete DMCA notice to dmca@gitlab.com.

1. You can find the details of the information required on our Intellectual Property on gitlab.com page.

{{% /details %}}}

{{% details summary="How does GitLab treat Copyright or Trademark requests?" %}}}

1. We take the intellectual property rights of others seriously and require that our Users do the same. The Digital Millennium Copyright Act (DMCA) established a process for addressing claims of copyright infringement. If you own a copyright or have authority to act on behalf of a copyright owner and want to report a claim that a third party is infringing that material on or through GitLab's services, please send a notice that meets the minimum requirements of the DMCA, to dmca@gitlab.com, and we will take appropriate action.

1. Disputes regarding namespaces, ownership and trademarks are not governed by DMCA. These disputes must be resolved by the parties involved. GitLab will never act as arbitrators or intermediaries in these disputes and will not take any action without the appropriate legal orders.

{{% /details %}}}

Existing Namespaces

{{% details summary="I want to use an existing namespace, can I claim it?" %}}}

1. GitLab.com namespaces are available on a first come, first served basis and cannot be reserved. No brand, company, entity, or persons own the rights to any namespace on GitLab.com and may not claim them based on the trademark. Owning the brand "GreatCompany" does not mean owning the namespace "gitlab.com/GreatCompany". Any dispute regarding namespaces and trademarks must be resolved by the parties involved. GitLab Support will never act as arbitrators or intermediaries in these disputes and will not take any action without the appropriate legal orders.

{{% /details %}}}

Detailed Abuse Reports

{{% details summary="I want to report multiple accounts or types of abuse, how can I do this?" %}}}

1. Should you want to report multiple accounts or URLs, it is recommended that you submit this information to abuse@gitlab.com.

- Make sure that you include the gitlab.com URL(s) in your mail and a detailed description of the type of abuse you are reporting.

{{% /details %}}}

Report Abuse button(s)

{{% details summary="What happens when I press the Report Abuse button or `Report Abuse dropdown?" %}}}

1. Using the Report Abuse or Report Abuse to gitlab admin button will open up a window where you can directly report a user for activity that is considered abusive or disruptive.

1. A member of our team will review your report and take appropriate action should the activity or content violate our terms of use.

{{% /details %}}

{{% details summary="How do I use the Report Abuse form?" %}}

1. The Report Abuse form consists out of a text box where you can include information about the type of abuse you are reporting.

1. You can use the report abuse button in different places on gitlab.com, you can either.

1. Report the user account

1. Report a comment/thread

1. Report an issue

1. Report Merge Request

1. Email abuse@gitlab.com

- For more detailed reports, you can email abuse@gitlab.com

{{% /details %}}

Using a VPN

{{% details summary="Can I use a VPN to access my account?" %}}

1. Using a VPN is permitted, however using a VPN to access GitLab.com from a trade restricted area, could result in your account being blocked.

{{% /details %}}

TOR Nodes

{{% details summary="Can I use my account using TOR Exit nodes?" %}}

1. TOR exit nodes are not recommended, as this could result in your account being blocked, or have problems using the platform.

{{% /details %}}

SECTION: security/security-operations/trustandsafety/intellectual-property-on-gitlab-com.md

<link rel="stylesheet" type="text/css" href="/stylesheets/biztech.css" />

Overview

DMCA - Digital Millennium Copyright Act

GitLab takes the intellectual property rights of others seriously and require that our users do

the same. The Digital Millennium Copyright Act (DMCA) established a process for addressing claims of copyright infringement. If you own a copyright or have authority to act on behalf of a copyright owner and want to report a claim that a third party is infringing that material on or through GitLab's services, review the Submitting a DMCA Notice section further below.

Trademark Policy

GitLab.com namespaces are available on a first come, first served basis. No one can claim priority rights to any namespace on GitLab.com based on a trademark registration. For example, owning the trademark for "GreatCompany" does not mean the trademark owner will be granted the namespace name "gitlab.com/GreatCompany" if it is already registered.

GitLab is not in a position to investigate, assess or adjudicate complicated trademark disputes between third parties. In these instances, contact the third party that you believe is infringing your rights to resolve the matter, or seek resolution by available legal means. GitLab cannot intervene in such matters without a valid legal order.

GitLab will only review a trademark infringement claim related to a namespace registered to a third party, and may intervene, where both of the below criteria are satisfied:

1. you provide evidence to GitLab's satisfaction that you are holder of a relevant trademark registration, and
1. you provide clear evidence to GitLab's satisfaction showing that unauthorized use is being made of your trademark such that there is an obvious intent to mislead others into believing that the relevant namespace is affiliated with your trademark.

Reports can be submitted to dmca@gitlab.com, and GitLab will review the evidence provided, and if it satisfies the above criteria, GitLab will take any action it deems appropriate.

Namespace Policy

GitLab.com namespaces are available on a first come, first served basis and cannot be reserved. No brand, company, entity, or persons own the rights to any namespace on GitLab.com and may not claim them based on the trademark. Owning the brand "GreatCompany" does not mean owning the namespace "gitlab.com/GreatCompany". Disputes regarding namespaces and trademarks must be resolved by the parties involved. GitLab will never act as arbitrators or intermediaries in these disputes, and will not take any action without the appropriate legal orders.

Account and Group Ownership Disputes

GitLab will not act as an arbitrator of Group or Account ownership disputes. Each user and group owner is responsible for ensuring that they are following best practices for data security.

As GitLab subscriptions are generally business-to-business transactions, in the event that a former employee has revoked company access to a paid group, please contact GitLab Support for recovery options.

Name Squatting Policy

Per the GitLab Terms of Service:

Account name squatting is prohibited by GitLab. Account names on GitLab are administered to users on a first-come, first-serve basis. Accordingly, account names cannot be held or remain inactive for future use.

The GitLab.com Support Team will consider a namespace (user name or group name) to fall under the provisions of this policy when the user has not logged in or otherwise used the namespace for an extended time. For more information, see the Name Squatting section further below.

DMCA

Submitting a Notice

{{% details summary="Submitting a DMCA Notice" %}}

If you believe that someone is infringing on your copyright as the copyright owner, you can send a DMCA notice to dmca@gitlab.com.

A DMCA notice is a legal document, therefore GitLab requires you to submit a notice in the following format.

1. A description of the copyrighted work that you claim is being infringed;
1. A description of the material you claim is infringing and that you want removed or access to which you want disabled, and the URL or other location of that material;
1. Your name, title (if acting as an agent), address, telephone number, and email address;
1. The following statement: "I have a good faith belief that the use of the copyrighted material I am complaining of is not authorized by the copyright owner, its agent, or the law (e.g., as a fair use)";
1. The following statement: "The information in this notice is accurate and, under penalty of perjury, I am the owner, or authorized to act on behalf of the owner, of the copyright or of an exclusive right that is allegedly infringed"; and
1. An electronic or physical signature of the owner of the copyright or a person authorized to act on the owner's behalf.

After your submission to dmca@gitlab.com, you should receive an automated confirmation of receipt.

What happens Next?

- Once your request is received, a member of our Trust and Safety Team will verify and process your notice.
- Notices with missing or inaccurate information cannot be processed. A member of the Trust and Safety team will reach out to you for more information.
- Should we verify that you have submitted the required information, you will receive a confirmation email from our team that your request has been processed.
 - If you have not heard from us, you are welcome to send a follow-up email requesting an update.
- Valid notices will be forwarded to the reported account owner, allowing them to submit a cou