

The calculator reminds us of the factors we want to consider and gives us a standard way to combine all of them consistently.

What to do if an epic and one or more of its issues are both on the list?

<!-- See <https://gitlab.com/gitlab-com/support/licensing-subscription/fulfillment-requests/-/issues/10> -->

We want to be clear about whether Support's interest is in the full Epic or in only one or more of the child issues and epics. The process will vary a little between these two situations.

Situation 1

Support wants to see the entire epic addressed and resolved. Seeing the individual child epics and issues in our list is not useful here. Only progress on the epic matters. In this situation, we will:

1. Relabel all child epics and issues that currently have a ~Support Priority::1-4 label with the label, ~Support Priority::See Epic (Note: this will result in the relabeled items no longer being visible on our epic/issue boards)
1. Ensure that the epic has the appropriate Support Priority set

In this way we will show and track only the epic in the list. In the event that one or more children of interest to us are removed from the epic, we should at that time add those children back to the list by re-prioritizing them. We can detect this type of event by looking for items that have the ~Support Priority::See Epic label but do not have an associated epic.

Situation 2

The epic is not the item of interest to us. Rather, one or more (but not all) of the children are. In this situation, we will:

1. Remove the Support Priority label from the epic (which removes the epic from the list)
1. Retain the Support Priority labels on the children and keep them on the list

How to get help from the Fulfillment Section development team

If you require technical assistance from any Fulfillment Development Section Sub Group for issues that are not bugs or feature requests, then you can use GitLab.com to create an issue and request help. The workflow for this process is documented in the following handbook section [How to Use GitLab.com to Formally Request Help from the GitLab Development Team](#).

SECTION: support/license-and-renewals/workflows/merge_or_split_subscription.md

Overview

This is a guide on how to handle requests to merge or split subscription(s).

Short answer: No, support do not merge or split subscription(s). We cannot even if we want to.

Merging subscriptions

Generally, we do not support mixed license or multiple subscriptions for a single GitLab instance or GitLab.com group. Only one license can be used on a GitLab instance at a time; similarly, only one subscription can be associated to a GitLab.com group namespace at a time. If customers have multiple subscriptions and they wish to use the subscription on a GitLab instance/GitLab.com group, the latest subscription needs to be submitted as add-on to the existing subscription.

It's not possible to merge the subscriptions if the opportunity in SFDC were both submitted as New Business.

If there are two opportunities for two separate subscriptions and the customer requires one license for both of the opportunities, the latest opportunity will need to be credited via a credit opportunity and a new opp will need to be submitted as an add-on to the already existing opportunity for the already existing subscription. For any further questions around the opportunities please reach out to the Sales Support team.

Example case: ZD ticket: 162478 (internal)

Exception: When a customer has an existing subscription they purchased direct, and wants to buy additional seats via a reseller, a new subscription should be generated because of different terms. Similarly, if a customer has a subscription with reseller A, and wants to purchase additional seats via reseller B, a new subscription is required for the add-on purchase.

This is being actively discussed in Route to Market Mid-Term Change Alignment. For now, we should generate a new license that will include seats from both existing and new subscription for customer.

Interesting to note: Reseller subscriptions and direct-purchased subscriptions should not be on the same customer account. Which means that in some cases you will be generating a license for the sum of 2 subscriptions across 2 customer accounts.

Splitting subscription

This is quite similar but reverse to merging the subscriptions. If customer purchase multiples seats and wish to use those seats in a subscription to multiple GitLab instances or multiple GitLab.com groups, they would need two different subscriptions.

Example case: ZD ticket: 126634 (internal)

More context: Internal Request 450

How to move the ticket forward

To move the ticket forward, please check whether the new subscription was purchased through a different resellers. This can be done by:

1. Searching for the subscriptions in Zuora
1. The reseller should be listed in the Invoice Owner field

If the Invoice Owner is different for both subscriptions, we can generate a new license that would include Users in license from both subscriptions.

If the Invoice Owner is the same for both subscriptions:

1. Search for the relevant Opportunity Owner in SFDC or Sales rep in Zuora
1. Let the customer know that we are handling the issue internally while copying the account owner (Opportunity Owner) on the ticket
1. Ping the Opportunity Owner in supportsalesescalation and let them know that the new subscription opps should be credited and a new opps should be submitted as an add-on to the existing one as mentioned in the example case: ZD ticket 162478

SECTION: support/license-and-renewals/workflows/quarterly_subscription_reconciliations.md

Overview

This page provides guidance for handling tickets about the quarterly subscription reconciliation process, including disputes, escalation, pausing QSR, resetting max seats, and how to retry a reconciliation.

General Workflow

When a customer contacts support regarding QSR, as a first line of contact you can use the Support::L&R::Refund or cancellation request on quarterly subscription reconciliation macro, or you can craft a manual response based on it. If sending a response in your own words, it's important to follow the general guidelines and information used in the macro to be sure that we are setting appropriate and consistent expectations.

Try to explain QSR, how it works, and consider linking to the documentation page for it. There are also individual SaaS focused and self-managed focused documentation pages explaining how billable seats are calculated.

Refer to this issue for in-depth explanations.

Do

- Explain how QSR works, and set appropriate expectations on any next steps.
- Be sure to set the Transaction Issue Type to Quarterly Subscription Reconciliation for tracking purposes.

Don't

- Pass the ticket to Billing/AR.
- Pause QSR, or reset max seats without documented approval.

Dispute Escalation and Resolution

If the customer would like to dispute a reconciliation, either pending or processed:

- Advise the customer that you will be putting them in contact with their sales account manager.
- Follow the workflow on Working with Sales to inform the account manager in SFDC.
- Do not pause/disable QSR yourself except in extenuating circumstances (see below).
- Do not reset Max Seats on the namespace (see below).

Given that support team has no influence over the process at this point, direct the customer to continue all discussions with their sales manager, and the ticket may then be closed.

Pausing QSR on a subscription

Important: Support team should not be disabling QSR on a subscription except in the cases of confirmed bug behavior.

1. If QSR needs to be disabled on a subscription due to a customer dispute or any other non-bug issue, refer to the sales-ops handbook page on How To Temporarily Pause Quarterly Subscription Reconciliation. The sales account manager should be following this workflow to request a temporary pause on QSR.

1. In the event a bug has been confirmed which is causing an incorrect QSR amount to be quoted, due to the time-sensitive nature of reconciliations Support team have the ability to disable QSR manually on a subscription through the customersDot Admin interface, and we should do so in these cases.

- Navigate to the customer's account and view the Zuora Subscriptions tab (/admin/customer/:id/zuorasubscriptions).
- Use the drop down menu under Quarterly Coterminals to select Yes/No.
- Switch to No.
- Click Update.

When manually pausing QSR

1. You will need to take responsibility for ensuring that it becomes reactivated after a bug-fix or other work-around has been implemented.

- Consider the Zendesk Super App, reminder app, Slack's built-in reminder tool, or whatever works for you.

Resolving Max Seats Overages

Important: Do not reset a namespace's Max Seats without the necessary approvals in chatter. View this step as waiving trueups, and refer to the sales-ops handbook page Waived True-Ups:

Policy and Approval Requirements

Checking for approvals

In the ticket, follow the URL given as Chatter link containing approval.

Often, a statement of approval will be given in replies to that chatter on the relevant opportunity. The approval will come from a leader in sales, typically an area VP. Hover over the approver's name for details.

When a QSR case is being processed by Deal Desk team, the approval may be on the Salesforce case itself. On the SFDC case, look for the fields Approved and Approver, both of which should be marked when the QSR waiver is approved by the relevant approver.

- See here for more information on SFDC cases

If no approval is located in the linked chatter, or the SFDC case, inform the requestor of this fact, and do not proceed.

When approved

If approvals are given for resetting Max Seats, you can use:

- CustomersDot Support Admin Tools > Reset Max Seats
- console access (last resort)

Document the action in the relevant ticket, or in an internal-request. Use the GitLab Support Internal Requests for Global customers request option, and Reset max seats for QSR for the internal request type. In the case where QSR is approved for refund, approval for Max seats reset is still needed.

Be sure that you are setting this value such that it only eliminates the approved and waived overages. In many cases, you can simply set this value to the namespace's current usage, but use some common sense here too like reviewing the ticket, screenshots, customer interactions, etc to be sure you are setting the proper amount. Ask in slack if you're unsure.

Important: If a QSR is refunded, max user count must be reset by opening a ticket with Support. Deal Desk will support this process. Internal process guide here-Refunds).

Performing reconciliation

The Perform reconciliation button, located on the details page of a Reconciliation, doesn't currently work due to a bug.

Updating the default credit card in customersdot automatically re-triggers QSR payment (unless something goes wrong). You can see a successful re-trigger by looking at the status of the reconciliation event. The re-trigger can be done up to 3 months after a failed QSR event. If the payment did not get triggered, check that the card is set to default in customersdot.

The customer will receive an email when the reconciliation has failed and be provided with

instructions on how to retry; this information is also available in our docs.

SECTION: support/license-and-renewals/workflows/requests_for_documents_from_gitlab.md

Signature

From time to time, a customer may submit a ticket requesting that someone from GitLab sign some kind of document. Examples include:

- Assignment of agreements, contracts and related documents to a different entity
- Government forms

If the documents are related to a subscription, license or sales opportunity, Sales team members are responsible for communication with the customer. Follow the working with sales workflow to get the customer's Account Owner involved.

Additional information on this topic can be found in the following handbook pages:

- Sales Guide: Collaborating with GitLab Legal - How to reach Legal
- Sales Order Processing - Contact Legal

Other types of documents may be covered by the general Support workflows.

Tax Documents

Some customers require a Certificate of Residence for tax purposes. Generally, the Sales Team can provide the document. If the customer submits a support ticket, we can go to the tax Slack channel to request one. When it is received, attach it to the customer ticket.

SECTION: support/license-and-renewals/workflows/special-programs.md

GitLab offers several programs to help introduce GitLab's most powerful features to communities who may not otherwise have the means to access them. These include:

- GitLab for Education
- GitLab for Open Source
- GitLab for Startups

The Community Programs team is the DRI for these programs.

For registered non-profit organizations, GitLab also offers discounts. Contact GitLab's Environmental, Social, and Governance (ESG) team for more information regarding this program.

Use the relevant workflows below when you receive a ticket about GitLab for Education, GitLab for Open Source or GitLab for Startups.

{{% alert title="Note" color="info" %}}

Program members receive only limited support with subscriptions granted through community programs. They are able to open a support ticket via the GitLab Support Portal only for errors involving the Community Self-checkout Portal on CustomersDOT or for errors relating to their subscription. Internal escalations for all three of the programs can be made via Slack channel community-programs.

{{% /alert %}}

Workflows

Applications and renewals

GitLab for Education (EDU)

When a customer seeks to apply or renew an existing subscription, send the General::EDU Response macro.

GitLab for Open Source (OSS)

When a customer seeks to apply or renew an existing subscription, send the General::OSS Response macro.

GitLab for Startups

When a customer seeks to apply or renew an existing subscription, send the General::Startup Response macro.

Product Transfer

While redeeming a community program coupon customers may select the wrong product type by accident (SaaS instead of Self-Managed, or vice-versa).

In this case, please direct customers to contact the appropriate inbox under the 'Program-specific contact inboxes' section

Example Tickets

- ZD382970

Organisation not appearing in SheerID list

Please direct customers to contact the appropriate inbox under the 'Program-specific contact inboxes' section.

If after several days the customer reports they have not heard back from the Community Programs team, please reassure them and raise the ticket in community-programs (ideally providing the email address the customer contacted the team with).

Example Tickets

- ZD375293

"This code has already been used." error when attempting to redeem coupon

Please raise the ticket in community-programs as the coupon may have been erroneously issued.

Example Tickets

- ZD379559

Customer is concerned by their seat usage or true-ups

While applying, customers are asked to provide their desired seat count - during their subscription term they can exceed this and then upon renewal the true-up cost will be zero (and the overage seats will be added to the renewal term).

Program-specific contact inboxes

For enquiries relating to specific programs (that aren't otherwise handled by the workflows above), please direct customers to contact:

- 1. EDU: education@gitlab.com
- 1. OSS: opensource@gitlab.com
- 1. Startups: startups@gitlab.com

Troubleshooting

GitLab's Community Programs team processess program applications according to an automated workflow. Review the handbook pages related to that workflow for additional details on how it works.

To troubleshoot errors during the registration process, follow the Troubleshoot Errors While Making Purchases on CustomersDot document.

{{% alert title="Note" color="info" %}}

Since the customer has not signed up yet, there is no user:customerID. Use user.ip:CustomerIP instead.

{{% /alert %}}

You can retrieve CustomerIP by:

- 1. On Zendesk ticket, click on Conversations
- 1. Choose Events from the drop down
- 1. The IP is shown under every customer reply.

{{% alert title="Note" color="info" %}}

The IP is only available when the customer is signed in on Zendesk. If the customer submits the ticket via email, and IP is not available, please ask the customer for the IP they used during the signup process.

{{% /alert %}}

Example of previous cases

- ZD Ticket 288871
- Related Sentry event 2575450
- Bug issue

See Also

- Collaborating with Community Programs (Sales Training)

SECTION: support/license-and-renewals/workflows/updating_customer_organization_name.md

General workflow

Updating company name would involve updating information on:

1. CustomersDot
1. SFDC
1. Zuora

Before processing the request, please ask the customer for legal proof of organization name change and previous invoice.

We can provide the following instruction to update the CustomersDot information:

1. Sign into customers portal
1. Follow the steps to change the company information.

This will update future auto-generated invoices. Updating the information in CustomersDot would trigger a sync to update Zuora as well.

To change the name in SFDC:

1. Find an open Opportunity in the SFDC Account.
1. Follow the steps here to open a Legal Request.
 - Select Assignment/Transfer/Novation Agreement as the Type of Legal Request.
 - Select Assist with answering legal question or questionnaire under Summary of actions(s).
 - Enter the Zendesk ticket link and a summary of the request in the Notes field.
 - Upload the legal proof of organization name change document shared by the customer.
1. After getting the approval from Legal, open a Sales Ops case:
 - From the SFDC account page, click on Request Support.
 - Choose Sales Ops and click Next.
 - Choose Account name changes under General Account Support dropdown list.
 - Copy and paste the link to the Legal case above.
 - Click Submit

Once you get a confirmation from Sales Ops, confirm that the Organization name in Zendesk is also updated. Then let the customer know that the name change has been completed.

Example of Legal Case and the corresponding Sales Support case.

SECTION: support/license-and-renewals/workflows/working_internal_requests.md

Servicing Internal Requests

Choose the best L&R Workflows when servicing L&R internal requests. L&R Internal Requests can be found in the "L&R" View in Zendesk.

The L&R team works on licensing and subscription related internal requests that are filed by GitLab team members using the GitLab Support Internal Request form.

NOTE: Use the Support::L&R::Sales Internal Request - Office Hours Notice macro in either your first or last response in the ticket to increase awareness of the regional office hours hosted by the L&R team.

A list of the different options available and example scenarios can be found in this section. [Click for details.](#)

Order Management

Note: Team members who are part of Sales or another team should NOT use the Order Management option as the request will be rejected.

The Order Management team determines whether a license has been fulfilled automatically after opportunity closure, and if not, work with Support Engineering to ensure manual fulfillment by filing an internal request with the Order Management option as defined in this issue.

The Order Management option is therefore used to request manual license fulfillment, specifically for scenarios where a license has not been generated or sent automatically.

The requestor would ideally provide more information in the additional context field on whether a license was not found or the license exists but needs to be resent. The Support Engineer handling the ticket would follow the appropriate workflow according to the request in the ticket.

SECTION: support/license-and-renewals/workflows/working_with_reseller_related_requests.md

Overview

Reseller is another word for Channel Partner.

Note that an Alliance Partner

is different from a Channel Partner, and is not a reseller. See the [GitLab Alliances Handbook Page](#) and the

Internal Alliances Handbook Page
for more on alliances.

When a customer purchases through a reseller we follow different workflows than we do for WebDirect or Sales Assisted purchases. Note the following for a customer purchase through a reseller:

1. The customer will have access to customersDot, but cannot modify their subscription in any way, nor view invoices.
1. Additions, modifications, or renewals must go through the reseller.

Note: Users may see a message in their portal, or on their GitLab.com group, warning that their subscription is "read-only". This is only in reference of the inability to modify the subscription directly, but has no impact whatsoever on the functionality of the subscription itself

Identifying whether a customer purchased through reseller

Zuora is the single source of truth for whether a purchase was made via a reseller, however this information can be viewed via either Zuora or Salesforce. Authorised resellers are listed on the GitLab Partner directory.

Via Zuora

Check if a subscription was purchased through a reseller by locating the Invoice Owner in the customer account on Zuora.

1. First login to CustomerDot
1. Select the tab Customers and enter the customers contact details into the search text field box
1. Once you have identified the customer, click on the Show button (represented by an i) which will provide details on the customer
1. Click on the Zuora Subscriptions tab and then the subscription name (i.e. A-S000860000)
1. This will launch the associated subscription page in Zuora
1. Look under Basic Information and the reseller should be listed in the Invoice Owner field in the subscription page
1. You can also search the Zuora Subscription page for the text SSPChannel which will have the text value Reseller

Note: Sometimes you can also see Partners section in the end-user's SFDC account.

Via Salesforce

1. Open a quote that has its Status set as Sent to Z-Billing for an opportunity
1. Wait for the Zuora iframe to load
1. If the subscription was purchased via a reseller, the GitLab partner details will be listed in the iframe table under the Customer Account Details section as the Resale Partner.
 - The Resale Partner may also be listed in the Required Approvals From VP of Channel notes.

Requests to update end-user contact information

Important: Do not send a license file to the reseller partner.

If a reseller partner needs to have the end-user contact details updated (who should receive the license), you have the following options:

- Have the current Sold-To contact file a support ticket with us, following the workflow Add subscription management contact workflow
- The reseller partner must attach a copy of the subscription invoice to verify any contact change requested on an end-user's behalf

Handling reseller customers' requests for direct renewal

To assist a customer who requests to renew their subscription directly with GitLab instead of through their reseller, follow the working with sales workflow and ensure you mention that the customer first had a Reseller purchase.

If a customer with a reseller purchase decides to make a new purchase on a different account, their subscription would be a new purchase instead of a renewal. The license generated would therefore not include the previous subscription counts. Follow the troubleshooting license upload errors workflow to move the ticket forward.

More Reseller Workflows

- Associating purchases - ownership verification
- Pass to Sales - reseller exemption request
- Pass to Sales - reseller subscription change or question
- Not-for-Resale (NFR) program and policy

SECTION: support/license-and-renewals/workflows/working_with_sales.md

General workflow

1. Respond to the customer on Zendesk

1. Assign the ticket to yourself.

1. Select the appropriate specific workflow to follow (see below).

1. Check the Escalated to sales box and set the ticket status to Open.

1. Set the ticket status to Pending.

If the account is owned by AMER|EMEA|APAC SMB Sales User

Inform the customer that they may email smallbusiness@gitlab.com directly to reach the account management team if they choose to. See below for more information on contacting the SMB team internally when necessary.

Alternatively, if the ticket requestor is listed as a contact already in SFDC on the correct account, they can use the Contact Sales form on the marketing website to contact the team directly as well

Using either the email address or the form will result in the creation of a Salesforce case.

NB: A Zendesk trigger will prevent a ticket from being set to Pending when an agent made an internal note instead of a public comment. It will set the ticket back to Open when that happens. So if you check the Escalated to sales box and set the ticket status to Pending, it will be reverted to status Open. Saving a second time as Pending will also work.

2. Leave a message for the Salesforce Account Owner on Chatter with the relevant details

If the Salesforce account has a named Account Owner

1. Consider adding the following note in the Chatter message:

> Please note that according to the "Working with Sales workflow" (<https://handbook.gitlab.com/handbook/support/license-and-renewals/workflows/workingwithsales/>) we expect a reply from you on this chatter within 24 hours (excluding weekend, Family and Friends Day & global holidays) stating when/if you will contact the customer.

1. Share the link to the Chatter message (right-click on timestamp) in an internal note on the ticket.

- Note that you can only link to the original Chatter message, not to any of its comments.

1. You may want to check the account owner's Slack status to see if they're currently taking time off work.

1. If reaching out to the account owner on Slack (always on supporttosalesescalation and always as a courtesy), link them the Chatter message and ask them to respond there.

NB: Support should be able to rely on the Salesforce Account Owner field to determine who is responsible for the account. If that is incorrect, escalate it immediately.

If the Salesforce Account Owner is AMER|EMEA|APJ SMB Sales User

- Follow this process to create a case, OR

Slack message the hvspublic channel.

- Once a case is created, it will be picked up by an SMB Advocate. Once picked up, the SMB Advocate will drop a note in the Zendesk ticket advising that the request is being actioned.

- The case can then be tracked by viewing the Case Status field, and Case Next Steps field.

- Support Cases, and their current status, can be viewed on the SFDC account, or via this SFDC Report.

- If the Support Engineer does not have Salesforce access, post a message in the global-digital-smbpublic slack channel.

- In your post, include:

- details of the request

- the Zendesk ticket link

- Note: Chattering the group or creating a slack post, instead of creating a Salesforce case, will result in a delayed response. Chatters and slack messages can also not be tracked.

If the Salesforce Account Owner is not a person and is not <@AMER|@EMEA|@APAC> SMB Sales User

1. Find the person in charge of the sales segment and sales territory and mention them in a Chatter comment. In your post, include:
 - details of the request
 - the Zendesk ticket link
1. If anyone you reach out to does not respond within 24 hours (excluding weekend, Family and Friends Day & global holidays):
3. When someone from Sales confirms that they'll be in touch with the customer

1. Post an update to the ticket, mentioning:
 - The name of the person who will be in touch
 - That we will follow up in 2 business days to check with the customer as to whether they've been contacted by Sales, and that we will escalate at that time if necessary
1. Set the ticket status to Pending.

(Pro tip: create a personal ticket view where "Escalated to Sales" = checked, to pull these out into their own queue)

4. Escalation procedure

Before escalating consider checking the "Activity" section of the account's Salesforce page to see if someone has reached out to the customer. If you see activity since your first chatter, consider confirming status with the customer or the sales rep instead of escalating. To confirm with Sales, just reply to the original chatter asking them whether they reached out. If you see no activity since you started the chatter, escalate as described below.

If the Salesforce Account Owner is incorrect or unable/unwilling to assist

- Examples of being unable/unwilling to assist:
 - Account owner no longer works at GitLab.
 - Account owner says the account is not theirs any more.
 - Account owner says they have no time to help.
 - A reasonable amount of time has passed (> 24hrs) with no response

If the Salesforce account has a named Account Owner

- Mention the person's direct manager in a Chatter comment.
- Suggested message text:
 - > Following the "Working with Sales workflow"(<<https://handbook.gitlab.com/handbook/support/license-and-renewals/workflows/workingwithsales/>>) I'm escalating this, as we haven't heard from <account owner\> within the agreed upon time.

1. From VP level onwards, mention them in a Slack message in supporttosalesescalation in addition to a Chatter comment.

- Suggested message text in Chatter:
 - > Following the "Working with Sales workflow"(<<https://handbook.gitlab.com/handbook/support/license-and-renewals/workflows/workingwithsales/>>)

renewals/workflows/workingwithsales/>) I'm escalating this, as we haven't heard from <account owner\> nor <account owner's manager\> within the agreed upon time.

- Suggested message text in Slack:

- > Following the "Working with Sales workflow" I'm escalating support ticket <<https://gitlab.zendesk.com/agent/tickets/>><ticket number\> as we haven't heard from <account owner\> nor <account owner's manager\> within the agreed upon time.

1. Repeat as necessary every 24 hours and go one step up the reporting line, going all the way up to CEO if necessary.

- It is helpful to refer to the company organization chart to see who to escalate to.

If the Salesforce Account Owner is AMER|EMEA|APAC SMB Sales User

- If you have SFDC access to the case, and the case has an assigned owner
 - Ping the case owner in chatter on the case
 - Include the applicable Regional manager:
 - EMEA: @Miguel Nunes
 - AMER/ APAC: @Taylor Lund
 - notify your regional L&R DRI in supportlicensing-subscription for awareness.
- If you do not have SFDC access, or the case is not owned
 - Post a message in the global-digital-smbpublic slack channel.
 - In your post, include:
 - details of the request
 - the Zendesk ticket link
 - cc: your regional L&R DRI in your post for awareness.
- If you are unable to make contact with the Regional manager within a reasonable amount of time, escalate to: @Mike Smith via chatter on the case and notify your regional L&R DRI in supportlicensing-subscription for awareness.

Determining whether to pass or to NOT pass to Sales

Please see specific workflows below:

Pass to Sales:

- The customer wants to pay via a method that isn't credit card
- The customer had a sales-assisted purchase last year and wants to purchase on an order form (company requires a quote or purchase order)
- The purchase needs to happen via a reseller (reseller or end user contacts us)

DO NOT pass to Sales:

- The customer wants to upgrade their SaaS or self-managed plan - they can use the upgrade button in the customers portal.
- Don't escalate until you understand what the customer needs
- The customer is trying to reach sales person to renew, but haven't received a response - Instead ask customer what they need assistance with and see if we can assist.
- The customer asks a product or process question (we can answer this or put in another Support queue most of the time)
- The customer has renewed, but they didn't add enough users - ask the customer to use the Add

more seats button in customers portal.

- The customer wants to renew for less seats than their current subscription. The customer can renew for a minimum of their current usage or more. If they want to renew for less seats, they have to bring their seat usage down before the renewal, disable automatic renewal and manually renew the subscription (for SaaS and Self-Managed).

NB, Sales does not simply waive trueups, there is an approval process for exceptional cases. Please don't set the expectation that any fees will be waived. When in doubt, ask in Slack for a second opinion.

Support responsibilities regarding True-Up waiver requests

In situations involving True-Up waiver requests, L&R Support can:

- Help customers and/or sales identify if a True-Up overage has occurred.
- Generate a requested license based on what the subscription allows.
- Generate a temporary license or subscription until a True-Up waiver request is resolved.

L&R Support cannot:

- Provide an in-depth explanation as why an overage has occurred, support can only collate the data that proves whether an overage has occurred or not.
- Provide detailed analysis on the nature of the overage (e.g. confirm if overage accounts were logged into or not, confirm how and when accounts were created or provide a timeline of the duration of any overages, etc.)
- Be the arbiter for whether a True-Up can be waived or not; this is the responsibility of Sales as detailed in waived true-ups policy and approval requirements.

Specific workflows to pass to Sales

Many of the following workflows advise you to Chatter Sales. How to do this is described in the expired license process.

The following workflows use the Pass to Sales Zendesk macro unless otherwise stated.

Customer wishes to use alternative payment method

A customer wishes to pay via method other than credit card

Workflow:

- Confirm the payment method the customer wishes to use (wire, ACH or check)
- Chatter Sales and summarise the customer's request, ask for them to reach out
- Respond to the customer with the appropriate macro

Purchase Orders and Quotes

A customer wants to pay and has a PO or requires a paper quote or invoice

Workflow:

- Find the existing opportunity or subscription (if renewal)
- Chatter Sales and summarise the customer's request, ask for them to reach out
- Respond to the customer with the appropriate macro

A reseller (or reseller customer) wants to change their subscription or ask a question

A reseller or reseller customer wants to make changes to their subscription or follow up on an order

Workflow:

- Confirm the end-user and the reseller, by finding the account in Zuora
- Chatter Sales and summarise the customer's request, provide the reseller and end-user information, ask for them to reach out
- Respond to the customer with the appropriate macro

Customer seeking a discount

A customer is seeking a discount and their subscription is above the Starter tier

Workflow:

- Confirm their tier and the details of the discount requested, if they are not above Starter or the discount request is unreasonable (use your discretion), explain that a discount is not available
- If you are unsure whether a discount should be given, consult with the Account Owner first
- Chatter Sales and summarise the customer's request, ask for them to reach out if they confirm a discount is possible
- Respond to the customer with the appropriate macro, set the expectation that a discount is not guaranteed and is at the discretion of the relevant approvers

Product transfer between SaaS and Self-Managed

A customer wishes to transfer from SaaS to Self-managed or vice versa

Workflow:

- If the current subscription is close to its end date, advise the customer to let it expire and purchase a new subscription
- If the current subscription is close to its start date, ask billing if a refund would be possible. If they say yes, seek confirmation from the customer that we can cancel and refund their current subscription so that they can purchase a new subscription with the correct product type
- If neither of the above is an option, Chatter Sales and summarise the customer's request, specifying how many seats are needed for the new product, ask for them to reach out with a quote for the transfer
- Respond to the customer with the appropriate macro

DOWNGRADE PLAN - a customer wishes to downgrade from their current tier to a different tier (same product)

Workflow: Ask in Slack for advice on the best solution for the situation you are dealing with.

SaaS - DOWNGRADE PLAN TO FREE

Follow the workflow in the Downgrading to a free plan section of the Handling trials, extensions, and plan changes on GitLab.com page.

SECTION: support/license-and-renewals/workflows/zendesk.md

This page outlines workflows relevant to folks using the L&R form in Zendesk.

Working on tickets

Selecting, Assigning and Responding to Tickets

Support Engineers that work on Licensing and Renewal (L&R) tickets should apply the same guidelines documented within the Support - Working on Tickets workflow:

1. Selecting tickets
1. Assigning tickets
1. Responding to next-to-breach tickets

The workflow

1. Check the main L&R view and work on the top ticket in the view. The tickets are ordered by Ticket Weight, which takes into account several fields to determine priority order.
 1. Take assignment of the ticket if it is currently unassigned
 1. Write your public reply
 1. If the ticket is an Internal Request, review whether the Priority is appropriate. If it is not, set the Priority field to the appropriate value and notify the requester of the change and of your reasoning. (A macro for this may soon be available)
 1. Complete the remaining form data
 1. If you are not able to make a public reply, please ask for assistance from your colleagues to take assignment and drive the ticket forward
 1. If you are waiting on internal stakeholders and processes to be completed before being able to set a ticket to Solved:
 1. Advise the customer that we will reply in X days.
 1. Set Status: On-hold
 1. Set Type: Task
 1. Click: Submit as On-hold
 1. Use the Calendar on the sidebar to set a reminder for yourself to check in with the customer X days
 1. Click: Submit as On-hold

Zendesk form data overview

On the left sidebar in Zendesk in the ticket view, every form has data fields unique to that form. These data fields tell us more about the ticket, from the tags to the ticket type, the ARR and the information the customer filled out when submitting the ticket.

In L&R, the tickets that come into our queue are of interest to teams outside of Support. Therefore, it's important that we gather accurate data about the tickets that we interact with. The form data completed on each ticket is taken into account for existing metrics dashboards and for any future data queries we may want to make. For examples of metrics dashboards that rely on L&R ticket data see the L&R Dashboard and the Support Metrics Dashboard.

Zendesk form data guideline

Completing ticket data can be a very subjective process - the ticket might arguably be about two different things and it's up to the engineer to decide how to best categorise the ticket. It's more important to complete the data than to be objectively correct about what type of ticket it is.

Two ways of thinking about ticket data selection:

1. What is the reason this ticket exists? i.e why did the customer create this ticket? Example reasons could be: system bug, needs assistance to complete provisioning, has inquiry about payment.

1. What would have prevented the ticket from existing? For example, if they knew how to reset their password or manage their account (ticket type: account management), or if they knew who their Sales rep was and was able to contact the rep (ticket type: Sales assistance required), the customer wouldn't have needed to submit a ticket.

Please also see the table below as a guideline on what Transaction issue type can be selected for scenarios:

Transaction issue type	Sub-type	Scenario
----	-----	-----
Billing & Payment (refunds, cancellations, payment questions)		Requests for refunds or cancellations + questions about payment and billing
EDU/OSS/Startups	EDU account inquiries	Requests/inquiries for the Education team. Follow workflow
EDU/OSS/Startups	OSS account inquiries	Requests/inquiries for the OSS team. Follow workflow
Sales-assistance required	Alternate payment method (Wire Transfer)	Customer wants to pay via wire transfer
Sales-assistance required	Order form / PO	Customer wants to pay via Order form or purchase order
Sales-assistance required	Reseller	Request is from a reseller or reseller customer
Sales-assistance required	Discount request	Customer inquires about a discount
Sales-assistance required	New business	No prior purchases and needs a sales quote
Sales-assistance required	Trueups	Customer has to pay for trueups via sales
Sales-assistance required	Other	Request requires Sales assistance for another reason
Trial-related inquiries	Trial start	Ticket is about starting a trial
Trial-related inquiries	Trial extension	Ticket is about extending a trial
Trial-related inquiries	Trial cancellation	Ticket is about canceling a trial or

downgrading to Free plan |

| Trial-related inquiries | Trial downgrade | Ticket is about downgrading a trial plan (from Ultimate to Premium) |

| Product or Process question | Free form | Please describe the ticket type in the text field. Any questions about how our products or processes work (except for questions about billable members and seat usage) |

| Legacy license troubleshooting (SM only) | Trueup | Self-managed license issue is caused by trueups |

| Legacy license troubleshooting (SM only) | Prior user count | Self-managed license issue is caused by previous user count |

| Legacy license troubleshooting (SM only) | Never generated | Self-managed license was never generated (and it should have been) |

| Legacy license troubleshooting (SM only) | Active users | Self-managed license issue is caused by active users count |

| Legacy license troubleshooting (SM only) | Multi-year license | Self-managed license is a multi-year license |

| Legacy license troubleshooting (SM only) | Not received | Self-managed license was not received by the requestor |

| Legacy license troubleshooting (SM only) | Other | Self-managed license issue is caused by another reason not listed |

| Legacy license troubleshooting (SM only) | Customer issue | User error |

| Legacy license troubleshooting (SM only) | Multiple unique subscriptions | Subscription is spread across multiple subscription IDs |

| Legacy license troubleshooting (SM only) | New license activation bug | Error while applying a newly purchase license |

| Legacy license troubleshooting (SM only) | Transition legacy to cloud | Any problems or errors encountered while changing from legacy license to cloud license |

| Associate namespace (GitLab.com only) | | Use when we have to help with provisioning of gitlab.com subscription |

| Account management (reset password, update details) | | Account-related requests or questions like how to get into an account or update the payment method |

| Contact management | | Requests or questions about changing the contact for an account or namespace |

| End of Availability (EOA) | | Any questions or requests relating to the end of the Bronze/Starter tier and the offers for the new subscription model |

| System bugs & incidents | CustomersDot | Bug or error is caused by an issue in our CustomersDot application |

| System bugs & incidents | GitLab.com | Bug or error is caused by an issue in our gitlab.com application |

| System bugs & incidents | License app | Bug or error is caused by an issue in our License application |

| System bugs & incidents | GitLab version | Bug or error is caused by an issue in the version of GitLab running on the SM instance |

| Plan Change (upgrade, downgrade, product transfer) | | Request to change a subscription by upgrade, downgrade or switching from self-managed to SaaS (or vice-versa) |

| Consumption (Compute, Storage) | Compute | Any questions or requests about compute minutes in gitlab.com |

| Consumption (Compute, Storage) | Storage | Any questions or requests about Storage in gitlab.com |

| Billable members and seats related question | | Questions specifically related to billable

members and seat usage |
Cloud licensing (SM only)	Trueup	Self-managed license issue is caused by trueups
Cloud licensing (SM only)	Prior user count	Self-managed license issue is caused by previous user count
Cloud licensing (SM only)	Never generated	Self-managed license was never generated (and it should have been)
Cloud licensing (SM only)	Not received	Self-managed license was not received by the requestor
Cloud licensing (SM only)	Multi-year license	Self-managed license is a multi-year license
Cloud licensing (SM only)	Active/billable users	Self-managed license issue is caused by active users count
Cloud licensing (SM only)	Other	Self-managed license issue is caused by another reason not listed
Cloud licensing (SM only)	Customer issue	User error
Cloud licensing (SM only)	Multiple unique subscriptions	Subscription is spread across multiple subscription IDs
Cloud licensing (SM only)	New license activation bug	Error while applying a newly purchase license
Cloud licensing (SM only)	Transition legacy to cloud	Any problems or errors encountered while changing from legacy license to cloud license
Usage ping (SM only)		Inquires or concerns about Usage Ping on SM servers
Quarterly Subscription Reconciliation		Any questions or disputes regarding quarterly subscription reconciliation
Auto-renewal		Any questions or problems regarding a subscription's automatic renewal
Other	Free form	Please describe the ticket type in the text field

The GitLab Issues field

The GitLab Issues text field is available on all L&R tickets and should be completed whenever applicable. The purpose of this field is to capture links to existing issues. This field is specifically relevant to Fulfillment PMs who will be able to see an overview of any repeating or high volume issues, which they can then prioritise in upcoming milestones. Examples of when to use the field:

1. There is a feature issue that, if implemented, would have prevented this ticket from being created.
1. There is a bug issue that can be replicated on the ticket.

This is a great way to log and get metrics for bugs and features that might need more attention from the product team as we can see numbers climb for an issue in real time. Please complete this field with a link to an issue whenever possible.

SECTION: support/license-and-renewals/workflows/customersdot/_index.md

SECTION: support/license-and-renewals/workflows/customersdot/associating_purchases.md

Sometimes a subscription owner (Sold To: contact) may want to associate the billing account (and related subscriptions) with more CustomersDot users, or transfer the billing account / subscription ownership.

This process would also apply for requests to send a license to a different email other than the Sold To: contact.

Occasionally, Billing Team may forward requests / tickets to our team to vet and then assist with changing Sold To: details. The processes below would apply for those tickets as well.

CustomersDot changes can update Zuora Sold To contact

Important note: Any time a CustomersDot user is edited via the Admin, the Zuora account contact associated with the customer is updated. In case there is no Zuora contact with the same email, the Zuora account Sold To: address is replaced.

If the workflow requires editing a CustomersDot user (Customer record) via the Admin, click Save on the user with the same email as the original Sold To: contact LAST, to ensure they remain the Sold To: on their Zuora account. Refer to the workflow Update Zuora Sold To contact using CustomersDot.

Creating a new Billing Account Membership for a user will not update the Zuora Sold To: contact.

Add subscription management contact

Provide subscription access to additional CustomersDot user by creating billing account membership.

1. Verify the requestor's identity as outlined under ownership verification.
1. Ensure the requestor has a Customer record in CustomersDot.
1. Identify the CustomersDot billing account for the provided Zuora account, and save the user and billing account names for use in upcoming steps.
1. Navigate to the Billing account memberships section in the left navigation area.
1. Select the + Add new action.
1. Using the information you saved earlier, select the correct CustomersDot user and CustomersDot billing account for the new subscription management request. The CustomersDot user can be uniquely located by its Email and the billingaccount by its zuoraaccountid.
1. Click Save.
1. Ensure the Login activated checkbox for the CustomersDot user is checked. If it is not, then confirm the CustomersDot account login status.

Note: If a CustomersDot user already has a billing account membership, it is not currently possible to create a second billing account membership for them. Confirm with the existing

CustomersDot user if they want to stop managing the existing subscriptions before removing the existing billing account membership.

Change subscription management contact workflow

Use this workflow for requests to change subscription owner, transfer ownership, or regaining access to a subscription that was set up by another person not in the organization anymore.

Self-service option

Consider using the Support::L&R::Change Customers Portal Contact macro so the requester can self-service. Important: Do not add the existing Sold To: contact as a CC. The requester would see the email address, which would be considered a leak of Personal Data.

If the requester does not have a Customers Portal account but can access the previous owner's Customer Portal account or email address, direct them to:

1. Trigger a one time sign-in link to the existing owner's email.
1. Claim the account by changing over the profile owner details.
1. Link their GitLab account to the Customers Portal account or change the linked account for authentication.
1. Once the requester has updated the account on the Customers Portal, verify that the Sold To: contact in the Zuora account matches the Customers Portal account. Follow the Update Zuora Sold To contact using CustomersDot workflow if they do not match.

If the requester has an existing Customers Portal account, they can ask current subscription contacts to invite them as a billing account manager.

Message "Your account is already linked to another billing account" reported

A customer receives an email with the message:

> <Contact Name> has invited you to manage the GitLab subscription for <Company Name>.
> However, your account is already linked to another billing account, and cannot be associated with two billing accounts at the same time. Please contact GitLab Support for assistance.

This happens when a customer is a billing account manager of a separate billing account.

1. If the ticket requester is an existing billing account manager or the invited contact
 - Go to the Billing account invites page.
 - Find the invite related to the invited contact's email.
 - Ensure either the Email or the Billing Account in the invite matches the requester's CustomersDot account details, then proceed to step 3.
 - Proceed to step 2 if the details do not match.
1. If the ticket requester is not an existing billing account manager nor the invited contact (for example, if a reseller opens the ticket or the ticket is a customer-facing internal request), follow the ownership verification process first.
 1. Follow Remove a billing account membership workflow to remove association from the contact's current billing account.
 1. Follow Add subscription management contact workflow to associate the customer to the billing

account to which they were invited.

Error "Email has already been taken" reported

If the requester follows the self-service option and receives the error "Email has already been taken", this indicates the new account owner already has an existing CustomersDot account. Direct them to follow the steps to add a billing account manager instead.

Support-assisted option

This process should be a last resort for all customers (including reseller customers). Only after ruling out the self-service option above will we consider making the requested ownership change.

First, verify the customer's identity as outlined under ownership verification.

Process for existing CustomersDot user

Warning: A new Customer record will be created if updating a billing account contact to an email address for which a Customer record doesn't yet exist. So please be sure to follow the steps in the presented order to avoid this side-effect, or follow the Process for non-existing CustomersDot user, if the requestor is not an existing CustomersDot user.

If the requestor is an existing CustomersDot user when doing an email search:

1. Follow Add subscription management contact workflow.
1. Follow Remove a billing account membership workflow to remove association to the subscription of the previous Sold To: contact.
1. Follow Update Zuora Sold To contact using CustomersDot workflow.

Process for non-existing CustomersDot user

If the requestor is not an existing CustomersDot user when doing an email search:

1. Edit the Name and Email of the current Sold To: contact's CustomersDot customer account to the new contact, check the box Skip email confirmation and click Save.
1. Check if the CustomersDot account is linked to a GitLab.com account:
 - On the CustomersDot account, navigate to the Show tab and confirm there is a value under Uid. The Uid is the ID of a GitLab account which can be checked via the Users API <https://gitlab.com/api/v4/users/<Uid>>
 - On the CustomersDot account, unlink the GitLab user account by selecting the Unlink GitLab User tab. This should prepopulate the GitLab username and associated account to unlink.
1. Trigger a one time sign-in link to the new email. Request the customer to Link their GitLab account to the CustomersDot account.
1. Confirm that the Sold To: contact in the Billing account is also updated, otherwise follow Update Zuora Sold To contact using CustomersDot workflow.

Other notable workflows involving CustomersDot

Ownership verification

Note 1: For any of the options below, do not add the existing Sold To: contact as a CC. The requester would see that email address, which would be considered a leak of Personal Data.

Note 2: We do not accept vouches from GitLab Team Members (including Account Owners listed in SFDC) as proof of a customer's association to a subscription.

Note 3: If you need to escalate any ownership verification requests to the Legal and Compliance team please open a Subscription-Ownership-Change-Escalation issue.

Note 4: This process is slightly more stringent than that of the steps for proving entitlement to Manage Support Contacts. Notably, we cannot accept screenshots for proving entitlement to subscription management access.

We need one of the following in order to verify eligibility for the subscription ownership change:

1. Approval from the existing contact

- If the billing account has different Sold To: and Bill To: contacts, we can only accept approval from the existing Sold To: contact.

- The Bill To: contact must provide a recent GitLab invoice.

1. Prior subscription contract

1. Recent GitLab invoice (last 12 months)

- This option is not available for customers who purchased through a reseller. If the license key is unactivated at the time of the request, see Option 6. below, if the license has already been activated, the reseller can either open a ticket with this request or the customer can CC the reseller and also confirm that they would like to authorize the reseller to participate in the ticket. The reseller can then provide the invoice as proof of identity.

1. Copy of last loaded license (Self-Managed only) in text format only.

- Screenshots are not valid

- To obtain the license code:

- GitLab version 14.2 and newer: Use license usage export.

- GitLab version 14.1, run the command `sudo gitlab-rails runner 'print`

`License.current.data'` on the GitLab instance. N.B. this command can take a few minutes to complete.

- GitLab versions older than 14.1, use Download license from the Admin area > License page.

- License file can be decoded in customersDot from Licenses -> Validate License (/admin/license/validatelicense)

- Copies of license activation code emails are not permissible articles of proof.

- Please use the Redaction Zendesk app to censor the activation code if such a cloud activation code email is provided.

1. For a SaaS customer you can verify that the ticket requestor is an owner in the namespace attached to the subscription by:

1. Asking them to:

1. Login to their gitlab.com namespace as a group owner.

1. Open an API call to their namespace URL:

"<https://gitlab.com/api/v4/namespaces/<customernamespace>/gitlabsubscription>".

1. Copy/paste the returned data to the support ticket.

1. Using a gitlab.com admin account to verify the accuracy of the provided subscription data and then approving or denying the request accordingly.

1. Option for unactivated licenses purchased through a reseller only: A reseller can vouch for an account ownership change through a ticket request. The reseller can open a ticket, or alternatively, the customer can CC the reseller to authorize their request.

1. Confirm that the subscription was purchased through a reseller

1. Verify that the email address domain used by the ticket requester matches the Sold To email domain of the Invoice Owner account in Zuora as detailed in the related legal compliance issue. In cases where a customer has made a purchase through a series of resellers, the reseller matching the email domain identified in Zuora as the Invoice owner of the subscription should be used for verification confirmation.

Fixing typos

Support may receive an Internal Request to correct a typo in a customer's email address and resend the license or activation code to a valid address. Use the following workflow to validate such requests before making any changes:

1. (Cloud license only, proceed to step 2 for Offline/Legacy) In CustomersDot, find the subscription name on the Cloud Activation page. Ensure the activation code has not been used; if it has not been activated yet, there will be no "Self Managed Instance Activations" tab for this cloud activation.

1. Check the Mailgun logs to verify that the license email was sent but failed to reach the intended customer. If the email with the typo does not exist, the Mailgun log entry will display a failed mail delivery attempt (commonly shown as a 550 error code).

1. Log the error by attaching a Mailgun log in text form to the ticket.

1. Validate the correct email address with the Account Manager who submitted the request in writing before correcting the typo.

1. Update the Sold to contact email address on the Billing Account and the related Customers Portal account.

1. Resend the license or activation code to the corrected email address.

1. Advise the Account Manager to update the email for the Contact in SFDC for their records.

Update Zuora Sold To contact using CustomersDot

1. Navigate to the Billing account contacts section of the CustomersDot Admin page.

1. From there you can search for the account to be updated in Zuora by searching for the existing email address for either the Bill To: or the Sold To: on record.

1. Once the account has been located it may be edited by selecting the small pencil icon located at the right side of the page.

1. On the edit page you will see a highlighted warning banner near the top of the page indicating whether you will be editing the sold to contact, the bill to contact, or the sold to and bill to contact.

1. Once you have confirmed the correct account in the Billing account contacts section of the CustomerDot Admin page, you may update the relevant fields. Normally this is the First name, Last name, and Email address. The physical address may be updated here as well, if desired.

1. Upon completion of the changes, click the Save button near the bottom of the page.

1. To confirm the changes propagated properly this can be done by verifying in Zuora that the Sold To: and/or the Bill To: contacts have been updated.

If the Zuora information is not updated properly, or the Bill To: and the Sold To: records have the same account and the customer needs them to be separate people, you may hand the ticket to

the Billing team using the Zuora contact change workflow to update the relevant information.

Remove a billing account membership

You can remove an existing billing account membership:

1. Navigate to the Billing account memberships section.
1. Locate the correct billing account membership by searching for the CustomersDot user's email.
1. Open the billing account membership and select x Delete action.
1. Confirm the correct billing account membership is selected.
1. Select Yes, I'm sure.
1. See the Billing account membership successfully deleted success notification.
1. Refer to Add subscription management contact if you want to add a new billing account membership to the CustomersDot user.

Note: If the deleted billing account membership was the only one associated with the billing account, please ensure that this is the desired state.

Confirm the CustomersDot account login status

If the Login activated checkbox for a CustomersDot account is not checked, then:

1. Click the History tab and search for loginactivated = false. If you find an entry dated any time after the create entry, that indicates that we may have intentionally disabled login for this customer. Do not proceed with enabling login unless you are sure. For help, ask for guidance in the supportlicensingsubscription channel.
1. To enable the customer's login:
 1. Click the Edit tab
 1. Check the Login activated checkbox
 1. Click Save
 1. Locate the original Sold To: contact in CustomersDot and click Save on the Edit page to ensure this contact remains the Sold To:

SECTION: support/license-and-renewals/workflows/customersdot/customer_console.md

Overview

This workflow is for frequently used functions that are pre-loaded via the Customers Console and Functions project.

Using the customer console for internal requests is only for special cases in which the existing tools won't allow us to complete the task at hand.

Console access is through Teleport, and requires membership in the relevant Okta groups documented on the CustomersDot project. You can file an access Request to gain membership.

Refer to the CustomersDot documentation page about Teleport for a full overview of installing

and using Teleport to access the production or staging rails console.

Production

All requests to production require approval of the SRE(s) on shift, and you can view your request(s) in teleport-requests in slack.

Note The production system will automatically invoke the support console wrapper script upon login

1. You will initiate the request via Teleport using tsh login.

- Your command shell will hang until approval is given, but you can close the terminal or kill the process at any time, and then resume it using the --request-id option:

- e.g. tsh login --request-id=xxx ...

- The ID is shown in your shell, and is also available in teleport-requests or the slack DM from Teleport-app

1. After the request is approved, you will then use Teleport to SSH into the system with tsh ssh

1. Requests generally remain approved for 8-12 hours. You can resume that session anytime, again using --request-id

Staging

- No approval is necessary for staging, and access is granted immediately

- Accessing is the same as it is for production, except your tsh login will be approved immediately, and you can move on to tsh ssh

- The wrapper script is not invoked upon login

Scope

The console will be for tasks which cannot be completed from the tools we have available.

We need to see the console as a transition stage:

mermaid

graph TD

A[Console Tasks] --> B(Automate within GitLab)

B --> C(Integrate into the product)

The more we use a function the more we should ask ourselves why we haven't automated that process or integrated that missing function into our product.

Search methods

viewnamespace

> Note: This functionality is mostly covered by namespace search in UI.

Provides a unified view for the namespace including orders and customer account linked to the

orders.

Function to see namespace information and linked orders/customer profile.

The function will find orders linked to the provided namespace and then customer profile linked to the orders:

mermaid
graph