

-- |

| Date Created | 2020-08-13 |

| Date Ended | 2020-12-08 |

| Slack | sptmetrics-analysis (only accessible from within the company) |

| Google Doc | Metrics Analysis Workgroup Agenda (only accessible from within the company) |

| Playlist of Meetings | Support - Metrics Analysis |

KPIs that triggered this action

- Support Satisfaction (SSAT): Target 95%
 - Trending down since May: Support Metrics::SSAT in Explore (GitLab internal)
- Service Level Agreement (SLA)
 - First Reply Time: Target 95%
 - Trending down since May: Support Metrics::SLA in Explore (GitLab internal)

Exit Criteria

- Define conditions under which a metrics workgroup will be formed. => 100%
- Create a dashboard that exposes metrics and targets that will trigger actions on part of the support team (including forming this group) => 100%
- Document common hypothesis and expose the data to support/refute them. => 100%

Roles and Responsibilities

| Working Group Role | Person | Title |

| -- | -- | -- |

| Facilitator | Lyle Kozloff | Senior Support Engineering Manager |

| Executive Stakeholder | Tom Cooney | VP of Support |

| Member | Ilia Kosenko | Support Engineering Manager |

| Member | Wei Meng Lee | Support Engineering Manager |

| Member | Donique Smit | Support Engineer |

Artifacts

1. Support KPIs Dashboard to breakdown top-level KPIs
1. Metrics Project to track hypothesis.
1. Metrics Hypothesis Board to track outstanding hypothesis
1. FY21-Q3 Working Group Milestone to show a burndown chart.
1. Metrics Workgroup Issue Template to provide instructions for how a metrics workgroup is formed.
1. Metrics Hypothesis and Actions to track common hypotheses, data collection methodologies and actions.

SECTION: support/managers/metrics-analysis/actions.md

Purpose

This page documents hypothesis for metrics dips and techniques for evaluating them.

Additionally it includes specific actions that might be used to shore lagging metrics up.

FRT is below target

A time-consuming workflow is causing a dip in performance

Past Analysis

2020-09-01: FRT Hawks

2020-09-01: FRT Hawks spending more time on needs-org tickets is causing a dip in performance

Evidence Gathered:

- Tickets opened by email that had no plan (that is: emails that might trigger the needs-org workflow)

Approach:

- Examine number of tickets that might trigger the needs-org workflow
- Understand which of these tickets actually triggered the workflow
- Determine amount of time we could save by adjusting the workflow

Shaping Actions

If you suspect a time consuming workflow is causing a dip in performance:

- Identify the number of tickets that would fall under the workflow
- Verify that the workflow is being evenly applied to the set of tickets in question
- See if there any efficiency gains to be made through automation

Tickets have increased in difficulty

Past Analysis

2020-09-01: SaaS Tickets have gotten harder

2020-09-01: SaaS Tickets have gotten harder

Evidence Gathered:

- Requestor Wait Time
- Time to Resolve
- Anecdotes from ICs and data from raised points:
 - Integrated Cluster growth per month
 - Package Registry Growth

- Internal Issues Per Month

Approach:

- Examine data that correlate with difficulty (TTR and Requestor Wait Time)
- Examine anecdotal data about ticket subjects, assuming that these areas may be underserved by experts.

Notes:

- The data gathered while examining this hypothesis generated additional falsifiable explanations

Shaping Actions

If tickets have increased in difficulty:

- Determine if additional headcount can be applied to this area (temporarily)
- Examine specific areas of challenge and develop training and workflows
- See if there are possibly gains in efficiency through macros, tooling or workflow improvements
- Identify product issues or feature requests that will reduce the impact of challenging ticket areas
- Examine documentation for problem areas, and additional content to help customers self-serve answers

A single portion of tickets is responsible for decreased FRT results

Past Analysis

2020-09-14: A single portion of tickets

2020-09-14: A single portion of tickets is responsible for the overall sag in FRT

Evidence Gathered:

- 6 Months breakdown per ticket form and problem type spreadsheet

Approach:

- Examine SLA breaches in %, SLA median TTR (Time To Resolve) and the total volume of tickets for each problem type (under the relevant ticket form).
- Compare the results and identify trends and spikes.

Shaping Actions

If it was identified that a single portion of our problem types exhibits poor performance (compared to the other problem types).

- Attempt to identify the dates where the volume increased, or the SLA started to decline.
- Identify potential issues that might have impacted our customers or our ability to provide support for these problem types.
- Discuss the decreased performance with the relevant IC's and work with them to try and identify possible blockers and explanations as to why this specific problem type decreased in performance.

Hypothesis 2 for FRT

Past Analysis

Shaping Actions

SSAT is below target

Hypothesis 1 for SSAT

Past Analysis

Shaping Actions

NRT is below target

Hypothesis 1 for NRT

Past Analysis

Shaping Actions

-->

SECTION: support/partnerships/_index.md

The GitLab Partner Program enables many different types of partners. Please see the page for each type of partner for a description of that type:

SECTION: support/partnerships/alliance-partner-support-guide.md

GitLab contacts

- DRI Tine Sørensen - Manager, Support Engineering, EMEA - @tsorensen
- Director Val Parsons - Director of Support Engineering, EMEA - @vparsons
- AMER timezone contact Mike Dunninger - Manager, Support Engineering, AMER - @mdunninger

- APAC timezone contact Shaun McCann - Director of Support Engineering, APAC - @shaun

Alliance Partner Support collaboration

Alliance Partners at GitLab may also have a Support collaboration with GitLab, for our shared customers. Shared customers have purchased both Alliance Partner product and GitLab product. All customers have Ultimate licenses.

Support collaboration means that for GitLab related tickets, our Alliance Partner does 1st level support and hands over tickets to GitLab for 2nd and 3rd level Support.

Most things work just as any other customer, but there are some differences listed below.

General info

Alliance Partner Slack channel

GitLab Support share a Slack channel with the Alliance Partner support team. These are named a[Alliance Partner name]. The channel is primarily used for escalations, but can also be used for collaboration between support teams, when warranted.

We do not solve issues in Slack, only in tickets. But we can reach out in the Slack channel if we need more information from the Alliance Partner support team. This could for instance be if an issue involves both GitLab and Alliance Partner products, or to help get material needed to troubleshoot an issue. If the topic is a specific ticket, do include the Alliance Partner ticket id.

Regular touch points

We have regular meetings with our Alliance Partners' support team, to ensure collaboration works well and customers receive stellar support. Reach out to the Alliance partner DRI to get topics on the agenda.

ZenDesk organization

Do not add anyone to Alliance Partner ZenDesk organizations. Reach out to contacts above if needed.

Support Guide

Ticket customer

Tickets are created by the Support team at the partner, but the tickets come from many different individual customers. The content in tickets is copied verbatim from customer report in our Alliance Partners ticket system, to ours. Meaning, the replies come directly from customers.

Customers in the tickets are customers both at GitLab and Alliance Partner.

Ticket naming

Tickets will be named in this format: [Customer name] - [Alliance partner internal ticket id] - [Ticket Subject]

Adding customer to ticket

Alliance Partner support team needs to add customer as cc when they create the ticket. Just as with any other customer, GitLab should not add any contacts to the ticket.

Support Process differences

Be mindful that GitLab support process may differ from how the support team works at an Alliance Partner, which might not always be intuitive. Always assume positive intent.

Also note that specific partners can have special processes (GitLab internal link, only team members can access).

Scope

Alliance partner does initial ticket triage and 1st level support. GitLab Support are responsible for 2nd and 3rd level support.

Ticket priority

Alliance partner triages tickets and set the initial ticket priority. GitLab support will assume the ticket priority is appropriately set in our initial response.

If the priority changes at a later point in time or we find the priority should be adjusted, we will clarify with customer in the ticket and change priority per our normal process.

Customer calls

Do add relevant Alliance Partner support engineers to customer calls.

SECTION: support/partnerships/alliance.md

Contacting Support

Alliance and Technology Partners may contact us by submitting a ticket from the support portal. Each representative of an Alliance Partner must arrange for their account on the support portal to be created for them prior to submitting a ticket for the first time. To make that arrangement, they should contact their Customer Success Manager, Account Executive or other member of their GitLab Sales team.

Once the account has been created, an Alliance Partner should submit tickets using only this specialized form.

Tickets submitted using any other form will not route correctly, which will likely result in delays.

Note to Support: Pay close attention to the organization notes an Alliance Partner has on their account. These often provide critical information about how to provide the very best support possible.

GitLab provides no support for NFR software issued to Alliance Partners.

File uploads

When Alliance Partners need to send files to GitLab Support, we have 3 methods available to them:

- Standard ticket uploads (20MB max)
- Support Uploader
- A specialized connection to an s3 bucket
 - For this method, Support will use an application that is already available to them for listing and downloading the files as needed.

Escalations

In rare events when an issue requires escalation, GitLab Support provides Alliance Partners with a personalized Slack workflow form that will trigger an escalation on.

The Slack workflow form asks for the following information:

- What is the request ID or case number?
 - This should be either the GitLab ticket ID or the Alliance Partner's case number (e.g. 123456 or T123456789). Only those values should be entered (omit any number signs or other text)
- What is the reason for escalation?
 - This is the reason the escalation is being requested.
- What actions would you like done?
 - This is the desired end result you would like to see from the escalation.

This form will locate the ticket and trigger a STAR on the ticket/case.

Note This process is also what is used in the case an emergency needs to be filed.

SECTION: support/partnerships/jihu.md

Contacting Support

Note: Prior to reaching out to support, you will need an account

pre-created for you in the support portal. To have this done, please reach out to your Customer Success Manager, Account Manager, Sales representative, or Support representative first!

JiHu Partnership members contact us via the support portal. To ensure that their tickets submitted there route properly, they use this specialized form.

This opens the ticket in the JiHu form in zendesk.

File uploads

When JiHu Partnership members need to send files to GitLab Support, we have 2 methods available to them:

- Standard ticket uploads (20MB max)
- Support Uploader

SECTION: support/partnerships/open.md

Open Partner Track Description

Resellers, integrators and other sales and services partners join the partner program in the Open track. Open is for all partners in the DevOps space, or IaaS and other adjacent spaces that are committed to investing in their DevOps practice buildout. Also, the Open track is for partners seeking to develop customers or just wanting to learn about GitLab and participate in the GitLab partner community. GitLab Open Partners may or may not be transacting partners, and can earn product discounts or referral fees.

Contacting Support

Open Partners and their end customers can contact us by submitting a ticket through the Submit a Request form. To ensure efficient ticket handling and prevent any delays in receiving the first response, they have two options:

- Open Partners:
 - If the Open Partner is opening a ticket on behalf of a customer or themselves then they can use the Submit a Request page and select the appropriate form for their problem.
- End Customers of Partners:
 - If the end customers would prefer to open a ticket directly with GitLab Support then they can also use the Submit a Request page and select the appropriate form for their problem.

The only requirement for submitting a new ticket is that you must first register on the GitLab Support Portal.

Note to Support: Never associate a customer to a Select Partner's organization, or vice-versa!

File uploads

When Open Partners needs to send support files, we have 2 options available to accommodate this:

- Standard ticket uploads (20MB max)
- Providing Large Files

Examples of Support Ticket Submission and Handling for Open Partners

Support provided to Open Partners and their customers will vary depending on the circumstances under which a ticket is raised. Some examples are:

1. An Open Partner is doing commercial work for a customer and raises a ticket. They should do so under their own account using a subscription they have purchased for themselves. We will deliver support based on the subscription the partner has purchased.
1. An Open Partner is doing internal training, testing or knowledge building. They should raise a ticket under their account using their NFR licences.

These examples are not exhaustive. If in doubt, ask questions about the situation under which the ticket is being raised.

SECTION: support/partnerships/select.md

Select partners are by invitation only and are reserved for partners that make a greater investment in GitLab expertise, develop services practices around GitLab and are expected to drive greater GitLab product recurring revenues.

Contacting Support

Select Partners and their end customers can contact us by submitting a ticket through the Submit a Request form. To ensure efficient ticket handling and prevent any delays in receiving the first response, they have two options:

- Select Partners:
 - If the Select Partner is opening a ticket on behalf of a customer or themselves then they can use the Submit a Request page and select the appropriate form for their problem.
- End Customers of Partners:
 - If the end customers would prefer to open a ticket directly with GitLab Support then they can also use the Submit a Request page and select the appropriate form for their problem.

The only requirement for submitting a new ticket is that you must first register on the GitLab Support Portal.

Note to Support: Never associate a customer to a Select Partner's organization, or vice-versa!

File uploads

When Select Partners needs to send support files, we have 2 current methods available to accomodate this:

- Standard ticket uploads (20MB max)
- Support Uploader

Examples of Support Ticket Submission and Handling for Select Partners

Support provided to Select Partners and their customers will vary depending on the circumstances under which a ticket is raised. Some examples are:

1. A Select Partner creates a ticket to address a GitLab concern brought to them by their customer. The Select Partner will manage the ticket and serve as the go-between for the customer and GitLab Support. We will deliver Priority Support regardless of the customer's subscription.
1. A Select Partner is doing commercial work for a customer and raises a ticket. They should do so under their own account using a subscription they have purchased for themselves. We will deliver support based on the subscription the partner has purchased.
1. A Select Partner is doing internal training, testing or knowledge building. They should raise a ticket under their account using their NFR licences.

These examples are not exhaustive. If in doubt, ask questions about the situation under which the ticket is being raised.

SECTION: support/readiness/_index.md

Purpose

The purpose of Support Readiness is to enable GitLab to provide delightful customer experiences by:

- equipping the Customer Support team with knowledge, tools and data to optimize productivity and efficiently solve customer problems.
- equipping our customers and wider GitLab with the data, knowledge and insights to prevent customer problems before they occur.
- delivering delightful experiences to both our own internal and external customers.

Our purpose statement is re-evaluated as needed, at minimum every 3 years

Support Readiness FY25 Direction

The FY25 Direction for Support Readiness should support and substantiate the overall Support Direction. To that end, in FY25 we will:

Improve our ability to achieve results for customers

- Update and refine issue triage, prioritization and work assignment processes.
- Create sub-department and role-based performance indicators.
- Simplify and refine customer and support engineer experiences using Zendesk.

Team structure and how it supports our ability to achieve results

- Refine team structure and team member roles; check-in with team members to make sure they're in a place where they can contribute best and have appropriate responsibilities to facilitate team results.
- Make strategic hires to help better achieve our purpose and advance us in our direction.

Team culture and how it supports our ability to achieve results

- Run a SWOT analysis and use its output to form purpose and direction statements.
- Share knowledge, document and train on operationally critical issues to ensure business continuity.

Delight our customers

- Foster a customer-centric mindset that prioritizes empathy and proactive support.
- Survey the Support team and take action based on the findings.

Our direction is re-evaluated annually, following the completion of the Support Direction

Hiring Plan

Currently, Support Operations is using a ratios for our hiring plan. The ratios used are:

- 40 Support Engineers to every 1 Support Operations Specialist
- 10 Support Operations Specialists to every 1 Support Operations Manager

Support Readiness Links

- Readiness Subgroup

SECTION: support/readiness/data/_index.md

Purpose

Meet the team

There are a few people who are routinely involved in serving the data needs of Support:

Name		Role	
Specialization			
----- -----			
- -----			
Lyle Kozloff		Director of Support, Global Readiness and Acting Support	
Operations Manager		Leadership	
Nabeel Bilgrami		Support Readiness Specialist	
		Operations	
Melissa Magoma		Support Readiness Specialist	
		Service Delivery	
Ilia Kosenko		Support Engineering Manager	
		Data	

Data Visualization Guidelines

We follow the GitLab Pajamas Design System recommendations for accessibility.

Color Preferences

Performance indicators:

- SSAT: 5A5087 (Purple)
- FRT: D7786E (Red)
- NRT: F0AF64 (Yellow)

Ticket Priorities:

- Low: FFA600 (Yellow)
- Normal: F57F6C (Salmon)
- High: D45384 (Magenta)
- Urgent / Emergency 5A5087 (Purple)

Regions:

- AMER: D7786E (Red)
- APAC: 5A5087 (Purple)
- EMEA: F0AF64 (Yellow)
- All Regions: 52b87a (Green)

Please see GitLab Support Data Visualization Style Guide (GitLab internal only) for more detail.

Color Palettes

Please see GitLab Support Data Visualization Style Guide (GitLab internal only).

SECTION: support/support-pods/_index.md

Support Pods is a flexible framework which any group of team members can use to set up

self-organizing interest-based groups to work on any set of problems people wish to take on.

GitLab's product feature set and our customer's use-cases are getting large and complex enough that

it makes sense to introduce some elements of specialization, but our team size is not yet large enough that it makes sense to restructure our work and team around specialization.

Support Pods introduces some form of specialization now, while being flexible enough to adapt to the

current operational challenges that the Support team faces as we scale to meet GitLab's increasingly complex business and customer needs.

For information on how you can integrate Support Pods into your workflows, visit the [Working with Support Pods workflow page](#).

Naming

Support Pods is the formal name of this initiative and should be referred to as such in formal written or verbal communication. This is to avoid confusion and ambiguity as there are many different uses of the word pod in the GitLab context.

Directory

| Support Pod | Slack | Leads |

|-----|-----|-----|

| AI | sptpodai | {{< member-by-name "John Gaughan" >}} |

| Advanced Search | sptpodadvanced-search | {{< member-by-name "Cleveland Bledsoe Jr" >}} |

| Authentication and Authorization | sptpodauth | {{< member-by-name "Asmaa Hassan Ahmed Ali" >}}{{< member-by-name "Gerardo Gutierrez" >}}{{< member-by-name "Jio Castillo" >}}{{< member-by-name "Alejandro Guerrero de Alba" >}} |

| CI/CD | sptpodcicd | {{< member-by-name "Manuel Grabowski" >}} |

| Code Contributions | sptpodcode-contributions | {{< member-by-name "Anton Smith" >}}{{< member-by-name "Manuel Grabowski" >}} |

| Database | sptpoddatabase | {{< member-by-name "Daniel Diniz de Noronha" >}}{{< member-by-name "Chris Nightingale" >}}{{< member-by-name "Mark Nagle" >}}{{< member-by-name "Ryan Castro" >}} |

| Documentation | sptpoddocs | {{< member-by-name "Keelan Lang" >}}{{< member-by-name "Michelle Almendarez" >}}{{< member-by-name "Michael Gibson" >}} |

| Geo | sptpodgeo | {{< member-by-name "Ronald van Zon" >}}{{< member-by-name "Anton Smith" >}}{{< member-by-name "Keelan Lang" >}} |

| GET | sptpodget | {{< member-by-name "Lewis Brown" >}} |

| Git and Gitaly | sptpodgit | {{< member-by-name "Jessie Lee" >}} |

| GitLab Dedicated | supportgitlab-dedicated | {{< member-by-name "Brie Carranza" >}}{{< member-by-name "Armin Hergenhan" >}}{{< member-by-name "Wade Jenkins" >}}{{< member-by-name "Daphne Kua" >}}{{< member-by-name "Wei-Meng Lee" >}} |

| Import and Integrate | sptpodimportandintegrate | {{< member-by-name "Anton Smith" >}} |

Integrations	sptpodintegrations	{{< member-by-name "Anton Smith" >}}
Kubernetes	sptpodkubernetes	{{< member-by-name "Lewis Brown" >}}
Licensing and Renewals	supportlicensing-subscription	{{< member-by-name "Bethany McGrew" >}}
Performance and Reliability	sptpodperformance	{{< member-by-name "Cody West" >}}
Runner	sptpodrunner	{{< member-by-name "Justin Farmiloe" >}} {{< member-by-name "Tony Marsh" >}}
Sec	sptpodsec	{{< member-by-name "Katrin Leinweber" >}} {{< member-by-name "Brie Carranza" >}}
Training	sptpodtraining	{{< member-by-name "Matthew Badeau" >}} {{< member-by-name "John Gaughan" >}}
Upgrade	sptpodupgrade	

Starting a Support Pod

Before starting

- Decide what activities your Support Pod will cover.
- Have at least three team members commit to participate in Support Pod activities.
- Determine the Support Pod leads.

Starting it up

1. Duplicate the Example Pod template page.
1. Rename your newly-created page to the name of your Support Pod.
1. Modify your Support Pod's page to include content relevant to your Support Pod.
1. Add yourself (and other leads) to the ^support-pods] section in the [CODEOWNERS file.

After starting

1. Have a read of the Running a Support Pod section for guidelines and recommendations on running a Support Pod.
1. Announce the creation of your Support Pod in the Support Week In Review.

Running a Support Pod

Responsibilities of Support Pod leads

Each Support Pod should have at least one lead, who will be responsible for defining its purpose,
and driving progress towards achieving that purpose.

Support Pod leads are different from Support Stable Counterparts (SSC).

SSCs focus on working with engineering product groups; Support Pod leads focus on working with the support team.

Often, it makes sense for an SSC to also serve as a lead for a corresponding pod, if one exists.

The Support Pod leads are responsible for:

- Recruiting team members who can and are willing to help with Support Pod activities.
- Organizing collaboration within the Support Pod, and with team members in the wider GitLab organization.
- Getting any resources or tools needed for Support Pod activities.
- Disbanding the Support Pod if its purpose has been met or is no longer needed.

As each Support Pod is self-organizing, leaders are free to decide how each Support Pod should make decisions. While doing so, please keep in mind the GitLab Values and the following principles:

- GitLab Handbook: Directly Responsible Individuals.
- Working on tickets Support workflow: Key Principles and Priorities & Impact.

Collaboration mediums

Here's a list of different options you can use to collaborate with members of your Support Pod.

Zendesk

You may choose to create a personal view and share this configuration with Support Pod members so that you can see the same view of tickets. Unfortunately, the best way to do this now is through manual means, such as taking and sharing a screenshot.

An alternative approach of using Zendesk shared views is being explored in Support Team Meta Issue 6187.

GitLab.com issues

You may choose to create a label and issue board to filter and show all GitLab.com issues in the gitlab-org and gitlab-com groups relevant to your Support Pod.

Support Pods project

You may choose to store any relevant files or documentation in your Support Pods directory in the Support Pods project.

Google Doc

You may choose to create a Google Doc to store and collaborate in text before final transfer to a more permanent medium, such as a GitLab.com issue or Zendesk ticket. Make sure to set

permissions
such that everyone in GitLab can view or edit.

Slack

If you choose to use Slack to collaborate, consider using an existing channel:

- If customer-focused, an customer account internal channel (aXYZ-internal) may be appropriate.
- If GitLab product-focused, a stage (s), group (g) or feature channel (f) may be appropriate.

If creating a dedicated channel, prefix your channel name with spt-pod.

If you will be conducting pod specific pairing sessions in the channel, Pairify support can be added to the new channel by requesting it in pairify-app.

Improving Support Pods by identifying and actioning on gaps

To address issues, it will be necessary to identify areas of concern within a Support Pod or distribution of expertise.

There are many ways to identify possible gaps or issues. Though the most important part of the process is to decide how to take action on them.

This is a non-exhaustive list that leads have completed with success:

1. SWOT analysis

- Action: Create issues for "Threats" and "Weaknesses". Assign DRIs to resolve.

1. Analysis of expertise. Example for Auth.

- Action: May vary, such as invite a base number to join the Support Pod, or targeted number open training modules.

1. Collect list of pain points from Support team members through a chosen method, such as a survey.

- Action: Analyze the list for actionable points. Create issues for each, and assign DRIs to resolve.

Historical context

Iteration 1

Iteration 1 was rolled out in August 2021
in APAC and September 2021
globally. It was focused on
enabling learning and collaboration. It was designed to complement the
Working on Tickets workflow,
so Support Pod views were worked on after all other Zendesk views.

Participants of the initial phase of Iteration 1 reported that there was not enough time to get to
the Support Pod views due to heavy workload in other views. To alleviate this problem, we

trialed
prioritising Support Pod views ahead of other Zendesk views
in February 2022.

Retrospective

What went well:

- Increases productivity when working on tickets and facilitates hands-on learning when training as
Support Pod views are focused on one topic area.
- Easy to find and collaborate on tickets which might need a helping hand as tickets from all assignees and regions are visible

What didn't go well:

- Confusion around ticket handling priorities as fitting Support Pods into ticket workflows resulted
in guidance conflicting with global and regional work priorities.
- Conflicting guidance also caused some Pilot participants to feel like they were doing something
bad by deviating from global workflows.

What can be improved:

- Identify how members of a Support Pod can collaborate with each other · — · most collaboration
was with those working the ticket rather than within a Support Pod.
- Make Support Pod content more focused · — some views, e.g. Instance Management, contained a
set of problem types that were too broad to facilitate focus.

Iteration 2

Iteration 2 was rolled out in March 2022,
against the backdrop of Support Global Groups (SGGs)
being rolled out as the primary to organize work on tickets. It was evolved into a flexible
framework which any group of team members can use to set up self-organizing interest-based
groups to
work on any set of problems the group chooses to take on. This allowed it to co-exist and
complement
SGGs.

SECTION: support/support-pods/example-pod.md

Purpose

To serve as a template for team members who want to create their own Support Pod.

Scope

Having a clearly defined scope makes it easier for others to know what topics to bring to the pod.

Try using the existing lines within GitLab to define the scope of a Pod: GitLab product groups as defined in the DevOps stages are the SSOT for where which part/feature of the product is at home.

Current objectives

- Document how to start, run and shut down a Support Pod.

Support Pod members

- Lead: {{< member-by-name "Wei-Meng Lee" >}}
- {{< member-by-name "Ronnie Alfaro" >}}
- {{< member-by-name "Tine Sørensen" >}}

Collaboration channels

- Slack channel: sftpods · please follow the sftpod\$name naming scheme when creating a dedicated channel for the pod. If \$name has multiple words, use - to separate, e.g. sftpodcode-contributions.
- Optionally create a Slack group as well. You'll need to create an access request for IT to do so. As Slack group names can't be identical to existing channel names, please use @spt-pod\$name for the group name (a - instead of between spt and pod). If \$name has multiple words, use - to separate, e.g. @spt-podcode-contributions.
- Epic - <https://gitlab.com/groups/gitlab-com/support/-/epics/145>

SECTION: support/support-pods/advanced-search/_index.md

Purpose

The Advanced Search Support Pod is a dedicated group where we can help each other on Search related tickets.

Current objectives

- Collaborate on Advanced Search tickets and share knowledge
- Learn and discover Zoekt (Exact code search) as it reaches maturity

Support Pod members

- Lead: {{< member-by-name "Cleveland Bledsoe Jr" >}} (@cleveland)

Collaboration channels

- sptpodadvanced-search Slack channel

SECTION: support/support-pods/ai/_index.md

Purpose

- Provide a space for Support Engineers to collaborate on Duo tickets
- Stay up-to-date on and deepen their expertise in Duo features
- Identify and test ways to improve Support's workflows using AI

Scope

Topics in this pod will ideally align with these product groups:

- All groups in the AI-Powered Stage
 - AI Framework
 - Custom Models
 - Duo Chat
- From the Create Stage
 - Code Creation
 - Editor Extensions

Initiatives to improve Support workflows via AI (preferably by dogfooding Duo) will also be discussed and promoted in the Pod.

Current objectives

- Keep regular meetings going that are available to all regions
- Stay updated on all things Duo
- Help each other with Duo tickets!
- Promote, discuss, and test Support workflow improvements that use AI

Support Pod members

- Lead: {{< member-by-name "John Gaughan" >}} (@jgaughan)
- {{< member-by-name "Duncan Harris" >}} (@duncanharris)
- {{< member-by-name "Edward Hilgendorf IV" >}} (@edward)
- {{< member-by-name "Luminus Alabi" >}} (@lalabi)
- {{< member-by-name "Hubert Maraszek" >}} (@hmaraszek)
- {{< member-by-name "Brie Carranza" >}} (@bcarranza)

How to get involved

1. Talk with your manager.
1. Add Duo to your knowledge areas in the Support Team data. If it already exists, adjust your level accordingly.

1. Let your teammates and groupmates know about your new focus area.
1. Join the sptpodai Slack channel.
1. Add yourself to this page.
1. Attend AI pairing sessions. See Regular meetings and check the GitLab Support calendar for up-to-date meeting times

Regular meetings

- AI Pod pairing sessions:
 - EMEA & AMER friendly: Tuesday, 13:00 / 14:00 UTC depending on DST (check the GitLab Support calendar)
 - AMER & APAC friendly: Thursday, 22:00 / 23:00 UTC depending on DST (check the GitLab Support calendar)

Slack Channels

- AI Support Pod Slack channel: sptpodai

Other Slack channels of interest:

- aireadingfeed
- aistrategy
- ai-field-strategy
- duo-chat-feature-flag-request
- fcode-suggestions
- cloud-connector-lounge
- duo-chat-lounge
- gaiframework
- gaimodelvalidation
- gduochat

SECTION: support/support-pods/authentication-and-authorization/_index.md

Purpose

Complementing the SAML study group we have in EMEA, by dedicating time to collaborate on tickets from different regions, allowing us to gain more knowledge of other Oauth providers, and share the knowledge we have across regions.

Current objectives

- Collaborate on tickets related to OmniAuth, SAML, SCIM, LDAP, and other authentication stuff
- Tryout and reproduce the different setups
- Gain and share knowledge
- Documentation updates

Support Pod members

- Lead: {{< member-by-name "Asmaa Hassan Ahmed Ali" >}} (@asmaa.hassan)
- Lead: {{< member-by-name "Gerardo Gutierrez" >}} (@gerardo)
- Lead: {{< member-by-name "Jio Castillo" >}} (@j.castillo)
- Lead: {{< member-by-name "Alejandro Guerrero de Alba" >}} (@alejguer)
- {{< member-by-name "Sabine Carpenter" >}} (@sabinecarpenter)
- {{< member-by-name "Firdaws Farukh" >}} (@ffarukh)
- {{< member-by-name "Tristan Williams" >}} (@tristan)
- {{< member-by-name "Michael Gibson" >}} (@mgibsongl)
- {{< member-by-name "Austin Pierce" >}} (@AustinPierce)
- {{< member-by-name "Michael Lussier" >}} (@mlussier)
- {{< member-by-name "Daphne Kua" >}} (@dkua1)
- {{< member-by-name "Armin Hergenhan" >}} (@ahergenhan)
- {{< member-by-name "Bruno Freitas" >}} (@bfreitas)
- {{< member-by-name "Chris Stone" >}} (@cms)
- {{< member-by-name "Brie Carranza" >}} (@bcarranza)

Collaboration channels

- sptpodauth Slack channel
- Bi-weekly meetings:
 - An APAC/EMEA friendly one on Tuesdays 9 AM UTC every other week
 - An EMEA/AMER friendly one on Tuesdays 1 PM UTC every other week
 - An AMER/APAC friendly one on the fourth week of the month

Zendesk view

A zendesk view was created to see all Authentication and Authorization tickets. To have access to the view, in the Support Team data, add - 'Support Focus: Authentication and Authorization' under zendesk: section.

For example

```
yaml
zendesk:
  main:
    id: xxxxxxxxxx
    groups:
      - 'Support Focus: Authentication and Authorization'
```

SECTION: support/support-pods/ci-cd/_index.md

Purpose

Discuss CI/CD related tickets/issues, learn about CI/CD features and improve related documentation.

Scope

Topics in this pod will ideally align with these product groups:

- Pipeline Authoring
- Pipeline Execution
- Pipeline Security

In the context of "CI/CD" it can be hard to pinpoint where exactly a problem fits in. This list is not meant to discourage anyone from seeking help in the pod · when in doubt, ask away! The worst that could happen is that someone suggest a better place for the question.

Current objectives

- Keep regular meetings going
- Stay updated on all things CI/CD
- Help each other with CI/CD tickets!

Support Pod members

- Lead: {{< member-by-name "Manuel Grabowski" >}} (@manuelgrabowski) (Interested in co-leading? Let me know!)
- {{< member-by-name "Cleveland Bledsoe Jr" >}} (@cleveland)
- {{< member-by-name "Ryan Kelly" >}} (@rkelly)
- {{< member-by-name "Elif Munn" >}} (@emunnn)
- {{< member-by-name "Edward Hilgendorf IV" >}} (@edwardhilgendorf)
- {{< member-by-name "Duncan Harris" >}} (@duncanharris)
- {{< member-by-name "Alejandro Guerrero de Alba" >}} (@alejguer)
- {{< member-by-name "Segolene Bouly" >}} (@sbouly)
- {{< member-by-name "Charl Marais" >}} (@cmarais)
- {{< member-by-name "Sarah Crowle" >}} (@sacrowle)

How to get involved

1. Talk with your manager.
1. Add CI to your knowledge areas in the Support Team data. If it already exists, adjust your level accordingly.
1. Let your teammates and groupmates know about your new focus area.
1. Join the sptpodcicd Slack channel.
1. Add yourself to this page.
1. Attend CI/CD pairing sessions if we can ever figure out how to work a calendar. See Regular meetings and check the GitLab Support calendar for up to date meeting times

Regular meetings

- CI/CD Pod pairing session:
 - Mondays, 11:00 CET (09:00 / 10:00 UTC depending on DST, check the GitLab Support calendar)
 - Thursdays, 15:30 CET (13:30 / 14:30 UTC depending on DST, check the GitLab Support calendar)

Collaboration channels

- Slack channel: sptpodcicd

Set up a CI/CD View in Zendesk

It's recommended to set up a personal view for all CI/CD related tickets.

1. Go to Manage Views
2. Click Add View
3. Set up a view with the following parameters:
 - Title: CI/CD Pod
 - Conditions:
 - Tickets must meet all of these conditions to appear in the view:
 - Status is not Closed
 - Status is not Solved
 - Status is not pending
 - Tickets can meet any of these conditions to appear in the view:
 - Tags contains at least one of the following:
 - Add all supportcicd tags
 - Add supportcategorycicd
 - Columns (Recommended but you can choose what you'd like):
 - Next SLA breach
 - Subject
 - Requester
 - Request date
 - Assignee
 - Priority
 - Organization
 - Order by:
 - Next SLA breach - Ascending

SECTION: support/support-pods/code-contributions/_index.md

Purpose

Provide a space for SEs to collaborate in the context of Code Contributions.

Current objectives

- Raise awareness for the pod
- Use async communication in the sptpodcode-contributions Slack channel to empower SEs and exchange knowledge

Support Pod members

- Lead: {{< member-by-name "Anton Smith" >}} (@anton)
- Co-Lead: {{< member-by-name "Manuel Grabowski" >}} (@manuelgrabowski)

- {{< member-by-name "Brie Carranza" >}} (@bcarranza)
- {{< member-by-name "Ronald van Zon" >}} (@rvzon)
- {{< member-by-name "Cleveland Bledsoe Jr" >}} (@cleveland)

How to get involved

1. Talk with your manager.
1. If you haven't yet, consider working on the Code Contributions Support training module.
1. Add Code Contributions to your knowledge areas in the Support Team data. If it already exists, adjust your level accordingly · any level is welcome in the Pod!
1. Optionally: Let the team know about your new focus area.
1. Join the sptpodcode-contributions Slack channel.
1. Add yourself to this page.

Regular meetings

- None at this point, but setting a sync session up is just a Slack message away!

Ways to Collaborate

- Slack channel: sptpodcode-contributions

In addition to collaborating with fellow Support Engineers, consider some of these opportunities for collaborating with other GitLab team members:

- Consider participating in Backend Pairs:
 - Slack channel: backendpairs
 - Subscribe to the Google calendar.
 - Watch the Backend Pairing playlist on YouTube.
 - Read about Backend Engineering at GitLab.
- Consider participating in Frontend Pairs:
 - Slack channel: frontendpairs
 - Subscribe to the Google calendar.
 - Read about Frontend Engineering at GitLab.

Finding a Code Contribution opportunity

- Want to make a code contribution but you aren't sure where to start?
- Search and filter issues strategically.
 - Have a play around with the labels to look around for issues depending on your interests.

For easier issues you can search for Seeking community contributions, Accepting UX contributions and then add additional labels accordingly

 - If the issue has a weight, look for issues with a weight of 1 for smaller issues
 - @anton: I typically like to look for api labelled issues, because they tend to be backend only changes and Ruby code is what I like working on. Where possible I like to work on issues that will directly help Support in some way.
 - An interesting exercise would be to look at issues you opened early on in your time at GitLab to see how much you've grown since you opened the issue and to see if you could make a code contribution.

- For Support Stable Counterparts (SSCs): ask your product group if they have anything small you can work on.
- Audit events are normally easy ones to get into as there are plenty of examples to draw from. See the Comprehensive audit log: instance settings epic.
- Take a look at the Papercut spreadsheet.
- When you see something you might like to work on, add an emoji to the issue so you can refer to the emoji issue list later.
 - @anton: I personally use :ant: so if you have seen an issue with that emoji from me, I've earmarked that issue for a potential code contribution in the future :smile:
- Remember that there are plenty of code contribution opportunities outside of gitlab-org/gitlab. Consider gitlab-org/charts, gitlab-org/gitlab-runner or contributing to a project in the Support Toolbox.
- If you are interested on working on something but you aren't quite sure how to get started, feel free to reach out to the product team that owns the issue or you can ask in backend or frontend. They can give you pointers and advise on the best approach.

SECTION: support/support-pods/database/_index.md

Purpose

A Support pod for PostgreSQL, database migrations, database performance, Patroni / replication etc.

Current Objectives

- Collaborate on tickets
- Gain and share knowledge
- Improve documentation
- Identify bugs, produce issues and MRs
- Assist in updating relevant Support Training modules
- Serve as a resource for the greater Support team
- Influence product based on our experiences
- Develop tooling to aid in testing, troubleshooting, analysis, and learning
- Experiment with various deployment and architectural scenarios

Support Pod Members

- Lead: {{< member-by-name "Ben Prescott" >}} (@bprescott)

Collaboration Channels

- Slack channel: sptpoddatabase

Open Office and Pairing Sessions

- Staff / Database Pod office hours Tuesday 08:30 UTC (Summer) / 09:30 UTC (Winter)
- Staff / Database Pod office hours Wednesday 15:00 UTC (Summer) / 16:00 UTC (Winter)

Slack channels where database topics are frequently discussed

- database
- gdatabase
- gdistribution
- supportself-managed

SECTION: support/support-pods/docs/_index.md

Purpose

A place for support team members to work together on documentation questions, MRs, and issues. SEs can start here for help with:

- Restructuring docs sections
- Collaborating on improvements
- Discussing phrasing, formatting, and content

Current Objectives

- To make contributing to the docs easy, productive, and maybe even fun.

Support Pod Members

- {{< member-by-name "Keelan Lang" >}} (@klang)
- {{< member-by-name "Michelle Almendarez" >}} (@MichelleAlmendarez)
- {{< member-by-name "Michael Gibson" >}} (@Mike G)

Collaboration Channels

sptpoddocs

Open Office and Pairing Sessions

Docs Party: Every other Monday at 1800 UTC. The event is on the GitLab Support calendar.

Slack channels where documentation topics are frequently discussed

docs

SECTION: support/support-pods/geo/_index.md

Purpose

Creating a dedicated group to work together on Geo tickets.

This will allow everyone to gain more knowledge regarding Geo and an easier location to share the knowledge across regions.

Current objectives

- Collaborate on tickets related to Geo
- Gain and share knowledge
- Documentation updates

Support Pod members

- Lead: {{< member-by-name "Ronald van Zon" >}} (@rvzon)
- Co-Lead: {{< member-by-name "Anton Smith" >}} (@anton)
- Co-Lead: {{< member-by-name "Keelan Lang" >}} (@klang)
- {{< member-by-name "Alexander Strachan" >}} (@astrachan)
- {{< member-by-name "Brie Carranza" >}} (@bcarranza)
- {{< member-by-name "Bo Carbonell" >}} (@bocarbonell)
- {{< member-by-name "Daniel Diniz" >}} (@dnldnz)
- {{< member-by-name "Emily Chang" >}} (@emchang)
- {{< member-by-name ".ukasz Korbasiewicz" >}} (@lkorbasiewicz)
- {{< member-by-name "Mario Mora" >}} (@mmora)
- {{< member-by-name "Harish Ramachandran" >}} (@harishsr)
- {{< member-by-name "Aric Buerer" >}} (@abuerer)

Collaboration channels

- Slack channel: sptpodgeo
- Epic - <https://gitlab.com/groups/gitlab-com/support/-/epics/145>

Standing Meetings

- Geo Pod Sync APAC <> AMER - 21:30 UTC Tuesday
- EMEA Geo Group Pairing - 08:00 UTC Wednesday
- Geo Pod Sync EMEA <> AMER - 14:00 UTC Thursday

Create Geo Pod view

Since limitation in Zendesk prevent every pod from having a shared view, you will have to create one manually.

Follow the steps below and you should have a personal view in no time.

1. Click on Manage views

1. In the new Window on the top right click Add view

1. Give the view a nice name (Geo (All regions))

1. Move to Conditions

1. Tickets must meet all of these conditions to appear in the view

1. Click Add condition and from left to right Status, Less than, Pending

1. Add second condition (from left to right) Form, Is, Self-Managed

1. Tickets can meet any of these conditions to appear in the view
 1. Click Add condition (from left to right) Description, Contains at least one of the following words, geo
1. Move on to Formatting options
 1. This is kind of up to your flavour but below are some suggestions.
 1. Next SLA breach
 1. Priority
 1. Preferred Region for Support
 1. Subject
 1. Organization
 1. Assignee
 1. Request date
 1. Latest update by assignee
1. Change Order by to Next SLA breach, Ascending
1. Click Save

Congratulations you now have a personal Geo Pod View.

SECTION: support/support-pods/get/_index.md

Purpose

A Support Pod for GitLab Environment Toolkit (GET) and GitLab Performance Toolkit (GPT)

Current Objectives

- Collaborate on tickets
- Gain and share knowledge
- Improve documentation
- Identify bugs, produce issues and MRs
- Assist in updating relevant Support Training modules
- Serve as a resource for the greater Support team
- Influence product based on our experiences
- Develop tooling to aid in testing, troubleshooting, analysis, and learning
- Experiment with various deployment and architectural scenarios

Support Pod Members

- Lead: {{< member-by-name "Lewis Brown" >}} (@lwbrown)
- {{< member-by-name "Jessie Lee" >}} (@jessie)
- {{< member-by-name "Mario Mora" >}} (@mmora)
- {{< member-by-name "Keelan Lang" >}} (@klang)
- {{< member-by-name "Wade Jenkins" >}} (@wwjenkins)
- {{< member-by-name "Ryan Castro" >}} (@rcastro6)

Collaboration Channels

- Slack channel: sptpodget

- Epic:
 - <https://gitlab.com/groups/gitlab-com/support/-/epics/145>
 - <https://gitlab.com/groups/gitlab-com/support/-/epics/191>

Open Office and Pairing Sessions

TBD

Slack channels where GET is frequently discussed

- gitlabenvironmenttoolkit
- reference-architectures
- gdistribution
- quality
- gitlabperformancetool
- kubernetes

Learning Resources

<https://gitlab.com/gitlab-com/support/support-training/-/blob/master/.gitlab/issuetemplates/GitLab%20Environment%20Toolkit.md?reftype=heads>

SECTION: support/support-pods/git-and-gitaly/_index.md

Purpose

For all things Git, Gitaly, Gitlay Cluster, and Praefect related.

Current objectives

- Collaborate on tickets related to Git and Gitaly
- Share knowledge on the complex systems
- Improve the troubleshooting documentation for Gitaly

Support Pod members

- Lead: {{< member-by-name "Jessie Lee" >}} (@jessie)
- {{< member-by-name "Kaitlyn Chappell" >}} (@kchappell)
- {{< member-by-name "Gerardo Gutierrez" >}} (@gerardo)
- {{< member-by-name "Emily Chang" >}} (@emchang)
- {{< member-by-name "Katrin Leinweber" >}} (@katrinleinweber)
- {{< member-by-name "Chris Kaburu" >}} (@ckaburu)
- {{< member-by-name "Rocky Mongare" >}} (@rmongare)
- {{< member-by-name "Andrew Conrad" >}} (@a.conrad)
- {{< member-by-name "Nathaniel Rosario" >}} (@nrosario)

Collaboration channels

- Slack channel: sptpodgit
- Epic - <https://gitlab.com/groups/gitlab-com/support/-/epics/145>

SECTION: support/support-pods/gitlab-dedicated/_index.md

Purpose

Enable others within the Support Team to answer GitLab Dedicated tickets.

Current objectives

- Spot gaps in knowledge within the team and improve training, resources and processes
- Enable quick answers that can help others troubleshoot faster
- Get more Support Engineers interested in Dedicated tickets

Support Pod members

- Overall/AMER lead: {{< member-by-name "Brie Carranza" >}} (@bcarranza)
- Co-lead: {{< member-by-name "Wei-Meng Lee" >}} (@weimeng-gtlb)
- APAC lead: {{< member-by-name "Daphne Kua" >}} (@dkua1)
- EMEA lead: {{< member-by-name "Armin Hergenhan" >}} (@ahergenhan)
- US Gov lead: {{< member-by-name "Wade Jenkins" >}} (@wwjenkins)
- {{< member-by-name "Matthew Badeau" >}} (@mbadeau)
- {{< member-by-name "Cleveland Bledsoe Jr" >}} (@cleveland)
- {{< member-by-name "Gerardo Gutierrez" >}} (@gerardo)
- {{< member-by-name "Brenda Nyaringita" >}} (@bnyaringita)
- {{< member-by-name "Segolene Bouly" >}} (@sbouly)
- {{< member-by-name "Sam Bernal-Damasco" >}} (@definitelynotsam)
- {{< member-by-name "Luminus Alabi" >}} (@lalabi)

Collaboration channels

- Slack channel - supportgitlab-dedicated
- Slack group - @spt-poddedicated
- Epic - <https://gitlab.com/groups/gitlab-com/support/-/epics/145>

Getting added to the @spt-poddedicated Slack group

Use the Slack Requests issue template to get added to the @spt-poddedicated group in Slack.

· Syncs

Everyone is welcome to join these synchronous sessions focused on all things GitLab Dedicated:

- Every other Monday at 1530 UTC: Gerardo and Brie's Office Hours (on evenly numbered ISO weeks)
- Every Friday at 1300 UTC: GitLab Dedicated Pod Pairing
- Every other Tuesday at 0400 UTC: Matthew's Office Hours

Check the GitLab Support Google Calendar for the events and add yourself to the invite.

Useful Links

- GitLab Dedicated Handbook
 - This handbook is located in the Support Workflows and is a great starting point for more information when working GitLab Dedicated tickets
- See the training module for GitLab Dedicated in the Support Training project.
- Read about working with logs when handling tickets for GitLab Dedicated.
- Review the features not in GitLab Dedicated as these are almost as important as the features in GitLab Dedicated

.. Stay Informed

The Support Week in Review and the GitLab Dedicated Support Pod syncs are great ways to remain informed. Beyond those Support-focused resources, consider the following sources of information in order to remain aware of what's going on with GitLab Dedicated:

- GitLab Dedicated Issue Tracker
- GitLab Dedicated team sync Google doc
- Slack channels
 - gdedicated-team
 - gdedicated-switchboard-team
 - fgitlabdedicated
- Category Direction - GitLab Dedicated

Together, these are high volume sources of information. Being a manager of one means you'll need to decide which ones to consume and how frequently.

SECTION: support/support-pods/gitlab-dedicated/ssc-monthly-business-review-prep.md

Each month, the Support Stable Counterparts (SSCs) prepare information for use in GitLab Support's Monthly Business Review (MBR). This handbook pages documents what steps a GitLab Dedicated SSC should take to prepare the notes for GitLab Dedicated for any given MBR. Any GitLab Dedicated SSC can lead MBR coordination.

.. Information Sources

Each MBR must include information from these sources:

- other SSCs
- tickets
- RFHs
- incidents

Each MBR might also include information from other sources.

We report on GitLab Dedicated (Commercial) and GitLab Dedicated for Government. You will need

to work with Brie or Wade to get specific data about GitLab Dedicated for Government. Those areas are noted specifically.

Assembling Metrics

To ensure reproducibility, follow these steps when assembling metrics for the MBR.

Counting Tenants

When counting tenants, keep in mind the distinction between production, pre-production and internal tenants. When counting what percentage of tenants have an Assigned Support Engineer, we focus only on Production tenants and note that specifically in the MBR slide.

· Cutoff Period

Each MBR is taking a look at how things went during the last month. To make sure we count things once and only once, you'll want to make a special note of what dates you're looking at when you are preparing the MBR. The end of the week before the MBR is a good cutoff point.

Record the start and end dates used in the table at the bottom of this page.

· Counting Tickets

GitLab Dedicated (Commercial)

GitLab Dedicated SSCs have access to a Zendesk Explore dashboard that should be used to count tickets. The Custom range option should be used to gather the correct number of tickets for the specific MBR that you are preparing for.

GitLab Dedicated for Government

This is a work in progress.

· Counting RFHs

GitLab Dedicated (Commercial)

1. Filter the issues in the consolidated request-for-help project with Label is Help group::Dedicated
1. Choose All
1. Sort by Created Date
1. Set the Sort direction to Descending

Each issue that was opened within the cutoff period should be counted.

GitLab Dedicated for Government

Perform the steps above using the RFH issues in the appropriate project on CompSecGov.

As of this writing, Wade and Brie are the only GitLab Dedicated SSCs who can retrieve this

information. (Other members of the US Government Support team can help.)

- Counting Pages

We count the total number of pages -- not the total number of incidents. (Not every incident involves the GitLab Support team.)

GitLab Dedicated (Commercial)

Using the Incident Management - GDCMOC service, count the number of Resolved Incidents within the cutoff period.

GitLab Dedicated for Government

Using the Incident Management - GitLab Dedicated for US Gov CMOC service, count the number of Resolved Incidents within the cutoff period.

As of this writing, Wade and Brie are the only GitLab Dedicated SSCs who can retrieve this information. (Other members of the US Government Support team can help.)

Areas Covered

The MBR slide typically covers:

- Key metrics and trends
- Accomplishments
- Issues, learnings & updates
- Areas where we need help

There's also a table with:

	Global	US Government
Tickets		
RFHs		
GDCMOC Pages		

In each cell, we have X (percentage increase month-over-month, last month's value of X).

- Historical MBR Dates

Record the Start Date and End Date that you use when preparing for the MBR. The dates should be inclusive.

MBR	SSC	Start Date	End Date
April 2025	Brie Carranza	N/A	2025-04-27
May 2025	Brie Carranza	2025-04-28	2025-05-16
June 2025	Armin Hergenhan	2025-05-17	
July 2025	TBD		

SECTION: support/support-pods/import-and-integrate/_index.md

Purpose

Creating a dedicated group to work together on Import and Integrate based tickets.

This will allow everyone to gain more knowledge regarding the various GitLab integrations and an easier location to share the knowledge across regions.

Current objectives

- Collaborate on tickets related to:
 - Import/Export of projects
 - The various GitLab Integrations we have (as owned by the Manage::Integrations group)
- Gain and share knowledge
- Documentation updates

Support Pod members

- Lead: {{< member-by-name "Anton Smith" >}} (@anton)
- {{< member-by-name "Justin Farmiloe" >}} (@jfarmiloe)
- {{< member-by-name "Emily Chang" >}} (@emchang)
- {{< member-by-name "David Wainaina" >}} (@dwainaina)

Collaboration channels

- Slack channel: sptpodimportandintegrate
- Epic - <https://gitlab.com/groups/gitlab-com/support/-/epics/145>

Create Integrate and Import/Export view

Since limitations in Zendesk prevent each pod from having a shared view, you will have to create one manually.

Follow the steps below and you should have a personal view in no time.

1. Click on Manage views

1. In the new Window on the top right click Add view

1. Give the view a nice name (Integrate+Import/Export (All regions))

1. Move to Conditions

1. Tickets must meet all of these conditions to appear in the view

1. Click Add condition and from left to right

- Status
- Less than
- Pending

1. Click Add condition and from left to right

- Tags
- Contains at least one of the following
- supportcategoryintegrations supportpgmanagementprojectimportexport

supportcategorycategoryintegrations supportcategoryintegrationsdatadog
supportcategoryintegrationsdatadogsetup supportcategoryintegrationsdatadogerrors
supportcategoryintegrationsdatadogquestions supportcategoryintegrationsdatadogother
supportcategoryintegrationsgitpod supportcategoryintegrationsgitpodsetup
supportcategoryintegrationsgitpoderrors supportcategoryintegrationsgitpodquestions
supportcategoryintegrationsgitpodother supportcategoryintegrationsjira
supportcategoryintegrationsjirasetup supportcategoryintegrationsjiraerrors
supportcategoryintegrationsjiraquestions supportcategoryintegrationsjiraother
supportcategoryintegrationsplantuml supportcategoryintegrationsplantumlsetup
supportcategoryintegrationsplantumlerrors supportcategoryintegrationsplantumlquestions
supportcategoryintegrationsplantumlother supportcategoryintegrationsproject
supportcategoryintegrationsprojectasana supportcategoryintegrationsprojectbamboo
supportcategoryintegrationsprojectdiscord supportcategoryintegrationsprojectemailsonpush
supportcategoryintegrationsprojectgithub supportcategoryintegrationsprojectgooglechat
supportcategoryintegrationsprojecttinker supportcategoryintegrationsprojectjenkins
supportcategoryintegrationsprojectmattermost supportcategoryintegrationsprojectmsteams
supportcategoryintegrationsprojectstatusemails supportcategoryintegrationsprojectpivotal
supportcategoryintegrationsprojectprometheus supportcategoryintegrationsprojectslack
supportcategoryintegrationsprojectunifycircuit supportcategoryintegrationsprojectwebex
supportcategoryintegrationsprojectwebhooks supportcategoryintegrationsprojectother
supportcategoryintegrationsexternaltrackers supportcategoryintegrationsexternaltrackersbugzilla
supportcategoryintegrationsexternaltrackersibm
supportcategoryintegrationsexternaltrackersredmine
supportcategoryintegrationsexternaltrackersyoutrack
supportcategoryintegrationsexternaltrackerszentao
supportcategoryintegrationsexternaltrackersother supportcategoryintegrationsgmail
supportcategoryintegrationsgmailsetup supportcategoryintegrationsgmailerrors
supportcategoryintegrationsgmailquestions supportcategoryintegrationsgmailother
supportcategoryintegrationssourcegraph supportcategoryintegrationssourcegraphsetup
supportcategoryintegrationssourcegrapherrors supportcategoryintegrationssourcegraphquestions
supportcategoryintegrationssourcegraphother supportcategoryintegrationstrllo
supportcategoryintegrationstrllosetup supportcategoryintegrationstrlloerrors
supportcategoryintegrationstrlloquestions supportcategoryintegrationstrlloother
supportcategoryintegrationsvisualstudio supportcategoryintegrationsvisualstudiosetup
supportcategoryintegrationsvisualstudioerrors supportcategoryintegrationsvisualstudioquestions
supportcategoryintegrationsvisualstudioother supportcategoryintegrationsakismet
supportcategoryintegrationsakismetsetup supportcategoryintegrationsakismeterrors
supportcategoryintegrationsakismetquestions supportcategoryintegrationsakismetother
supportcategoryintegrationskroki supportcategoryintegrationskrokisetup
supportcategoryintegrationskrokierrors supportcategoryintegrationskrokiquestions
supportcategoryintegrationskrokiother supportcategoryintegrationsmailgun
supportcategoryintegrationsmailgunsetup supportcategoryintegrationsmailgunerrors
supportcategoryintegrationsmailgunquestions supportcategoryintegrationsmailgunother
supportcategoryintegrationspim supportcategoryintegrationspimsetup
supportcategoryintegrationspimerrors supportcategoryintegrationspimquestions
supportcategoryintegrationspimother supportcategoryintegrationsrecaptcha
supportcategoryintegrationsrecaptchasetup supportcategoryintegrationsrecaptchaerrors
supportcategoryintegrationsrecaptchaquestions supportcategoryintegrationsrecaptchaother
supportcategoryintegrationssother supportcategoryintegrationssothersetup
supportcategoryintegrationssothererrors supportcategoryintegrationssotherquestions

supportcategoryintegrationsotherother supportcategorypgmanagementprojectimportexport

1. Move on to Formatting options

1. This is kind of up to your flavour but below are some suggestions.

1. Next SLA breach

1. Priority

1. Preferred Region for Support

1. Subject

1. Organization

1. Assignee

1. Request date

1. Latest update by assignee

1. Change Order by to Next SLA breach, Ascending

1. Click Save

Congratulations you now have a personal Integrations Pod View.

SECTION: support/support-pods/integrations/_index.md

Purpose

Creating a dedicated group to work together on Integrations based tickets.

This will allow everyone to gain more knowledge regarding the various GitLab integrations and an easier location to share the knowledge across regions.

Current objectives

- Collaborate on tickets related to the various GitLab Integrations we have
- Gain and share knowledge
- Documentation updates

Support Pod members

- Lead: {{< member-by-name "Anton Smith" >}} (@anton)
- {{< member-by-name "Justin Farmiloe" >}} (@jfarmiloe)
- {{< member-by-name "Emily Chang" >}} (@emchang)
- {{< member-by-name "David Wainaina" >}} (@dwainaina)

Collaboration channels

- Slack channel: sftpodintegrations
- Epic - <https://gitlab.com/groups/gitlab-com/support/-/epics/145>

Create Integrations view

Since limitations in Zendesk prevent each pod from having a shared view, you will have to create one manually.

Follow the steps below and you should have a personal view in no time.

1. Click on Manage views
1. In the new Window on the top right click Add view
1. Give the view a nice name (Integrations (All regions))
1. Move to Conditions
 1. Tickets must meet all of these conditions to appear in the view
 1. Click Add condition and from left to right
 - Status
 - Less than
 - Pending
 1. Click Add condition and from left to right
 - Tags
 - Contains at least one of the following
 - `supportcategoryintegrationsdatadog supportcategoryintegrationsdatadogsetup supportcategoryintegrationsdatadogerrors supportcategoryintegrationsdatadogquestions supportcategoryintegrationsdatadogother supportcategoryintegrationsgitpod supportcategoryintegrationsgitpodsetup supportcategoryintegrationsgitpoderrors supportcategoryintegrationsgitpodquestions supportcategoryintegrationsgitpodother supportcategoryintegrationsjira supportcategoryintegrationsjirasetup supportcategoryintegrationsjiraerrors supportcategoryintegrationsjiraquestions supportcategoryintegrationsjiraother supportcategoryintegrationsplantuml supportcategoryintegrationsplantumlsetup supportcategoryintegrationsplantumlerrors supportcategoryintegrationsplantumlquestions supportcategoryintegrationsplantumlother supportcategoryintegrationsproject supportcategoryintegrationsprojectasana supportcategoryintegrationsprojectbamboo supportcategoryinte