Flag 4 of 18: Kerberoasted Service Principal Name

FAKEUPDATES scenario · Cymbal Investments · Google SecOps SIEM

Question

Following domain reconnaissance, the adversary conducted Kerberoasting against the Domain Controller (CYM-DC-01) to harvest service credentials. What is the full Service Principal Name (SPN) requested in the Kerberos TGS ticket?

Answer

MSSQLSvc/CYM-DB-01.cymbal.corp:1433

Evidence

Windows Security event 4769 (log type `WINEVTLOG`), Cymbal namespace, 20:53:13Z:

- User `marcus.vance`, client IP `10.240.32.115` (the Denver workstation).
- `intermediary.hostname` is `CYM-DC-01.cymbal.corp`, the domain controller that issued the ticket.
- `target.application` holds the SPN.
- `TicketEncryptionType` is `0x17` (RC4), the Kerberoasting signature. Modern traffic uses AES (`0x12`).
- Result `0x0` means the DC returned the ticket. The service account SID ends in `-1088`.

How it was found

Window: Oct 15 19:00 to Oct 16 15:00 UTC.

```
metadata.product_event_type = "4769"
```

The search returned 24 events. Most were Demoverse background noise (`WIN-ADFS$`, `gmsa$`, an `MSOL_` account, `tim.smith_admin`). Only one row was in the Cymbal namespace: marcus.vance from 10.240.32.115.

Lesson

Earlier hostname filters returned nothing because 4769 events carry the client IP, not the hostname. Filtering on the unique event ID and then on the Cymbal namespace worked.

Next pivot

Look for the cracked service account logging on from the Denver host to other servers.