Gentle clues for typst

Add some beautiful, predefined admonitions or define your own.

Q Getting Started

A minimal starting example

```
#import "@preview/gentle-clues:0.6.0": *

#show: gentle-clues.with(
  lang: "de", // set header title language (default: "en")
)

#tip[Check out this cool package]
```

Tipp

Check out this cool package

Q Usage

1. Import the package like this:

```
#import "@preview/gentle-clues:0.6.0": *
```

2. Change the default settings for a clue.

```
#show: gentle-clues.with(
  lang: "de", // set header title language (default: "en")
  // Accepts "en", "de", "fr" or "es" for the moment.
  headless: false, // never show any headers
  breakable: false, // default breaking behavior
  header-inset: 0.5em, // default header-inset
  content-inset: lem, // default content-inset
  stroke-width: 2pt, // default left stroke-width
  border-radius: 2pt, // default border-radius
  border-width: 0.5pt, // default boarder-width
)
```

3. Use a predefined clue without any options

```
#info[You will find a list with all
predefined clues at the last page.]
```

Turns into this \rightarrow

i Info

You will find a list with all predefined clues at the last page.

4. Or add some options like a custom title

```
#example(title: "Custom title")
[ Content ...]
```

Turns into this \rightarrow

Custom title

Content ...

New in v0.6.0

Using global show rule for default configuration.

All Options for a clue

All default settings can also be applied to a single clue through passing it as an named argument. Here is a list of accepted arguments:

```
title: auto, // [string] or [none] (none will print headless)
icon: emoji.magnify.l, // [file] or [symbol]
_color: navy, // base color [color]
width: auto, // total width [length]
radius: auto, // radius of the right border [length]
border-width: auto, // width of the right and down border [length]
content-inset: auto, // [length]
header-inset: auto, // [length]
breakable: auto, // if clue can break onto next page [bool]
```

Breaking news

Clues can now break onto the next page with option: breakable: true

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor

incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aeque doleamus animo, cum corpore dolemus, fieri.

This is a two columns layout.

Q Define your own clue

```
#import "@preview/gentle-clues:0.6.0": *
// Define a clue called ghost
#let ghost(title: "Buuuuuuh", icon: emoji.ghost , ..args) = clue(
    _color: purple, // Define a base color
    title: title, // Define the default title
    icon: icon, // Define the default icon
    ..args // Pass along all other arguments
)
// Use it
#ghost[Huuuuuuh.]
```

The result looks like this.

Buuuuuuh.

Huuuuuuh.

Tipp

Use the svg-emoji package until emoji support is fully supported in typst

List of all predefined clues

#abstract



Make it short. This is all you need.

#question

? Frage

How do amonishments work?

#info

i Info

It's as easy as

#info[Whatever you want to say]

#example,

Beispiel

Testing ...

#task

Æ Aufgabe 1

Check out this wonderfull typst package!

#error

× Fehler

Something did not work here.

#warning

Achtung

Still a work in progress.

#success

Erledigt

All tests passed. It's worth a try.

#tip

Tipp

Try it yourself

#conclusion

Zusammenfassung

This package makes it easy to add some beatufillness to your documents

#memo

Merke

Leave a ★ on github.

#quote

99 Zitat

Keep it simple. Admonish your life.

Headless Variant

just add title: none to any example

Just a short information.