
Navigation Centrale

Documentation du Projet

- [Accueil](#) | [Documentation Centralisée](#)

Démarrage Rapide

- [Guide Installation](#) | [Guide Développement](#)

API & Intégration

- [Documentation API](#) | [API Technique](#)

Déploiement

- [Guide Déploiement](#) | [Déploiement Technique](#)

Outils Développement

- [Scripts et Makefiles](#) | [Documentation Technique](#)

Documentation Technique

- [Architecture](#) | [Base de Données](#) | [Sécurité](#) | [Performance](#)
-

API REST JobbingTrack

Documentation complète de l'API REST de JobbingTrack.

Vue d'Ensemble

L'API JobbingTrack suit les principes REST avec une architecture microservices. Tous les endpoints sont versionnés et documentés avec OpenAPI/Swagger.

```
Base URL: http://localhost:3000/api/v1
Content-Type: application/json
```

```
Authorization: Bearer <token>
```

Authentication

Connexion

```
POST /auth/login
Content-Type: application/json

{
  "email": "user@example.com",
  "password": "password123"
}
```

Réponse de succès :

```
{
  "success": true,
  "user": {
    "id": "user_123",
    "email": "user@example.com",
    "firstName": "John",
    "lastName": "Doe",
    "role": "USER"
  },
  "token": "eyJhbGciOiJIUzI1NiIs... ",
  "refreshToken": "eyJhbGciOiJIUzI1NiIs..."
}
```

Actualisation du Token

```
POST /auth/refresh
Authorization: Bearer <refresh_token>
```

Gestion des Utilisateurs

Lister les Utilisateurs

```
GET /auth/users
Authorization: Bearer <token>
```

Créer un Utilisateur

```
POST /auth/register
Content-Type: application/json

{
  "email": "newuser@example.com",
  "password": "securepassword",
  "firstName": "New",
  "lastName": "User"
}
```

Modifier un Utilisateur

```
PUT /auth/users/{userId}
Authorization: Bearer <token>
Content-Type: application/json

{
  "firstName": "Updated",
  "lastName": "Name",
  "role": "ADMIN"
}
```

Candidatures (Applications)

CRUD Complet

Lister les Candidatures

```
GET /applications?status=SENT&limit=20&offset=0
Authorization: Bearer <token>
```

Paramètres de requête :

- `status` : Filtrer par statut
- `companyId` : Filtrer par entreprise
- `limit` : Nombre de résultats (max 100)
- `offset` : Pagination
- `sortBy` : Champ de tri (`createdAt` , `updatedAt` , `title`)
- `sortOrder` : Ordre (`asc` , `desc`)

Créer une Candidature

```
POST /applications
Authorization: Bearer <token>
Content-Type: application/json

{
  "title": "Développeur Full Stack",
  "description": "Poste de développeur senior",
  "companyId": "company_123",
  "status": "DRAFT",
  "priority": "HIGH",
  "location": "Paris, France",
  "salaryMin": 45000,
  "salaryMax": 55000
}
```

Modifier une Candidature

```
PUT /applications/{applicationId}
Authorization: Bearer <token>
Content-Type: application/json

{
  "title": "Développeur Full Stack Senior",
  "status": "SENT",
  "notes": "Candidature envoyée le 15/10/2025"
}
```

Supprimer une Candidature

```
DELETE /applications/{applicationId}
Authorization: Bearer <token>
```



Entreprises (Companies)

Lister les Entreprises

```
GET /companies?sector=TECH&limit=50
Authorization: Bearer <token>
```

Créer une Entreprise

```
POST /companies
Authorization: Bearer <token>
Content-Type: application/json

{
  "name": "TechCorp",
  "sector": "Technologie",
  "industry": "Software",
  "size": "MEDIUM",
  "location": "Paris, France",
  "website": "https://techcorp.com",
  "description": "Entreprise leader en technologie"
}
```



Contacts (Contacts)

Lister les Contacts

```
GET /contacts?companyId=company_123
Authorization: Bearer <token>
```

Créer un Contact

```
POST /contacts
Authorization: Bearer <token>
Content-Type: application/json

{
```

```
"firstName": "Jean",  
"lastName": "Dupont",  
"email": "jean.dupont@techcorp.com",  
"phone": "+33 1 23 45 67 89",  
"position": "CTO",  
"department": "Engineering",  
"companyId": "company_123"  
}
```

Entretiens (Interviews)

Lister les Entretiens

```
GET /interviews?status=SCHEDULED&applicationId=app_123  
Authorization: Bearer <token>
```

Planifier un Entretien

```
POST /interviews  
Authorization: Bearer <token>  
Content-Type: application/json  
  
{  
  "type": "TECHNICAL",  
  "title": "Entretien technique",  
  "description": "Discussion technique approfondie",  
  "applicationId": "app_123",  
  "companyId": "company_123",  
  "contactId": "contact_123",  
  "scheduledAt": "2025-10-20T14:00:00Z",  
  "duration": 60,  
  "location": "Bureau Paris",  
  "meetingLink": "https://meet.google.com/abc-def-ghi"  
}
```

Notifications

Lister les Notifications

```
GET /notifications?type=EMAIL&limit=20
```

```
Authorization: Bearer <token>
```

Créer une Notification

```
POST /notifications
```

```
Authorization: Bearer <token>
```

```
Content-Type: application/json
```

```
{
  "type": "EMAIL",
  "title": "Rappel entretien",
  "message": "Vous avez un entretien demain à 14h",
  "recipient": "user@example.com",
  "scheduledAt": "2025-10-19T18:00:00Z"
}
```



Dashboard et Analytics

KPIs Généraux

```
GET /dashboard/kpis
```

```
Authorization: Bearer <token>
```

Réponse :

```
{
  "totalApplications": 156,
  "activeApplications": 89,
  "totalCompanies": 45,
  "totalContacts": 123,
  "upcomingInterviews": 12,
  "responseRate": 68.5,
  "averageTimeToResponse": 4.2
}
```

Statistiques Détaillées

```
GET /dashboard/stats?period=WEEKLY&metric=applications
```

```
Authorization: Bearer <token>
```

Recherche Avancée

Recherche Globale

```
GET /search?q=développeur&modules=applications,companies&limit=20
```

```
Authorization: Bearer <token>
```

Recherche Avancée

```
POST /search/advanced
```

```
Authorization: Bearer <token>
```

```
Content-Type: application/json
```

```
{
  "query": "react developer",
  "modules": ["applications", "companies"],
  "filters": {
    "applications": { "status": "SENT" },
    "companies": { "sector": "TECH" }
  },
  "sortBy": "relevance",
  "limit": 50
}
```

Appels (Calls)

Enregistrer un Appel

```
POST /calls
```

```
Authorization: Bearer <token>
```

```
Content-Type: application/json
```

```
{
  "title": "Appel de suivi",
}
```



```
"applicationId": "app_123",
"contactId": "contact_123",
"notes": "Discussion sur le poste",
"outcome": "POSITIVE",
"duration": 15,
"scheduledAt": "2025-10-18T16:30:00Z"
}
```

Templates d'Email

Lister les Templates

```
GET /templates?type=FOLLOWUP
Authorization: Bearer <token>
```

Créer un Template

```
POST /templates
Authorization: Bearer <token>
Content-Type: application/json

{
  "name": "Relance standard",
  "type": "FOLLOWUP",
  "subject": "Suivi de votre candidature",
  "content": "Bonjour {{contact.firstName}}, nous revenons vers vous...",
  "variables": ["contact.firstName", "company.name", "application.title"]
}
```

Administration

Gestion des Services

```
POST /admin/services/restart
Authorization: Bearer <token>
Content-Type: application/json

{
```

```
"serviceName": "application-service"
}
```

Logs des Services

```
GET /admin/logs/{serviceName}?lines=100
Authorization: Bearer <token>
```

Métriques Système

```
GET /metrics
Authorization: Bearer <token>
```

Codes de Statut HTTP

Code	Description	Utilisation
200	Succès	Opération réussie
201	Créé	Ressource créée
400	Mauvaise Requête	Paramètres invalides
401	Non Autorisé	Token manquant/invalid
403	Interdit	Permissions insuffisantes
404	Non Trouvé	Ressource inexistante
409	Conflit	Conflit de données
422	Entité Non Traitée	Validation échouée
429	Trop de Requêtes	Rate limiting
500	Erreur Interne	Erreur serveur

Gestion d'Erreurs

Format d'Erreur Standard

```
{
  "success": false,
  "error": "Description de l'erreur",
  "code": "ERROR_CODE",
  "details": {
    "field": "Détail du champ en erreur"
  }
}
```

Codes d'Erreur Courants

Code	Description
VALIDATION_ERROR	Erreur de validation des données
AUTHENTICATION_ERROR	Problème d'authentification
AUTHORIZATION_ERROR	Permissions insuffisantes
NOT_FOUND	Ressource non trouvée
DUPLICATE_ERROR	Donnée en double
RATE_LIMIT_ERROR	Limite de requêtes atteinte



Pagination

Format Standard

```
{
  "data": [...],
  "pagination": {
    "total": 150,
    "limit": 20,
    "offset": 0,
    "hasMore": true,
    "nextOffset": 20,
    "totalPages": 8,
    "currentPage": 1
  }
}
```

Filtrage et Tri

Filtres Communs

- `status` : Statut de la ressource
- `createdAt` : Date de création
- `updatedAt` : Date de modification
- `isActive` : Ressource active/inactive

Tri

- `sortBy` : Champ de tri
- `sortOrder` : `asc` OU `desc`

Bonnes Pratiques

Sécurité

- **Toujours inclure** l'en-tête `Authorization: Bearer <token>`
- **Valider les données** côté client et serveur
- **Utiliser HTTPS** en production

Performance

- **Utiliser la pagination** pour les grandes listes
- **Filtrer côté serveur** avec les paramètres de requête
- **Mettre en cache** les données statiques

Développement

- **Tester les endpoints** avec curl ou Postman
- **Utiliser les codes d'erreur** appropriés
- **Documenter les changements** d'API

 **API JobbingTrack** - Interface RESTful moderne et sécurisée pour votre plateforme de gestion de candidatures.

Navigation

-  [Index](#)
-  [Accueil](#)