

Pubmed

hledání na základě MeSH

5467 studií

filtrování relevantních článků

234 studií

hodnocení impaktu a originality

https://github.com/PavelDusek/pubmed_search

https://github.com/PavelDusek/SOTA_rating

https://github.com/PavelDusek/SOTA_analysis

Robustnost a impakt sdělení

Je to studie s velkým impaktem, praxi měnící, o které by měli účastníci kongresu vědět?









ne ☆ ☆ ☆ ☆ ☆ ☆ ☆ ☆ ano

Originalita a inovativnost myšlenky

Je to studie s výborným originálním nápadem – pro osvěžení?

ne ☆ ☆ ☆ ☆ ☆ ☆ ☆ ☆ ano





Histogramy hodnocení




Z

KR – Kateřina Rusinová, MK – Michal Kouba, PD – Pavel Dušek, p – p-hodnota Shapiro-Wilkova testu

Korelace impaktu a originality



Interrater reliability



KR – Kateřina Rusinová, MK – Michal Kouba, PD – Pavel Dušek, ρ – Spearmanův korelační koeficient

Výsledky impakt

1. Changes in communication of end-of-life decisions in European ICUs from 1999 to 2016 (Ethicus-2) - a prospective observational study.
2. Effect of Prophylactic Subcutaneous Scopolamine Butylbromide on Death Rattle in Patients at the End of Life: The SILENCE Randomized Clinical Trial.
3. Hope and advance care planning in advanced cancer: Is there a relationship?
4. The accuracy of clinician predictions of survival in the Prognosis in Palliative care Study II (PiPS2): A prospective observational study.
5. Effectiveness of a Psychosocial Care Quality Improvement Strategy to Address Quality of Life in Patients With Cancer: The HuCare2 Stepped-Wedge Cluster Randomized Trial.
6. A three-step support strategy for relatives of patients dying in the intensive care unit: a cluster randomised trial.
7. Interplay between spirituality and religiosity on the physical and mental well-being of cancer survivors.
8. Variations in end-of-life practices in intensive care units worldwide (Ethicus-2): a prospective observational study.
9. Perceptions of involvement in advance care planning and emotional functioning in patients with advanced cancer.
10. Early, integrated palliative rehabilitation improves quality of life of patients with newly diagnosed advanced cancer: The Pal-Rehab randomized controlled trial.

Výsledky originalita

1. "Song of Life": Results of a multicenter randomized trial on the effects of biographical music therapy in palliative care.
2. A three-step support strategy for relatives of patients dying in the intensive care unit: a cluster randomised trial.
3. Effect of chocolate on older patients with cancer in palliative care: a randomised controlled study.
4. The accuracy of clinician predictions of survival in the Prognosis in Palliative care Study II (PiPS2): A prospective observational study.
5. Interplay between spirituality and religiosity on the physical and mental well-being of cancer survivors.
6. The shared uncertainty experience of older adults with advanced cancer and their caregivers.
7. Colleagues Meeting to Promote and Sustain Satisfaction (COMPASS) Groups for Physician Well-Being: A Randomized Clinical Trial.
8. Community implementation of the 3 Wishes Project: an observational study of a compassionate end-of-life care initiative for critically ill patients.
9. Observational study of agreement between attending and trainee physicians on the surprise question: "Would you be surprised if this patient died in the next 12 months?"
10. Unwelcome memento mori or best clinical practice? Community end of life anticipatory medication prescribing practice: A mixed methods observational study.