Login page: In the login page, user has to register in order to use the services. User has to enter the Username, Password email and must reenter the password in order to verify. After entering all the details asked there will be an option to sign up. After signing up the user can login by entering the Username and password.

Login Page HTML Code:

```
<html>
<head>
<title>
Login and Registration Form Design
</title>
<link rel="stylesheet" type="text/css" href="style.css">
</head>
<body>
<div class="loginbox">
<img src="avatar.png" class="avatar">
<h1 id="head">login Here</h1>
<h1><marquee>HOME FIX</marquee></h1>
<form>
<p>username</p>
<input type="text" name="" placeholder="Enter username">
<p>Password</P>
<input type="password" name="" placeholder="enter password">
<input type="submit" name="" value="login">
<p class="message">not Registered?<a href="#">register</a>

</form>
</div>
<div class="registrationbox">
<h1 id="tail">Registration here</h1>
<form>
```

```html
<p>enter user name</p>
<input type="text" name="" placeholder="Enter username">
<p>password</P>
<input type="password" name"" placeholder="enter password">
<p>re-enter password</p>
<input type="re-enter password" name="" placeholder="re-enterpassword">
<p>e-mail</p>
<input type="e-mail" name="" placeholder="enter e-mail address">
<input type="submit" name="" value="signup">
<p class="message">already Registered<a href="#">login</a>

</div>
</form>
<script src='https://code.jquery.com/jquery-3.3.1.min.js'></script>
<script>
$('.message a').click(function(){

$('form').animate({height: "toggle", opacity: "toggle"}, "slow");
});

</script>
</body>
</head>
</html>
```

Style.css: Cascading Style Sheets are used to format the layout of webpages. Here the CSS is defined to refer the login page.

Style.css

```css
body{
    margin: 0;
    padding: 0;
    background: url(homee.jpg);
    background-size: cover;
```

```css
            background-position: center;
    font-family: sans-serif;
            }


    .loginbox{
        width: 320px;

        height: 420px;

        background: none;

        color: #fff;

        border:2px solid #EED5D5;


        top: 50%;

        left: 50%;

        position: absolute;

        transform: translate(-50%,-50%);

        box-sizing: border-box;

        padding: 70px 30px;
        }


    .avatar{
        width: 100px;

        height: 100px;

        border-radius: 50%;

        position: absolute;

        top: -10%;

        left: calc(50% - 50px);



        }
     h1{
         margin: 0;

         padding: 0 0 20px;

         text-align: center:

         font-size: 22px;
```

```css
.loginbox p{
    margin: 0;
    padding: 0;
    font-weight: bold;

}
.loginbox input{
  width: 100%;
  margin-bottom:20px;
}
.loginbox input[type="text"], input[type="password"]
{
  border: none;
  border-bottom: 1px solid #fff;
  background: transparent;
  outline: none;
 height: 30px;
  color: #fff;
  font-size: 16px;
}

 #head{
    color:red;
    font-size: 25px;
font-weight: bold;
text-align: center;
    }
.loginbox input[type="submit"]
{
  border:  none;
  outline: none;
  height: 30px;
  background: #fb2525;
  color: #fff;
```

```css
    font-size: 18px;
border-radius: 30%;
}
.loginbox input[type="submit"]:hover
{
 cursor: pointer;
 background: #ffc107;
 color: #000;
}
.loginbox a{
   text-decoration: none;
   font-size: 12px;
   line-height: 20px;
   color: black;
}
.registrationbox{
    width: 320px;
    height: 420px;
    background: none;
    color: #fff;
    border:2px solid #EED5D5;

    top: 50%;
    left: 50%;
    position: absolute;
    transform: translate(-50%,-50%);
    box-sizing: border-box;
    padding: 70px 30px;
  }
h1{

  margin: 0;
    padding: 0 0 20px;
    text-align: center:
```

```css
        font-size: 22px;
        }
    .registrationbox p{
        margin: 0;
        padding: 0;
        font-weight: bold;
    }
.registrationbox input{
    width: 100%;
    margin-bottom:20px;
}
.registrationbox input[type="text"], input[type="password"], input[type="re-enter password"],
input[type="e-mail"]
{
    border: none;
    border-bottom: 1px solid #fff;
    background: transparent;
    outline: none;
    height: 30px;
    color: #fff;
    font-size: 16px;
}
.form submit:hover,.form button:active{
    background:#43A047;
}
.form .message{
    margin: 15px 0 0;
    color: red;
    font-size: 12px;
}
.form .message a{

    color: #4CAF50;
    text-decoration: none;
```

```
    }
```

.registrationbox{

display: none;

```
}
```

<u>Admin login page:</u> In the Admin login page there will be inputs for username and password. After registering admin navigates to this page. Admin has to enter Username and password correctly to enter in to the database.

<html>

<head>

<title>

Login and Registration Form Design

</title>

<link rel="stylesheet" type="text/css" href="style.css">

</head>

<body>

<div class="loginbox">

<img src="avatar.png" class="avatar">

<h1 id="head">login Here</h1>

<h1><marquee>HOME FIX</marquee></h1>

<form action="admin.jsp">

```html
<p>username</p>

<input type="text" name="uname" placeholder="Enter username">
<p>Password</P>
<input type="password" name="upass" placeholder="enter password">
<input type="submit" name="submit" value="login">

</form>
</div>

<div class="registrationbox">

<h1 id="tail">Registration here</h1>

<form>

<p>enter user name</p>

<input type="text" name="" placeholder="Enter username">

<p>password</P>

<input type="password" name"" placeholder="enter password">

<p>re-enter password</p>

<input type="re-enter password" name="" placeholder="re-enterpassword">

<p>e-mail</p>

<input type="e-mail" name="" placeholder="enter e-mail address">

<input type="submit" name="" value="signup">

<p class="message">already Registered<a href="#">login</a>
```

</div>

</form>

```html
<script src='https://code.jquery.com/jquery-3.3.1.min.js'></script>

<script>

$('.message a').click(function(){

$('form').animate({height: "toggle", opacity: "toggle"}, "slow");
});

</script>

</body>

</html>
```

Customer and Admin Registration HTML code;

In this page the customer and admin registers by entering the asked details like username, password and mail ID and navigates to the login page.

```html
<html>

  <head>

  </head>

  <body style=" background-image: url('homeee.jpg');background-size:cover;">

    <h1 style="color:white;margin-left:41%;margin-top:80px; margin-bottom:0px; "> Sign Up Here </h1>

    <div style="width:350px;height:55%; border:1px solid white; margin-top:50px ; margin-left:35%; border-radius:10px; padding:10px;">

    <form action="signup.jsp" >


      <table style="cell-padding:5;color:white; font-weight:bold; font-size:20px;" align="center" cellspacing="10" >

        <tr> <td> First Name:</td> <td> <input type="text" name="fname"/> </td></tr>

        <tr><td>Last Name: </td><td> <input type="text" name="lname"/> </td></tr>

        <tr><td>Password:</td><td> <input type="text" name="pass"/> </td></tr>

        <tr><td>PIN:</td><td> <input type="text" name="pin"/> </td></tr>

        <tr><td>Mobile No:</td><td> <input type="text" name="mob"/> </td></tr>
```

```html
<tr><td>Gender:</td><td>Male: <input type='radio' name='male' value='male'/>
  Female:<input type='radio' name='male' value='female'/></td></tr>


<tr><td colspan='2'>Adress:-</td></tr>
<tr><td colspan='2'><textarea rows='5' cols='40' name="text"></textarea></td></tr>

<tr><td></td><td><input type="submit" value="submit"/></td></tr>
</table>


</form>
</div>

</body>

</html>
```

Customer login page HTML code:

In order to enter in to this page, the customer has to register and enter all the details of him

i.e. Username, Password. After registering the user can login by entering the Username and Passsword

correctly.

and mailID.

<html>

<head>

<title>

Login and Registration Form Design

</title>

<link rel="stylesheet" type="text/css" href="style.css">

</head>

<body>

<div class="loginbox">

<img src="avatar.png" class="avatar">

<h1 id="head">login Here</h1>

<h1><marquee>HOME FIX</marquee></h1>

<form action="sample.jsp">

<p>username</p>

<input type="text" name="uname" placeholder="Enter username">

```html
<p>Password</P>

<input type="password" name="upass" placeholder="enter password">

<input type="submit" name="submit" value="login">

<p class="message">not Registered?<a href="signup.html">register</a>


</form>

</div>

<div class="registrationbox">

<h1 id="tail">Registration here</h1>

<form>

<p>enter user name</p>

<input type="text" name="" placeholder="Enter username">

<p>password</P>

<input type="password" name"" placeholder="enter password">

<p>re-enter password</p>

<input type="re-enter password" name="" placeholder="re-enterpassword">

<p>e-mail</p>

<input type="e-mail" name="" placeholder="enter e-mail address">
```

```html
        <input type="submit" name="" value="signup">

<p class="message">already Registered<a href="#">login</a>

</div>

</form>

<script src='https://code.jquery.com/jquery-3.3.1.min.js'></script>

<script>

$('.message a').click(function(){

$('form').animate({height: "toggle", opacity: "toggle"}, "slow");

});

</script>


</body>

</html>
```