

```

-- phpMyAdmin SQL Dump
-- version 5.1.1
-- https://www.phpmyadmin.net/
--
-- Host: 127.0.0.1
-- Generation Time: Oct 28, 2021 at 08:36 AM
-- Server version: 10.4.21-MariaDB
-- PHP Version: 8.0.12

SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
START TRANSACTION;
SET time_zone = "+00:00";

/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;

--
-- Database: `food_order_application`
--

--
-- -----
--
-- Table structure for table `admin_info`
--

CREATE TABLE `admin_info` (
  `info_id` int(14) NOT NULL,
  `business_name` varchar(30) NOT NULL,
  `description` varchar(120) NOT NULL,
  `contact` varchar(50) NOT NULL,
  `address` varchar(140) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;

--
-- -----
--
-- Table structure for table `cash`
--

CREATE TABLE `cash` (
  `transaction_id` int(18) NOT NULL,
  `payment_id` int(15) NOT NULL,
  `c_status` int(1) NOT NULL,
  `amount` float NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;

--
-- -----
--
-- Table structure for table `credit/debit_card`

```

```

--

CREATE TABLE `credit/debit_card` (
  `transaction_id` int(18) NOT NULL,
  `payment_id` int(15) NOT NULL,
  `cd_status` int(1) NOT NULL,
  `amount` float NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;

-- -----

--
-- Table structure for table `customer`
--

CREATE TABLE `customer` (
  `customer_id` int(14) NOT NULL,
  `first_name` varchar(30) NOT NULL,
  `last_name` varchar(30) NOT NULL,
  `address` varchar(150) NOT NULL,
  `e-mail` varchar(50) NOT NULL,
  `contact_number` varchar(15) NOT NULL,
  `user_name` varchar(30) NOT NULL,
  `password` varchar(30) NOT NULL,
  `profile_image` blob NOT NULL,
  `account_status` int(1) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;

-- -----

--
-- Table structure for table `inquiry`
--

CREATE TABLE `inquiry` (
  `inquire_id` int(11) NOT NULL,
  `order_id` int(16) NOT NULL,
  `query_date` date NOT NULL,
  `customer_id` int(14) NOT NULL,
  `expected_time` datetime NOT NULL,
  `delivery_time` datetime NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;

-- -----

--
-- Table structure for table `menu`
--

CREATE TABLE `menu` (
  `menu_id` int(12) NOT NULL,
  `menu_name` varchar(120) NOT NULL,
  `menu_type_id` int(12) NOT NULL,
  `price` float NOT NULL,

```

```
    `menu_image` blob NOT NULL,  
    `ingredients` varchar(500) NOT NULL,  
    `menu_status` int(1) NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
```

-- -----

```
--  
-- Table structure for table `menu_type`  
--
```

```
CREATE TABLE `menu_type` (  
  `menu_type_id` int(12) NOT NULL,  
  `menu_type_name` varchar(50) NOT NULL,  
  `description` varchar(120) NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
```

-- -----

```
--  
-- Table structure for table `online_payment`  
--
```

```
CREATE TABLE `online_payment` (  
  `transaction_id` int(18) NOT NULL,  
  `payment_id` int(15) NOT NULL,  
  `o_status` int(1) NOT NULL,  
  `amount` float NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
```

-- -----

```
--  
-- Table structure for table `order`  
--
```

```
CREATE TABLE `order` (  
  `order_id` int(16) NOT NULL,  
  `customer_id` int(14) NOT NULL,  
  `date` date NOT NULL,  
  `status` int(1) NOT NULL,  
  `order_item` varchar(50) NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
```

-- -----

```
--  
-- Table structure for table `order_details`  
--
```

```
CREATE TABLE `order_details` (  
  `order_details_id` int(16) NOT NULL,  
  `order_id` int(16) NOT NULL,  
  `menu_id` int(12) NOT NULL,
```

```

        `no_of_orders` int(14) NOT NULL,
        `order_weight` float NOT NULL,
        `amount` float NOT NULL
    ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;

-- -----

--
-- Table structure for table `payment`
--

CREATE TABLE `payment` (
  `payment_id` int(15) NOT NULL,
  `payment_date` date NOT NULL,
  `order_id` int(16) NOT NULL,
  `payment_status` int(1) NOT NULL,
  `mode` varchar(20) NOT NULL,
  `amount` float NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;

-- -----

--
-- Table structure for table `rating`
--

CREATE TABLE `rating` (
  `rating_id` int(11) NOT NULL,
  `menu_id` int(12) NOT NULL,
  `score` int(5) NOT NULL,
  `remarks` varchar(120) NOT NULL,
  `record_date` date NOT NULL,
  `customer_id` int(14) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;

-- -----

--
-- Table structure for table `user`
--

CREATE TABLE `user` (
  `user_id` int(11) NOT NULL,
  `full_name` varchar(50) NOT NULL,
  `contact` varchar(50) NOT NULL,
  `e-mail` varchar(50) NOT NULL,
  `user_name` varchar(30) NOT NULL,
  `password` varchar(30) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;

--
-- Indexes for dumped tables
--

```

```
--
-- Indexes for table `admin_info`
--
ALTER TABLE `admin_info`
  ADD PRIMARY KEY (`info_id`);

--
-- Indexes for table `cash`
--
ALTER TABLE `cash`
  ADD PRIMARY KEY (`transaction_id`);

--
-- Indexes for table `credit/debit_card`
--
ALTER TABLE `credit/debit_card`
  ADD PRIMARY KEY (`transaction_id`);

--
-- Indexes for table `customer`
--
ALTER TABLE `customer`
  ADD PRIMARY KEY (`customer_id`);

--
-- Indexes for table `inquiry`
--
ALTER TABLE `inquiry`
  ADD PRIMARY KEY (`inquire_id`);

--
-- Indexes for table `menu`
--
ALTER TABLE `menu`
  ADD PRIMARY KEY (`menu_id`);

--
-- Indexes for table `menu_type`
--
ALTER TABLE `menu_type`
  ADD PRIMARY KEY (`menu_type_id`);

--
-- Indexes for table `online_payment`
--
ALTER TABLE `online_payment`
  ADD PRIMARY KEY (`transaction_id`);

--
-- Indexes for table `order`
--
ALTER TABLE `order`
  ADD PRIMARY KEY (`order_id`);
```

```

--
-- Indexes for table `order_details`
--
ALTER TABLE `order_details`
  ADD PRIMARY KEY (`order_details_id`);

--
-- Indexes for table `payment`
--
ALTER TABLE `payment`
  ADD PRIMARY KEY (`payment_id`);

--
-- Indexes for table `rating`
--
ALTER TABLE `rating`
  ADD PRIMARY KEY (`rating_id`);

--
-- Indexes for table `user`
--
ALTER TABLE `user`
  ADD PRIMARY KEY (`user_id`);

--
-- AUTO_INCREMENT for dumped tables
--

--
-- AUTO_INCREMENT for table `admin_info`
--
ALTER TABLE `admin_info`
  MODIFY `info_id` int(14) NOT NULL AUTO_INCREMENT;

--
-- AUTO_INCREMENT for table `cash`
--
ALTER TABLE `cash`
  MODIFY `transaction_id` int(18) NOT NULL AUTO_INCREMENT;

--
-- AUTO_INCREMENT for table `credit/debit_card`
--
ALTER TABLE `credit/debit_card`
  MODIFY `transaction_id` int(18) NOT NULL AUTO_INCREMENT;

--
-- AUTO_INCREMENT for table `customer`
--
ALTER TABLE `customer`
  MODIFY `customer_id` int(14) NOT NULL AUTO_INCREMENT;

--
-- AUTO_INCREMENT for table `inquiry`

```

```

--
ALTER TABLE `inquiry`
  MODIFY `inquire_id` int(11) NOT NULL AUTO_INCREMENT;

--
-- AUTO_INCREMENT for table `menu`
--
ALTER TABLE `menu`
  MODIFY `menu_id` int(12) NOT NULL AUTO_INCREMENT;

--
-- AUTO_INCREMENT for table `menu_type`
--
ALTER TABLE `menu_type`
  MODIFY `menu_type_id` int(12) NOT NULL AUTO_INCREMENT;

--
-- AUTO_INCREMENT for table `online_payment`
--
ALTER TABLE `online_payment`
  MODIFY `transaction_id` int(18) NOT NULL AUTO_INCREMENT;

--
-- AUTO_INCREMENT for table `order`
--
ALTER TABLE `order`
  MODIFY `order_id` int(16) NOT NULL AUTO_INCREMENT;

--
-- AUTO_INCREMENT for table `order_details`
--
ALTER TABLE `order_details`
  MODIFY `order_details_id` int(16) NOT NULL AUTO_INCREMENT;

--
-- AUTO_INCREMENT for table `payment`
--
ALTER TABLE `payment`
  MODIFY `payment_id` int(15) NOT NULL AUTO_INCREMENT;

--
-- AUTO_INCREMENT for table `rating`
--
ALTER TABLE `rating`
  MODIFY `rating_id` int(11) NOT NULL AUTO_INCREMENT;

--
-- AUTO_INCREMENT for table `user`
--
ALTER TABLE `user`
  MODIFY `user_id` int(11) NOT NULL AUTO_INCREMENT;
COMMIT;

/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;

```

```
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;  
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```