


SAMPLE QUESTIONSMaster of Technology

I Technical Aptitude

- 1. Which of the following methods can be used to understand correlation between categorical variables?
 - a. Select one or more:
 - b. Spearman
 - c. Kendall's Tau Rank correlation
 - d. Pearson
- 2. A car company purchases engine blocks from suppliers A, B, and C. Out of the 100 units supplied by A, two units were found to be defective. Similarly out of 200 and 300 units supplied by B and C, the number units found to be defective were 10 and 15 respectively. If a quality control person of the car company picks up a block and if the selected block is from A, what is the probability that the block is defective?
 - a. 0.020
 - b. 0.045
 - c. 0.330
 - d. 0.350
- 3. What is the area of the following blue shaded region?



- a. 0.815
- b. 0.317
- c. 0.910
- d. 0.159

- 4. A talent exam is conducted annually which has a mean score of 200 and a standard deviation of 30. If a student's Z-score is 1.50, what was his score in the exam?
 - a. 245
 - b. 230
 - c. 200
 - d. 170
- 5. The rank of the matrix A is

$$A = \begin{bmatrix} 2 & 1.5 & 2 \\ 1 & 0.75 & 0 \\ 2.25 & 3 & 1 \end{bmatrix}$$

- a. 1
- b. 2
- c. 3
- d. 0
- 6. The weights of 10 students of a given class were found to be 70, 67, 62, 68, 61, 68, 70, 64, 64, 66 kilograms. The mean weight of students in that class was found to be 64 kilograms. The t statistic is:
 - a. 1.72
 - b. 2.00
 - c. 2.95
 - d. 0.62
- 7. A new COVID19 test has been developed by researchers. The test gives a positive result in 96.5 % of the cases when the individual is affected by COVID19. However, it gives a positive result in 3% of the cases when the individual is healthy. The data collected on 10000 individuals shows that 23 individuals have the COVID19. Then, what is the probability that an individual with a positive test is affected by COVID19?
 - a. 0.07
 - b. 0.7
 - c. 0.965
 - d. 0.023

- 8. What is the Laplace transform of t⁵?
 - a. 5 / s⁵
 - b. 120 / s⁵
 - c. 6/ s⁶
 - d. 120/s⁶
- 9. Two independent random variables X and Y are uniformly distributed in the interval [-1, 1]. The probability that X+Y is less than 1 is
 - a. 6/8
 - b. 7/16
 - c. 7/8
 - d. 9/16
- 10. A square matrix A has zero determinant i.e. det(A)=0. Which of the following are true?
 - a. Ax=0 has only trivial solution x=0.
 - b. O is an eigen value of A.
 - c. A has full rank
 - d. None of the above
- 11. Consider the initial vlaue problem

$$\frac{dy}{dt} = t^2 + 1$$

with y(0) = 8/3. The value of y at t = 1 is _____.

- 12. The absolute maximum value of f(x)=8x x⁴ is _____ .
- 13. The minima of f(x)=8x x⁴ is _____.
- 14. A researcher collected a set of 48 observations for the length of a fish. The mean length of the fish computed using the 48 observation is 20 cm. For a new fish, the length is observed to be 39 cm. With the new observation, the updated mean length of the fish is_____.

- 15. Which of the following 2×2 matrix has its eigen vectors as $v_1 = [-3,1]^T$, $v_2 = [1,1]^T$?
 - a. $\begin{bmatrix} 4 & 2 \\ 6 & 8 \end{bmatrix}$
 - b. $\begin{bmatrix} 4 & 6 \\ 2 & 8 \end{bmatrix}$
 - $\begin{array}{cc} \text{c.} & \begin{bmatrix} 4 & 8 \\ 6 & 2 \end{bmatrix} \end{array}$
 - d. $\begin{bmatrix} 8 & 2 \\ 6 & 4 \end{bmatrix}$

This text only represents the type of questions that will be asked during	the
screening test. It is not indicative of the exam pattern or number of question will be asked during the screening test.	
screening test. It is not indicative of the exam pattern or number of question	
screening test. It is not indicative of the exam pattern or number of question	
screening test. It is not indicative of the exam pattern or number of question	
screening test. It is not indicative of the exam pattern or number of question	
screening test. It is not indicative of the exam pattern or number of question	