

What happens after the bot says "I've passed this to the team"

The first book followed the employee in the chat. This one follows the ticket into the IT room: how agents get the alert, open the ticket, fix it and close it, and what the supervisor sees and controls. Every screen is explained in plain words, so even a five-year-old could follow along.

1 Who works here

Think of a children's hospital for computers.

When a child (the employee) feels sick, they first meet the **friendly nurse at the front desk**: that's the bot. The nurse tries the easy medicine first. If that doesn't work, the nurse sends the child to the right **doctor's room**. Each room is a team, and the doctors are the **agents**. Walking around all the rooms is the **head doctor**, the **supervisor**, who makes sure nobody is waiting too long.

The bot

The front-desk nurse

Talks to employees, tries up to two fixes, makes the ticket and hands it over with everything it learned.

An agent

A doctor in one room

Works the tickets of their own team (VPN, printers, email...), plus any P1 emergency from any team.

13 agents, EMP2002–EMP2015

The supervisor

The head doctor

Sees every team, gets the emergencies nobody picked up, approves new help articles, manages accounts.

EMP2001 Lakshmi Narayanan

The employee

The patient


Sees the agent's replies in the same chat and under **My tickets**, and confirms when it's fixed.

Everyone signs in on the same page with their employee ID. The app knows who you are and shows you only the screens that fit your job.

Team (room)	Looks after	Agent
Identity Support	Passwords, locked accounts	EMP2006 Kavya Reddy
Identity Security	MFA, and checking it's really you	EMP2005 Rahul Verma
Network Remote Access	VPN	EMP2010 Ananya Iyer, EMP2015 Samuel Thomas
Network Operations	Wi-Fi, internet, outages	EMP2009 Karthik Rao, EMP2015 Samuel Thomas
Software Asset Management	Installs, licences	EMP2013 Aditya Joshi
End User Hardware	Laptops, monitors, mice	EMP2004 Meera Pillai
Messaging Support	Email, Outlook	EMP2007 Vikram Singh
Application Access	Jira, Salesforce and other systems	EMP2002 Priya Sharma
Security Operations	Phishing, hacked accounts	EMP2011 Rohan Gupta
Workplace/Print Support	Printers, scanners	EMP2014 Nisha Kapoor
Collaboration Support	Teams, Zoom	EMP2003 Arjun Menon
Mobile Device Management	Phones, lost phones	EMP2008 Divya Nair
Service Desk Duty Manager	Anything unclear	EMP2012 Sneha Kulkarni

2 A ticket's road

Every ticket walks the same road. The name on its badge (the "state") tells you where it is.



Fixed by the bot? It skips the team completely and goes straight to "resolved, awaiting confirmation".

Came back within 7 days? It's **reopened** and goes back into the team's line, with the employee's new message.

Wrong team? An agent **reassigns** it to another team's line, with a reason.

Not needed any more, or the same as another ticket? It's **cancelled** or closed as a duplicate, with a reason. Nothing is ever deleted.

Why the road matters: the app only lets a ticket move along roads that exist. You can't resolve a ticket nobody has taken over, and you can't skip from "waiting" straight to "resolved". That stops mistakes before they happen.

3 The bell: how agents hear about new work

Not every bell rings the same. The more urgent the ticket, the louder it rings.

P1

A big pop-up and a red banner, "P1 alert: a human is needed now". It has three buttons: **Acknowledge** (I've seen it), **Take over** (I'm on it, open the ticket) and **Later** (hide it for now). If nobody acknowledges it, it rings again **every 2 minutes**. After **10 minutes** with nobody answering, the supervisor's bell rings too. P1 runs around the clock, nights and weekends included. If several P1s are waiting, the pop-up says how many, and **Later** hides them all until their next ring.

P2

A small  pop-up in the corner (a "toast"), once, plus a number badge in the sidebar.

P3

A number badge in the sidebar. The ticket waits in the queue in order.

P4

A number badge, same as P3. These are the "can wait a few days" ones.

There's also a  **toast** whenever the employee replies on a ticket you own, so you never miss an answer.

Who hears which bell? Each agent hears their own team's bells, **plus every P1 from any team**: in an emergency, all hands help. The supervisor hears everything.

4 My queue: the waiting-room list

The first page an agent sees. It's the list of tickets waiting for their team.

The most urgent are always at the top: **P1** first, then **P2**, and so on. Inside each priority, the one whose time runs out first comes first. Each row shows the ticket number, priority, state, team, owner, the employee's words and a coloured timer. Click a row to open the ticket.

All	Everything in my teams.
Mine	Only tickets I own.
Unowned	Nobody has picked these up yet.
Waiting on a human	The bot has handed these over and they need a person now.
Queue and priority filters	Narrow the list to one team or one priority.

Include resolved tickets Show finished ones too.

The list refreshes by itself every 15 seconds. The supervisor's queue also has a **Log a phone call** button (see chapter 7).

5 The ticket page, top to bottom

Everything about one ticket on one page, like a patient's chart.

The header	A big coloured priority block (P1 red, P2 orange...), the ticket number, its state, the category → team, and two timers: Response (time to first reply) and Resolve (time to fix). Green is fine, amber means 75% of the time is used, red means late.
The buttons	Acknowledge alert · Take over · Save changes · Resolve ticket · Reassign or cancel. Buttons that don't apply right now are greyed out.
The form	The ticket's facts: caller, location, category, subcategory, laptop (configuration item), impact, urgency, priority, opened when and by whom, contact type (Chat, Form, Phone), state, team, owner, watch list and the short description.
What the bot found	What the bot understood, how sure it was, the help articles it suggested with their steps, which identity check was done, what it tried and why it handed over . Like the nurse's notes stapled to the chart.
Screenshots	Any picture the employee sent, with passwords blurred out, and the text the app read from it.
People	Who raised it and every staff member who touched it, with what they did.
Comments and work notes	Two tabs. Comments go to the employee. Work notes are secret notes for IT only. You can start a comment from a saved reply .
Activity	The whole story in time order: every message, every bot step, every state change. Filter it by Conversation, Work notes, Bot decisions or System.

Type any ticket number at the top of the page to jump to it. An agent who types a P2, P3 or P4 number from another team gets "Ticket not found": each team sees its own patients.

6 Fixing and closing a ticket

An agent's day, one ticket at a time.

- 1 Take over.** Press **Take over** (on the P1 pop-up or the ticket page). You become the owner, the state turns to **In progress**, the Response timer stops, and the employee sees that a person has joined. From now on the **bot stays quiet** in that chat, so two helpers never talk at once.

- 2 **Read the bot's notes.** Everything the employee said and tried is already there. No need to ask again.
- 3 **Talk to the employee.** Write in the **Comment** tab and press **Post comment**. It appears in the employee's chat as "Rohan Gupta · IT support", and they get a notification. When they reply, you get a  toast.
- 4 **Write secret notes.** Things only IT should see ("2 foreign IP addresses in the sign-in log") go in **Work notes** → **Add work note**. The employee never sees these, in the chat or under My tickets.
- 5 **Fix the facts if needed.** If the bot put it in the wrong category, or the priority is wrong, change it and write a **reason for corrections**. Without a reason, the save is refused. With one, it's saved and goes into the supervisor's corrections log.
- 6 **Do the checklist.** Press **Resolve ticket**. A list of required checks opens (for a security ticket: review the timeline, confirm the identity level, contain the account, give an ETA...). Tick each one as you do it. A tick stays ticked, and the count goes up ("5 of 7 done"). On a laptop screen, scroll inside the box to reach the last checks.
- 7 **Resolve.** Choose what happened (**Solved by agent**, **Workaround given** or **Not reproducible**), write a sentence about the fix, and press **Resolve**. The button stays locked, with "Resolve unlocks when...", until every check is ticked and the notes are written.
- 8 **The employee confirms.** They see "  TKT-... was resolved by ..." and confirm. The ticket is **Resolved**. If it comes back within 7 days, it reopens for the team.

Wrong room? Reassign or cancel

Open **Reassign or cancel**. Pick another team and write why ("the printer is fine, the network port is down"): the ticket moves to that team's line. Or cancel it, or close it as a duplicate of another ticket number. A reason is always required, and nothing is deleted.

Two agents, one ticket

If two people open the same ticket and both press Save, the second save is refused: "someone updated this, reload". Nobody overwrites anybody by accident. If two agents press Take over at the same moment, one wins and the other is told who owns it.

7 The supervisor's extras

The head doctor sees every room and holds a few special keys.

Every team's queue

The supervisor's queue shows all teams at once, with the same filters.

Emergencies nobody answered

A P1 nobody acknowledged for 10 minutes rings the supervisor's bell, marked "Escalated to supervisor".

Log a phone call

Someone rang the desk? Enter their employee ID, category and what's wrong, then **Create and take over**. The ticket says contact type "Phone".

Work any ticket

The supervisor can tick checklists and resolve on any ticket without taking it over first, and can override a priority (with a reason).

Corrections log

Every time an agent fixed the bot's category, impact, urgency or priority, with who, when and why. It shows where the bot needs teaching.

Approve help articles

On **Knowledge**, agents can write a better version of an article. Nobody sees it until the supervisor runs the **meaning check** and presses **Approve**. Employees then see the new text within about 30 seconds.

Knowledge gaps

Questions no article could answer, like a wish list of articles to write next.

Saved replies

Ready-made comments agents can start from, such as "Hi {first_name}, about {ticket_id}...", with the name and number filled in automatically.

User accounts

Create an account (it gets a temporary password that must be changed at first sign-in), reset a password, change a role or team, disable someone who left, or import a list from HR.

Agents can't do these: approve articles, edit saved replies, open the corrections log or manage accounts. The app refuses, even if someone tries through the back door (the API).

8 Charts and reports

How is the clinic doing today? Agents see their own teams; the supervisor sees everything.

Charts

The top row shows: open tickets, P1s open, waiting for a human, how many the bot fixed alone, SLA met, reopen rate, answers rated helpful and satisfaction. Below are 12 charts you can filter by dates, team, category, channel and priority:

- **C1** tickets per day by channel · **C2** category mix · **C3** fixed by bot vs handed over vs fixed by a person
- **C4** why the bot handed over · **C5** SLA met by priority · **C6** time to fix, bot vs person
- **C7** priority mix over time · **C8** how often the AI was unsure · **C9** corrections by category
- **C10** how often each help article fixed the problem · **C11** open tickets by age · **C12** the **safety scorecard**: dangerous things caught, actions done without permission (should be zero), secrets leaked (should be zero)

Agent performance

One row per person: tickets handled and resolved, median time to first reply and to fix, SLA met %, reopen rate, checklist completion and corrections made. Agents see only their own row; the supervisor sees everyone.

Shift

Who's on, what's waiting, and a short end-of-shift checklist: *open P1s reviewed, unacknowledged alerts cleared, SLA-at-risk tickets owned, handover notes written*. Each item shows a live hint from the real queue.

Bot answers log

Every answer the bot gave, which article it used, whether it worked, and the 👍 / 🗨️ employees gave. The supervisor uses it to see which articles need improving.

9 Rules that keep it fair and safe

- **Each team sees its own patients.** Agents only open their own team's tickets, plus every P1.
- **Secret notes stay secret.** Work notes never reach the employee.
- **Changes need a reason.** Category, impact, urgency and priority changes, reassigning and cancelling all ask "why?", and the answer is kept.

- **Nothing is deleted.** Cancelled tickets stay cancelled, not gone. The history (the audit log) can only be added to, never changed.
- **Fixes are checked.** A ticket can't be resolved until its checklist and notes are done, and a person's fix is never recorded as the bot's.
- **The bot steps back.** Once a person owns the chat, the bot stays silent.
- **Looking is recorded.** Opening a ticket is noted (who looked at whose data), because tickets hold personal information.

10 Health check: is the IT side working?

Checked on 7 October 2026 on a scratch copy with fresh tickets, both through the API (every button's real action) and through the screens in a browser.

67 of 67 checks passed after one fix.

- ✓ P1 alert appears, Acknowledge clears it, another team's agent can still help on a P1
- ✓ Take over → In progress, owner set; the bot goes silent in the employee's chat
- ✓ Comment reaches the employee's chat and My tickets, with a notification; work notes never do
- ✓ The employee's reply notifies the agent
- ✓ Category change without a reason is refused; with a reason it's saved and shown in the corrections log
- ✓ Saving from an old copy of the ticket (two tabs) is refused
- ✓ Checklist ticks stay ticked; someone who doesn't own the ticket can't untick them
- ✓ Resolve stays locked without the checklist or notes; then resolves; the employee confirms → Resolved
- ✓ A P3 printer ticket is hidden from the Security agent, visible to the print agent; reassign and cancel need a reason
- ✓ Supervisor: all queues, log a phone call, works a ticket without taking over, every report page loads, chart filters work
- ✓ Knowledge: agent drafts, agent can't approve, supervisor runs the check and approves, and it goes live
- ✓ Saved replies fill in the name and ticket number; only the supervisor can add them
- ✓ Accounts: create (must change password), reset, change role, disable (can't sign in); agents can't manage accounts
- ✓ Every agent and supervisor page opens with no errors

! Fixed:

resolving
through
the
API
accepted
any
code,
so
a
person's
fix
could
be
recorded
as
"Solved
by
bot"
and
make
the
bot
look
better
on
the
charts.
Now
only
Solved
by
agent,
Workaround
given
or
Not
reproducible
are
accepted.

! Fixed earlier this week:

with **Later**

three

P1s

waiting,

showed

the

next

pop-

up

straight

away.

Now

it

hides

them

all

and

says

how

many

are

waiting.

The

ticket's

Activity

list

also

now

reads

in

the

right

order.

 Good to know:

on
a
laptop
screen
(1366×768)
the
Resolve
box
is
taller
than
the
window.
Scroll
inside
the
box
to
reach
the
last
checks
and
the
Resolve
button.

11 Where it lives in the code

For the grown-ups who want to open the files.

What	File
Sign-in page and the sidebar of pages	<code>app.py</code>
The bell (P1 pop-up, banner, toasts, badges)	<code>ui/common.py</code>
My queue, Log a phone call	<code>views/queue.py</code>
The ticket page	<code>views/ticket.py</code>
Knowledge (articles, gaps, saved replies)	<code>views/knowledge.py</code>
Charts · Agent performance · Shift · Bot answers log	<code>views/charts.py</code> · <code>performance.py</code> · <code>shift.py</code> · <code>bot_answers.py</code>
Corrections log · User accounts · My account	<code>views/corrections.py</code> · <code>users.py</code> · <code>account.py</code>
Every staff action (the API the screens call)	<code>api.py</code> (from <code>/queue</code> down)
The ticket's road, checklist, resolve, reassign, timers	<code>servicedesk/services/tickets.py</code>
Alerts: ringing again, waking the supervisor	<code>servicedesk/services/alerts.py</code>
Charts and performance numbers	<code>servicedesk/services/analytics.py</code>
Article versions, meaning check, approval	<code>servicedesk/services/kb.py</code>
Accounts and passwords	<code>servicedesk/services/auth.py</code>
Timers that keep running when nobody has the page open	<code>worker.py</code>

12 Little dictionary

Agent	A person in an IT team who fixes tickets.
Supervisor	The person who looks after all teams.
Queue	A team's waiting line of tickets.
Take over	"I'm on it": you become the owner and the bot steps back.
Acknowledge	"I've seen the alert", so it stops ringing.
Comment	A message the employee sees.
Work note	A secret note only IT sees.
Checklist	The must-do steps before a ticket can be closed.
Resolve	"It's fixed"; the employee then confirms.
Reassign	Send the ticket to a different team.
Correction	Fixing a fact the bot got wrong, with a reason.
SLA	The promise of how fast we reply and fix, shown as the timers.
P1-P4	How urgent: P1 is an emergency, P4 can wait.
Toast	A small pop-up in the corner of the screen.

SD-Assistant · the IT team's side · checked 7 October 2026. The companion book "How SD-Assistant Works" follows the employee's side.