10. FILE UPLOAD

```
<!DOCTYPE html>
<html>
<head><meta charset="ISO-8859-1"><title>File Upload</title>
</head>
<body>
<h2>Upload a File</h2>
<form method="post" enctype="multipart/form-data">
<input type="file" name="fileToUpload" required><br><br>
<input type="submit" name="submit" value="Upload File">
</form>

<?php
if(isset($_POST['submit'])){
 $dir="uploads"; if(!is_dir($dir)) mkdir($dir,0777,true);
 $f=$dir."/".basename($_FILES["fileToUpload"]["name"]); $ok=1;

 if($_FILES["fileToUpload"]["error"]==0){
  $ext=strtolower(pathinfo($f,PATHINFO_EXTENSION));

  if(!getimagesize($_FILES["fileToUpload"]["tmp_name"])) $ok=0;
  elseif(file_exists($f) || $_FILES["fileToUpload"]["size"]>500000 ||
!in_array($ext,["jpg","jpeg","png","gif"])) $ok=0;
```

```php
  echo $ok?
move_uploaded_file($_FILES["fileToUpload"]["tmp_name"],$f)?"The file
".htmlspecialchars(basename($f))." has been uploaded.<br>":"Error
uploading<br>":"File not uploaded or invalid<br>";

 }
}
?>
</body>
</html>
```

14. LARAVEL

```blade
@extends('layouts.app')
@section('title','Employees')
@section('content')


@php $e = $employee ?? null; @endphp


<div class="card mb-3">
  <div class="card-body d-flex justify-content-between mb-3">
    <h5>{{ $e ? 'Update Employee' : 'Employees' }}</h5>
    @if(!$e)<a class="btn btn-primary" href="{{ url()->current() }}?create=1">+
Add Employee</a>@endif
  </div>


  @if($e || request()->has('create'))
```

```
<form method="POST" action="{{ $e ? route('employee_update',$e->id) :
route('employee_store') }}">@csrf
  <div class="row g-3 mb-3">
    <div class="col-md-6"><input name="name" class="form-control"
placeholder="Name" value="{{ $e->name ?? '' }}" required></div>
    <div class="col-md-6"><input type="email" name="email" class="form-
control" placeholder="Email" value="{{ $e->email ?? '' }}" required></div>
    <div class="col-md-6"><input name="phone" class="form-control"
placeholder="Phone" value="{{ $e->phone ?? '' }}"></div>
    <div class="col-md-6"><input name="position" class="form-control"
placeholder="Position" value="{{ $e->position ?? '' }}"></div>
  </div>
  <button class="btn btn-primary">{{ $e ? 'Update' : 'Save' }}</button>
  <a href="{{ url()->current() }}" class="btn btn-outline-
secondary">Cancel</a>
</form>
@endif
</div>


<div class="card">
  <table class="table table-striped mb-0">
    <thead><tr><th>Id</th><th>Name &
Email</th><th>Phone</th><th>Position</th><th>Created</th><th>Updated</t
h><th>Actions</th></tr></thead>
    <tbody>
    @forelse($employees as $emp)
    <tr>
      <td>{{ $emp->id }}</td>
      <td>{{ $emp->name }}<br><small>{{ $emp->email }}</small></td>
```

```blade
            <td>{{ $emp->phone ?: '—' }}</td>
            <td>{{ $emp->position ?: '—' }}</td>
            <td>{{ $emp->created_at->format('d M Y') }}</td>
            <td>{{ $emp->updated_at->format('d M Y') }}</td>
            <td>
              <a href="{{ url()->current() }}?edit={{ $emp->id }}" class="btn btn-sm btn-outline-secondary">Edit</a>
              <form action="{{ route('employee_delete') }}" method="POST" style="display:inline">@csrf
                <input type="hidden" name="id" value="{{ $emp->id }}">
                <button class="btn btn-sm btn-outline-danger" onclick="return confirm('Delete?')">Del</button>
              </form>
            </td>
          </tr>
        @empty
          <tr><td colspan="7" class="text-center text-muted">No employees</td></tr>
        @endforelse
      </tbody>
    </table>
  </div>

@endsection
```