16.```html
<!DOCTYPE html>
<html lang="en">
    <head>
   <meta charset="UTF-8">
        <meta name ="viewport" content="width=device-width,initial-scale=1">
        <title> document</title>
    </head>
<body>
    <script>
var name="rossy";
var name="lisa";
console.log(name);

    </script>

</body>
</html>
```

```html
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="UTF-8">
        <meta name ="viewport" content="width=device-width,initial-scale=1">
        <title> document</title>
    </head>
<body>
    <script>
let name="rossy";
let name="lisa";
console.log(name);

 </script>
 </body>
</html>
```

```html
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="UTF-8">
        <meta name ="viewport" content="width=device-width,initial-scale=1">
        <title> document</title>
    </head>
<body>
    <script>
const name="john";
 name="mark";
console.log(name);
 </script>


</body>
</html>
```

```html
17.<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="UTF-8">
        <meta name ="viewport" content="width=device-width,initial-scale=1">
        <title> document</title>
    </head>
<body>
    <script>
```

```
    const age=18;
    age=25;
    console.log(age);
 </script>


</body>
</html>
```

```
 🔲 🔲  Elements   Console   Sources   Network  >>        ❌ 1   ⚙️  ⋮  ✕
 ▣ ⊘  top ▼  👁  ▽ Filter              Default levels ▼   No Issues  ⚙️
 ❌ ▶ Uncaught TypeError: Assignment to constant variable.      task3.html:12
        at task3.html:12:4
 ›
```

18.
```
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="UTF-8">
        <meta name ="viewport" content="width=device-width,initial-scale=1">
        <title> document</title>
    </head>
<body>
    <script>
let a;
console.log(a);
    </script>
</body>
</html>
```

```
 🔲 🔲  Elements   Console   Sources   Network   Performance  >>  ⚙️  ⋮  ✕
 ▣ ⊘  top ▼  👁  ▽ Filter              Default levels ▼   No Issues  ⚙️
    undefined                                    task3.html:12
 ›
```

19.
```
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="UTF-8">
        <meta name ="viewport" content="width=device-width,initial-scale=1">
        <title> document</title>
    </head>
```

```
<body>
    <script>
let num = 10;
let str = "Hello world";
let value = true;
console.log(typeof num );
console.log(typeof str);
console.log(typeof value);
    </script>
</body>
</html>
```



```
20.<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="UTF-8">
        <meta name ="viewport" content="width=device-width,initial-scale=1">
        <title> document</title>
    </head>
<body>
    <script>
let name = "Hello world";
let rename = name;
console.log(name);
console.log(rename);
    </script>
</body>
</html>
```