# **DOKUMENTACIJA**

http://www.moviefy.ml

Pavle Marjanovic 141/16

## Sadržaj

Opis funkcionalnosti	3
Baza podataka	3
Kodovi	4
CSS (css folder)	4
flexslider.css	4
style.css	7
contactstyle.css	29
single.css	33
popuobox.css	43
JavaScript (js folder)	48
ajax.js	48
quizAjax.js	49
script.js	50
contact.js	52
simplePlayer.js	53
PHP (php folder)	55
config.php	55
connection.php	55
logout.php	55
PHP (views folder)	56
about.php	56
admin-panel.php	56
contact.php	66
error.php	68
footer.php	68
genres.php	73
head.php	75
header.php	76
home-content.php	77
login-genres-nav.php	79
login-popup.php	79
movies.php	82
nav.php	85

quiz.php	85
slider.php	86
slider.php	87
slider-bottom.php	87
social.php	89
watch-movie.php	89

## Opis funkcionalnosti


Korišćeni jezici: PHP, JavaScript, SQL, JSON, jQuery, PHP PDO, Bootstrap, Ajax.

Tema sajta je gledanje online filmova/trailera. Samo registrovani korisnici mogu da pristupe žanrovima, odnosno da listaju sadržaj kategorija filmova i da gledaju filmove. Korisnici sa ulogom Administrator imaju pristup admin panelu preko kog mogu da kontrolišu čitav sadržaj sajta. Detalji o funkcionalnostima će biti uključeni ispod koda svake stranice.

### Funkcionalnosti:

- Dinamički sadržaj
- Dinamički meni
- Admin panel
- Logovanje i registrovanje
- Klijentska i serverska provera
- Anketa
- Responzivan dizajn
- Kontakt administratora
- Galerija
- Straničenje

## Baza podataka



### Kodovi

## CSS (css folder)

#### flexslider.css

```
.flex-container a:active,
.flexslider a:active,
.flex-container a:focus,
.flexslider a:focus {outline: none;}
.slides,
.flex-control-nav,
.flex-direction-nav {margin: 0; padding: 0; list-style: none;}
/* FlexSlider Necessary Styles
.flexslider .slides > li {display: none; -webkit-backface-visibility: hidden;} /*
Hide the slides before the JS is loaded. Avoids image jumping ^{*}/
.flexslider .slides img {width: 100%; display: block;}
.flex-pauseplay span {text-transform: capitalize;}
/* Clearfix for the .slides element */
.slides:after {content: "."; display: block; clear: both; visibility: hidden; line-
height: 0; height: 0;}
html[xmlns] .slides {display: block;}
* html .slides {height: 1%;}
/* No JavaScript Fallback */
/st If you are not using another script, such as Modernizr, make sure you
```

```
* include is that eliminates this class on page load */
.no-js .slides > li:first-child {display: block;}
/* FlexSlider Default Theme
.flexslider {
   border: 0px;
   position: relative;
   zoom: 1;
   overflow: hidden;
   padding-top: 2em;
.flex-viewport {max-height: 2000px; -webkit-transition: all 1s ease; -moz-
transition: all 1s ease; transition: all 1s ease;}
.loading .flex-viewport {max-height: 300px;}
.flexslider .slides {zoom: 1;}
.carousel li {margin-right: 5px}
/* Direction Nav */
.flex-direction-nav {*height: 0;}
.flex-direction-nav a {
   width: 30px;
    height: 30px;
    margin: 0;
    display: block;
    background: url(../images/img-sp.png) no-repeat 0px 0px;
    position: absolute;
    top: 0;
    z-index: 10;
    cursor: pointer;
    text-indent: -9999px;
    opacity: 1;
    -webkit-transition: all .3s ease;
.flex-direction-nav .flex-next {
   background-position: -37px 0px;
    right: 1.4%;
    top: 0%;
.flex-direction-nav .flex-prev {left:93%;}
.flexslider:hover .flex-next {opacity: 0.8;}
.flexslider:hover .flex-prev {opacity: 0.8;}
.flexslider:hover .flex-next:hover, .flexslider:hover .flex-prev:hover {opacity:
1;}
.flex-direction-nav .flex-disabled {opacity: .3!important;
filter:alpha(opacity=30); cursor: default;}
/* Control Nav */
.flex-control-nav {
   display: none;
    position: absolute;
    right: 10%;
    margin-left: 0px;
    top: 10%;
.flex-control-nav li {
   margin: 0 5px;
    display: inline-block;
    zoom: 1;
.flex-control-paging li a {
   width: 10px;
    height: 10px;
    display: block;
    background: none;
    cursor: pointer;
```

```
text-indent: -9999px;
    border:2px solid #7C7C7C;
  border-radius:20px;
.flex-control-paging li a.flex-active {
  background: #EC600B;
    cursor: default;
   border: 2px solid #EC600B;
.flex-control-thumbs {margin: 5px 0 0; position: static; overflow: hidden;}
.flex-control-thumbs li {width: 25%; float: left; margin: 0;}
.flex-control-thumbs img {width: 100%; display: block; opacity: .7; cursor:
.flex-control-thumbs img:hover {opacity: 1;}
.flex-control-thumbs .flex-active {opacity: 1; cursor: default;}
@media screen and (max-width:1440px) {
@media screen and (max-width: 1366px) {
@media screen and (max-width: 1080px) {
  .flex-direction-nav .flex-prev {
     left: 92%;
@media screen and (max-width:991px) {
   .flex-direction-nav .flex-prev {
      left: 90%;
@media screen and (max-width:800px) {
   .flex-direction-nav .flex-next {
     right: 0;
   .flex-direction-nav .flex-prev {
     left: 91%;
@media screen and (max-width: 667px) {
   .flex-direction-nav .flex-prev {
     left: 90%;
@media screen and (max-width: 640px) {
   .flex-direction-nav .flex-prev {
     left: 89%;
@media screen and (max-width: 568px) {
   .flex-direction-nav .flex-prev {
     left: 88%;
  }
@media screen and (max-width: 480px) {
  section.slider {
     padding-top: 0%;
   .flex-direction-nav .flex-prev {
      left: 85%;
@media screen and (max-width: 414px) {
   .flex-direction-nav .flex-prev {
     left: 83%;
@media screen and (max-width: 384px) {
```

```
.flex-direction-nav .flex-prev {
      left: 81%;
@media screen and (max-width: 375px) {
   .flex-direction-nav .flex-prev {
      left: 81%;
@media screen and (max-width: 320px) {
   section.slider {
     padding-top: 0%;
   .flex-direction-nav .flex-prev {
      left: 77%;
}
style.css
/*--
Author: W3layouts
Author URL: http://w3layouts.com
License: Creative Commons Attribution 3.0 Unported
License URL: http://creativecommons.org/licenses/by/3.0/
html, body{
   font-size: 100%;
   font-family: 'Roboto Condensed', sans-serif;
   background: #ffffff;
ul li,ol li{
   font-size:14px;
p{
   margin:0;
   font-size:0.9em;
h1, h2, h3, h4, h5, h6, a{
   font-family: 'Roboto Condensed', sans-serif;
   margin:0;
ul, label {
   margin:0;
   padding:0;
body a:hover{
   text-decoration:none;
input[type="submit"],.agileinfo_chat a,.w3ls_footer_grid1_left p
a, .w3l sign in register ul li a, .w3ls footer grid1 right ul li
a,.w3_customer_email_right a,ul.dropdown-menu.multi-column ul li a{
   transition:.5s ease-in;
   -webkit-transition:.5s ease-in;
   -moz-transition:.5s ease-in;
   -o-transition:.5s ease-in;
   -ms-transition:.5s ease-in;
/*-- header --*/
.header {
   padding: 1em 0;
   border-top: 3px solid #FF8D1B;
.w3layouts logo{
   float:left;
.w3layouts logo a{
   display:block;
   text-decoration:none;
```

```
.w3layouts logo a h1{
  font-size: 2.8em;
   color: black;
   text-transform: uppercase;
   padding-right: 1.67em;
   font-weight: 900;
  padding-bottom: .3em;
.w3layouts logo a h1 span{
  color: #FF8D1B;
   font-size: .3em;
   display: block;
   font-weight: 300;
   letter-spacing: 5px;
   text-align: right;
   line-height: 0;
.w3 search{
  float: left;
   width: 40%;
   margin-left: 9em;
  margin-top: .7em;
.w3_search input[type="text"]{
  outline: none;
   border: none;
   background:#EFEFEF;
   padding: 10px;
   text-align: center;
   font-size: 14px;
   color: #999;
   width: 78%;
   float: left;
   border-top-left-radius: 25px;
   border-bottom-left-radius: 25px;
.w3 search input[type="submit"]{
  outline: none;
   border: none;
   background: #212121;
   padding: 10px 0;
   font-size: 14px;
   color: #fff;
   width: 22%;
   border-top-right-radius: 25px;
   border-bottom-right-radius: 25px;
.w3 search input[type="submit"]:hover{
  background: #FF8D1B;
.w31 sign in register{
  float: right;
   margin-top:1em;
   width: 25%;
.w3l sign in register ul li a{
  color: #fff;
   display: inline-block;
   text-transform: uppercase;
   text-decoration: none;
   background: #FF8D1B;
   text-align: center;
   padding: 6px 30px;
   font-weight: bold;
.w3l sign in register ul li a:focus{
  outline:none;
```

```
.w3l sign in register ul li a:hover{
  background: #212121;
.w3l sign in register ul li{
   display:inline-block;
   color:#212121;
   font-size:1em;
.w3l sign in register ul li i,.w3l sign in register ul li:first-child{
  padding-right:1em;
/*-- //header --*/
/*-- nav --*/
.navbar-default {
    background: none;
    border: none;
.navbar {
   margin-bottom: 0;
.navbar-left {
    float: none !important;
.navbar-right {
    float: none !important;
    margin-right: 0;
.navbar-default .navbar-nav > li > a:hover, .navbar-default .navbar-nav > li >
a:focus,.navbar-default .navbar-nav > .open > a, .navbar-default .navbar-nav >
. open > a: hover, \ .navbar-default \ .navbar-nav > .open > a: focus \ \{
    color: #fff;
    background-color: #212121;
.navbar-collapse {
    padding: 0;
.movies nav {
   background: #FF8D1B;
.navbar-default .navbar-nav > li > a {
    color: #fff;
    text-transform: uppercase;
.navbar-nav > li {
    float: left;
    border-right: 1px dotted #fff;
    width: 14.27%;
    text-align: center;
.w3 home act{
   border-left: 1px dotted #fff;
.navbar-nav {
   float: none;
   margin: 0;
.navbar-default .navbar-nav > .active > a, .navbar-default .navbar-nav > .active >
a:hover, .navbar-default .navbar-nav > .active > a:focus {
    color: #fff;
    background-color: #212121;
ul.nav.navbar-nav li.active {
   border-right: none;
ul.dropdown-menu.multi-column ul li{
   display:block;
   margin-bottom:.5em;
```

```
ul.dropdown-menu.multi-column ul li a{
   color:#212121;
ul.dropdown-menu.multi-column {
    width: 150px;
    left: 0;
    padding: 1em;
ul.dropdown-menu.multi-column ul li a:hover{
   color:#FF8D1B;
/*-- //nav --*/
/*-- banner-bottom --*/
.banner-bottom{
   padding:1em 0;
.w3 agile banner bottom grid{
   padding:2em 1em;
   box-shadow: 0px 0px 1px #999;
.w31-movie-gride-agile1 {
    margin: 0 !important;
.w3l-movie-gride-agile1 {
    width: 82.5% !important;
    margin: 0 auto !important;
/*-- //banner-bottom --*/
/*-- general --*/
.general,.Latest-tv-series,.faq{
    padding: 3em 0;
.w3_latest_text {
   margin-left: 3em;
/*-- //general --*/
/*-- Latest-tv-series --*/
.agile_tv_series_grid_left {
    padding: 0;
a.w3_play_icon span,a.w3_play_icon1 span,a.w3_play_icon2 span {
    position: absolute;
    color: #fff;
    font-size:4.5em;
    left: 42%;
    top: 36%;
.agile tv series grid right{
   background: #FF8D1B;
   min-height:312px;
   padding:3em 3em 0;
   width: 48.6%;
p.fexi header{
   text-transform: uppercase;
    font-size: 1.3em;
    color: #212121;
    font-weight: bold;
    padding-bottom: 1em;
p.fexi_header_para{
   margin-top:.8em;
   color:#fff;
   line-height:1.5em;
   position: relative;
p.fexi header para label{
```

```
position: absolute;
    top: 0%;
    left: 21%;
    font-style: normal;
p.fexi_header_para span{
   color: #212121;
    font-size: 14px;
    font-weight: bold;
    float: left;
    width: 25%;
p.fexi header para a{
   color:#fff;
.conjuring w3{
   height: 65px;
p.fexi header paral a i {
    color: #fff !important;
.agileinfo flexislider grids{
  padding:1em 0 0;
.w3_home_popular{
   margin-bottom:0.5em !important;
.social {
 position: fixed;
  bottom: 0%;
  width: 4%;
  z-index: 9999;
.social ul {
  padding: 0px;
  -webkit-transform: translate(-270px, 0);
  -moz-transform: translate(-270px, 0);
  -ms-transform: translate(-270px, 0);
  -o-transform: translate(-270px, 0);
  transform: translate(-270px, 0);
.social ul li {
  display: block;
  margin: 5px;
  width: 310px;
  text-align: right;
  padding: 10px;
  -webkit-border-radius: 0 30px 30px 0;
-moz-border-radius: 0 30px 30px 0;
  border-radius: 0 30px 30px 0;
  -webkit-transition: all 1s;
  -moz-transition: all 1s;
  -ms-transition: all 1s;
  -o-transition: all 1s;
  transition: all 1s;
.w3 twitter{
   background: #1da1f2;
.w3_facebook{
   background: #3b5998;
.w3 dribbble{
  background: #ea4c89;
.w3_g_plus{
  background: #dd4b39;
```

```
.w3 twitter:hover{
  background: #54BAF2;
.w3 facebook:hover{
  background: #6187D5;
.w3 dribbble:hover{
  background:#EC6D9E;
.w3_g_plus:hover{
  background: #EA6A5B;
.social ul li:hover {
 -webkit-transform: translate(110px, 0);
  -moz-transform: translate(110px, 0);
  -ms-transform: translate(110px, 0);
  -o-transform: translate(110px, 0);
 transform: translate(110px, 0);
.social ul li a{
  color:#212121;
.social ul li:hover a {
 color: #fff;
 text-decoration: none;
.social ul li:hover i {
 color: #fff;
 background: rgba(0, 0, 0, 0.36);
  -webkit-transform: rotate(360deg);
  -moz-transform: rotate(360deg);
  -ms-transform: rotate(360deg);
  -o-transform: rotate (360deg);
 transform: rotate(360deg);
  -webkit-transition: all 1s;
  -moz-transition: all 1s;
  -ms-transition: all 1s;
  -o-transition: all 1s;
  transition: all 1s;
.social ul li i {
  margin-left: 10px;
    color: #212121;
    padding: 10px;
    -webkit-border-radius: 50%;
    -moz-border-radius: 50%;
    border-radius: 50%;
   width: 35px;
height: 35px;
    font-size: 15px;
    -webkit-transform: rotate(0deg);
    -moz-transform: rotate(0deg);
    -ms-transform: rotate(0deg);
    -o-transform: rotate(0deg);
    transform: rotate(0deg);
   text-align: center;
  background: #fff;
/*-- //Latest-tv-series --*/
/*-- footer --*/
.footer{
  background: #212121;
  padding:4em 0;
.w3ls footer grid left1{
  position:relative;
.w3ls footer grid left1 h2{
```

```
font-size: 2em;
   color:#FF8D1B;
   text-transform:uppercase;
   font-style: normal;
  margin-bottom:.5em;
.w3ls footer grid left1 pos{
  width:80%;
  border:1px solid #fff;
  padding:10px;
.w3ls_footer_grid_left1_pos input[type="email"]{
  outline: none;
   padding: 10px 10px;
   font-size: 14px;
   color: #999;
   width: 74.1%;
   background: #fff;
   border: none;
.w3ls footer grid left1 pos input[type="submit"]{
  outline: none;
   width: 25%;
   background: #FF8D1B;
  font-size:14px;
  text-transform:uppercase;
  color:#fff;
   border: none;
  padding:10px 0;
.w3ls_footer_grid_left1_pos input[type="submit"]:hover{
   background: #fff;
  color:#212121;
.w3ls footer grid right, .w3ls footer grid1 right {
   text-align: right;
.w3ls footer grid{
  padding-bottom:2em;
  border-bottom:1px solid #999;
  margin-bottom:2em;
.w3ls_footer_grid1_left p{
  color:#999;
  line-height:1.8em;
.w3ls_footer_grid1_left p a{
  color:#fff;
   text-decoration:none;
.w3ls footer grid1 left p a:hover{
  color:#FF8D1B;
.w3ls_footer_grid1_right ul li{
  display:inline-block;
  margin-left: 2em;
.w3ls_footer_grid1_right ul li a{
  color:#fff;
   text-decoration:none;
  text-transform:uppercase;
.w3ls footer grid1 right ul li a:hover{
  color: #FF8D1B;
.w3ls footer grid right a{
  display: block;
   text-decoration: none;
```

```
width: 28%;
    margin-left: 24em;
.w3ls_footer_grid_right a h2{
   font-size: 2.8em;
    color: #fff;
    text-transform: uppercase;
   background: url(../images/1.jpg) no-repeat right transparent;
    padding-right: 1.67em;
    font-weight: 900;
   padding-bottom: .3em;
.w3ls footer grid right a h2 span{
  color: #FF8D1B;
    font-size: .3em;
    display: block;
    font-weight: 300;
    letter-spacing: 5px;
    text-align: right;
    line-height: 0;
.w3ls footer grid right {
   margin-top: 2em;
/*-- //footer --*/
/* Pen Title */
.pen-title {
 padding: 50px 0;
 text-align: center;
 letter-spacing: 2px;
.pen-title h1 {
 margin: 0 0 20px;
 font-size: 48px;
 font-weight: 300;
.pen-title span {
 font-size: 12px;
.pen-title span .fa {
 color: #33b5e5;
.pen-title span a {
 color: #33b5e5;
 font-weight: 600;
  text-decoration: none;
/* Form Module */
.form-module {
  position: relative;
   background: #ffffff;
   max-width: 400px;
    width: 100%;
   border-top: 5px solid #FF8D1B;
   box-shadow: 0 0 3px rgba(0, 0, 0, 0.25);
    margin:1em auto;
.form-module .toggle {
 cursor: pointer;
 position: absolute;
 top: -0;
 right: -0;
 background:#FF8D1B;
 width: 30px;
 height: 30px;
 margin: -5px 0 0;
 color: #ffffff;
```

```
font-size: 12px;
  line-height: 30px;
  text-align: center;
.form-module .toggle .tooltip {
   position: absolute;
    top: 5px;
    right: -75px;
    display: block;
    background: rgba(0, 0, 0, 0.6);
    width: auto;
    padding: 5px;
    font-size: 12px;
    line-height: 1;
    text-transform: uppercase;
    opacity: 1;
    font-family: 'Ubuntu', sans-serif !important;
.form-module .toggle .tooltip:before {
 content: '';
 position: absolute;
  top: 5px;
 left: -5px;
  display: block;
 border-top: 5px solid transparent;
 border-bottom: 5px solid transparent;
 border-right: 5px solid rgba(0, 0, 0, 0.6);
.form-module .form {
  display: none;
 padding: 30px;
.form-module .form:nth-child(2) {
 display: block;
.form-module h3 {
    margin: 0 0 1.5em;
    color: #212121;
    font-size: 1.2em;
    font-weight: 400;
    line-height: 1;
.form-module input[type="text"],.form-module input[type="password"],.form-module
input[type="email"] {
 outline: none;
  display: block;
 width: 100%;
 border: 1px solid #d9d9d9;
 margin: 0 0 20px;
 padding: 10px 15px;
 box-sizing: border-box;
  font-weight: 400;
  -webkit-transition: 0.3s ease;
  transition: 0.3s ease;
  font-size:14px;
.form-module input[type="text"]:focus,.form-module
input[type="password"]:focus,.form-module input[type="email"]:focus {
 border:1px solid #C7D0F5;
  color: #333333;
.form-module input[type="submit"] {
   background: #919191;
    width: 100%;
    border: 0;
    padding: 10px 15px;
    color: #ffffff;
    -webkit-transition: 0.3s ease;
```

```
transition: 0.3s ease;
    font-size: 1em;
    font-weight: bold;
    text-transform: uppercase;
   outline:none;
.form-module input[type="submit"]:hover {
 background:#FF8D1B;
.form-module .cta {
  background: #343434;
    width: 100%;
    padding: 15px 40px;
    box-sizing: border-box;
    color: #fff;
    text-align: center;
.form-module .cta a {
    color: #fff;
    text-decoration: none;
    font-size: 1em;
.modal-header {
    text-align: center;
    font-size: 2em;
    color: #212121;
}
.modal-content{
   z-index:9999;
/*-- //login --*/
/*--Typography--*/
.well {
    font-weight: 300;
    font-size: 14px;
.list-group-item {
    font-weight: 300;
    font-size: 14px;
li.list-group-item1 {
    font-size: 14px;
    font-weight: 300;
.typo p {
    margin: 0;
    font-size: 14px;
    font-weight: 300;
.show-grid [class^=col-] {
   background: #fff;
   text-align: center;
   margin-bottom: 10px;
   line-height: 2em;
  border: 10px solid #f0f0f0;
.show-grid [class*="col-"]:hover {
  background: #e0e0e0;
.grid 3{
  margin-bottom:2em;
.xs h3, h3.m 1{
  color:#000;
   font-size:1.7em;
  font-weight:300;
  margin-bottom: 1em;
```

```
.grid 3 p{
   color: #999;
   font-size: 0.85em;
   margin-bottom: 1em;
   font-weight: 300;
.grid 4{
   background:none;
   margin-top:50px;
.label {
   font-weight: 300 !important;
   border-radius:4px;
.grid 5{
   background: none;
   padding:2em 0;
.grid 5 h3, .grid 5 h2, .grid 5 h1, .grid 5 h4, .grid 5 h5, h3.hdg, h3.bars {
   margin-bottom: 1em;
    color: #212121;
    font-weight: bold;
.table > thead > tr > th, .table > tbody > tr > th, .table > tfoot > tr > th,
.table > thead > tr > td, .table > tbody > tr > td, .table > tfoot > tr > td {
   border-top: none !important;
.tab-content > .active {
   display: block;
   visibility: visible;
.pagination > .active > a, .pagination > .active > span, .pagination > .active >
a:hover, .pagination > .active > span:hover, .pagination > .active > a:focus,
.pagination > .active > span:focus {
   z-index: 0;
.badge-primary {
   background-color: #03a9f4;
.badge-success {
   background-color: #8bc34a;
.badge-warning {
   background-color: #ffc107;
.badge-danger {
  background-color: #e51c23;
.grid 3 p{
   line-height: 2em;
   color: #888;
   font-size: 0.9em;
   margin-bottom: 1em;
   font-weight: 300;
.bs-docs-example {
   margin: 1em 0;
section#tables p {
   margin-top: 1em;
.tab-container .tab-content {
   border-radius: 0 2px 2px 2px;
   border: 1px solid #e0e0e0;
   padding: 16px;
   background-color: #ffffff;
.table td, .table>tbody>tr>td, .table>tbody>tr>th, .table>tfoot>tr>td,
```

```
.table>tfoot>tr>th, .table>thead>tr>td, .table>thead>tr>th {
   padding: 15px!important;
.table > thead > tr > th, .table > tbody > tr > th, .table > tfoot > tr > th,
.table > thead > tr > td, .table > tbody > tr > td, .table > tfoot > tr > td {
   font-size: 0.9em;
   color: #999;
   border-top: none !important;
.tab-content > .active {
   display: block;
   visibility: visible;
.label {
   font-weight: 300 !important;
.label {
   padding: 4px 6px;
   border: none;
   text-shadow: none;
.alert {
   font-size: 0.85em;
h1.t-button, h2.t-button, h3.t-button, h4.t-button, h5.t-button {
   line-height:2em;
   margin-top:0.5em;
   margin-bottom: 0.5em;
li.list-group-item1 {
  line-height: 2.5em;
.input-group {
  margin-bottom: 20px;
.in-gp-tl{
  padding:0;
.in-gp-tb{
  padding-right:0;
.list-group {
  margin-bottom: 48px;
ol {
  margin-bottom: 44px;
h2.typoh2{
   margin: 0 0 10px;
@media (max-width:768px) {
   .grid 5 {
     padding: 0 0 1em;
   .grid 3 {
     margin-bottom: 0em;
@media (max-width:640px) {
   h1, .h1, h2, .h2, h3, .h3 {
     margin-top: 0px;
      margin-bottom: 0px;
   .grid_5 h3, .grid_5 h2, .grid_5 h1, .grid_5 h4, .grid_5 h5, h3.hdg, h3.bars {
     margin-bottom: .5em;
   .progress {
      height: 10px;
```

```
margin-bottom: 10px;
  ol.breadcrumb li,.grid 3 p,ul.list-group li,li.list-group-item1 {
     font-size: 14px;
   .breadcrumb {
     margin-bottom: 25px;
   .well {
     font-size: 14px;
     margin-bottom: 10px;
  h2.typoh2 {
     font-size: 1.5em;
   }
   .label {
     font-size: 60%;
   .in-gp-tl {
    padding: 0 1em;
   .in-gp-tb {
     padding-right: 1em;
@media (max-width:480px) {
   .grid 5 h3, .grid 5 h2, .grid 5 h1, .grid 5 h4, .grid 5 h5, h3.hdg, h3.bars {
     font-size: 1.2em;
   .table h1 {
     font-size: 26px;
   .table h2 {
     font-size: 23px;
   .table h3 {
     font-size: 20px;
   .label {
     font-size: 53%;
   .alert,p {
     font-size: 14px;
   .pagination {
     margin: 20px 0 0px;
   .grid 3.grid 4.w3layouts {
     margin-top: 0;
@media (max-width: 320px) {
  .grid_4 {
     margin-top: 18px;
  h3.title {
     font-size: 1.6em;
   .alert, p,ol.breadcrumb li, .grid_3 p,.well, ul.list-group li, li.list-group-
item1, a.list-group-item {
     font-size: 13px;
   .alert {
     padding: 10px;
     margin-bottom: 10px;
  ul.pagination li a {
     font-size: 14px;
```

```
padding: 5px 11px;
   .list-group {
     margin-bottom: 10px;
   .well {
     padding: 10px;
   .nav > li > a {
     font-size: 14px;
  table.table.table-striped,.table-bordered,.bs-docs-example {
     display: none;
/*-- icons --*/
.codes a {
   color: #999;
.icon-box {
   padding: 8px 15px;
   background:rgba(149, 149, 149, 0.18);
   margin: 1em 0 1em 0;
   border: 5px solid #ffffff;
   text-align: left;
   -moz-box-sizing: border-box;
   -webkit-box-sizing: border-box;
   box-sizing: border-box;
   font-size: 13px;
   transition: 0.5s all;
   -webkit-transition: 0.5s all;
    -o-transition: 0.5s all;
   -ms-transition: 0.5s all;
   -moz-transition: 0.5s all;
   cursor: pointer;
.icon-box:hover {
   background: #000;
  transition: 0.5s all;
  -webkit-transition: 0.5s all;
  -o-transition:0.5s all;
  -ms-transition: 0.5s all;
   -moz-transition:0.5s all;
.icon-box:hover i.fa {
  color:#fff !important;
.icon-box:hover a.agile-icon {
  color:#fff !important;
.codes .bs-qlyphicons li {
   float: left;
   width: 12.5%;
   height: 115px;
   padding: 10px;
   line-height: 1.4;
   text-align: center;
   font-size: 12px;
   list-style-type: none;
.codes .bs-glyphicons .glyphicon {
   margin-top: 5px;
   margin-bottom: 10px;
   font-size: 24px;
.codes .glyphicon {
   position: relative;
   top: 1px;
```

```
display: inline-block;
    font-family: 'Glyphicons Halflings';
    font-style: normal;
    font-weight: 400;
    line-height: 1;
    -webkit-font-smoothing: antialiased;
    -moz-osx-font-smoothing: grayscale;
   color: #777;
.codes .bs-glyphicons .glyphicon-class {
    display: block;
    text-align: center;
    word-wrap: break-word;
h3.icon-subheading {
   font-size: 28px;
    color: #ff8d1b !important;
    margin: 30px 0 15px;
h3.agileits-icons-title {
    text-align: center;
    font-size: 36px;
    color: #000;
.icons a {
    color: #999;
.icon-box i {
    margin-right: 10px !important;
    font-size: 20px !important;
    color: #282a2b !important;
.icons .bs-glyphicons li {
    float: left;
    width: 18%;
    height: 115px;
    padding: 10px;
    line-height: 1.4;
    text-align: center;
    font-size: 12px;
    list-style-type: none;
    background:rgba(149, 149, 149, 0.18);
    margin: 1%;
.icons .bs-glyphicons .glyphicon {
    margin-top: 5px;
    margin-bottom: 10px;
    font-size: 24px;
   color: #282a2b;
.icons .glyphicon {
    position: relative;
    top: 1px;
    display: inline-block;
    font-family: 'Glyphicons Halflings';
    font-style: normal;
    font-weight: 400;
    line-height: 1;
    -webkit-font-smoothing: antialiased;
    -moz-osx-font-smoothing: grayscale;
   color: #777;
.icons .bs-glyphicons .glyphicon-class {
    display: block;
    text-align: center;
    word-wrap: break-word;
/*-- //icons --*/
```

```
h3.head {
    text-align: center;
    font-size: 2.5em;
    color: #ff8d1b;
/*-- to-top --*/
#toTop {
   display: none;
   text-decoration: none;
   position: fixed;
   bottom: 20px;
   right: 2%;
   overflow: hidden;
   z-index: 999;
   width: 32px;
   height: 32px;
   border: none;
   text-indent: 100%;
   background: url(../images/arrow1.png) no-repeat 0px 0px;
#toTopHover {
   width: 32px;
   height: 32px;
   display: block;
   overflow: hidden;
   float: right;
   opacity: 0;
   -moz-opacity: 0;
   filter: alpha(opacity=0);
/*-- //to-top --*/
/*----start-responsive-design-----*/
@media (max-width:1280px) {
  h4.latest-text {
     margin-left: 1em !important;
   }
@media (max-width:1080px) {
   .w31_sign_in_register {
      width: 30%;
   .w3_search {
      margin-left: 4em;
   .w3l-movie-gride-agile1 {
     width: 100% !important;
   .w31-action-icon i {
      font-size: 2em !important;
   .w31-movie-gride-agile:hover .w31-action-icon {
      top: 42%;
   .w31-movie-text h6 a {
      font-size: 1.31em !important;
   .agile tv series grid right {
     min-height: 258px;
      padding: 2em 2em 0;
      width: 48.6%;
   p.fexi header {
      padding-bottom: .5em;
   .w3ls footer grid right a {
     width: 35%;
      margin-left: 17em;
   }
```

```
.w3ls_footer_grid_left1_pos {
      width: 100%;
   .w3ls_footer_grid1_right {
     padding: 0;
   .w3ls footer grid1 right ul li {
      margin-left: 1em;
   .w31-movie-gride-agile:hover .w31-action-icon {
      top: 42% !important;
@media (max-width:991px) {
   .w31_sign_in_register ul li:first-child {
     padding: 0;
   .w31_sign_in_register {
      width: 33%;
   .w31 sign in register ul li {
     font-size: 14px;
   .w3 search {
     margin-left: 1.5em;
   .navbar-nav > li {
     font-size: 12px;
   .agile mid 2 home {
     width: 80%;
     margin: 0 auto;
   .w31-movie-gride-agile {
     float: left;
     width: 25%;
   }
   .ribben {
      left: 13% !important;
   .general, .Latest-tv-series, .faq {
     padding: 2em 0;
   a.w3_play_icon span, a.w3_play_icon1 span, a.w3_play_icon2 span {
     left: \overline{4}9\%;
      top: 42%;
   .agile_tv_series_grid_right {
     min-height: inherit;
      padding: 3em;
     width: 100%;
   .footer {
     padding: 3em 0;
   .w3ls_footer_grid_left {
     float: left;
      width: 70%;
   .w3ls footer grid right {
      float: right;
      margin-top: 3.2em;
   .w3ls_footer_grid_right a {
      width: 100%;
      margin-left: 0em;
   .w3ls footer grid1 left p,.w3ls footer grid1 right {
```

```
text-align: center;
   .w3ls_footer_grid1_left {
     padding-bottom: .5em;
   .w3ls_footer_grid {
     padding-bottom: 1.5em;
     margin-bottom: 1.5em;
@media (max-width:800px) {
  ul.dropdown-menu.multi-column {
     width: 300px;
  h4.latest-text {
     font-size: 1.7em !important;
@media (max-width:768px) {
   .w3ls_footer_grid_left1 h2 {
     font-size: 1.7em;
  h3.head {
     font-size: 2.2em;
   /*-- icons --*/
  h3.agileits-icons-title {
     font-size: 28px;
  h3.icon-subheading {
     font-size: 25px;
   .row {
     margin-right: 0;
     margin-left: 0;
   }
   .icon-box {
     margin: 0;
   /*-- //icons --*/
@media (max-width:767px) {
   .navbar-toggle {
     float: none;
     margin: .5em 0 0;
   .navbar {
     text-align: center;
   .navbar-default .navbar-toggle {
     border-color: #fff;
   .navbar-default .navbar-toggle .icon-bar {
     background-color: #fff;
   .navbar-default .navbar-toggle:hover, .navbar-default .navbar-toggle:focus {
     background-color: transparent;
   }
   .navbar-nav > li {
     float: none;
     border-right:none;
     width: 100%;
   .navbar-default .navbar-collapse, .navbar-default .navbar-form {
     border: none;
   .navbar-nav {
     background: #7a7977;
```

```
.navbar-nav .open .dropdown-menu {
     background-color: #fff;
   ul.dropdown-menu.multi-column {
      text-align: center;
      float: none;
      width: 100%;
   }
@media (max-width: 736px) {
   .w31_sign_in_register {
     width: 100%;
      float: none;
      margin: 4em 0 0;
      text-align: center;
   .w3 search {
      margin-left: 0;
      float: right;
      width: 50%;
@media (max-width: 667px) {
   .agile_mid_2_home {
      width: 90%;
   .w3l-movie-text h6 a {
      font-size: 1.3em !important;
   a.w3_play_icon span, a.w3_play_icon1 span, a.w3_play_icon2 span {
   .w3ls_footer_grid_left1_pos input[type="email"] {
     width: 74%;
   .w3ls_footer_grid_right {
      margin-top: 2.5em;
@media (max-width: 640px) {
   .w3_agileits_icons_page {
      margin-top: 25px !important;
   .w31_sign_in_register ul li:first-child {
     padding-right: 1em;
   .w3ls_footer_grid_left1_pos input[type="email"] {
      width: 73.9%;
   .w3ls footer grid right {
      padding: 0;
   /*-- icons --*/
   .icon-box {
     float: left;
      width: 50%;
   /*-- //icons --*/
   .ribben {
      left: 4% !important;
@media (max-width: 600px) {
   .Latest-tv-series {
     padding-bottom: 0.5em !important;
   .ribben p {
```

```
font-size: 0.7em !important;
   }
   .ribben {
      padding: 18px 0 0 0 !important;
      width: 35px !important;
      height: 35px !important;
   .w3l-movie-gride-agile {
      width: 33.33%;
@media (max-width: 568px) {
   .form-module .toggle .tooltip {
     right: -63px;
      font-size: 10px;
   .Latest-tv-series {
     padding-top: 0 !important;
   .w3ls footer grid left {
     padding-left: 0;
   .w3ls footer grid left1 pos input[type="email"] {
      width: 73%;
@media (max-width: 480px) {
   .w3layouts logo a h1 {
      font-size: 2.5em;
      background: url(../images/1.jpg) no-repeat 71px 6px;
      background-size: 40%;
      padding-right: 1.4em;
      padding-bottom: 0.2em;
   }
   .w3 search {
      width: 60%;
   .form-module .toggle .tooltip {
      display: none !important;
   .ribben {
     left: 8% !important;
   .nav-tabs > li > a {
     font-size: 14px !important;
     padding: 7px 16px !important;
   a.w3_play_icon span, a.w3_play_icon1 span, a.w3_play_icon2 span {
      font-size: 3em;
   .agile tv series grid right {
     padding: 2em;
   .conjuring w3 {
     height: 72px;
   .w3ls_footer_grid_left1 h2 {
     font-size: 1.5em;
   }
   .footer {
     padding: 2em 0;
   .w3ls footer grid left {
     padding: \overline{0};
      float: none;
      width: 100%;
   .w3ls footer grid right {
```

```
margin: 1.5em auto 0;
     float: none;
     width: 38%;
     text-align: center;
   .w3_agileits_icons_page {
     margin: 1.5em 0 0 !important;
   /*-- icons --*/
   .icons .bs-glyphicons li {
     width: 31%;
   /*-- //icons --*/
@media (max-width: 414px) {
   .ribben {
     left: 24% !important;
   .agile mid 2 home {
     width: 63%;
   .social {
     bottom: 5%;
   .w3l-movie-gride-agile {
     width: 50%;
   .nav-tabs > li > a {
     padding: 7px 12px !important;
  h4.latest-text {
     font-size: 1.4em !important;
  h3.head {
     font-size: 2em;
   /*-- icons --*/
  h3.agileits-icons-title {
     font-size: 23px;
  h3.icon-subheading {
    font-size: 18px;
   .icons .bs-glyphicons li {
     width: 31.33%;
   /*-- //icons --*/
   .w3ls_footer_grid_right {
     width: 41%;
@media (max-width: 384px) {
   .w3ls_footer_grid_right {
     width: 46%;
   .w3layouts_logo {
     float: none;
     width: 40%;
     margin: 0 auto;
   .w3_search {
     width: 100%;
     float: none;
     margin: 1em 0;
   .w31_sign_in_register {
     margin: 0;
```

```
.modal-header {
      font-size: 1.8em;
   .social ul li i {
      padding: 7px;
      width: 25px;
      height: 25px;
      font-size: 12px;
   .social ul li {
      width: 300px;
      padding: 5px;
   .nav-tabs > li > a {
      padding: 7px 9px !important;
   .w31-movie-gride-agile {
      width: 90%;
      float: none;
      margin-left: auto;
      margin-right: auto;
   . \verb|w3l-movie-gride-agile:nth-child| (6) |, . \verb|w3l-movie-gride-agile:nth-child| (12) | \\
      margin-left: auto !important;
   .conjuring_w3 {
      height: 145px;
   p.fexi header para span {
      width: 38%;
   /*-- icons --*/
   .icon-box {
      float: none;
      width: 100%;
   }
    .no-margin
        margin: 0px;
   /*-- //icons --*/
@media (max-width: 375px) {
   .nav-tabs > li > a {
     font-size: 13px !important;
   .conjuring_w3 {
      height: 130px;
@media (max-width: 320px) {
   .w3layouts logo a h1 {
      background: url(../images/1.jpg) no-repeat 61px 5px;
      background-size: 46%;
      font-size: 2em;
   }
   .modal-header {
      font-size: 1.5em;
   .form-module h3{
      margin: 0 0 1em;
      font-size: 1.1em;
   .form-module .form {
      padding: 15px;
   .form-module input[type="text"], .form-module input[type="password"], .form-
module input[type="email"] {
```

```
font-size: 13px;
   }
   .form-module .cta {
      width: 100%;
      padding: 10px 0px;
   .form-module input[type="submit"] {
      font-size: 14px;
   .modal-body {
     padding: 6px 15px;
   .form-module {
      margin: .5em auto;
   .agile mid 2 home {
      width: \overline{78\%};
   .nav-tabs > li {
     float: none !important;
   h4.latest-text {
     font-size: 1.2em !important;
   a.w3_play_icon span, a.w3_play_icon1 span, a.w3_play_icon2 span {
      font-size: 2em;
   p.fexi header {
     font-size: 1em;
   .agile_tv_series_grid_right {
     padding: 2em 1em;
   p.fexi_header_para {
     font-size: 13px;
   .conjuring w3 {
      height: 110px;
   .w3ls_footer_grid_right {
      width: 55%;
   p,.w3ls_footer_grid1_right ul li,.panel-body{
      font-size: 13px;
   .w3ls footer grid left1 h2 {
     font-size: 1.3em;
   h3.head {
      font-size: 1.8em;
   }
}
contactstyle.css
/*--
Author: W3layouts
Author URL: http://w3layouts.com
License: Creative Commons Attribution 3.0 Unported
License URL: http://creativecommons.org/licenses/by/3.0/
html, body{
    font-size: 100%;
   font-family: 'Roboto Condensed', sans-serif;
  background: #ffffff;
ul li,ol li{
   font-size:14px;
}
```

```
p{
   margin:0;
   font-size:0.9em;
h1, h2, h3, h4, h5, h6, a{
   font-family: 'Roboto Condensed', sans-serif;
   margin:0;
ul, label {
   margin:0;
   padding:0;
body a:hover{
   text-decoration:none;
input[type="button"], .agileinfo chat a, .w3 customer email right a, ul.dropdown-
menu.multi-column ul li a{
  transition:.5s ease-in;
   -webkit-transition:.5s ease-in;
   -moz-transition:.5s ease-in;
   -o-transition:.5s ease-in;
   -ms-transition:.5s ease-in;
}
/*-- contact --*/
.location-agileinfo,.call-agileits,.mail-wthree,.social-w31{
   position:relative;
   background: rgb(58, 58, 58);
   padding:30px;
   width:23%;
  height:230px;
   margin-bottom:50px;
   float:left;
.icon-w3 {
    position: absolute;
    top: -24px;
    left: 39%;
    padding: 14px;
   background: #ff8d1b;
    border-radius: 50%;
    height: 50px;
    width: 50px;
.icon-w3 .glyphicon{
   color:#eee;
   font-size:20px;
.location-agileinfo h3,.call-agileits h3,.mail-wthree h3,.social-w31 h3{
   font-size:1.5em;
   color:#fff;
   margin-bottom:15px;
.location-agileinfo h4,.call-agileits h4,.mail-wthree h4 a,.social-w31 li{
    font-size: 14px;
    color: #fff;
    line-height: 35px;
.call-agileits{
   margin:0% 2%;
.mail-wthree{
  margin-right:2%;
.social-w31 ul li {
   background-color: #3b5998;
   list-style:none;
   width: 75%;
}
```

```
.social-w31 ul li .fa{
   background: #2E4A84;
   padding:10px 13px;
.social-w31 ul li.twt {
   background-color: #55acee;
   margin:10px 0;
   color:#fff;
.social-w3l ul li.twt .fa{
  background: #4D9CD8;
  padding:10px;
.social-w31 ul li.ggp {
   background-color:#F58529;
.social-w31 ul li.ggp .fa {
  background: #DD2A7B;
  padding:10px;
.social-w31 ul li a {
   display: block;
   color:#fff;
.social-w31 ul li .fa{
   color:#fff;
   font-size:16px;
li.twt {
    margin: 0 2px;
.social-icons ul li a span {
    vertical-align: middle;
    color: #fff;
    font-size:1em;
.social-w31 ul li a span.text {
    padding-left: 1em;
.social-w31 ul li a:hover span.icons {
    transform: rotatey(360deg);
    -webkit-transform: rotatey(360deg);
    -o-transform: rotatey(360deg);
    -moz-transform: rotatey(360deg);
    -ms-transform: rotatey(360deg);
    transition: .5s all;
.contact-agile input[type="text"] {
    font-size: 14px;
    border: 1px solid #d5d3d3;
    background: transparent;
    outline: none;
    padding: 10px;
    width: 48.5%;
    margin-bottom: 15px;
.contact-agile textarea {
    width: 100%;
    padding: 10px;
    outline: none;
    resize: none;
    height: 150px;
    border: 1px solid #d5d3d3;
    font-size: 14px;
.contact-agile input[type="text"]:nth-child(1), .contact-agile
input[type="text"]:nth-child(3) {
    margin-right: 2.4%;
```

```
.contact-agile input[type="button"] {
   background: #212121;
    color: #fff;
    padding: 8px 15px;
    margin-top: 15px;
    border: none;
    outline: none;
.contact-agile input[type="button"]:hover{
  background: #FF8D1B;
#map {
    width: 100%;
    height: 350px;
/*--- Responsive Code ---*/
@media screen and (max-width: 991px) {
   .location-agileinfo, .call-agileits, .mail-wthree, .social-w31 {
      padding: 22px;
   .icon-w3 {
      position: absolute;
      top: -24px;
left: 35%;
      padding: 13px;
      border-radius: 50%;
      height: 45px;
      width: 45px;
   .icon-w3 .glyphicon {
      color: #eee;
      font-size: 18px;
   .location-agileinfo h3, .call-agileits h3, .mail-wthree h3, .social-w31 h3 {
      font-size: 1.3em;
      margin:15px 0;
   .social-w31 ul li {
     width: 100%;
   #map {
     height: 300px;
@media screen and (max-width: 667px) {
   .location-agileinfo,.call-agileits,.mail-wthree,.social-w31{
      width: 47%;
   .call-agileits {
     margin:0;
   .location-agileinfo,.call-agileits{
      margin-bottom: 7%;
   .call-agileits,.social-w31{
      margin-left:6%;
   .mail-wthree {
      margin-right:0;
   .icon-w3 {
      top: -21px;
left: 44%;
   }
```

```
#map {
     height: 250px;
   .contact-agile input[type="text"]:nth-child(1), .contact-agile
input[type="text"]:nth-child(3) {
      margin-right: 2.3%;
@media screen and (max-width: 480px) {
  .contact-agile input[type="text"]:nth-child(1), .contact-agile
input[type="text"]:nth-child(3) {
     margin-right: 2%;
   .contact-agile textarea,.contact-agile input[type="text"] {
     font-size: 13px;
   .contact-agile input[type="button"] {
      font-size: 14px;
@media screen and (max-width: 414px) {
   .icon-w3 {
     top: -21px;
      left: 36%;
   .location-agileinfo, .call-agileits, .mail-wthree, .social-w31 {
      margin-bottom: 25px;
@media screen and (max-width: 384px) {
   .contact-agile input[type="text"]:nth-child(1), .contact-agile
input[type="text"]:nth-child(3) {
     margin-right: 0%;
   .contact-agile input[type="text"] {
     width: 99.5%;
@media screen and (max-width: 320px) {
   .location-agileinfo, .call-agileits, .mail-wthree, .social-w31 {
      position: relative;
      width: 100%;
     margin: 0;
   .call-agileits,.social-w31{
     margin:30px 0;
   .icon-w3 {
     top: -21px;
left: 41%;
   }
}
single.css
html, body{
    font-size: 100%;
font-family: 'Roboto Condensed', sans-serif;
/*-- single --*/
/*-- single-video --*/
.show-top-grids-w3lagile {
padding: 1em 0 0 0;
.video-grid-single-page-agileits img {
   width: 35%;
#video {
```

```
position: relative;
 background: #FF8D1B;
    width: 100%;
    margin: 20px auto;
#video img,
#video iframe { display: block; }
#play {
    position: absolute;
    top: 43%;
    left: 44%;
    width: 77px;
    height: 77px;
    cursor: pointer;
    background: url('../images/play-button.png') no-repeat 0px 0px;
    background-size: auto, cover;
    z-index: 9;
/*-- //single-video --*/
.song-info {
    padding-left: 0;
   padding: 0 0 1em;
.song-info h3{
  color: #272C2E;
 font-size: 22px;
 margin: 0;
 line-height: 1.5em;
.video-grid iframe {
   border: none;
    height: 376px;
.share h5{
      font-size: 1.3em;
    color: #181818;
    margin: 0 0 0em 0;
    font-weight: 400;
    text-transform: uppercase;
.share ul{
   margin: 2em 0 0 0;
   padding: 0;
    list-style: none;
/*-- social-icons --*/
.single-agile-shar-buttons{
   margin:1em 0 0 0;
.single-agile-shar-buttons ul{
  padding:0;
   margin:0;
.single-agile-shar-buttons ul li{
    display: inline-block;
    vertical-align: text-top;
.single-agile-shar-buttons ul li:nth-child(1) {
    vertical-align: top;
.single-agile-shar-buttons ul li:nth-child(2) {
   vertical-align: top;
.news-twitter a{
  margin:1em 0 0 0 !important;
```

```
.share {
   padding: 1em 0 0 1em;
/*-- shows --*/
.show-top-grids {
 padding: 0 1em 0 0;
.show-grid-right{
   background: #f7f7f7;
   padding: 3em 0 0 3em;
.single-right{
  background: #f7f7f7;
       padding: 2em 0 0 2em;
.show-right-grids {
 margin-bottom: 1.5em;
.show-grid-right h3{
   font-size: 20px;
    color: #181818;
    margin: 0 0 1em 0;
    font-weight: 600;
.single-right h3 {
    font-size: 1.3em;
    color: #181818;
    margin: 0 0 0em 0;
    font-weight: 400;
    text-transform: uppercase;
.show-right-grids ul {
 padding: 0;
 margin: 2em 0 0 0;
.show-right-grids ul li{
 display: inline-block;
 margin-left: 1em;
.show-right-grids ul li:nth-child(1) {
  margin:0;
.show-right-grids ul li a{
    font-size: 13px;
    color: #9E9E9E;
    margin: 1em 0;
.show-right-grids ul li a:hover{
    text-decoration: underline;
    color: #21DEEF;
.show-right-grids ul li a img {
  width: 100%;
/*-- history --*/
.recommended-info p.history-text {
  font-size: 13px;
   color: #9E9E9E;
   margin: 0;
   line-height: 1.8em;
.recommended-info p.history-text span{
  display:block;
  margin:1em 0 0 0;
.history-left {
   width: 90px !important;
    height: 90px;
```

```
background: #C5C5C5;
.history-left p{
    font-size: 17px;
    color: #272C2E;
    margin: 1.7em 0 0 0;
    font-weight: 600;
    text-align: center;
.history-grids {
    margin: 5em 0;
.history-right h5{
 font-size: 18px;
 color: #181818;
 margin: 0 0 .5em 0;
 font-weight: 600;
.history-right p{
    font-size: 13px;
    color: #9E9E9E;
    margin: 0;
    line-height: 1.8em;
/* Shutter In Vertical */
.hvr-shutter-in-vertical {
  display: inline-block;
 vertical-align: middle;
  -webkit-transform: translateZ(0);
  transform: translateZ(0);
 box-shadow: 0 0 1px rgba(0, 0, 0, 0);
  -webkit-backface-visibility: hidden;
 backface-visibility: hidden;
  -moz-osx-font-smoothing: grayscale;
 position: relative;
 background: #2098d1;
  -webkit-transition-property: color;
  transition-property: color;
  -webkit-transition-duration: 0.3s;
  transition-duration: 0.3s;
.hvr-shutter-in-vertical:before {
 content: "";
 position: absolute;
  z-index: -1;
  top: 0;
 bottom: 0;
  left: 0;
  right: 0;
 background: #272C2E;
  -webkit-transform: scaleY(1);
  transform: scaleY(1);
  -webkit-transform-origin: 50%;
  transform-origin: 50%;
  -webkit-transition-property: transform;
  transition-property: transform;
  -webkit-transition-duration: 0.3s;
  transition-duration: 0.3s;
  -webkit-transition-timing-function: ease-out;
  transition-timing-function: ease-out;
.hvr-shutter-in-vertical:hover, .hvr-shutter-in-vertical:focus, .hvr-shutter-in-
vertical:active {
  color: white;
.hvr-shutter-in-vertical:hover:before, .hvr-shutter-in-vertical:focus:before, .hvr-
shutter-in-vertical:active:before {
```

```
-webkit-transform: scaleY(0);
  transform: scaleY(0);
/*-- single --*/
.single-main{
  padding: 4em 1em 0 0;
.single-left {
 padding-bottom: 2em;
    padding-left: 0;
.song-info-left {
 float: left;
/*-- published --*/
.published{
    margin: 1em 0 0 0;
    padding-left: 0;
    background: #f7f7f7;
    padding: 1em;
.published h4{
    color: #212121;
    font-size:1em;
    margin: 0;
    line-height: 1.5em;
    font-weight: 600;
.published p {
    font-size: 0.9em;
    color: #777;
    margin: 1em 0;
    line-height: 1.8em;
/*-- load-more --*/
#myList ul{
margin:0;
#myList li{
   display:none;
   list-style-type:none;
.blog-text:after{
  clear: both;
.blog-grid img{
width: 100%;
#loadMore {
   color: #FFFFF;
    font-size: 16px;
    transition: .5s all;
    -webkit-transition: .5s all;
    -moz-transition: .5s all;
    -o-transition: .5s all;
    -ms-transition: .5s all;
    cursor: pointer;
    text-align: center;
margin: 2em auto 0 auto;
    padding: .5em 0;
    background: #21DEEF;
    width: 19%;
#loadMore:hover {
  color: #FFFFF;
  text-decoration: none;
```

```
.load more {
 margin-top:0;
.load more ul {
 padding: 0;
.g_r{
  background:none;
  margin:30px 0 0 0;
.l_g_r img{
  width:100%;
.load-grids{
  margin:1em 0 0 0;
.load-grid{
 float: left;
 width: 17%;
.load-grid p{
  font-size: 14px;
  color: #9E9E9E;
  margin:0;
  line-height: 1.8em;
.load-grid a{
    font-size: 14px;
    color: #0076CC;
    margin: 1em 0;
    line-height: 1.8em;
.load-grid a:hover{
   color:#9E9E9E;
   text-decoration:none;
.all-comments{
      margin: 1em 0 0 0;
    padding-left: 0;
    padding: 1em 1em;
   box-shadow: 0px 0 2px #C1C1C1 !important;
   -o-box-shadow: Opx 0 2px #C1C1C1 !important;
   -moz-box-shadow: 0px 0 2px #C1C1C1 !important;
   -ms-box-shadow: 0px 0 2px #C1C1C1 !important;
.all-comments-info a{
    font-size: 14px;
    color: #9E9E9E;
    text-decoration: none;
.agile-info-wthree-box {
 margin: 1em 0;
.agile-info-wthree-box input[type="text"], .agile-info-wthree-box textarea {
    outline: none;
    border: 1px solid #D4D3D3;
   background: none;
    padding: 10px 10px;
    width: 60%;
    font-size: 13px;
.agile-info-wthree-box input[type="text"]:nth-child(2) {
   margin: 1em 0;
.agile-info-wthree-box textarea {
      resize: none;
    min-height: 100px;
```

```
margin: 1em 0;
    width: 80%;
.agile-info-wthree-box form {
    margin: 1em 0 0 0;
.agile-info-wthree-box input[type="submit"] {
     outline: none;
    font-style: normal;
    padding: 8px 20px;
   background: #ff8d1b;
    font-size: 14px;
    color: #fff;
    display: block;
   border: none;
    transition: .5s all;
    -webkit-transition: .5s all;
    -moz-transition: .5s all;
    -o-transition: .5s all;
    -ms-transition: .5s all;
.agile-info-wthree-box input[type="submit"]:hover{
    text-decoration: none;
    color: #fff;
   background: #222;
.all-comments-buttons ul li a.newest{
  position:relative;
.all-comments-buttons ul li a.top:hover{
   color: #FFFFFF;
      background: #ff8d1b;
.media-grids{
  margin-top:4em;
.media {
   margin: 4em 0;
.media h5 {
     font-size: 1.2em;
    font-weight: 400;
    margin: 0 0 20px 0;
   color: #2d2d2d;
.media h5 a {
 color: #DF2229;
.media-body p{
    font-size: 13px;
    color: #757575;
    margin: 0 0 .5em 0;
   line-height: 1.5em;
.media-body span {
   color: #C7C7C7;
    font-size: 13px;
}
.media-body span a {
    color:#ff8d1b;
    text-decoration: none;
.media:nth-child(3) {
 padding-left: 4em;
.media:nth-child(5) {
 padding-left: 4em;
```

```
.single-grid-right{
   margin-top:2em;
.single-right-grids {
    padding-bottom: 1.5em;
.single-right-grids:last-child {
    margin-bottom: 1.5em;
.single-right-grid-left a img{
   width:100%;
.single-right-grid-right a.title {
    margin: 0 0 0em 0;
    font-size: 1em;
    font-weight: 400;
    color: #212121;
    text-decoration: none;
.single-right-grid-right a.title:hover{
    text-decoration: underline;
.single-right-grid-right p.author {
 font-size: 14px;
 color: #9E9E9E;
 margin: .5em 0;
.single-right-grid-right p.author {
    font-size: 13px;
    color: #9E9E9E;
   margin: 0em 0;
.single-right-grid-right p.author a {
    color: #ff8d1b;
    text-decoration: none;
    line-height: 2em;
    font-size: 1em;
.single-right-grid-right p.views {
    font-size: 12px;
    color: #8c8c90;
   margin: 0;
.single-right-grid-left {
 padding-left: 0;
.single-right-grid-right{
  padding-right:0;
.w31-latest-movies-grids.single-agile-w3 {
   margin-bottom: 2em;
/*----start-responsive-design-----*/
@media (max-width:1280px) {
@media (max-width:1080px) {
  #play {
   position: absolute;
    top: 35%;
   left: 44%;
@media (max-width:991px) {
   .single-left {
      padding-bottom: 2em;
      padding-left: 0;
      float: none;
```

```
width: 100%;
   .single-right {
      background: #f7f7f7;
      padding:2em 1em 0 2em;
      float: none;
      width: 45%;
      margin: 0 auto;
   .single-right-grid-left a img {
        width: 100%;
      margin-bottom: 1em;
@media (max-width:800px) {
@media (max-width:768px) {
@media (max-width:667px) {
   .all-comments-buttons ul li {
      display: inline-block;
      margin: 0 0.5em;
   .agile-info-wthree-box input[type="text"]:nth-child(2) {
      margin: 0.5em 0;
   .agile-info-wthree-box textarea {
   margin: 0.5em 0;
   }
@media (max-width:480px) {
   #play {
      position: absolute;
      top: 27%;
      left: 40%;
   #play {
      width: 50px;
      height: 50px;
      background: url('../images/play-button.png') no-repeat 0px 0px;
      background-size: 100%;
   .single-right {
      width: 60%;
   .single-grid-right {
      margin-top: 1em;
   .aqile-info-wthree-box input[type="text"], .aqile-info-wthree-box textarea {
      outline: none;
      border: 1px solid #D4D3D3;
      background: none;
      padding: 10px 10px;
      width: 100%;
      font-size: 13px;
   }
   .media-grids {
      margin-top: 2em;
   .media h5 {
      font-size: 1em;
      font-weight: 400;
      margin: 0 0 12px 0;
   .share {
      padding: 0em 0 0 0em;
```

```
}
@media (max-width:414px) {
   .all-comments-buttons ul li {
      display: inline-block;
      margin: 0 0em;
   .media {
      margin: 2em 0;
   .media:nth-child(3) {
     padding-left: 2em;
   .song-info h3 {
      font-size: 20px;
      margin: 0;
      line-height: 0em;
   .single-right {
      padding: 1.5em 0 0 1em;
      width: 80%;
   }
@media (max-width:384px) {
   .all-comments-buttons ul li a.top {
      font-size: 13px;
      padding: .5em 1em;
   .song-info h3 {
      font-size: 18px;
@media (max-width:375px) {
   .all-comments-buttons ul li a.top {
      font-size: 13px;
      padding: .5em 0.5em;
   .song-info {
      padding-left: 0;
      padding:18px 0 0em;
   .show-top-grids-w3lagile {
     padding: 0em 0 0 0;
@media (max-width:320px) {
      .song-info {
      padding-left: 0;
     padding: 0px 0 0em;
   .show-top-grids-w3lagile {
     padding: 0em 0 0 0;
   .song-info h3 {
      font-size: 17px;
      margin: 0;
      line-height: 1.5em;
   .all-comments {
      margin: 1em 0 0 0;
      padding-left: 0;
      padding: 0.5em 0.5em;
   .all-comments-buttons ul li a.top {
      font-size: 13px;
      padding: .4em 0.4em;
```

```
.single-right {
      padding: 1.5em 0 0 1em;
      width: 100%;
   }
}
popuobox.css
/* Styles for dialog window */
#small-dialog, #small-dialog1, #small-dialog2 {
   background:transparent;
   padding: 0;
   text-align: left;
   max-width: 650px;
   margin: 40px auto;
   position: relative;
   text-align:center;
#small-dialog-it, #small-dialog-in, #small-dialog-fr, #small-dialog-sh, #small-dialog-
sf, #small-dialog-su, #small-dialog-me, #small-dialog-ch, #small-dialog-pi, #small-
dialog-am {
   background: white;
   padding:0px;
   text-align: left;
   max-width: 450px;
   margin: 40px auto;
   position: relative;
   text-align:center;
a.play-icon.popup-with-zoom-anim img:hover {
   opacity: 0.5;
   transition:0.5s all;
   -webkit-transition: 0.5s all;
   -o-transition:0.5s all;
   -moz-transition:0.5s all;
   -ms-transition:0.5s all;
.portfolio-items{
   text-align:center;
   margin:0 auto;
.portfolio-items img{
   width:100%;
.portfolio-items h4{
  margin:1em 0;
   font-size:25px;
   color:#a63d56;
.portfolio-items p{
   text-align:justify;
/**
/**
* Fade-zoom animation for first dialog
/* start state */
.my-mfp-zoom-in #small-dialog {
opacity: 0;
-webkit-transition: all 0.2s ease-in-out;
-moz-transition: all 0.2s ease-in-out;
-o-transition: all 0.2s ease-in-out;
transition: all 0.2s ease-in-out;
-webkit-transform: scale(0.8);
-moz-transform: scale(0.8);
-ms-transform: scale(0.8);
```

```
-o-transform: scale(0.8);
transform: scale(0.8);
/* animate in */
.my-mfp-zoom-in.mfp-ready #small-dialog {
opacity: 1;
-webkit-transform: scale(1);
-moz-transform: scale(1);
-ms-transform: scale(1);
-o-transform: scale(1);
transform: scale(1);
/* animate out */
.my-mfp-zoom-in.mfp-removing #small-dialog {
-webkit-transform: scale(0.8);
-moz-transform: scale(0.8);
-ms-transform: scale(0.8);
-o-transform: scale(0.8);
transform: scale(0.8);
opacity: 0;
/* Dark overlay, start state */
.my-mfp-zoom-in.mfp-bg {
opacity: 0;
-webkit-transition: opacity 0.3s ease-out;
-moz-transition: opacity 0.3s ease-out;
-o-transition: opacity 0.3s ease-out;
transition: opacity 0.3s ease-out;
/* animate in */
.my-mfp-zoom-in.mfp-ready.mfp-bg {
opacity: 0.8;
/* animate out */
.my-mfp-zoom-in.mfp-removing.mfp-bg {
opacity: 0;
}
/* Magnific Popup CSS */
.mfp-bg {
  top: 0;
  left: 0;
  width: 100%;
  height: 100%;
  z-index: 1042;
  overflow: hidden;
  position: fixed;
  background: #0b0b0b;
  opacity: 0.8;
  filter: alpha(opacity=80); }
.mfp-wrap {
  top: 0;
  left: 0;
  width: 100%;
  height: 100%;
  z-index: 1043;
  position: fixed;
  outline: none !important;
  -webkit-backface-visibility: hidden; }
.mfp-container {
  text-align: center;
  position: absolute;
  width: 100%;
  height: 100%;
  left: 0;
  top: 0;
```

```
padding: 0 8px;
  -webkit-box-sizing: border-box;
  -moz-box-sizing: border-box;
 box-sizing: border-box; }
.mfp-container:before {
 content: '';
 display: inline-block;
 height: 100%;
 vertical-align: middle; }
.mfp-align-top .mfp-container:before {
 display: none; }
.mfp-content {
 position: relative;
 display: inline-block;
 vertical-align: middle;
 margin: 0 auto;
 text-align: left;
  z-index: 1045; }
.mfp-inline-holder .mfp-content,
.mfp-ajax-holder .mfp-content {
 width: 100%;
 cursor: auto; }
.mfp-ajax-cur {
 cursor: progress; }
.mfp-zoom-out-cur,
.mfp-zoom-out-cur .mfp-image-holder .mfp-close {
 cursor: -moz-zoom-out;
 cursor: -webkit-zoom-out;
 cursor: zoom-out; }
.mfp-zoom {
 cursor: pointer;
 cursor: -webkit-zoom-in;
 cursor: -moz-zoom-in;
 cursor: zoom-in; }
.mfp-auto-cursor .mfp-content {
 cursor: auto; }
.mfp-close,
.mfp-arrow,
.mfp-preloader,
.mfp-counter {
  -webkit-user-select: none;
  -moz-user-select: none;
 user-select: none; }
.mfp-loading.mfp-figure {
  display: none; }
.mfp-hide {
 display: none !important; }
.mfp-content iframe {
  width:100%;
  min-height:380px;
.mfp-preloader {
 color: #ccccc;
 position: absolute;
  top: 50%;
 width: auto;
 text-align: center;
 margin-top: -0.8em;
```

```
left: 8px;
  right: 8px;
  z-index: 1044; }
.mfp-preloader a {
  color: #cccccc; }
.mfp-preloader a:hover {
  color: white; }
.mfp-s-ready .mfp-preloader {
  display: none; }
.mfp-s-error .mfp-content {
  display: none; }
button.mfp-close,
button.mfp-arrow {
  overflow: visible;
  cursor: pointer;
  border: 0;
  background: #FFF;
  -webkit-appearance: none;
  display: block;
  padding: 0;
  z-index: 1046; }
button::-moz-focus-inner {
  padding: 0;
  border: 0; }
.mfp-close {
   width: 23px;
    height: 30px;
    line-height: 25px;
    position: absolute;
    left: -30px;
    top: -30px;
    text-decoration: none;
    text-align: center;
    padding: 0 0 18px 10px;
    color: white !important;
    font-style: normal;
    font-size: 45px;
    outline: none;
    font-family: 'Open Sans', sans-serif;
  .mfp-close:hover, .mfp-close:focus {
    opacity: 1; }
.mfp-close-btn-in .mfp-close {
  color: #333333;
  background: none;
.mfp-image-holder .mfp-close,
.mfp-iframe-holder .mfp-close {
  color: white;
  right: -6px;
  text-align: right;
  padding-right: 6px;
  width: 100%;
.login h3, .signup h3{
  margin:1em 0;
   color: #a63d56;
.login input[type="text"],.login input[type="password"]{
   width:90%;
```

```
padding:5px;
   margin:3px 0;x
   border: 1px solid #a63d56;
   outline: none !important;
.signup input[type="text"]{
   width: 44.5%;
   padding: 5px;
   margin: 10px 0;
   outline: none;
   background: #EBEBEB;
  border: solid 1px #222;
.signup input.email[type="text"],.signup input[type="password"] {
   width: 90%;
   padding: 5px;
   margin: 10px 0;
   outline: none;
   background: #EBEBEB;
  border: solid 1px #222;
.login input[type="submit"],.signup input[type="submit"]{
   background: #347083;
   border: 0px;
   padding: 5px 10px;
   margin: 10px 10px;
   outline: none;
   font-size: 18px;
   color: #fff;
   text-transform: uppercase;
   width: 17%;
   -webkit-appearance: none;
.login input[type="submit"]:hover,.signup input[type="submit"]:hover{
  background: #163035;
   -webkit-transition: all 0.5s ease-in-out;
   -moz-transition: all 0.5s ease-in-out;
   -o-transition: all 0.5s ease-in-out;
   transition: all 0.5s ease-in-out;
@media all and (max-width:667px) {
   .mfp-content iframe {
      min-height: 235px;
@media all and (max-width:640px) {
   .mfp-close {
      left: 0;
      top: -38px;
@media all and (max-width:480px) {
   .comments-area textarea{
      height:100px;
   .login input[type="submit"], .signup input[type="submit"] {
      font-size: 14px;
      width: 20%;
   .mfp-close {
      left: 0;
@media all and (max-width:320px) {
   .comments-area span.label,.comments-area span.text-field{
      float:none;
      width:100%;
   }
```

```
.comments-area span{
      padding-bottom:3px;
   #small-dialog{
      padding:15px;
   .comments-area input[type="text"], .comments-area textarea{
      width: 92%;
   .comments-area div{
      padding:2px 0;
   .mfp-content iframe {
      width:100%;
      min-height:150px;
   .login input[type="submit"], .signup input[type="submit"] {
      font-size: 12px;
      width: 29%;
   .signup input[type="text"] {
      width: 90%;
   }
   .mfp-close {
     right: 2px;
      top: -35px;
   }
JavaScript (js folder)
ajax.js
$ (document) .ready(function() {
    $("#contactSubmit").click(function () {
        $.ajax({
            type: "POST",
            url: "../views/contact.php",
            data: {
                name: $("#firstName").val(),
                lastName: $("#lastName").val(),
                email: $("#email").val(),
                subject: $("#subject").val(),
                text: $("#taMessage").val(),
                contactSubmit : "1"
            success: function () {
                $('#errors').html("<div class=\"alert alert-success\"</pre>
role=\"alert\">\n" +
                    "\t\t\t\t\t<strong>Well done!</strong> You successfully
submitted the message. \n'' +
                    "\t\t\t\\t</div>");
            error: function (jqXHR, exception) {
                var msg = '';
                if (jqXHR.status === 0) {
                    msg = 'Not connected.\n Verify Network.';
                } else if (jqXHR.status === 404) {
                    msg = 'Requested page not found. [404]';
                } else if (jqXHR.status === 500) {
                    msg = 'Internal Server Error [500].';
                } else if (exception === 'parsererror') {
                    msg = 'Requested JSON parse failed.';
                } else if (exception === 'timeout') {
                    msg = 'Time out error.';
                } else if (exception === 'abort') {
                    msg = 'Ajax request aborted.';
                } else {
```

```
msg = 'Uncaught Error.\n' + jqXHR.responseText;
}
$('#errors').html(msg);
});
});
});
```

 Koristi se za kontakt formu na stranici Contact. Dohvata podatke, prosleđuje ih contact.php strani koja prosleđuje podatke dalje (šalje na email). Ispisuje poruku da je poruka uspešno poslata.

#### quizAjax.js

```
$ (document) .ready(function() {
$("#submitButton").click(function () {
    var selectedVal = "";
    var selected = $("input[type='radio'][name='quiz']:checked");
    if (selected.length > 0) {
        selectedVal = selected.val();
    $.ajax({
        type: "POST",
        url: "../views/quiz.php",
        data: {
            response : selectedVal,
            submitButton : "1"
        },
        success: function (data) {
            var string = "SQLSTATE[23000]: Integrity constraint violation: 1062
Duplicate entry";
            if (data.indexOf(string) != -1)
                $('#quizErrors').html("<div class=\"alert alert-danger\"</pre>
role=\"alert\">\n" +
                    "\t\t\t\t<strong>ERROR!</strong> You can vote only once!\n" +
                    "\t\t\t\ </div>");
            else
                $('#quizErrors').html("<div class=\"alert alert-success\"</pre>
role=\"alert\">\n"
                    "\t\t\t\t\strong>Well done!</strong> You successfully
submitted the response to our quiz. Refresh the page to see the results. n'' +
                    "\t\t\t </div>");
        },
        error: function (jqXHR, exception) {
            var msg = '';
            if (jqXHR.status === 0) {
                msg = 'Not connected.\n Verify Network.';
            } else if (jqXHR.status === 404) {
                msq = 'Requested page not found. [404]';
            } else if (jqXHR.status === 500) {
                msg = 'Internal Server Error [500].';
            } else if (exception === 'parsererror') {
                msg = 'Requested JSON parse failed.';
            } else if (exception === 'timeout') {
                msg = 'Time out error.';
            } else if (exception === 'abort') {
                msg = 'Ajax request aborted.';
            } else {
                msg = 'Uncaught Error.\n' + jqXHR.responseText;
            $('#quizErrors').html(msg);
```

```
});
});
```

function checkPassword()

 Koristi se za anketu na stranici Home. Podatke prosleđuje strani quiz.php na dalju obradu (anketa). Ukoliko korisnik koji je već glasao pokuša da glasa ponovo, ispisuje mu grešku.
 Ukoliko je glasanje uspešno, ispisuje poruku u skladu sa tim.

```
script.js
window.onload = function()
    document.getElementById("siUser").addEventListener("keyup", checkUsername);
    document.getElementById("siPassword").addEventListener("keyup", checkPassword);
    document.getElementById("rgUser").addEventListener("keyup", checkRegUser);
    document.getElementById("rgPassword").addEventListener("keyup", checkRegPass);
    document.getElementById("rgEmail").addEventListener("keyup", checkRegEmail);
    document.getElementById("rgConfirmPassword").addEventListener("keyup",
checkRegConfirmPassword);
    document.getElementById("siLogin").setAttribute("disabled", true);
};
function checkRegConfirmPassword()
    var rgPassword, rgConfirmPassword;
    rgPassword = document.getElementById("rgPassword").value;
    rgConfirmPassword = document.getElementById("rgConfirmPassword").value;
    if (rgConfirmPassword != rgPassword)
    {
        document.getElementById("rgConfirmPassword").style.border = "1px solid
red";
        document.getElementById("rgRegister").setAttribute("disabled", true);
    else
        document.qetElementById("rqConfirmPassword").style.border = "1px solid
#d9d9d9";
        document.getElementById("rgRegister").removeAttribute("disabled");
function checkUsername()
    var siUser, regUsername;
    siUser = document.getElementById("siUser").value;
    regUsername = /^[a-z]{4,30}$/;
    if(!regUsername.test(siUser))
        document.getElementById("siUser").style.border = "1px solid red";
        document.getElementById("siLogin").setAttribute("disabled", true);
    else
        document.getElementById("siUser").style.border = "1px solid #d9d9d9";
        document.getElementById("siLogin").removeAttribute("disabled");
```

```
{
    var siPassword, regPassword;
    siPassword = document.getElementById("siPassword").value;
    regPassword = /^[\S]{5,}$/;
    if(!regPassword.test(siPassword))
        document.getElementById("siPassword").style.border = "1px solid red";
        document.getElementById("siLogin").setAttribute("disabled", true);
    else
        document.getElementById("siPassword").style.border = "1px solid #d9d9d9";
        document.getElementById("siLogin").removeAttribute("disabled");
function checkReqUser()
    var rgUser, regUsername;
    rgUser = document.getElementById("rgUser").value;
    regUsername = /^[a-z]{4,30}$/;
    if(!regUsername.test(rgUser))
        document.getElementById("rgUser").style.border = "1px solid red";
        document.getElementById("rgRegister").setAttribute("disabled", true);
    else
        document.qetElementById("rqUser").style.border = "1px solid #d9d9d9";
        document.getElementById("rgRegister").removeAttribute("disabled");
function checkRegPass()
    var rgPassword, regPassword;
    rgPassword = document.getElementById("rgPassword").value;
    regPassword = /^[\S]{5,}$/;
    if(!regPassword.test(rgPassword))
        document.getElementById("rgPassword").style.border = "lpx solid red";
        document.getElementById("rgRegister").setAttribute("disabled", true);
    else
        document.getElementById("rgPassword").style.border = "1px solid #d9d9d9";
        document.getElementById("rgRegister").removeAttribute("disabled");
function checkRegEmail()
    var rgEmail, regEmail;
    rgEmail = document.getElementById("rgEmail").value;
    regEmail = /^[a-zA-Z0-9 .+-]+@[a-zA-Z0-9-]+.[a-zA-Z0-9-.]+$/;
    if(!regEmail.test(rgEmail))
        document.getElementById("rgEmail").style.border = "1px solid red";
        document.getElementById("rgRegister").setAttribute("disabled", true);
    else
```

```
{
    document.getElementById("rgEmail").style.border = "1px solid #d9d9d9";
    document.getElementById("rgRegister").removeAttribute("disabled");
}
```

- Obavlja klijentske provere koje se tiču logovanja i registrovanja.

```
contact.js
window.onload = function()
    document.getElementById("firstName").addEventListener("keyup",
checkContactFirstName);
    document.getElementById("lastName").addEventListener("keyup",
checkContactLastName);
    document.getElementById("email").addEventListener("keyup", checkContactEmail);
    document.getElementById("subject").addEventListener("keyup",
checkContactSubject);
    document.getElementById("taMessage").addEventListener("keyup",
checkContactMessage);
    document.getElementById("rgRegister").setAttribute("disabled", true);
    document.getElementById("contactSubmit").setAttribute("disabled", true);
function checkContactFirstName()
    var contactFirstName, regFirstName;
    contactFirstName = document.getElementById("firstName").value;
    regFirstName = /^[A-Z][a-z]{2,15}$/;
    if(!regFirstName.test(contactFirstName))
        document.getElementById("firstName").style.border = "1px solid red";
        document.getElementById("contactSubmit").setAttribute("disabled", true);
    else
        document.getElementById("firstName").style.border = "1px solid #d9d9d9";
        document.qetElementById("contactSubmit").removeAttribute("disabled");
function checkContactLastName()
    var contactLastName, regLastName;
    contactLastName = document.getElementById("lastName").value;
    regLastName = /^[A-Z][a-z]{2,15}$/;
    if(!regLastName.test(contactLastName))
        document.getElementById("lastName").style.border = "1px solid red";
        document.getElementById("contactSubmit").setAttribute("disabled", true);
    else
        document.getElementById("lastName").style.border = "1px solid #d9d9d9";
        document.getElementById("contactSubmit").removeAttribute("disabled");
function checkContactEmail()
    var regEmail, contactEmail;
    contactEmail = document.getElementById("email").value;
    regEmail = /^[a-zA-Z0-9_.+-]+@[a-zA-Z0-9-]+.[a-zA-Z0-9-.]+$/;
```

```
if(!regEmail.test(contactEmail))
        document.getElementById("email").style.border = "1px solid red";
        document.getElementById("contactSubmit").setAttribute("disabled", true);
    else
        document.getElementById("email").style.border = "1px solid #d9d9d9";
        document.getElementById("contactSubmit").removeAttribute("disabled");
function checkContactSubject()
    var regSubject, contactSubject;
    contactSubject = document.getElementById("subject").value;
    regSubject = /^[A-z] \{2,15\} $/;
    if(!regSubject.test(contactSubject))
        document.getElementById("subject").style.border = "1px solid red";
        document.getElementById("contactSubmit").setAttribute("disabled", true);
    }
    else
        document.getElementById("subject").style.border = "1px solid #d9d9d9";
        document.getElementById("contactSubmit").removeAttribute("disabled");
function checkContactMessage()
    var regMessage, contactMessage;
    contactMessage = document.getElementById("taMessage").value;
    regMessage = /^[\s\S]{1,500}$/;
    if(!regMessage.test(contactMessage))
        document.getElementById("taMessage").style.border = "1px solid red";
        document.getElementById("contactSubmit").setAttribute("disabled", true);
    }
    else
        document.getElementById("taMessage").style.border = "1px solid #d9d9d9";
        document.getElementById("contactSubmit").removeAttribute("disabled");
}
      Obavlja klijentske provere koje se tiču kontaktiranja (Contact stranica).
simplePlayer.js
var YTdeferred = jQuery.Deferred();
window.onYouTubeIframeAPIReady = function() {
   YTdeferred.resolve(window.YT);
(function($) {
   $.ajaxSetup({
     cache: true
  });
   $.getScript( "https://www.youtube.com/iframe_api")
     .done(function( script, textStatus ) {
```

```
$.fn.simplePlayer = function() {
            video = $(this);
     var play = $('<div />', { id: 'play' }).hide();
     var defaults = {
            autoplay: 1,
            autohide: 1,
            border: 0,
            wmode: 'opaque',
            enablejsapi: 1,
            modestbranding: 1,
            version: 3,
            hl: 'en US',
            rel: 0,
            showinfo: 0,
            hd: 1,
            iv load policy: 3 // add origin
         };
      // onYouTubeIframeAPIReady
      YTdeferred.done(function(YT) {
        play.appendTo( video ).fadeIn('slow');
      function onPlayerStateChange(event) {
         if (event.data == YT.PlayerState.ENDED) {
           play.fadeIn(500);
      function onPlayerReady(event) {
         var replay = document.getElementById('play');
         replay.addEventListener('click', function() {
           player.playVideo();
         });
      play.bind('click', function () {
         if ( !$('#player' ).length ) {
            $('<iframe />', {
               id: 'player',
               src: 'https://www.youtube.com/embed/' + video.data('video') + '?' +
$.param(defaults)
            .attr({ width: video.width(), height: video.height(), seamless:
'seamless' })
            .css('border', 'none')
            .appendTo( video );
            video.children('img').hide();
            $(this).css('background-image', 'url(play-button.png), url(' +
video.children().attr('src') + ')').hide();
            player = new YT.Player('player', {events: {'onStateChange':
onPlayerStateChange, 'onReady': onPlayerReady}});
         $ (this) .hide();
      });
      return this;
```

```
};
}( jQuery ));
```

Koristi se na stranici za gledanje filmova (player).

# PHP (php folder)

```
config.php
```

```
<?php
```

```
define("MYSQL_HOST", "fdb20.freehostingeu.com");
define("MYSQL_DBNAME", "***");
define("MYSQL_USERNAME", "***");
define("MYSQL_PASSWORD", "***");
```

- Podaci za povezivanje sa bazom su cenzurisani.

### connection.php

```
<?php
require_once "config.php";
try {
  $konekcija = new
PDO("mysql:host=".MYSQL_HOST.";dbname=".MYSQL_DBNAME.";charset=utf8",
MYSQL_USERNAME, MYSQL_PASSWORD);
$konekcija->setAttribute(PDO::ATTR ERRMODE, PDO::ERRMODE EXCEPTION);
$konekcija->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);
}
catch(PDOException $e) {
    echo $e->getMessage();
function executeQuery($upit){
global $konekcija;
$rezultat = $konekcija->query($upit)->fetchAll();
return $rezultat;
}
logout.php
<?php
session_start();
unset($ SESSION['user']);
header("Location: ../index.php?page=home");
```

# PHP (views folder)

### about.php

```
<div class="general">
    <div class="banner-bottom">
        <div class="container">
            <div class="w3 agile banner bottom grid">
        <div class="grid 3 grid 4 w3layouts center">
            <img src="images/author.jpg" alt="Pavle Marjanovic" title="Pavle</pre>
Marjanovic">
            <h3 class="hdg">Pavle Marjanović 141/16</h3>
            <div class="well">
                \langle \mathbf{b} \rangle Greetings!\langle \mathbf{b} \rangle My name is Pavle. I am a web developer (wannabe),
student and a gamer. I am coding for 6 years now and that was
                my hobby for awhile so I decided to make some money out of it. I
consider myself as a hard-working, detail-oriented person. My studies at the ICT
                college are helping me to improve my skills and develop the new
ones.
                My focus on the studies and future career somehow managed to get me
away from my favorite sport - tennis. I hope I will get back to it in the future.
                <br>><br>>
                <br/>Enjoy the website!</b>
            </div>
        </div>
            </div>
        </div>
    </div>
</div>
admin-panel.php
<?php
if(isset($_POST['insert']))
    $insertMovieName = $ POST['insertMovieName'];
    $insertMovieYear = $_POST['insertMovieYear'];
    $insertMovieRating = $ POST['insertMovieRating'];
    $insertMovieImage = $ FILES['insertMovieImage'];
    $insertMovieRibbon = $ POST['insertMovieRibbon'];
    $insertMovieCategory = $_POST['category'];
    $insertMovieLink = $ POST['insertMovieLink'];
    $movieLinkExplode = explode("=", $insertMovieLink);
    $insertMovieLink = $movieLinkExplode[1];
    $newPath = "images/".$ FILES['insertMovieImage']['name'];
    $tmpPath = $ FILES['insertMovieImage']['tmp name'];
 move uploaded file($tmpPath, $newPath);
    try {
    $id = "";
    $upit = "INSERT INTO movies (id_movie, name, year, rating, image, ribbon,
id category, link) VALUES (:id mov, :name, :year, :rating, :image, :ribbon,
:id cat, :link)";
    $stmt = $konekcija->prepare($upit);
    $stmt->bindParam(":id mov", $id);
    $stmt->bindParam(":name", $insertMovieName);
    $stmt->bindParam(":year", $insertMovieYear);
    $stmt->bindParam(":rating", $insertMovieRating);
    $stmt->bindParam(":image", $newPath);
$stmt->bindParam(":ribbon", $insertMovieRibbon);
```

```
$stmt->bindParam(":id cat", $insertMovieCategory);
    $stmt->bindParam(":link", $insertMovieLink);
    $stmt->execute();
        echo "<div class='alert alert-success'
role='alert'><strong>SUCCESS</strong> You have successfully added a movie!</div>";
    catch(PDOException $ex)
       if($ex->getMessage()=="SQLSTATE[23000]: Integrity constraint violation:
1062 Duplicate entry '".$newPath."' for key 'image'")
            echo "<div class='alert alert-danger'
role='alert'><strong>ERROR</strong> The picture you tried to upload already exists.
Change the name of the picture and try again!</div>";
            echo "<div class='alert alert-danger' role='alert'><strong>Oops!
Something's wrong.</strong> Check if all the fields have correct values and try
again!</div>";
      }
}
if(isset($ POST['insertSlider']))
    $insertSliderTitle = $ POST['insertSliderTitle'];
    $insertSliderDescription = $ POST['insertSliderDescription'];
    $insertSliderImage = $_FILES['insertSliderImage'];
    $newPathSlider = "images/".$ FILES['insertSliderImage']['name'];
    $tmpPathSlider = $ FILES['insertSliderImage']['tmp_name'];
move uploaded file($tmpPathSlider,$newPathSlider);
   try {
        $upitInsertSlider = "INSERT INTO slider(id slider, src, title, description)
VALUES ('', :src, :title, :description)";
       $stmtInsertSlider = $konekcija->prepare($upitInsertSlider);
        $stmtInsertSlider->bindParam(":src", $newPathSlider);
        $stmtInsertSlider->bindParam(":title", $insertSliderTitle);
        $stmtInsertSlider->bindParam(":description", $insertSliderDescription);
        $stmtInsertSlider->execute();
        echo "<div class='alert alert-success'</pre>
role='alert'><strong>SUCCESS</strong> You have successfully added a slider!</div>";
    catch(PDOException $ex)
        if($ex->getMessage() == "SQLSTATE[23000]: Integrity constraint violation:
1062 Duplicate entry '". $newPathSlider."' for key 'image'")
            echo "<div class='alert alert-danger'
role='alert'><strong>ERROR</strong> The picture you tried to upload already exists.
Change the name of the picture and try again!</div>";
        else {
            echo "<div class='alert alert-danger' role='alert'><strong>Oops!
Something's wrong.</strong> Check if all the fields have correct values and try
again!</div>";
      }
}
if(isset($ POST['delete']))
    $deleteMovie = $ POST['movies'];
    $upitDelete = "DELETE FROM movies WHERE id movie = :id movie";
    $stmtDelete = $konekcija->prepare($upitDelete);
    $stmtDelete->bindParam(":id movie", $deleteMovie);
  $stmtDelete->execute();
```

echo "<div class='alert alert-success' role='alert'><strong>SUCCESS</strong>

```
You have successfully deleted a movie!</div>";
if(isset($ POST['deleteCategory']))
    $categoryDelete = $ POST['categoryDelete'];
    $upitCategoryDelete = "DELETE FROM categories WHERE category = :category";
    $stmtDeleteCategory = $konekcija->prepare($upitCategoryDelete);
    $stmtDeleteCategory->bindParam(":category", $categoryDelete);
    try {
        $stmtDeleteCategory->execute();
        echo "<div class='alert alert-success'
role='alert'><strong>SUCCESS</strong> You have successfully deleted a
category!</div>";
    catch(PDOException $ex)
        echo "<div class='alert alert-danger' role='alert'><strong>ERROR</strong>
There are movies under that category.</div>";
$upitCategoryMenuDelete = "DELETE FROM menu WHERE name = :category";
    $stmtDeleteCategoryMenu = $konekcija->prepare($upitCategoryMenuDelete);
    $stmtDeleteCategoryMenu->bindParam(":category", $categoryDelete);
    $stmtDeleteCategoryMenu->execute();
if (isset ($_POST['deleteUser']))
    $deleteUser = $ POST['userDelete'];
    $upitDelete = "DELETE FROM users WHERE id user = :id user";
    $stmtDelete = $konekcija->prepare($upitDelete);
    $stmtDelete->bindParam(":id_user", $deleteUser);
 $stmtDelete->execute();
    echo "<div class='alert alert-success' role='alert'><strong>SUCCESS</strong>
You have successfully deleted a movie!</div>";
if(isset($ POST['update']))
{
    $changeMovie = $ POST['changeMovie'];
    $newName = $ POST['updateMovieName'];
    $newYear = $_POST['updateMovieYear'];
    $newRating = $_POST['updateMovieRating'];
    $newRibbon = $ POST['updateMovieRibbon'];
    $newCategory = $ POST['changeCategory'];
    $newMovieLink = $ POST['updateMovieLink'];
    $movieLinkNewExplode = explode("=", $newMovieLink);
$newMovieLink = $movieLinkNewExplode[1];
    try {
        if ($ POST['cbMovieName']) {
            $\text{SupitUpdate} = "UPDATE movies SET name=:name WHERE id movie=:id movie";
            $stmtUpdate = $konekcija->prepare($upitUpdate);
            $stmtUpdate->bindParam(":name", $newName);
            $stmtUpdate->bindParam(":id movie", $changeMovie);
            $stmtUpdate->execute();
        if ($ POST['cbMovieYear']) {
            $\text{SupitUpdate} = "UPDATE movies SET year=:year WHERE id movie=:id movie";
            $stmtUpdate = $konekcija->prepare($upitUpdate);
            $stmtUpdate->bindParam(":year", $newYear);
            $stmtUpdate->bindParam(":id movie", $changeMovie);
          $stmtUpdate->execute();
        if ($_POST['cbMovieRating']) {
            $\u00e4npitUpdate = "UPDATE movies SET rating=:rating WHERE
id movie=:id movie";
            $stmtUpdate = $konekcija->prepare($upitUpdate);
            $stmtUpdate->bindParam(":rating", $newRating);
```

```
$stmtUpdate->bindParam(":id movie", $changeMovie);
            $stmtUpdate->execute();
        if ($ POST['cbMovieRibbon']) {
            $upitUpdate = "UPDATE movies SET ribbon=:ribbon WHERE
id movie=:id movie";
            $stmtUpdate = $konekcija->prepare($upitUpdate);
            $stmtUpdate->bindParam(":ribbon", $newRibbon);
            $stmtUpdate->bindParam(":id_movie", $changeMovie);
            $stmtUpdate->execute();
        if ($ POST['cbMovieCategory']) {
            $upitUpdate = "UPDATE movies SET ribbon=:ribbon WHERE
id movie=:id movie";
            $stmtUpdate = $konekcija->prepare($upitUpdate);
            $stmtUpdate->bindParam(":ribbon", $newRibbon);
            $stmtUpdate->bindParam(":id movie", $changeMovie);
           $stmtUpdate->execute();
        if ($ POST['cbMovieCategory']) {
            SupitUpdate = "UPDATE movies SET id category=:id category WHERE
id movie=:id movie";
            $stmtUpdate = $konekcija->prepare($upitUpdate);
            $stmtUpdate->bindParam(":id category", $newCategory);
            $stmtUpdate->bindParam(":id movie", $changeMovie);
            $stmtUpdate->execute();
        if ($ POST['cbMovieLink']) {
            $\text{upitUpdate} = "UPDATE movies SET link=:link WHERE id movie=:id movie";
            $stmtUpdate = $konekcija->prepare($upitUpdate);
            $stmtUpdate->bindParam(":link", $newMovieLink);
            $stmtUpdate->bindParam(":id movie", $changeMovie);
            $stmtUpdate->execute();
        echo "<div class='alert alert-success'
role='alert'><strong>SUCCESS</strong> You have successfully edited a movie!</div>";
    catch(PDOException $x)
        echo "<div class='alert alert-danger' role='alert'><strong>Oops!
Something's wrong.</strong> Check if all the fields have correct values and try
again!</div>";
if(isset($ POST['changeUser']))
    $selectUser = $ POST['selectUser'];
    $newUsername = $ POST['changeUsername'];
    $newEmail = $ POST['changeEmail'];
    $newPassword = md5($ POST['changePassword']);
    $newRole = $ POST['changeRole'];
    try {
        if ($ POST['cbChangeUsername']) {
            $upitChangeUser = "UPDATE users SET username=:username WHERE
id user=:id user";
            $stmtChangeUser = $konekcija->prepare($upitChangeUser);
            $stmtChangeUser->bindParam(":username", $newUsername);
$stmtChangeUser->bindParam(":id_user", $selectUser);
            $stmtChangeUser->execute();
        if ($ POST['cbChangeEmail']) {
            $upitChangeUser = "UPDATE users SET email=:email WHERE
id user=:id user";
            $stmtChangeUser = $konekcija->prepare($upitChangeUser);
            $stmtChangeUser->bindParam(":email", $newEmail);
            $stmtChangeUser->bindParam(":id user", $selectUser);
```

```
$stmtChangeUser->execute();
        if ($ POST['cbChangePassword']) {
            SupitChangeUser = "UPDATE users SET password=:password WHERE
id user=:id user";
            $stmtChangeUser = $konekcija->prepare($upitChangeUser);
            $stmtChangeUser->bindParam(":password", $newPassword);
            $stmtChangeUser->bindParam(":id user", $selectUser);
          $stmtChangeUser->execute();
        if ($ POST['cbChangeRole']) {
            $upitChangeUser = "UPDATE users SET id role=:id role WHERE
id user=:id user";
            $stmtChangeUser = $konekcija->prepare($upitChangeUser);
            $stmtChangeUser->bindParam(":id_role", $newRole);
$stmtChangeUser->bindParam(":id_user", $selectUser);
            $stmtChangeUser->execute();
        echo "<div class='alert alert-success'</pre>
role='alert'><strong>SUCCESS</strong> You have successfully edited a user ID:
$selectUser!</div>";
    catch(PDOException $exc)
        if($exc->getMessage() == "SQLSTATE[23000]: Integrity constraint violation:
1062 Duplicate entry '".$newUsername."' for key 'username'")
           echo "<div class='alert alert-danger'
role='alert'><strong>ERROR</strong> That username is already in use. Try another
one!</div>";
        else {
           echo "<div class='alert alert-danger' role='alert'><strong>Oops!
Something's wrong.</strong> Check if all the fields have correct values and try
again!</div>";
  }
}
if(isset($ POST['insertCategory']))
    $category = ucfirst($ POST['insertNewCategory']);
    $id = "";
    $href = "index.php?page=genres&genre=".$category;
    $title = $category." Movies";
    $upitCategory = "INSERT INTO categories(id_category, category) VALUES (:id,
:category)";
    $stmtCategory = $konekcija->prepare($upitCategory);
    $stmtCategory->bindParam(":id", $id);
    $stmtCategory->bindParam(":category", $category);
    try
    {
        $stmtCategory->execute();
        echo "<div class='alert alert-success'
role='alert'><strong>SUCCESS</strong> You have successfully added new
category!</div>";
    }
    catch(PDOException $ex)
        if($ex->getMessage() == "SQLSTATE[23000]: Integrity constraint violation:
1062 Duplicate entry '$category' for key 'category'")
           echo "<div class='alert alert-danger'
role='alert'><strong>ERROR</strong> That category already exists. Try another
one!</div>";
       else
```

```
echo "<div class='alert alert-danger' role='alert'><strong>Oops!
Something's wrong.</strong> Check if all the fields have correct values and try
again!</div>";
       }
    $upitCategoryMenu = "INSERT INTO menu(id menu, name, href, title, level) VALUES
('', :name, :href, :title, 2)";
    $stmtCategoryMenu = $konekcija->prepare($upitCategoryMenu);
    $stmtCategoryMenu->bindParam(":name",$category);
    $stmtCategoryMenu->bindParam(":href",$href);
    $stmtCategoryMenu->bindParam(":title",$title);
    try
      $stmtCategoryMenu->execute();
    catch(PDOException $ex)
        if($ex->qetMessage() == "SQLSTATE[23000]: Integrity constraint violation:
1062 Duplicate entry '$category' for key 'name'")
            echo "";
        }
        else
            echo "<div class='alert alert-danger' role='alert'><strong>Oops!
Something's wrong.</strong> Check if all the fields have correct values and try
again!</div>";
      }
}
?>
<div class="general">
    <h4 class="latest-text w3 latest text">MOVIES MANAGEMENT</h4>
    <div class="banner-bottom">
        <div class="container">
            <h3 class="hdg">ADD MOVIE</h3>
            <div class="w3_agile_banner_bottom_grid">
    <form action="#" enctype="multipart/form-data" method="post">
        <input type="text" name="insertMovieName" maxlength="17" size="25"</pre>
placeholder="Name (max 17 characters)" required="">
        <input type="text" name="insertMovieYear" maxlength="4" placeholder="Year</pre>
(4 digits) " required="">
        <input type="text" name="insertMovieRating" maxlength="1"</pre>
placeholder="Rating (0-5)" required="">
        <input type="text" name="insertMovieLink" size="30" placeholder="YouTube</pre>
Trailer Link" required="">
        <select name="category" title="Category">
            $categories = executeQuery("SELECT * FROM categories");
            foreach($categories as $category): ?>
                <option value="<?= $category->id category ?>"><?= $category-</pre>
>category ?></option>
            <?php endforeach; ?>
        </select>
        <input type="text" name="insertMovieRibbon" placeholder="Ribbon (0/1)"</pre>
required="">
        <br>>Choose an image (Recommanded size: 182x268):<input class="no-</pre>
margin" name="insertMovieImage" type="file" />
        <input type="submit" name="insert" value="INSERT">
    </form>
   </div></div></div>
    <!-- /INSERT -->
    <!-- DELETE -->
```

```
<div class="banner-bottom">
        <div class="container">
             <h3 class="hdg">DELETE MOVIE</h3>
             <div class="w3 agile banner bottom grid">
                 <form action="#" enctype="multipart/form-data" method="post">
                     Choose a movie to delete:
                     <br >>
                     <select name="movies" title="Movies">
                         <?php
                         $movies = executeQuery("SELECT * FROM movies ORDER BY name
ASC");
                         foreach($movies as $movie): ?>
                              <option value="<?= $movie->id movie ?>"><?= $movie-</pre>
>name ?></option>
                         <?php endforeach; ?>
                     </select>
                     <br><br><br>><br>></pr>
                     <input type="submit" name="delete" value="DELETE">
                 </form>
            </div></div></div>
    <!-- /DELETE --
    <!-- UPDATE -->
    <div class="banner-bottom">
        <div class="container">
             <h3 class="hdg">EDIT MOVIE</h3>
            NOTICE: Make sure to check the checkbox on the left side of the field
you want to change.
            <div class="w3 agile banner bottom grid">
                 <form action="#" enctype="multipart/form-data" method="post">
                     Choose a movie to edit:
                     <select name="changeMovie" title="Change Movie">
                         <?php
                         $movies = executeQuery("SELECT * FROM movies ORDER BY name
ASC");
                         foreach($movies as $movie): ?>
                              <option value="<?= $movie->id movie ?>"><?= $movie-</pre>
>name ?></option>
                         <?php endforeach; ?>
                     </select>
                     <br><br><br>><br>></pr>
                     <input type="checkbox" id="cbMovieName"</pre>
name="cbMovieName"><input type="text" name="updateMovieName" size="34"
maxlength="17" placeholder="Change Movie Name (max 17 characters)">
                     <input type="checkbox" id="cbMovieYear"</pre>
name="cbMovieYear"><input type="text" name="updateMovieYear" maxlength="4"</pre>
size="25" placeholder="Change Movie Year (4 digits)">
                     <input type="checkbox" id="cbMovieRating"</pre>
name="cbMovieRating"><input type="text" name="updateMovieRating" maxlength="1"</pre>
placeholder="Change Movie Rating (0-5)">
                     <input type="checkbox" id="cbMovieRibbon"</pre>
name="cbMovieRibbon"><input type="text" name="updateMovieRibbon" size="11"</pre>
maxlength="1" placeholder="Ribbon (0/1)">
                     <input type="checkbox" id="cbMovieLink"</pre>
name="cbMovieLink"><input type="text" name="updateMovieLink" placeholder="Change
YouTube Link">
                     <input type="checkbox" id="cbMovieCategory"</pre>
name="cbMovieCategory">
                     <select name="changeCategory">
                         $categories = executeQuery("SELECT * FROM categories");
                         foreach($categories as $category): ?>
                              <option value="<?= $category->id category ?>"><?=</pre>
$category->category ?></option>
                         <?php endforeach; ?>
                     </select>
                     <br ><
```

```
<input type="submit" name="update" value="EDIT">
                 </form>
            </div></div></div>
    <!-- /UPDATE --
    <!-- INSERT NEW CATEGORY -->
    <h4 class="latest-text w3 latest text">MOVIE CATEGORIES MANAGEMENT</h4>
    <div class="banner-bottom">
        <div class="container">
            <h3 class="hdg">ADD CATEGORY</h3>
            <div class="w3 agile banner bottom grid">
                 <form action="#" method="post">
                     <input type="text" name="insertNewCategory" maxlength="20"</pre>
size="25" placeholder="Name (max 20 characters)" required="">
                     <br>><br>>
                     <input type="submit" name="insertCategory" value="INSERT">
                 </form>
            </div></div></div>
    <!-- /INSERT NEW CATEGORY-->
    <!-- DELETE CATEGORY-->
    <div class="banner-bottom">
        <div class="container">
            <h3 class="hdg">DELETE CATEGORY</h3>
            <div class="w3 agile banner bottom grid">
                 <form action="#" enctype="" method="post">
                     Choose a category to delete:
                     <br>><br>>
                     <select name="categoryDelete" title="Delete Category">
                         <?php
                         $categoryDeletes = executeQuery("SELECT * FROM categories
ORDER BY category ASC");
                        foreach($categoryDeletes as $categoryDelete): ?>
                             <option value="<?= $categoryDelete->category ?>"><?php</pre>
echo "ID".$categoryDelete->id category.": "?><?= $categoryDelete->category
?></option>
                         <?php endforeach; ?>
                     </select>
                     <br><br><br>></pr>
                     <input type="submit" name="deleteCategory" value="DELETE">
                 </form>
            </div></div></div>
    <!-- /DELETE CATEGORY-->
    <!--CHANGE USER DATA-->
    <h4 class="latest-text w3 latest text">USER MANAGEMENT</h4>
    <div class="banner-bottom">
        <div class="container">
            <h3 class="hdg">EDIT USER</h3>
            NOTICE: Make sure to check the checkbox on the left side of the field
you want to change.
            <div class="w3 agile banner bottom grid">
                 <form action="#" enctype="multipart/form-data" method="post">
                     Choose a user to edit:
                     <select name="selectUser" title="Select User">
                         <?php
                         $users = executeQuery("SELECT * FROM users ORDER BY
username ASC");
                         foreach($users as $user): ?>
                             <option value="<?= $user->id user ?>"><?php echo</pre>
"ID".$user->id_user.": "?><?= $user->username ?></option>
                         <?php endforeach; ?>
                     </select>
                     <br><br><br>><br>></pr>
                     <input type="checkbox" id="cbChangeUsername"</pre>
name="cbChangeUsername"><input type="text" name="changeUsername"</pre>
placeholder="Change Username">
                     <input type="checkbox" id="cbChangeEmail"</pre>
```

```
name="cbChangeEmail"><input type="text" name="changeEmail" placeholder="Change
Email">
                     <input type="checkbox" id="cbChangePassword"</pre>
name="cbChangePassword"><input type="text" name="changePassword"</pre>
placeholder="Change Password">
                     <input type="checkbox" id="cbChangeRole" name="cbChangeRole">
                     <select name="changeRole">
                         $roles = executeQuery("SELECT * FROM roles");
                         foreach($roles as $role): ?>
                             <option value="<?= $role->id role ?>"><?= $role-</pre>
>role?></option>
                         <?php endforeach; ?>
                     </select>
                     <br>><br>>
                     <input type="submit" name="changeUser" value="EDIT">
                </form>
            </div></div></div>
    <!--/CHANGE USER DATA-->
    <!-- DELETE USER-->
    <div class="banner-bottom">
        <div class="container">
            <h3 class="hdg">DELETE USER</h3>
            <div class="w3 agile banner bottom grid">
                <form action="#" enctype="multipart/form-data" method="post">
                     Choose a user to delete:
                     <br>><br>>
                     <select name="userDelete" title="Delete User">
                         <?php
                         $usersDelete = executeQuery("SELECT * FROM users ORDER BY
username ASC");
                         foreach($usersDelete as $user): ?>
                             <option value="<?= $user->id user ?>"><?php echo</pre>
"ID".$user->id user.": "?><?= $user->username ?></option>
                         <?php endforeach; ?>
                     </select>
                     <br >><br>>
                     <input type="submit" name="deleteUser" value="DELETE">
                </form>
            </div></div>
    <!-- /DELETE USER-->
         INSERT SLIDER -->
    <h4 class="latest-text w3 latest text">SLIDER MANAGEMENT</h4>
    <div class="banner-bottom">
        <div class="container">
            <h3 class="hdg">ADD SLIDER</h3>
            <div class="w3 agile banner bottom grid">
                <form action="#" enctype="multipart/form-data" method="post">
                     <input type="text" name="insertSliderTitle" maxlength="17"</pre>
size="25" placeholder="Title" required=""><br><br><br><br>
                     <input type="text" name="insertSliderDescription"</pre>
maxlength="160" size="140" placeholder="Description (max 160 characters)"
required="">
                     <br>>Choose an image (Recommanded size: 1300x500):<input</pre>
class="no-margin" name="insertSliderImage" type="file" />
                     <input type="submit" name="insertSlider" value="INSERT">
                </form>
            </div></div></div>
    <!-- /INSERT SLIDER -->
    <!-- DELETE SLIDER-->
    <div class="banner-bottom">
        <div class="container">
            <h3 class="hdg">DELETE SLIDER</h3>
            <div class="w3 agile banner bottom grid">
                <form action="#" enctype="multipart/form-data" method="post">
```

```
Choose a slider to delete:
                     <br>><br>></pr>>
                     <select name="sliderDelete" title="Delete Slider">
                         $sliderDelete = executeQuery("SELECT * FROM slider ORDER BY
title ASC");
                         foreach($sliderDelete as $slider): ?>
                              <option value="<?= $slider->id slider ?>"><?php echo</pre>
"ID".$slider->id slider.": "?><?= $slider->title ?></option>
                         <?php endforeach; ?>
                     </select>
                     <br>><br>></pr>>
                     <input type="submit" name="deleteSlider" value="DELETE">
                 </form>
            </div></div></div>
    <!-- /DELETE SLIDER-->
</div>
```

- Admin panel je poseban odeljak sajta namenjen isključivo korisnicima sa Admin privilegijama. Zaštićen je tako da neovlašćeni korisnici ni na jedan način ne mogu da mu pristupe. Panel je podeljen na odeljke: Movies, Movie Categories, User i Slider Management. Za sve je obezbeđen try i catch blok, a na bazi su postavljena ograničenja. Ukoliko se ograničenja baze prekorače, sugestivna poruka će se ispisati na vrhu admin panela tako da Administrator uoči i ispravi grešku.
- Add Movie: Ime može imati maksimalno 17 karaktera. Godina ima 4 cifre bez tačke na kraju. Rating je broj zvezdica koje se prikazuju na sajtu i taj broj može biti od 1 do 5. YouTube Trailer link je link do trejlera koji se deli na dva dela deo posle i pre znaka jednakosti. Deo posle znaka jednakosti se šalje u bazu, a kada se film prikazuje, link se ponovo spaja u celinu kroz simplePlayer.js skriptu. Zatim se bira kategorija. Ribbon predstavlja bedž "NEW" na filmu 0 da nema bedž, 1 da ima. NEW ne zavisi od godine izdavanja filma već od trenutka dodavanja na sajt. Kada se popunjavanje završi, kliknuti na dugme.
- Delete Movie: Izlistava sve dostupne filmove. Izabrati film, a zatim kliknuti na dugme.
- Edit Movie: Izabrati film iz padajućeg menija. Zatim LEVO od polja koje želite da editujete obeležiti checkbox i u polje DESNO od checkboxa uneti željenu vrednosti. Parametri su isti kao i za dodavanje filma. Ovo je dobar način da se isprave eventualne greške pri dodavanju filma.
- Add Category: Upisati ime željene kategorije (žanra) filma i kliknuti dugme. Žanr će se automatski dodati u "Genres" dropdown na glavnom meniju. Takođe će kategorija koja je upisana postati dostupna kada se budu dodavali filmovi.
- Delete Category: Izabrati željenu kategoriju za brisanje i kliknuti dugme. Biće obrisan žanr iz "Genres" dropdown menija. Ukoliko postoje filmovi koji pripadaju ovoj kategoriji, brisanje neće biti moguće.
- Edit User: Izabrati željene parametre i kliknuti dugme. Logika popunjavanja je ista kao za editovanje filma.
- Delete User: Izabrati željenog korisnika za brisanje i kliknuti dugme.
- Add Slider: Popuniti sve parametre i kliknuti na dugme. Slider će biti dodat na "Home" stranici
- Delete Slider: Izabrati željeni slider za brisanje i kliknuti dugme.

```
contact.php
<?php
if(isset($ POST['contactSubmit']))
        $text = $_POST['text'];
        \$email = \$ POST['email'];
        $name = $_POST['name'];
        $lastName = $ POST['lastName'];
        if(mail("admin@moviefy.ml","MOVIEFY CONTACT FORM: Message from
".$email, "Message: ".$text, "From:$email"))
            http response code(200);
            $success = array();
            array push ($success, "Ok");
            echo json encode ($success);
        else
           http response code (400);
<div class="contact-agile">
      <div id="map"></div>
        <?= $text.$email ?>
      <div class="faq">
         <h4 class="latest-text w3 latest text">Contact Us</h4>
         <div class="container">
            <div class="col-md-3 location-agileinfo">
               <div class="icon-w3">
                  <span class="glyphicon glyphicon-map-marker" aria-</pre>
hidden="true"></span>
               </div>
               <h3>Address</h3>
               <h4>Knez Mihailova 3,</h4>
               <h4>Belgrade, </h4>
               <h4>Serbia.</h4>
            <div class="col-md-3 call-agileits">
               <div class="icon-w3">
                  <span class="glyphicon glyphicon-earphone" aria-</pre>
hidden="true"></span>
               </div>
               <h3>Call Us</h3>
               <h4>+38169112354</h4>
            </div>
            <div class="col-md-3 mail-wthree">
               <div class="icon-w3">
                  <span class="glyphicon glyphicon-envelope" aria-</pre>
hidden="true"></span>
               </div>
               <h3>Email</h3>
               <h4><a href="mailto:info@example.com">admin@moviefy.eu5.net</a></h4>
               <h4><a href="mailto:info@example.com">pavle@moviefy.eu5.net</a></h4>
            <div class="col-md-3 social-w31">
               <div class="icon-w3">
                  <span class="glyphicon glyphicon-user" aria-hidden="true"></span>
               </div>
               <h3>Social media</h3>
               ul>
                  <a href="http://www.facebook.com/marjanovic23"><i class="fa"</pre>
fa-facebook" aria-hidden="true"></i><span class="text">Facebook</span></a>
                  class="twt"><a</li>
href="http://www.twitter.com/PaulMarjanovic"><i class="fa fa-twitter" aria-
hidden="true"></i><span class="text">Twitter</span></a>
```

```
<a href="http://www.instagram.com/23pavle"><i</pre>
class="fa fa-instagram" aria-hidden="true"></i><span</pre>
class="text">Instagram</span></a>
               </div>
            <div class="clearfix"></div>
                <div id="errors"></div>
            <form action="" method="post">
               <input type="text" name="firstName" id="firstName"</pre>
placeholder="FIRST NAME" required="">
               <input type="text" name="lastName" id="lastName" placeholder="LAST</pre>
NAME" required="">
               <input type="text" name="email" id="email" placeholder="EMAIL"</pre>
required="">
               <input type="text" name="subject" id="subject" placeholder="SUBJECT"</pre>
required="">
               <textarea name="taMessage" id="taMessage" placeholder="YOUR</pre>
MESSAGE" required=""></textarea>
               <input type="button" id="contactSubmit" name="contactSubmit"</pre>
value="SEND MESSAGE">
            </form>
         </div>
      </div>
   </div>
         <script type="text/javascript"</pre>
src="https://maps.googleapis.com/maps/api/js"></script>
         <script type="text/javascript">
            google.maps.event.addDomListener(window, 'load', init);
            function init() {
               var mapOptions = {
                  zoom: 11,
                  center: new google.maps.LatLng(44.8254390, 20.4489216),
                  stvles:
[{"featureType":"all","elementType":"labels.text.fill","stylers":[{"saturation":36}
, {"color": "#000000"}, {"lightness": 40}]}, {"featureType": "all", "elementType": "labels.
text.stroke", "stylers":[{"visibility":"on"}, {"color":"#000000"}, {"lightness":16}]},
{"featureType":"all", "elementType":"labels.icon", "stylers":[{"visibility":"off"}]},
{"featureType":"administrative","elementType":"geometry.fill","stylers":[{"color":"
#000000"}, {"lightness":20}]}, {"featureType":"administrative", "elementType":"geometr
y.stroke", "stylers":[{"color":"#000000"}, {"lightness":17}, {"weight":1.2}]}, {"featur
eType":"landscape","elementType":"geometry","stylers":[{"color":"#000000"},{"lightn
ess":20}]},{"featureType":"poi","elementType":"geometry","stylers":[{"color":"#0000
00"}, {"lightness":21}]}, {"featureType":"road.highway", "elementType":"geometry.fill"
,"stylers":[{"color":"#000000"}, {"lightness":17}]}, {"featureType":"road.highway","e
lementType":"geometry.stroke", "stylers": [{"color":"#000000"}, {"lightness":29}, {"wei
ght":0.2}]}, {"featureType":"road.arterial", "elementType":"geometry", "stylers":[{"co
lor":"#000000"}, {"lightness":18}]}, {"featureType":"road.local", "elementType":"geome
try","stylers":[{"color":"#000000"},{"lightness":16}]},{"featureType":"transit","el
ementType": "geometry", "stylers": [{"color": "#000000"}, {"lightness":19}]}, {"featureTy
pe":"water", "elementType":"geometry", "stylers":[{"color":"#000000"}, {"lightness":17
} ] } ]
               var mapElement = document.getElementById('map');
               var map = new google.maps.Map(mapElement, mapOptions);
               var marker = new google.maps.Marker({
                  position: new google.maps.LatLng(40.6700, -73.9400),
                  map: map,
               });
         </script>
```

Na ovoj strani se nalazi kontakt forma koja se dohvata ajaxom (ajax.js) i podaci se funkcijom mail prosleđuju na zadatu adresu.

```
error.php
<div class="faq">
   <div class="container">
      <div class="grid 3 grid 4 w3layouts">
          <h3 class="hdg">Access Denied</h3>
          <div class="bs-example">
             <tr>
                    <?php if(isset($_SESSION['user'])) : ?>
                    <h1 id="h1.-bootstrap-heading">Only administrators can
access this area. <a class="anchorjs-link" href="#h1.-bootstrap-heading"><span
class="anchorjs-icon"></span></a></h1>
                    <?php else : ?>
                    <h1 id="h1.-bootstrap-heading">You have to be logged in
to see this content. <a class="anchorjs-link" href="#h1.-bootstrap-heading"><span
class="anchorjs-icon"></span></a></h1></rr>
                    <?php endif; ?>
                </div>
      </div>
   </div>
</div>
```

 Ova strana se generiše kada korisnik pokuša da unese ručno URL i da dođe do stranice do koje ne bi trebalo ili ukoliko gost nije ulogovan, a želi da dođe do sadržaja koji mogu da vide samo ulogovani korisnici. Ukoliko je korisnik ulogovan, a nema Administratora i želi da pristupi, recimo, Admin panelu, dobiće ovu stranicu.

```
footer.php
<!-- footer -->
<div class="footer">
      <div class="container">
            <div class="clearfix"> </div>
         <div class="col-md-7 w31s footer grid1 right">
            <u1>
               <1i>>
                        <?php $menus = executeQuery("SELECT * FROM menu WHERE</pre>
level=1 AND id menu<20");</pre>
                        foreach($menus as $menu) :
                  <a href="<?= $menu->href?>"><?=$menu->name ?>
                                                                    </a>
                        <?php endforeach; ?>
               <div class="w31s footer grid1 left">
                             All Rights Reserved 2018. Pavle Marjanovic
141/16
                         </div>
                    </ul>
         </div>
         <div class="clearfix"> </div>
      </div>
   </div>
<!-- //footer -->
<!-- Bootstrap Core JavaScript -->
<script src="js/bootstrap.min.js"></script>
<script>
$ (document) . ready (function() {
    $(".dropdown").hover(
```

```
function() {
            $('.dropdown-menu', this).stop( true, true ).slideDown("fast");
            $(this).toggleClass('open');
        function() {
            $('.dropdown-menu', this).stop( true, true ).slideUp("fast");
            $(this).toggleClass('open');
   );
});
</script>
<!-- //Bootstrap Core JavaScript -->
<!-- here stars scrolling icon -->
   <script type="text/javascript">
      $ (document) .ready(function() {
            var defaults = {
            containerID: 'toTop', // fading element id
            containerHoverID: 'toTopHover', // fading element hover id
            scrollSpeed: 1200,
            easingType: 'linear'
            };
         $().UItoTop({ easingType: 'easeOutQuart' });
         });
   </script>
<!-- //here ends scrolling icon -->
</body>
</html>
```

- Futer se, kao i celokupan sadržaj, učitava dinamički, iz baze podataka.

```
<?php $category = $ GET['genre'];</pre>
$movies = executeQuery("SELECT * FROM movies m INNER JOIN categories c ON
m.id_category = c.id_category WHERE c.category='$category'");
2>
<div class="movie-browse-agile">
    <!--/browse-agile-w3ls -->
    <div class="browse-agile-w31s general-w31s">
       <div class="tittle-head">
           </br>
           <h4 class="latest-text"><?= $ GET['genre']." MOVIES";
               ?> </h4>
           <div class="container">
               <div class="agileits-single-top">
                   <a href="index.php?page=home">Home</a>
                       <a href="index.php?page=all-movies">All</a>
Movies</a>
                       <?= $ GET['genre']."</pre>
Movies"?>
                   </div>
           </div>
       </div>
       <div class="container">
           <div class="browse-inner">
               <?php
               foreach($movies as $movie): ?>
                   <div class="col-md-2 w31-movie-gride-agile">
                       <a href="index.php?page=watch-movie&movie-id=<?=
```

```
$movie->id movie ?>" class="hvr-shutter-out-horizontal"><img src="<?=$movie-</pre>
>image ?>" title="<?=$movie->name ?>" alt="<?=$movie->name ?> " />
                          <div class="w31-action-icon"><i class="fa fa-</pre>
play-circle" aria-hidden="true"></i></div>
                      <div class="mid-1">
                          <div class="w31-movie-text">
                             <h6><a href="#"><?=$movie->name ?></a></h6>
                          </div>
                         <div class="mid-2">
                             <?=$movie->year ?>
                             <div class="block-stars">
                                 class="w31-ratings">
                                    <?php
                                    if ($movie->rating == 1)
                                        echo "<i class='fa fa-star'
aria-hidden='true'></i>
                                                   <i class='fa fa-
star-o' aria-hidden='true'></i>";
                                    if ($movie->rating == 2)
                                        echo "i class='fa fa-star'
aria-hidden='true'></i>
                                                   <i class='fa fa-
star' aria-hidden='true'></i>
                                                   <i class='fa fa-
star-o' aria-hidden='true'></i>
                                                   <i class='fa fa-
star-o' aria-hidden='true'></i>
                                                   <i class='fa fa-
star-o' aria-hidden='true'></i>";
                                    if ($movie->rating == 3)
                                        echo "<i class='fa fa-star'
aria-hidden='true'></i>
                                                   <i class='fa fa-
star' aria-hidden='true'></i>
                                                   <i class='fa fa-
star' aria-hidden='true'></i>
                                                   <i class='fa fa-
star-o' aria-hidden='true'></i>
                                                   <i class='fa fa-
star-o' aria-hidden='true'></i>";
                                    if ($movie->rating == 4)
                                        echo "<i class='fa fa-star'
aria-hidden='true'></i>
                                                   <i class='fa fa-
star' aria-hidden='true'></i>
                                                   <i class='fa fa-
star' aria-hidden='true'></i>
                                                   <i class='fa fa-
star' aria-hidden='true'></i>
                                                   <i class='fa fa-
star-o' aria-hidden='true'></i>";
                                    if ($movie->rating == 5)
```

```
echo "i class='fa fa-star'
aria-hidden='true'></i>
                                                    <i class='fa fa-
star' aria-hidden='true'></i>
                                                    <i class='fa fa-
star' aria-hidden='true'></i>/li>
                                                    <i class='fa fa-
star' aria-hidden='true'></i>
                                                    <i class='fa fa-
star' aria-hidden='true'></i>";
                                 </ul>
                             </div>
                             <br/>
                              <?=$movie->category ?>
                              <div class="clearfix"></div>
                          </div>
                      </div>
                      <?php if($movie->ribbon == 1)
                          echo "<div class='ribben two'>
                                   NEW
                                            </div>";
                      ?>
                  </div>
              <?php endforeach; ?>
               <div class="clearfix"> </div>
           </div>
       </div>
       <?php $category = $ GET['genre'];</pre>
$movies = executeQuery("SELECT * FROM movies m INNER JOIN categories c ON
m.id category = c.id category WHERE c.category='$category'");
<div class="movie-browse-agile">
    <!--/browse-agile-w3ls -->
   <div class="browse-agile-w31s general-w31s">
       <div class="tittle-head">
           </br>
           <h4 class="latest-text"><?= $ GET['genre']." MOVIES";
              ?> </h4>
           <div class="container">
               <div class="agileits-single-top">
                  <a href="index.php?page=home">Home</a>
                      <a href="index.php?page=all-movies">All
Movies</a>
                      <?= $ GET['genre']."</pre>
Movies"?>
                  </div>
           </div>
       </div>
       <div class="container">
           <div class="browse-inner">
              foreach($movies as $movie): ?>
                  <div class="col-md-2 w31-movie-gride-agile">
                      <a href="index.php?page=watch-movie&movie-id=<?=
$movie->id movie ?>" class="hvr-shutter-out-horizontal"><img src="<?=$movie-</pre>
```

```
>image ?>" title="<?=$movie->name ?>" alt="<?=$movie->name ?> " />
                         <div class="w31-action-icon"><i class="fa fa-</pre>
play-circle" aria-hidden="true"></i></div>
                     </a>
                     <div class="mid-1">
                         <div class="w31-movie-text">
                            <h6><a href="#"><?=$movie->name ?></a></h6>
                         </div>
                         <div class="mid-2">
                             <?=$movie->year ?>
                             <div class="block-stars">
                                <?php
                                   if($movie->rating == 1)
                                       echo "<i class='fa fa-star'
aria-hidden='true'></i>
                                                  <i class='fa fa-
star-o' aria-hidden='true'></i>';
                                   if ($movie->rating == 2)
                                       echo "<i class='fa fa-star'
aria-hidden='true'></i>
                                                  <i class='fa fa-
star' aria-hidden='true'></i>
                                                  <i class='fa fa-
star-o' aria-hidden='true'></i>
                                                  <i class='fa fa-
star-o' aria-hidden='true'></i>
                                                  <i class='fa fa-
star-o' aria-hidden='true'></i>';
                                   if ($movie->rating == 3)
                                       echo "i class='fa fa-star'
aria-hidden='true'></i>
                                                  <i class='fa fa-
star' aria-hidden='true'></i>
                                                  <i class='fa fa-
star' aria-hidden='true'></i>
                                                  <i class='fa fa-
star-o' aria-hidden='true'></i>
                                                  <i class='fa fa-
star-o' aria-hidden='true'></i>";
                                   if($movie->rating == 4)
                                       echo "<i class='fa fa-star'
aria-hidden='true'></i>
                                                  <i class='fa fa-
star' aria-hidden='true'></i>
                                                  <i class='fa fa-
star' aria-hidden='true'></i>
                                                  <i class='fa fa-
star' aria-hidden='true'></i>
                                                  <i class='fa fa-
star-o' aria-hidden='true'></i>";
                                   if($movie->rating == 5)
```

```
echo "i class='fa fa-star'
      aria-hidden='true'></i>
                                                          <i class='fa fa-
      star' aria-hidden='true'></i>/i>";
                                           ?>
                                        </ul>
                                    </div>
                                    <br/>
                                    <?=$movie->category ?>
                                    <div class="clearfix"></div>
                                </div>
                            </div>
                            <?php if($movie->ribbon == 1)
                                echo "<div class='ribben two'>
                                         NEW
                                                  </div>";
                            ?>
                        </div>
                     <?php endforeach; ?>
                     <div class="clearfix"> </div>
                 </div>
             </dix>
             genres.php
<?php $category = $ GET['genre'];</pre>
$movies = executeQuery("SELECT * FROM movies m INNER JOIN categories c ON
m.id category = c.id category WHERE c.category='$category'");
<div class="movie-browse-agile">
    <!--/browse-agile-w3ls -->
   <div class="browse-agile-w3ls general-w3ls">
       <div class="tittle-head">
           </br>
           <h4 class="latest-text"><?= $_GET['genre']." MOVIES";
               ?> </h4>
           <div class="container">
               <div class="agileits-single-top">
                  <a href="index.php?page=home">Home</a>
                      <a href="index.php?page=all-movies">All Movies</a>
                      <?= $ GET['genre']." Movies"?>
                  </div>
           </div>
       </div>
       <div class="container">
           <div class="browse-inner">
               <?php
               foreach($movies as $movie): ?>
                  <div class="col-md-2 w31-movie-gride-agile">
                      <a href="index.php?page=watch-movie&movie-id=<?= $movie-
>id movie ?>" class="hvr-shutter-out-horizontal"><img src="<?=$movie->image ?>"
title="<?=$movie->name ?>" alt="<?=$movie->name ?> " />
```

?>

```
<div class="w31-action-icon"><i class="fa fa-play-</pre>
circle" aria-hidden="true"></i></div>
                      </a>
                     <div class="mid-1">
                         <div class="w31-movie-text">
                             <h6><a href="#"><?=$movie->name ?></a></h6>
                         </div>
                         <div class="mid-2">
                             <?=$movie->year ?>
                             <div class="block-stars">
                                <?php
                                    if ($movie->rating == 1)
                                        echo "i class='fa fa-star' aria-
hidden='true'></i>
                                                  ≺i class='fa fa-star-o'
aria-hidden='true'></i>
                                                  <i class='fa fa-star-o'
aria-hidden='true'></i>
                                                  <i class='fa fa-star-o'
aria-hidden='true'></i>
                                                  <i class='fa fa-star-o'
aria-hidden='true'></i>";
                                    if ($movie->rating == 2)
                                        echo "i class='fa fa-star' aria-
hidden='true'></i>
                                                  <i class='fa fa-star'</li>
aria-hidden='true'></i>
                                                  <i class='fa fa-star-o'</li>
aria-hidden='true'></i>
                                                  ≺li≻i class='fa fa-star-o'
aria-hidden='true'></i>
                                                  <i class='fa fa-star-o'
aria-hidden='true'></i>";
                                    if ($movie->rating == 3)
                                        echo "i class='fa fa-star' aria-
hidden='true'></i>
                                                  <i class='fa fa-star'</li>
aria-hidden='true'></i>
                                                  <i class='fa fa-star'
aria-hidden='true'></i>
                                                  <i class='fa fa-star-o'
aria-hidden='true'></i>
                                                  <i class='fa fa-star-o'
aria-hidden='true'></i>";
                                    if ($movie->rating == 4)
                                        echo "i class='fa fa-star' aria-
hidden='true'></i>
                                                  <i class='fa fa-star'
aria-hidden='true'></i>
                                                  <i class='fa fa-star'
aria-hidden='true'></i>
                                                  <i class='fa fa-star'
aria-hidden='true'></i>
                                                  <i class='fa fa-star-o'
aria-hidden='true'></i>";
                                    if ($movie->rating == 5)
                                        echo "i class='fa fa-star' aria-
```

```
hidden='true'></i>
                                                 <i class='fa fa-star'
aria-hidden='true'></i>
                                                 <i class='fa fa-star'
aria-hidden='true'></i>
                                                 <i class='fa fa-star'
aria-hidden='true'></i>
                                                 <i class='fa fa-star'
aria-hidden='true'></i>";
                                   2>
                               </ul>
                            </div>
                            <br/>
                            <?=$movie->category ?>
                            <div class="clearfix"></div>
                        </div>
                     </div>
                     <?php if($movie->ribbon == 1)
                        echo "<div class='ribben two'>
                                 NEW
                                          </div>";
                     ?>
                 </div>
              <?php endforeach; ?>
              <div class="clearfix"> </div>
          </div>
       </div>
```

Ova stranica je namenjena za ispisivanje filmova iz baze podataka. Ukoliko korisnik u
dropdownu "Genres" izabere neku od kategorija (osim opcije "All", ona izlistava sve filmove
nezavisno od kategorije), automatski će se generisati nova stranica koja će dinamički ispisati
sve filmove sa tom kategorijom, zatim će dinamički ispisati i "breadcrumbs" za baš tu
izabranu kategoriju.

```
head.php
```

```
<!DOCTYPE html>
<html lang="en">
<head>
<title>Moviefy | <?php
    if (isset($_GET['page']))
        echo strtoupper($_GET['page']);
    else {
       echo "HOME";
    <!-- for-mobile-apps -->
<link rel="icon" href="../favicon.ico">
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<meta name="keywords" content="Movies Online Streaming Web Service OnlineMovies
Moviefy" />
<meta name="author" content="Pavle Marjanovic" />
<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false);
      function hideURLbar() { window.scrollTo(0,1); } </script>
<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />
```

```
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
<link rel="stylesheet" href="css/contactstyle.css" type="text/css" media="all" />
<link rel="stylesheet" href="css/faqstyle.css" type="text/css" media="all" />
<link href="css/single.css" rel='stylesheet' type='text/css' />
<link href="css/medile.css" rel='stylesheet' type='text/css' />
<link href="css/jquery.slidey.min.css" rel="stylesheet">
<link href="css/popuo-box.css" rel="stylesheet" type="text/css" media="all" />
<link rel="stylesheet" href="css/font-awesome.min.css" />
<script type="text/javascript" src="js/jquery-2.1.4.min.js"></script>
<link href="css/owl.carousel.css" rel="stylesheet" type="text/css" media="all">
<script src="js/owl.carousel.js"></script>
<script>
   $ (document) .ready (function() {
      $("#owl-demo").owlCarousel({
        autoPlay: 3000, //Set AutoPlay to 3 seconds
        items: 5,
        itemsDesktop : [640,4],
        itemsDesktopSmall : [414,3]
      });
   });
</script>
link
href='//fonts.googleapis.com/css?family=Roboto+Condensed:400,700italic,700,400itali
c,300italic,300' rel='stylesheet' type='text/css'>
<script type="text/javascript" src="js/move-top.js"></script>
<script type="text/javascript" src="js/easing.js"></script>
<script type="text/javascript">
   jQuery(document).ready(function($) {
      $(".scroll").click(function(event){
         event.preventDefault();
         $('html,body').animate({scrollTop:$(this.hash).offset().top},1000);
      });
   });
</script>
    <?php if($_GET['page']=="home"): ?><script src="js/script.js"></script><?php</pre>
endif; ?>
    <?php if($ GET['page'] == "contact"): ?><script</pre>
src="js/contact.js"></script><?php endif; ?>
    <script src="js/ajax.js"></script>
    <script src="js/quizAjax.js"></script>
</head>
header.php
<body>
   <div class="header">
      <div class="container">
         <div class="w3layouts logo">
            <a href="index.php?page=home"><h1>Movie<span>Fy</span></h1></a>
         <div class="w3 search">
         </div>
         <div class="w31_sign_in_register">
            <php</li>
                    if(isset($ SESSION['user']))
                        echo "'>a href='php/logout.php'>Logout</a>";
                        $username = $ SESSION['user']->username;
                        echo "Hello, <b>$username</b>";
                    else
```

```
echo "<a href='#' data-toggle='modal' data-
target='#myModal'>Login</a>";
                       if(isset($ POST['siLogin']))
                          echo "Wrong username or password! Try again!";
                          $greske = $ SESSION['greske'];
                          foreach($greske as $greska)
                              echo "".$greska."";
                          }
                       }
                   if(isset($ SESSION['regGreske']))
                       $regGreske = $ SESSION['regGreske'];
                      foreach($regGreske as $regGreska)
                          echo "".$regGreska."";
                   }
                   else
                   {
                      unset($ SESSION['regGreske']);
                   ?>
           </ul>
        </div>
        <div class="clearfix"> </div>
     </div>
  </div>
```

- Ova stranica je ustvari zaglavlje sajta (iznad navigacije) koja, osim što prikazuje logo i dugme za login, služi za ispisivanje grešaka koje se dešavaju pri registraciji ili loginu. Sve greške se ispisuju ispod dugmeta "Login", ukoliko se dogođe, bile na serverskoj ili klijentskoj strani.

```
home-content.php <?php
```

```
if(isset($ SESSION['user'])) :
<div class="general">
    <h4 class="latest-text w3 latest text">Quiz</h4>
   <div class="container contact-agile">
       <h3 class="hdg">What is your favorite movie genre?</h3>
       <div id="quizErrors"></div>
       <form action="" method="post">
       <?php $quiz = executeQuery("SELECT * FROM categories");</pre>
           $i = 0;
           foreach($quiz as $q) :
           <input type="radio" name="quiz"</pre>
id="quiz<?=$i++; ?>" value="<?= $q->category ?>"> <?= $q->category ?>
           <?php endforeach; ?>
           <input type="button" id="submitButton" name="submitButton"</pre>
value="SUBMIT RESPONSE">
       </form>
       <div class="clearfix"></div>
   </div>
    <?php endif; ?>
```

```
<?php
        $user = $ SESSION['user']->id user;
        $userQuiz = executeQuery("SELECT * FROM quiz");
        foreach($userQuiz as $uq)
            if($uq->id user == $user)
              $denied=1;
            else
            {
                $denied=0;
        if($denied == 1):
    ?>
    <div class="container contact-agile">
        <h3 class="hdg">Quiz results</h3>
        <div id="quizErrors"></div>
        <div class="tab-content">
            <div class="tab-pane active" id="domprogress">
                <?php $quizResults = executeQuery("SELECT DISTINCT response FROM</pre>
quiz");
                foreach($quizResults as $quiz) :
                ?>
                <?=$quiz->response?>
                <div class="progress">
                    <div class="progress-bar progress-bar-primary"</pre>
style="width:<?php
                        $results = executeQuery("SELECT * FROM quiz");
                        projac = 0;
                        foreach($results as $result)
                            if ($result->response == $quiz->response)
                               $brojac++;
                        $ukupnoGlasova = count($results);
                        $procenat = ($brojac/$ukupnoGlasova)*100;
                        echo $procenat;
                    ?>%"></div>
                </div>
                <?php endforeach; ?>
            </div>
        </div>
        <?php endif; ?>
        <div class="clearfix"></div>
    </div>
</div>
    </div>
    <!-- Latest-tv-series -->
   <!-- pop-up-box -->
      <script src="js/jquery.magnific-popup.js" type="text/javascript"></script>
   <!--//pop-up-box
   <div id="small-dialog" class="mfp-hide">
      <iframe
src="https://player.vimeo.com/video/164819130?title=0&byline=0"></iframe>
   </div>
   <div id="small-dialog1" class="mfp-hide">
      <iframe src="https://player.vimeo.com/video/148284736"></iframe>
   </div>
   <div id="small-dialog2" class="mfp-hide">
src="https://player.vimeo.com/video/165197924?color=ffffff&title=0&byline=0&portrai
t=0"></iframe>
   </div>
```

```
<script>
      $ (document) . ready (function() {
      $('.w3_play_icon,.w3_play_icon1,.w3_play_icon2').magnificPopup({
         type: 'inline',
         fixedContentPos: false,
         fixedBgPos: true,
        overflowY: 'auto',
         closeBtnInside: true,
        preloader: false,
         midClick: true,
         removalDelay: 300,
        mainClass: 'my-mfp-zoom-in'
      });
      });
  </script>
<!-- //Latest-tv-series -->
```

- Ovo je sadržaj početne strane (Home). Sadrži i anketu. Kada se popuni anketa i izvrši refresh stranice, rezultati ankete se ispisuju ispod.

```
login-genres-nav.php
class="dropdown">
   <a href="#" class="dropdown-toggle" data-toggle="dropdown">Genres <b
class="caret"></b></a>
   class="dropdown-menu multi-column">
       <1i>>
          <div class="col-sm-1">
              <?php
                 $menus = executeQuery("SELECT * FROM menu WHERE level = 2");
                 foreach($menus as $menu): ?>
                 <a href="<?= $menu->href ?>"><?= $menu->name ?></a>
                 <?php endforeach; ?>
              </ul>
          </div>
          <div class="clearfix"></div>
```

- Ova stranica služi za dinamičko ispisivanje dropdown menija. Stavke menija koje su u bazi pod oznakom level 1 su stavke prvog sloja menija. Stavke menija koje su u bazi pod oznakom level 2 su stavke drugog sloja, odnosno stavke koje spadaju u dropdown.

```
login-popup.php

<?php
//LOGIN
if(isset($_POST['siLogin'])) {

    $siErrors = [];
    $regExpPass = "/^[\S]{5,}$/";
    $regExpPass = "/^[a-z]{4,30}$/";

    require_once "php/connection.php";
    if(preg_match($regExpPass, $_POST['siPassword']))
    {
        $siPassword = $ POST['siPassword'];
        $siPassword = md5($siPassword);
        unset($_SESSION['greske']);
    }
    else</pre>
```

```
$siErrors[] = "Your password does not meet the requirements.";
        if(preg_match($regExpUsername, $ POST['siUser']))
            $siUser = $ POST['siUser'];
           unset($ SESSION['greske']);
        else
        {
            $siErrors[] = "Your username must have between 4 and 30 small
letters.";
        $ SESSION['greske'] = $siErrors;
        try {
        $upit = "SELECT u.id user, u.username, u.email, u.password, r.role FROM
users u INNER JOIN roles r
              ON r.id role = u.id role
              WHERE username = :username
             AND password = :password";
            $stmt = $konekcija->prepare($upit);
            $stmt->bindParam(":username", $siUser);
            $stmt->bindParam(":password", $siPassword);
            $stmt->execute();
            $user = $stmt->fetch();
            if ($user) {
               $ SESSION['user'] = $user;
               //header("Location: ?page=all-movies");
        catch(PDOException $e)
           echo $e->getMessage();
?>
<?php
if (isset($_POST['rgRegister']))
   $regErrors = [];
$regExpPass = "/^[\s]{5,}$/";
    regExpUsername = "/^[a-z]{4,30}$/";
    if(preg match($regExpUsername, $ POST['rgUser']))
        $rqUser = $ POST['rgUser'];
        unset($ SESSION['regGreske']);
    else
      $regErrors[] = "Your username must have between 4 and 30 small letters.";
    if(filter var($ POST['rgEmail'], FILTER VALIDATE EMAIL))
        $rgEmail = $ POST['rgEmail'];
        unset($_SESSION['regGreske']);
    }
    else
      $regErrors[] = "Email does not meet standard requirements.";
    if(preg_match($regExpPass, $_POST['rgPassword']))
        $rgPassword = md5($ POST['rgPassword']);
       unset($ SESSION['regGreske']);
```

```
else
      $regErrors[] = "Your password does not meet the requirements.";
 $id = "";
    prole = 3;
    $upit = "INSERT INTO users (id user, username, email, password, id role) VALUES
(:id, :username, :email, :password, :role)";
    $stmt = $konekcija->prepare($upit);
    $stmt->bindParam(":id", $id);
    $stmt->bindParam(":username", $rgUser);
    $stmt->bindParam(":email", $rgEmail);
    $stmt->bindParam(":password", $rgPassword);
    $stmt->bindParam(":role", $role);
    try {
        $stmt->execute();
    catch(PDOException $ex)
        if($ex->getMessage() == "SQLSTATE[23000]: Integrity constraint violation:
1062 Duplicate entry '".$rgUser."' for key 'username'")
            $regErrors[] = "Username already in use. Try another one";
    $_SESSION['regGreske'] = $regErrors;
?>
<div class="modal video-modal fade" id="myModal" tabindex="-1" role="dialog" aria-</pre>
labelledby="myModal">
      <div class="modal-dialog" role="document">
         <div class="modal-content">
            <div class="modal-header">
               Sign In & Sign Up
               <button type="button" class="close" data-dismiss="modal" aria-</pre>
label="Close"><span aria-hidden="true">&times;</span></button>
            </div>
            <section>
               <div class="modal-body">
                   <div class="w3 login module">
                      <div class="module form-module">
                        <div class="toggle"><i class="fa fa-times fa-pencil"></i>
                         <div class="tooltip">Click Me</div>
                        </div>
                        <div class="form">
                                   <h3>Login to your account</h3>
                         <form action="#" method="post">
                           <input type="text" name="siUser" placeholder="Username"</pre>
id="siUser" required="">
                           <input type="password" name="siPassword"</pre>
placeholder="Password" id="siPassword" required="">
                           <input type="submit" name="siLogin" id="siLogin"</pre>
value="Login">
                         </form>
                        </div>
                        <div class="form">
                         <h3>Create an account</h3>
                         <form action="#" method="post">
                           <input type="text" name="rgUser" placeholder="Choose</pre>
username" id="rgUser" required="">
                           <input type="password" name="rgPassword"</pre>
placeholder="Password" id="rgPassword" required="">
                                    <input type="password" name="rgConfirmPassword"</pre>
placeholder="Confirm Password" id="rgConfirmPassword" required="">
                           <input type="email" name="rgEmail" placeholder="Email</pre>
Address" id="rgEmail" required="">
                           <input type="submit" name="rgRegister" name="rgRegister"</pre>
```

```
id="rgRegister" value="Register">
                         </form>
                        </div>
                      </div>
                   </div>
               </div>
            </section>
         </div>
      </div>
   </div>
   <script>
      $('.toggle').click(function(){
         / Switches the Icon
        $(this).children('i').toggleClass('fa-pencil');
        // Switches the forms
        $('.form').animate({
         height: "toggle",
         'padding-top': 'toggle',
         'padding-bottom': 'toggle',
         opacity: "toggle"
        }, "slow");
      });
   </script>
<!-- //bootstrap-pop-up -->
```

- Ovo je kod za generisanje login popup modala. U ovom fajlu su obavljene sve serverske provere i urađena je kompletna login i sign up forma.

## movies.php

```
<div class="movie-browse-agile">
                                                                                 <!--/browse-agile-w31s -->
                                                                                                     <div class="browse-agile-w31s general-w31s">
                                                                                                 <div class="tittle-head">
                                                                                                                                 </br>
                                                                                                             <h4 class="latest-text">Movies </h4>
                                                                                                             <div class="container">
                                                                                                                         <div class="agileits-single-top">
                                                                                                                                     class="breadcrumb">
                                                                                                                                             <a href="index.php?page=home">Home</a>
                                                                                                                                              class="active">All Movies
                                                                                                                                     </div>
                                                                                                             </div>
                                                                                                 </div>
                                                                                                                      <div class="container">
                                                                                     <div class="browse-inner">
                                                                                                                 <?php
                                                                                                                 $limit = 12;
                                                                                                                 if(isset($ GET['number']))
                                                                                                                                 $number = $ GET['number'];
                                                                                                                                 formula = form
                                                                                                                 }
                                                                                                                else
                                                                                                                                 number = 0;
                                                                                                                                formula = 0;
                                                                                                                 $movies = executeQuery("SELECT * FROM movies m INNER
JOIN categories c ON m.id category = c.id category ORDER BY m.rating DESC LIMIT
```

```
$offset, $limit");
                          foreach($movies as $movie): ?>
                      <div class="col-md-2 w31-movie-gride-agile">
                            <a href="index.php?page=watch-movie&movie-id=<?=</pre>
$movie->id_movie ?>" class="hvr-shutter-out-horizontal"><img src="<?=$movie-</pre>
>image?>" title="<?=$movie->name ?>" alt="<?=$movie->name ?>" />
                             <div class="w31-action-icon"><i class="fa fa-play-</pre>
circle" aria-hidden="true"></i></div>
                        </a>
                           <div class="mid-1">
                           <div class="w31-movie-text">
                              <h6><a href="#"><?=$movie->name ?></a></h6>
                           </div>
                           <div class="mid-2">
                              <?=$movie->year ?>
                              <div class="block-stars">
                                 <?php
                                               if($movie->rating == 1)
                                                   echo "<i class='fa fa-
star' aria-hidden='true'></i>
                                                   <i class='fa fa-star-o'
aria-hidden='true'></i>
                                                   <i class='fa fa-star-o'
aria-hidden='true'></i>
                                                   <i class='fa fa-star-o'
aria-hidden='true'></i>
                                                   <i class='fa fa-star-o'
aria-hidden='true'></i>";
                                                if($movie->rating == 2)
                                                   echo "<i class='fa fa-
star' aria-hidden='true'></i>
                                                   <i class='fa fa-star'
aria-hidden='true'></i>
                                                   <i class='fa fa-star-o'
aria-hidden='true'></i>
                                                   <i class='fa fa-star-o'</li>
aria-hidden='true'></i>
                                                   <i class='fa fa-star-o'
aria-hidden='true'></i>";
                                                if($movie->rating == 3)
                                                   echo "<i class='fa fa-
star' aria-hidden='true'></i>
                                                   <i class='fa fa-star'
aria-hidden='true'></i>
                                                   <i class='fa fa-star'
aria-hidden='true'></i>
                                                   <i class='fa fa-star-o'
aria-hidden='true'></i>
                                                   <i class='fa fa-star-o'
aria-hidden='true'></i>";
                                                if($movie->rating == 4)
                                                   echo "i class='fa fa-
star' aria-hidden='true'></i>
                                                   <i class='fa fa-star'
aria-hidden='true'></i>
                                                   <i class='fa fa-star'
aria-hidden='true'></i>
                                                   <i class='fa fa-star'</li>
```

```
aria-hidden='true'></i>
                                                     <i class='fa fa-star-o'
aria-hidden='true'></i>";
                                                 if($movie->rating == 5)
                                                     echo "i class='fa fa-
star' aria-hidden='true'></i>
                                                     <i class='fa fa-star'
aria-hidden='true'></i>
                                                     <i class='fa fa-star'
aria-hidden='true'></i>
                                                     <i class='fa fa-star'
aria-hidden='true'></i>
                                                     <i class='fa fa-star'
aria-hidden='true'></i>";
                                  </ul>
                               </div>
                                          <br/>
                                          <?=$movie->category ?>
                               <div class="clearfix"></div>
                            </div>
                         </div>
                                  <?php if($movie->ribbon == 1)
                                             echo "<div class='ribben two'>
                                    NEW
                                             </div>";
                         </div>
                                  <?php endforeach; ?>
                       <div class="clearfix"> </div>
                              </div>
           <!--//browse-agile-w3ls -->
                 <div class="blog-pagenat-wthree">
                          <u1>
                              <?php $brojac = executeQuery("SELECT COUNT(name) AS</pre>
brojac FROM movies");
                              foreach($brojac as $broj)
                                 $variable = $broj->brojac;
                       <a class="first" href="index.php?page=all-movies">First
Page</a>
                              <?php
                              global $variable;
                              $pagination = $variable/12;
                              for($i=1; $i<$pagination; $i++) : ?>
                                  <a href="index.php?page=all-
movies&number=<?=$i?>"><?=$i+1 ?></a>
                              <?php endfor; ?>
                       <a class="last" href="index.php?page=all-
movies&number=<?php
                                  if ($ GET['number']+1<=$pagination)</pre>
                                      echo $ GET['number']+1;
                                  ?>">Next Page</a>
                    </div>
              </div>
```

 Ova stranica ispisuje sve filmove iz baze podataka zajedno sa svim propratnim podacima bez obzira na kategoriju. Filmovi su sortirani po rejtingu. Na ovoj strani se nalazi paginacija koja je apsolutno dinamična i zavisi od broja filmova.

```
nav.php
<!-- nav -->
<div class="movies nav">
      <div class="container">
         <nav class="navbar navbar-default">
            <div class="navbar-header navbar-left">
               <button type="button" class="navbar-toggle collapsed" data-</pre>
toggle="collapse" data-target="#bs-example-navbar-collapse-1">
                  <span class="sr-only">Toggle navigation</span>
                  <span class="icon-bar"></span>
                  <span class="icon-bar"></span>
                  <span class="icon-bar"></span>
               </button>
            </div>
            <div class="collapse navbar-collapse navbar-right" id="bs-example-</pre>
navbar-collapse-1">
               <nav>
                  class="nav navbar-nav">
                            <?php
                            $menus = executeQuery("SELECT * FROM menu WHERE level =
1 AND id menu < 20");
                            foreach($menus as $menu): ?>
                            <a href="<?= $menu->href ?>"><?= $menu->name
?></a>
                            <?php endforeach; ?>
                            <?php if(isset($ SESSION['user']))</pre>
                                include "login-genres-nav.php";
                            if ($ SESSION['user']->role==="Administrator")
                                echo "<a href='index.php?page=admin-
panel'>Admin CP</a>";
                            ?>
                  </nav>
            </div>
         </nav>
      </div>
   </div>
<!-- //nav -->
```

- Ovaj kod generiše navigacioni meni dinamički iz baze podataka.

```
quiz.php

<?php
session_start();
include "../php/connection.php";
if(isset($_POST['submitButton']))
{
    $response = $_POST['response'];
    $userID = $_SESSION['user']->id_user;

    try
    {
        $id = "";
        $insertQuiz = "INSERT INTO quiz (id_quiz, response, id_user) VALUES (:id, :response, :user)";
        $stmtQuiz = $konekcija->prepare($insertQuiz);
```

```
$stmtQuiz->bindParam(":id", $id);
$stmtQuiz->bindParam(":response", $response);
$stmtQuiz->bindParam(":user", $userID);
$stmtQuiz->execute();

}
catch(PDOException $ex)
{
   echo $ex->getMessage();
}
}
```

 quizAjax.js gađa ovu stranicu koja upisuje u bazu podataka odgovor na anketu na osnovu prosleđenih podataka ajaxom.

## slider.php

```
<div id="slidey" style="display:none;">
     <u1>
           $slider = executeQuery("SELECT * FROM slider");
           foreach($slider as $slide): ?>
        <img src="<?= $slide->src ?>" alt=" <?= $slide->title ?> "><p</li>
class='title'><?= $slide->title ?> <?= $slide-</pre>
>description ?>
         <?php endforeach; ?>
       </div>
   <script src="js/jquery.slidey.js"></script>
   <script src="js/jquery.dotdotdot.min.js"></script>
     <script type="text/javascript">
        $("#slidey").slidey({
           interval: 8000,
           listCount: 5,
           autoplay: false,
           showList: true
        $(".slidey-list-description").dotdotdot();
     </script>
<div id="slidey" style="display:none;">
     <u1>
           $slider = executeQuery("SELECT * FROM slider");
           foreach($slider as $slide): ?>
        <img src="<?= $slide->src ?>" alt=" <?= $slide->title ?> "><p
class='title'><?= $slide->title ?> <?= $slide-</pre>
>description ?>
         <?php endforeach; ?>
       </div>
   <script src="js/jquery.slidey.js"></script>
   <script src="js/jquery.dotdotdot.min.js"></script>
     <script type="text/javascript">
        $("#slidey").slidey({
           interval: 8000,
           listCount: 5,
           autoplay: false,
           showList: true
        });
```

```
$(".slidey-list-description").dotdotdot();
     </script>
slider.php
<div id="slidey" style="display:none;">
      <ul>
           <?php
           $slider = executeQuery("SELECT * FROM slider");
           foreach($slider as $slide): ?>
        <imq src="<?= $slide->src ?>" alt=" <?= $slide->title ?> "><p
class='title'><?= $slide->title ?> <?= $slide-</pre>
>description ?>
         <?php endforeach; ?>
       </ul>
   </div>
    <script src="js/jquery.slidey.js"></script>
    <script src="js/jquery.dotdotdot.min.js"></script>
      <script type="text/javascript">
        $("#slidey").slidey({
           interval: 8000,
           listCount: 5,
           autoplay: false,
           showList: true
        });
        $(".slidey-list-description").dotdotdot();
     </script>
```

- Ovaj kod generiše sadržaj slajdera na početnoj stranici. Apsolutno je dinamičan i moguće je dodavati nove slajdere putem Admin panela.

```
slider-bottom.php
<div class="banner-bottom">
      <div class="container">
        <div class="w3 agile banner bottom grid">
           <div id="owl-demo" class="owl-carousel owl-theme">
                   <?php
                   $movies = executeQuery("SELECT * FROM movies");
                   foreach($movies as $movie): ?>
                   <div class="item">
                 <div class="w31-movie-gride-agile w31-movie-gride-agile1">
                    <a href="index.php?page=watch-movie&movie-id=<?= $movie-
>id movie ?>" class="hvr-shutter-out-horizontal"><img src="<?=$movie->image ?>"
title="album-name" class="img-responsive" alt="<?=$movie->name ?> " />
                       <div class="w31-action-icon"><i class="fa fa-play-circle"</pre>
aria-hidden="true"></i></div>
                    <div class="mid-1 agileits w3layouts mid 1 home">
                       <div class="w31-movie-text">
                          <h6><a href="#"><?=$movie->name ?></a></h6>
                       </div>
                       <div class="mid-2 agile mid 2 home">
                          <?= $movie->year ?>
                          <div class="block-stars">
                             <?php
                                          if ($movie->rating == 1)
                                              echo "<i class='fa fa-star'
aria-hidden='true'></i>
                                                      <i class='fa fa-star-o'
aria-hidden='true'></i>
                                                      <i class='fa fa-star-o'
aria-hidden='true'></i>
                                                      <i class='fa fa-star-o'
```

```
aria-hidden='true'></i>
                                                  <i class='fa fa-star-o'
aria-hidden='true'></i>";
                                       if ($movie->rating == 2)
                                           echo "i class='fa fa-star'
aria-hidden='true'></i>
                                                  <i class='fa fa-star'
aria-hidden='true'></i>
                                                  <i class='fa fa-star-o'
aria-hidden='true'></i>
                                                  <i class='fa fa-star-o'
aria-hidden='true'></i>
                                                  <i class='fa fa-star-o'
aria-hidden='true'></i>";
                                       if ($movie->rating == 3)
                                           echo "i class='fa fa-star'
aria-hidden='true'></i>
                                                  <i class='fa fa-star'
aria-hidden='true'></i>
                                                  <i class='fa fa-star'</li>
aria-hidden='true'></i>
                                                  <i class='fa fa-star-o'
aria-hidden='true'></i>
                                                  <i class='fa fa-star-o'
aria-hidden='true'></i>";
                                       if ($movie->rating == 4)
                                           echo "<i class='fa fa-star'
aria-hidden='true'></i>
                                                  <i class='fa fa-star'
aria-hidden='true'></i>
                                                  <i class='fa fa-star'
aria-hidden='true'></i>
                                                  <i class='fa fa-star'
aria-hidden='true'></i>
                                                  <i class='fa fa-star-o'
aria-hidden='true'></i>";
                                       if ($movie->rating == 5)
                                           echo "<i class='fa fa-star'
aria-hidden='true'></i>
                                                  <i class='fa fa-star'
aria-hidden='true'></i>
                                                  <i class='fa fa-star'
aria-hidden='true'></i>
                                                  <i class='fa fa-star'
aria-hidden='true'></i>
                                                  <i class='fa fa-star'</li>
aria-hidden='true'></i>";
                           </ul>
                        </div>
                        <div class="clearfix"></div>
                     </div>
                   </div>
                   <div class="ribben">
                     <p>NEW</p>
                   </div>
                </div>
             </div>
                  <?php endforeach; ?>
```

```
</div>
</div>
</div>
</div>
</div>
```

 Ovaj deo koda je interaktivni prikaz svih filmova koji se dinamički povlače iz baze. Moguće je mišem (ili touch screenom) skrolovati kroz filmove. Neregistrovan korisnik može da vidi ove filmove, ali ne može da im pristupi dok se ne registruje ili uloguje.

```
social.php
```

- Društvene mreže.

```
watch-movie.php
```

```
<?php if(isset($ GET['movie-id'])) : ?>
<script src="js/simplePlayer.js"></script>
<script>
    $("document").ready(function() {
        $("#video").simplePlayer();
    });
</script>
    $watchMovies = executeQuery("SELECT * FROM movies m INNER JOIN categories c ON
m.id_category = c.id category");
<div class="single-page-agile-main">
    <div class="container">
        <div class="agileits-single-top">

    class="breadcrumb">

                <a href="index.php?page=home">Home</a>
                <a href="index.php?page=<?php foreach($watchMovies as $watch)</pre>
                        if ($ GET['movie-id'] == $watch->id movie)
                            echo "genres&genre=".$watch->category;
                    ?>"><?php foreach($watchMovies as $watch)</pre>
                            if ($ GET['movie-id'] == $watch->id movie)
                                echo $watch->category." Movies";
                            }
                        ?></a>
                <?php foreach($watchMovies as $watch)</pre>
                        if($_GET['movie-id'] == $watch->id movie)
                            echo $watch->name;
```

```
?>
            </div>
        <div class="single-page-agile-info">
            <div class="show-top-grids-w3lagile">
                 <div class="col-sm-8 single-left">
                     <div class="song">
                         <div class="song-info">
                             <h3><?php foreach($watchMovies as $watch)
                                     if ($ GET['movie-id'] == $watch->id movie)
                                          echo $watch->name;
                         </div>
                         <div class="video-grid-single-page-agileits">
                             <div data-video="<?php foreach($watchMovies as $watch)</pre>
                                 if($ GET['movie-id'] == $watch->id movie)
                                     echo $watch->link;
                             ?>" id="video"> <img src="<?php foreach($watchMovies as</pre>
$watch)
                                     if($_GET['movie-id'] == $watch->id_movie)
                                          echo $watch->image;
                                 ?>" alt="<?php foreach($watchMovies as $watch)</pre>
                                     if($ GET['movie-id'] == $watch->id movie)
                                          echo $watch->name;
                                 ?>" class="img-responsive" /> </div>
                                 <?php foreach($watchMovies as $watch)</pre>
                                     if($ GET['movie-id'] == $watch->id movie)
                                         echo $watch->year;
                                 }?>
                         </div>
                     </div>
                 </div>
            </div>
        </div>
    </div>
</div>
<?php endif; ?>
```

Ova stranica služi za generisanje prikaza izabranog filma. Ako iz, recimo, "Crime" kategorije izaberete film "The Godfather", stranica će generisati film koji ste odabrali kao i "breadcrumbs" koji vodi nazad do kategorije u kojoj se film nalazi tako da ako slučajno pristupite filmu koji ne želite da gledate, lako možete da se vratite na kategoriju.

## index.php

```
<?php
session start();
ob start();
    include "php/connection.php";
   include "views/head.php";
   include "views/login-popup.php";
    include "views/header.php";
   include "views/nav.php";
   unset($ SESSION['regGreske']);
   unset($ SESSION['greske']);
   if(isset($ GET['page'])) {
        switch ($ GET['page']) {
            case "home" :
                include "views/slider.php";
                include "views/slider-bottom.php";
                include "views/home-content.php";
                break;
            case "contact" :
                include "views/contact.php";
                break;
            case "all-movies" :
                if(isset($_SESSION['user']))
                    include "views/movies.php";
                else
                    include "views/error.php";
                break;
            case "watch-movie" :
                if(isset($ SESSION['user']))
                    include "views/watch-movie.php";
                }
                else
                    include "views/error.php";
                    break;
                break;
            case "genres" :
                if(isset($_SESSION['user']))
                    include "views/genres.php";
                else
                    include "views/error.php";
                    break;
                break;
            case "admin-panel" :
                    if($ SESSION['user']->role=="Administrator")
                        include "views/admin-panel.php";
                        break;
                    else
                        include "views/error.php";
                        break;
```

- Stranica koja upravlja celokupnim sadržajem i svim stranama koje postoje.