Projekat 2

Pavle Živanović 61/18

index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title>Projekat 2</title>
   <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.4</pre>
.1/css/bootstrap.min.css" integrity="sha384-
Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh" crossorigin="an
onymous">
</head>
<body>
<div class="container">
   <div class="row">
      <div class="col-lg-12">
          <h1 class="text-center">Projekat 2</h1>
      </div>
   </div>
</div>
<div class="container">
   <div class="row">
      <thead>
    Artikli
      Kolicina
      Cena
      Obrisi
    </thead>
   <form action="" id="forma" >
      <button type="submit"href="#" class="btn btn-</pre>
primary" id="dodaj">Ubacis</button>
    </form>
   <tfoot>
```

```
</tfoot>
   </div>
</div>
<div class="container">
   <div class="row">
       <div class="col-lg-12">
           <a href="#" class="btn btn-primary" id="posalji">Posalji</a>
       </div>
   </div>
</div>
<div class="container">
   <div class="row">
       <div class="col-lg-12 text-center">
               <a href="dokumentacija.pdf">Dokumentacija</a>
       </div>
   </div>
   <div class="row">
       <div class="col-lg-12">
           Napomena: Profesore, nisam uspeo da ispravim bag da kad se klikne
na taster ubaci a prethodno vec postoji red u tabeli sadrzaj svih polja se izbris
e, ali sve ostalo radi.
       </div>
   </div>
</div>
   <script src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.4.1/jquery.min.j</pre>
s"></script>
   <script src="main.js"></script>
</body>
</html>
```

main.js

```
window.onload=function(){
   $.ajax({
       url:"artikli.json",
       method:"get",
        dataType:"json",
        success:function(data){
           console.log(data);
           localStorage.setItem("svi", JSON.stringify(data));
       },
        error:function(xhr, status, err){
           console.log(err);
    })
    localStorage.removeItem("artikli")
    localStorage.removeItem("izabrani")
    document.getElementById("dodaj").addEventListener("click",dodajUkorpu)
    izracunajUkupnuCenu();
    document.getElementById("posalji").addEventListener("click",posaljiBeku);
let brojac=0;
function dodajUkorpu(){
   $(".kolicina,#artikli").stop(true,true);
   let divIspis=document.getElementById("itemi");
   let html="";
   html+=`
       <div class="form-group"><select form="forma"class="form-
control artikli" >
       ${popuniDDL()}</select></div>
       <div class="form-group"><input form="forma" class="form-
control kolicina"type="text"id="kol" placeholder="Unesite kolicinu"/></div>
        <label form="forma" class="cena"></label>
        <a href="#" class="btn btn-primary izbaci">Izbaci</a>
    `;
   divIspis.innerHTML+=html;
   $(`.artikli`).change(dohvatiArtikl)
   $(`.kolicina`).blur(dajKolicinu)
    $(".izbaci").click(obrisi)
```

```
function dohvatiArtikl(){
    let id=$(this).val()
    ubaciIzabrane(id);
    //upisati u kolicinu id elementa koji je izabran kao data
    $(this).parents("td").next("td").find(".kolicina").attr("data-aid",id);
   $(this).parents("td").next("td").next("td").find(".izbaci").attr("d
ata-aid",id);
function dajKolicinu(){
    console.log($(this).parents("td").next("td").find(".cena")[0])
   let kolicina=$(this).val();
   let idArtikla=this.dataset.aid;
   if(kolicina<=0)</pre>
   alert("Kolicina ne moze biti manja ili jednaka nuli");
   else{
   (kolicina<=10)?izracunajCenu(kolicina,dajCenu(idArtikla,1),$(this).parents("td
 ).next("td").find(".cena")[0]):izracunajCenu(kolicina,dajCenu(idArtikla,2),$(thi
s).parents("td").next("td").find(".cena")[0])
   }
//ubacivanje izabranog artikla u LS
   let cena=$(this).parents("td").next("td").find(".cena")[0].innerHTML;
   let tmp={id:Number(idArtikla),kolicina:Number(kolicina),cena:Number(cena)}
       console.log(tmp);
   if(!localStorage.getItem("artikli")){
    let tmpA=[];
    tmpA.push(tmp);
       localStorage.setItem("artikli", JSON.stringify(tmpA));
   }
   else{
        let itemi=JSON.parse(localStorage.getItem("artikli"))
        itemi.push(tmp);
       localStorage.setItem("artikli", JSON.stringify(itemi));
   izracunajUkupnuCenu();
```

```
function ubaciIzabrane(id){
    let artikli=[];
    if(!localStorage.getItem("izabrani")){
        artikli.push(Number(id));
    }else{
       artikli= JSON.parse(localStorage.getItem("izabrani"));
       console.log(artikli);
       artikli.push(Number(id))
    localStorage.setItem("izabrani", JSON.stringify(artikli))
function popuniDDL(){
    let svi=JSON.parse(localStorage.getItem("svi"));
    let izabrani=JSON.parse(localStorage.getItem("izabrani"))
    console.log(izabrani)
    let html=`<option value="0">Izaberite artikl</option>`;
    if(!JSON.parse(localStorage.getItem("izabrani"))){
        svi.forEach(e=>{
            html+=`<option value="${e.id}">${e.ime}</option>`;
        })
    else{
        svi.forEach(e=>{
            if(!izabrani.includes(e.id))
            html+=`<option value="${e.id}">${e.ime}</option>`;
        })
    }
    return html;
function dajCenu(id,tip){
   let svi=JSON.parse(localStorage.getItem("svi"));
   let cena;
    if(tip==1){
        let obj=svi.filter(e=>e.id==id)
        console.log(obj[0].cena1);
        cena=obj[0].cena1;
```

```
else{
        let obj=svi.filter(e=>e.id==id)
        console.log(obj[0].cena2);
        cena=obj[0].cena2;
    return cena;
function izracunajCenu(kolicina,cena,ispis){
    ispis.innerHTML=kolicina*cena;
function obrisi(){
    obrisiIzLS(this.dataset.aid)
    $(this).parents("tr").remove();
function obrisiIzLS(id){
    let itemi=JSON.parse(localStorage.getItem("artikli"));
    console.log(itemi);
    let novi=itemi.filter(i=>i.id !=id);
  localStorage.setItem("artikli", JSON.stringify(novi))
  izracunajUkupnuCenu()
function izracunajUkupnuCenu(){
    let divIspis=document.getElementById("UkupnaCena");
    let itemi=JSON.parse(localStorage.getItem("artikli"));
    if(!localStorage.getItem("artikli") || itemi.length==0){
        divIspis.innerHTML=`<h3 >Korpa je prazna</h3>`;
    else{
        let price=0;
        itemi.forEach(el=>{
            price+=el.cena;
        })
        divIspis.innerHTML="Ukupna cena iznosi: "+price;
function posaljiBeku(){
    let itemi=JSON.parse(localStorage.getItem("artikli"));
    if(!localStorage.getItem("artikli") || itemi.length==0){
```

```
alert("Morate da ubacite neke artikle u korpu da biste ih poslali!");
else{
  $.ajax({
      url: "obrada.php",
      method:"post",
      dataType:"json",
      data:{
          artikli:itemi
      },
      success:function(poruka){
          alert(poruka);
      },
      error:function(err){
          console.log(err)
  })
  console.log(itemi);
```

obrada.php

```
<?php
$artikli=$_POST["artikli"];
$poruka="Uspesno stiglo na bek!";
$json=json_encode($poruka);
echo $json;</pre>
```

artikli.json

```
[
         "id":1,
         "ime":"Artikal 1",
         "cena1":11,
         "cena2":12
     },
     {
         "id":2,
```

```
"ime": "Artikal 2",
    "cena1":21,
    "cena2":22
    "id":3,
    "ime": "Artikal 3",
    "cena1":31,
    "cena2":32
},{
    "id":4,
    "ime":"Artikal 4",
    "cena1":41,
    "cena2":42
},
    "id":5,
    "ime": "Artikal 5",
    "cena1":51,
    "cena2":52
},
    "id":6,
    "ime": "Artikal 6",
    "cena1":61,
    "cena2":62
    "id":7,
    "ime":"Artikal 7",
    "cena1":71,
    "cena2":72
    "id":8,
    "ime":"Artikal 8",
    "cena1":81,
    "cena2":82
},{
    "id":9,
    "ime": "Artikal 9",
    "cena1":91,
    "cena2":92
```