Visoka škola strukovnih stdija za informacine i komunikacione tehnologije

Travel

https://pavlez.github.io/travel/

Smer: Internet tehnologije

Predmet: Web programiranje 1

Student: Pavle Živanović, 61/18

Beograd, 2019.

SADRŽAJ

1.1. Korišćene tehnologije	2
1.2. Opis funkcionalnosti sajta	
1.3. Template	
2.1. Organizaciona šema	
2.2. Mapa sajta	
2.3. Opis stranica sajta	6
3.2. CSS	18
3.3 JavaScript	25

1. UVOD

1.1. Korišćene tehnologije

- HTML 5
- CSS 3
- JavaScript
- jQuery


kod pisan u VS code-u


1.2. Opis funkcionalnosti sajta


- Nakon vertikalnog skrolovanja celo zaglavlje(logo + meni) se spušta menja pozadinsku boju i fiksira se uz gornju ivicu.
- Omogućen hamburger meni koji se pojavljuje nakon samanjena širine browser-a, klikom na tu ikonicu ostvareno je naizmenično prikazivanjesakrivanje menija.
- Dinamički kreirana forma za izračunavanje cene putovanja na osnovu odredjenih parametara, forma koristi regularne izraze za proveru.
- Dinamički kreirane destinacija, klikom na taster "book" direktno se "skače" na formu koja služi za bukiranje putovanja pritom za destinaciju se automatski podešava destinacija na koju ste kliknuli book.
- Dinamički kreirana forma za bukiranje putovanja, koja koristi regularne izraze ze proveru ispravnosti podataka i uvedena je funkcija koja
 - dinamički, slučajnim izborom kreira string koji služi kako dodatna provera
- Dinamička kreirana kontakt forma koja za proveru ispravnosti podataka koristi regularne izraze.
- Dinamički kreirana strelica koja se pojavljuje pri skrolovanju I omogućava vraćanje na vrh.


1.3. Template


Template preuzet sa free-css.com, izvršene su određene modifikacije.











2. Organizacija

2.1. Organizaciona šema


Single page sajt.


2.2. Mapa sajta


```
<url>
```


2.3. Opis stranica sajta


Skrolovanjem celo zaglavlje se fiksira I poprima pozadinsku boju. Smanjenjm širine browsera Pojavljue se hamburger ikonica, klikom na nju prikazuje se odnosno sakriva navigacija. Forma za proračun cene putovanja je generisana iz JavaScript-a, klikom na dugme Calculate proveravaju se podaci koji su uneseni , provera se vrši regularnim izrazima., ako su podaci u dobrom formatu prikazaće se cena u dolarima.












Destinacije se automatski generišu iz javascript-a, klikom na link book automatski se slajduje do forme preko koje se bukira putovanje i u dropdown listu se upisuje odnoso automatski selektuje vrednost ne destinacije na koju ste kliknuli book.



Most Popular Destination




Forma bukiraj putovanje proverava unos podataka koristeći regularne izraze, takođe za dodatnu provera koristi se captcha koja se automatski generiše na svaki refresh u browser. Ako su uneti podaci u ispravnom format preikazuje se poruka o uspešnosti bukiranja

Book your Trip



You have successfully booked your trip!

Kontakt forma proverava podatke o imenu I email adresi koristeći regularne izraze.



3. Kodovi

3.1. HTML index.html

k href="https://fonts.googleapis.com/css?family=Lato:300,400,700" rel=

```
'stylesheet">
  <!-- Themify Icons-->
  <!-- Bootstrap --> link rel="stylesheet"
href="css/bootstrap.css">
  <!-- Theme style -->
  <link rel="stylesheet" href="css/style.min.css">
  <link rel="stylesheet" href="css/moj.min.css">
  <!-- fafa icons-->
  k rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/fontawesome/5.11.2/css/all.css" integrity="sha256-
46qynGAkLSFpVbEBog43gvNhfrOj+BmwXdxFgVK/Kvc=" crossorigin="anonymous" />
  <body>
  <div id="page">
  <!-- <div class="page-inner"> -->
  <nav class="gtco-nav" role="navigation" id="zaglavlje">
    <div class="gtco-container">
       <div class="row" >
         <div class="col-sm-4 col-xs-4">
           <div id="gtco-logo"><a href="index.html">Travel </a></div>
         <div class="col-xs-8 text-right menu-1" id="navigacija">
           <a href="#" class="hamb"><i class="fas fabars hamburger"></i></a>
```

```
<header id="gtco-header" class="gtco-cover gtco-cover-md " role="banner" >
     <div class="overlay pozadina"></div>
    <div class="gtco-container">
       <div class="row">
         <div class="col-md-12 col-md-offset-0 text-left">
            <a name="home"></a>
            <div class="row row-mt-15em marginaG">
              <div class="col-md-7 mt-text animate-box" dataanimate-effect="fadeInUp">
                <h1 class="marginT">Planing Trip To Anywhere in Th e World?</h1>
              </div>
                       class="col-md-4
                                           col-md-push-1
                                                              animate-box"
                                                                                dataanimate-
effect="fadeInRight">
                <div class="form-wrap">
                   <div class="tab">
                     <div class="tab-content">
class="tab-contentinner active" id="formaP">
                          <h3>Calculate Your Trip</h3>
                          <!--FORMA IZ JS-a-->
                </div>
            </div>
       </div>
  </header>
```

```
</div>
</div>
</div>
</div>
</div>
</div>
</div id="gtco-features">
</div class="gtco-container">
</div class="row">
</div class="col-md-8 col-md-offset-2 text-center gtcoheading animate-box">
</h2>How It Works</h2>

</div>
</div class="gtco-cover gtco-cover-sm gtco-section bukPozadina">
</div class="gtco-container relativan">
</div class="gtco-container relat
```

```
</div>
  </div>
  <div id="gtco-features">
    <div class="gtco-container">
      <div class="row">
         <div class="col-md-8 col-md-offset-2 text-center gtcoheading animate-box</pre>
manjadm">
           <h2>Author</h2>
      <div class="row">
           <div class="col-md-12 text-center">
               <img src="images/autor.jpg" alt="Autor" class="aut orSlika"/>
               <h2 class="vecagm">Pavle Zivanovic</h2>
class="crniTekst">Hopefully backend developer
           </div>
       </div>
    </div>
  </div>
  <footer id="gtco-footer" role="contentinfo">
       <div class="row">
         <div class="col-md-12 col-sm-12 text-center">
                <a href="sitemap.xml" target="_blank">Sit emap</a>
                  <a href="#">Documentation</a>
```

```
</div>
</footer>
</div id="idiGore">
<a href="#"><i class="fas fa-arrow-up strelica"></i>></div>
</div>
</div>
</div>
</div>
</circle>
<script src="js/jquery.min.js"></script>
<script src="js/main.min.js" type="text/javascript"></script>
</body>
</html>
```

3.2. CSS

moj.css

```
box-sizing: border-box !important;
.destinacija figure{ position:
relative
             background-image: url('../images/proba2.jpg') !important;
.pozadina{
background-repeat: no-repeat !important; background-size: cover
             background-position: center center !important;
!important;
#gtco-features, #gtco-features-2, #gtco-products, #gtco-services, #gtcosubscribe, #gtco-
footer, .gtco-section{     padding:4em 0em !important;
.beliTekst{ color:#fff !important;
#bukirajPutovanje{ height:
100%;
.bytMargina{
  margin-bottom: 3em;
} .krem{ background:
#09C6AB;
.relativan{
  position:relative;
.autorSlika{ width:30%;
border-radius:50%; text-
align: center;
             margin-bottom:0px;
.manjadm{
```

```
}.vecagm{ margin-
top:1em;
```

```
.centrirajPoHorizontali{
margin:0px auto; }
.bukForma,.kontF{
```

```
color:#000;
                border:2px solid
#000;
.bukFormaLabela{ color:#000;
} .mt{ margin-top:0.3em;
.marginT{
  margin-top:3em;
.bukPozadina{
                 background:#fff
!important;
#meni ul{display: block;}
.kontF:focus{
                 background:
#fff!important;
color:#0098EF!important;
#btnKontakt,.labK{
  color:#fff !important;
#btnKontakt:focus{
  color:#0098EF !important;
.crniTekst{
             color:#000;
} textarea { resize:
none;
 #kInformacije ul{
                     list-style: none;
 #kInformacije li{
    padding:0.6em;
  text-align: center;
#kInformacije li a{ color:#fff;
```

```
#kInformacije li a .falkonica{ font-size:
1.6em; margin-right:1.1em;
#gtco-footer{
              padding:0
!important;
            margin: 0
!important;
.spustanjeMenija{ position:fixed;
top:0; left:0; background-
color:#09C6AB; width:'100%';
border-bottom:1px solid #777;
transition:1s;
} .mp{ padding:0.3em 0em
!important;
}.marginaG{
  margin-top:5em;
.strelica{ position:
fixed; bottom:5%;
right: 2%; z-index: 999;
font-size:3em;
  border-radius:50%;
                            color:
#777;
} .vidiSe{
           display:block!important;
.neVidiSe{
display:none!important;
.hamburger{ color:#fff;
font-size:1.8em;
  display:none !important;
} .hamb{ padding: 0px !important;
```

```
} .bmg{ margin-top:0;
```

```
#captcha{
           position:
relative;
#captcha::after{ content:
'dsffsdf'; position: absolute;
display: block; top: 0;
left: 0;
     width:20%; height: inherit; border-
left:20px solid #0098EF;
@media screen and (min-width: 800px){ .gtco-nav
.menu-1, .gtco-nav .menu-2 { display: inline;
@media screen and (max-width: 768px){
.gtco-cover.gtco-cover-sm { height:
auto;
@media screen and (max-width: 991px){
.gtco-cover.gtco-cover-sm {
                               height: auto;
@media screen and (max-width: 768px){ .gtco-nav
.menu-1, .gtco-nav .menu-2 { display: block;
 .marginaG{
                margin-top:8em!important;
```

.autorSlika{ width:50%; }

```
@media screen and (min-width: 551px){
#meni ul{
display:block!important;
@media screen and (max-width: 550px){
 #meni ul li{
                display:
          margin-top: 5px;
block;
 #meni ul{
    display:none;
  .hamburger{
                   display:inline!important;
```

3.3. JavaScript



```
$(".strelica").addClass("neVidiSe");
  });
  $(".hamb").on('click',function(e){
     e.preventDefault();
     e.stopPropagation();
                                $('#meni
ul').slideToggle();
  $(document).on("click","#home",function(e) {
     e.preventDefault();
                              $('html,body').animate({
scrollTop: $("#page").offset().top
     }, 2000);
  });
  $(document).on("click","#destination",function(e) {
     e.preventDefault();
                              $('html,body').animate({
                                                              scrollTop:
$("#destinacije").offset().top-250
     }, 2000);
  });
  $(document).on("click","#book",function(e) {
     e.preventDefault();
                              $('html,body').animate({
                                                              scrollTop:
$("#bukirajPutovanje").offset().top-200
    }, 2000);
  });
  $(document).on("click","#contact",function(e) {
     e.preventDefault();
                             $('html,body').animate({
                                                              scrollTop:
$("#kontaktForma").offset().top-200
     }, 2000);
  });
  $(document).on("click","#idiGore",function(e) {
     e.preventDefault();
                             $('html,body').animate({
       scrollTop: $("#page").offset().top
     }, 2000);
  });
  $(document).on("click",".bukItem",function(e) {
     e.preventDefault();
```

```
}, 2000);
                                                                    podesiDestinaciju();
        });
        $(document).on("scroll",".bukItem",function(e) {
                  e.preventDefault();
                  $('html,body').animate({
                                                                                                                                    scrollTop:
$("#bukirajPutovanje").offset().top-200
                  }, 2000);
        });
najDestinacije();
napraviFormuProracunPutovanja();
napraviKakoFunkcionise();
napraviFormuBukirajPutovanje();
napraviKontaktFormu();
napraviPZaKontaktInformacije();
      document.getElementById("calcucalteBtn").addEventListener("click",proveraPr oracunForme);
      document.get Element By Id ("bookBtn"). add Event Listener ("click", prover a BukForme to be a support of the provent and th
      document.getElementById("btnKontakt").addEventListener("click",proveraKonta
                                                                                                                                                                                                                                                                                                                              ktForme)
generisiCaptachu();
        function napraviMeni(){    var
```

```
nizStavkiMenija=['Home','Destination','Book','Contact'];
```

```
document.querySelector("#navigacija").appendChild(nav); var
ispis=""; for(let i=0;i<nizStavkiMenija.length;i++){
     ispis+=`<a href="#" id="${nizStavkiMenija[i].toLowerCase()}">${niz
StavkiMenija[i]}</a>`
  } ispis+='';
nav.innerHTML=ispis;
} function najDestinacije(){ var mpd=document.querySelector("#destinacije"); var
nizSlika=['hawaii','london','tokyo','paris','maldives','sydney']; var nizTekstalspodSlike=["Hawaii's
warm tropical climate.","London the wo rld most important city.","Tokyo, one of the world's
largest cities.", "One of the most beautiful cities in the world.", "Maldives, where sands are white
as the smiles.", "Sydney is the most populous city in Australia."] var ispis="";
                                                                                  for(let
i=0;i<nizSlika.length;i++){
                                ispis+=`
       <div class="col-lg-4 col-md-4 col-sm-6 destinacija">
              <figure class="rel">
                 <div class="">
                   <img src="images/${nizSlika[i]}.jpg" alt="Dest ination ${i}" class="img-
responsive overlej">
                 </div>
                 </figure>
              <div class="fh5co-text">
                 <h2>${nizSlika[i].charAt(0).toUpperCase()}${nizSli ka[i].substr(1)}</h2>
                 ${nizTekstaIspodSlike[i]}
                                                                   <a
href="#" class="btn btnprimary bukltem" name="${niz$lika[i]}">Book</a>
              </div>
         </div>`:
     mpd.innerHTML=ispis;
} var destinations=['Choose destination','Hawaii','London','Tokyo','Paris','Mald
```

ives','Sydney'];

```
function napraviFormuProracunPutovanja(){
   var forma=document.createElement("form");
```

```
forma.setAttribute("method","GET"); forma.setAttribute("id","formaRacunaj");
   var parent=document.querySelector("#formaP");
parent.appendChild(forma);
   var inputi=['text','dest','textA','textC','date','date','button']; var textZaLabelu=['Your
name', 'Destination', 'Adults', 'Children', 'Arrival d ate', 'Departure date', "];
id=['fullnameTB','destinationDDI','numbAdults','numbChidlren','dateA',
'dateD','calcucalteBtn'];
                         var ispis="";
for(var i=0;i<inputi.length;i++)</pre>
             if(inputi[i]=="button"){
ispis+=napraviDugmeZaRacunanje();
            else if(inputi[i]=="dest"){
ispis+=`
     <div class="row form-group">
     <div class="col-md-12">
        <label for="${id[i]}">${textZaLabelu[i]}</label>
       <select id="${id[i]}" class="form-control">
       ${napraviOpcijeZaDDL()}
       </select>
        <span id="${id[i]}Greske"></span>
     </div>
  </div>`;
     else if(inputi[i]=="textA" || inputi[i]=="textC"){
                                                           ispis+=
        <div class="form-group">
          <div class="col-md-6 col-sm-12">
             <label for="${id[i]}">${textZaLabelu[i]}</label>
                                                                                        <input
type="${inputi[i]}" id="${id[i]}" class="formcontrol"/>
             <span id="${id[i]}Greske"></span>
          </div>
        </div>`;
             else{
ispis+=`
        <div class="row form-group">
          <div class="col-md-12">
             <label for="${id[i]}">${textZaLabelu[i]}</label>
             <input type="${inputi[i]}" id="${id[i]}" class="formcontrol"/>
             <span id="${id[i]}Greske"></span>
          </div>
```

```
</div>`:
ispis+=`
       <div class="form-group">
         <div class="col-md-12">
            <span id="cenaPutovanja"></span>
         </div>
       </div>`:
     forma.innerHTML=ispis; function napraviOpcijeZaDDL(){
                                                                     var rez="";
i=0;i<destinations.length;i++){
                                     rez+=`<option value="${destinations[i]}">${destinations[i]}<
/optio n>`
                       return rez;
        function napraviDugmeZaRacunanje(){
var rez=`
    <div class="row form-group">
     <div class="col-md-12">
     <input type="$\inputi[i]\" id="$\id[i]\" class="btn btn-primary btnblock" value="Calculate">
              </div>
     </div>
    return rez;
} function napraviKakoFunkcionise(){ var fafalkonice=['fas fa-search','fas fa-
check', 'fas fa-book'];
  var veciTekst=['Explore','Choose','Book'];
  var pasusi=['Explore our offer of destinations.','Choose destination that
you like the most.','Book destination that you choosed.'] var
divUkomeCeSelspisati=document.querySelector("#kakoFunkcionise"); var ispis="";
for(let i=0;i<fafalkonice.length;i++){</pre>
                                        if(fafalkonice[i]=='fas fa-book'){
                                                                               ispis+=
       <div class="col-md-4 col-sm-12">
       <div class="feature-center animate-box" >
                                                            <span
class="icon">
            <i class="${fafalkonice[i]}"></i>
          </span>
          <h3>${veciTekst[i]}</h3>
          ${pasusi[i]}
       </div>
```

```
</div>`;
        else{
ispis+=
     <div class="col-md-4 col-sm-6">
     <div class="feature-center animate-box" >
                                                      <span
class="icon">
          <i class="${fafalkonice[i]}"></i>
       </span>
       <h3>${veciTekst[i]}</h3>
       ${pasusi[i]}
    </div>
    </div>`;
  divUkomeCeSelspisati.innerHTML=ispis;
} function napraviFormuBukirajPutovanje(){
parent=document.querySelector("#bukirajPutovanje");
forma=document.createElement("form");
forma.setAttribute("method","GET");
forma.setAttribute("id", "formaBukiraj"); parent.appendChild(forma);
   var nizInputaZaFormu=['text','text','text','ddl','date','date','captcha',
             var nizTekstaZaLabelu=['First name','Last name','Email','Destination','Arr ival
date','Departure date','Verification',"]; var
idElemenata=['fName','IName','emailAdd','destDDL','dateAB','dateDB','v erification','bookBtn'];
   var ispis=""; for(let
i=0;i<nizInputaZaFormu.length;i++){
    if(nizInputaZaFormu[i]=='captcha'){
                                               ispis+=
       <div class="form-group ">
       <div class="col-md-2 col-sm-5">
          <label for="generCaptcha" class="bukFormaLabela">Captcha</labe I>
          <input type="text" id="generisanaCaptcha" class="formcontrol bukForma unutar"
readonly/>
       </div>
     </div>
       <div class="form-group ">
```

```
<div class="col-md-3 col-sm-7">
         <label
                   for="${idElemenata[i]}" class="bukFormaLabela">${nizTek
staZaLabelu[i]}</label>
         <input type="text" id="${idElemenata[i]}" class="formcontrol bukForma unutar"/>
         <span id="${idElemenata[i]}Greska"></span>
      </div>
    </div>`:
    }else if(nizInputaZaFormu[i]=='button'){
                                                ispis+=`
       <div class="form-group">
    <div class="col-md-12 col-sm-12">
    <label for="${idElemenata[i]}" class="bukFormaLabela">${nizTekstaZaLab elu[i]}</label>
       <input type="${nizInputaZaFormu[i]}" id="${idElemenata[i]}" class=</pre>
'form-control bukForma" value="Book"/>
       <span id="${idElemenata[i]}Greska"></span>
    </div>
  </div>`:
    else if(nizInputaZaFormu[i]=='ddl'){
                                        ispis+=`<div
class="form-group "> <div class="col-md-4 col-sm-12"
                  for="${idElemenata[i]}"
         <label
                                                         class="bukFormaLabela">${nizTek
staZaLabelu[i]}</label>
         <select id="${idElemenata[i]}" class="form-control bukForma">
         ${napraviOpcijeZaDDL()}
         </select>
         <span id="${idElemenata[i]}Greska"></span>
      </div>
    </div>`; } else{
                                ispis+=`<div
class="form-group"> <div class="col-md-4"
col-sm-12">
      <label for="${idElemenata[i]}" class="bukFormaLabela">${nizTekstaZ aLabelu[i]}</label>
      <input type="${nizInputaZaFormu[i]}" id="${idElemenata[i]}" class=</pre>
'form-control bukForma"/>
      <span id="${idElemenata[i]}Greska"></span>
    </div>
  </div>`:
```

```
forma.innerHTML=ispis;
function napraviOpcijeZaDDL(){    var rez="";    for(let i=0;i<destinations.length;i++){</pre>
rez+=`<option value="${destinations[i]}">${destinations[i]}</optio n>`
                                                                                     return rez;
function napraviKontaktFormu(){
  var parent=document.querySelector("#kontaktForma"); var
forma=document.createElement("form");
forma.setAttribute("method","GET");
forma.setAttribute("id","kontaktForm"); parent.appendChild(forma);
var nizInputa=['text','text']; var labele=['Your name','Email'];
id=['nameContact','emailContact']; var ispis=""; for(let
i=0;i<nizInputa.length;i++){
                               ispis+=` <div class="row form-
group">
     <div class="col-md-12">
       \verb|\class="labK"> $\{ id[i] \} "class="labK" > $\{ labele[i] \} < / label> \\
```

```
<input type="${nizInputa[i]}" id="${id[i]}" class="form-
```

```
control kontF">
       <span id="${id[i]}Error"></span>
  </div>`; } ispis+=`<div class="row form-
group">
  <div class="col-md-12">
    <label for="taKontakt" class="labK">Message</label>
     <textarea id="taKontakt" class="formcontrol
kontF"cols="20" rows="10"></textarea>
  </div>
</div>
<div class="form-group">
    <div class="col-md-4 col-sm-12">
    <label for="btnKontakt"></label>
       <input type="button" id="btnKontakt" class="formcontrol kontF"
value="Send"/>
    </div>
  </div>
   forma.innerHTML=ispis;
} function napraviPZaKontaktInformacije(){ var
parent=document.guerySelector("#kInformacije"); var nizFafalkonica=['<i
class="fas fa-map-markeralt"></i>','<i class="fas fa-phone-alt"></i>','<i
class="fas faenvelope"></i>'];
  var nizTekstova=['California, USA','+2 392 3929210','info@travel.com']; var ispis="<ul
class='col-md-12'>"; for(let i=0;i<nizFafalkonica.length;i++){</pre>
                                                               ispis+=`<a
href="#"><span class="falkonica">${nizFafalkon
ica[i]}</span><span>${nizTekstova[i]}</span></a>`;
  ispis+=""
  parent.innerHTML+=ispis;
//Regularni Izrazi
function proveraProracunForme(){    var
ime,destinacija,brojOdraslih,brojDece,datumDolaska,datumOdlaska;
                                                                   var
imeG,brOdG,brDecG,destG,datumDolG,datumOdlG; imeG=
document.querySelector("#fullnameTBGreske");
       brOdG=document.guerySelector("#numbAdultsGreske")
  brDecG=document.querySelector("#numbChidlrenGreske");
destG=document.guerySelector("#destinationDDIGreske");
datumDolG=document.querySelector("#dateAGreske");
```

```
datumOdlG=document.querySelector("#dateDGreske"); var
dobro=true;
   ime=document.getElementByld("fullnameTB").value; var relme=/^[A-ZŠĐŽĆČ][a-
z]{2,20}(\s[A-Z][a-z]{2,20})*\s[A-ZŠĐŽĆČ][az]{2,30}(\s[A-ZŠĐŽĆČ][a-z]{2,30})*$/;
brojOdraslih=document.querySelector("#numbAdults").value;
brojDece=document.querySelector("#numbChidIren").value;
                                                           reBrojOdraslihiDece=/^[0-
9][\d]*$/;
      destinacija=document.querySelector("#destinationDDI").value;
      datumDolaska=document.querySelector("#dateA").value;
datumOdlaska=document.querySelector("#dateD").value;
      if(ime==""){
imeG.innerHTML="Required field!";
dobro=false;
      } else{
if(relme.test(ime)){
imeG.innerHTML=";
dobro=true:
else{
       imeG.innerHTML='Invaild format!';
                                              dobro=false;
             if(destinacija=='Choose destination'){
destG.innerHTML="You need to choose some destination!";
                                                             dobro=false;
        else{
destG.innerHTML="";
dobro=true;
       if(brojOdraslih ==""){
         brOdG.innerHTML="Required!"
                                            dobro=false;
              if(reBrojOdraslihiDece.test(brojOdraslih)){
    brOdG.innerHTML=";
                              dobro=true;
                else{
brOdG.innerHTML='Invalid format';
dobro=false:
```

```
if(brojDece ==""){
brDecG.innerHTML="Required!"
dobro=false;
               if(reBrojOdraslihiDece.test(brojDece))
  } else{
           brDecG.innerHTML=";
dobro=true;
         else{
    brDecG.innerHTML='Invalid format'; dobro=false;}
 } if(datumDolaska==""){
    datumDolG.innerHTML="Required field"; dobro=false;
              datumDolG.innerHTML="";
  } else{
if(datumDolaska>datumOdlaska){
      datumDolG.innerHTML="Date of arrival cant be greater than date of departure!";
datumOdlG.innerHTML="Date of departure cant be less than date of a rrival!";
dobro=false:
              else{
datumDolG.innerHTML="";
```

```
datumOdlG.innerHTML="";

dobro=true;
}
```

```
if(datumOdlaska==""){
datumOdlG.innerHTML="Required field";
dobro=false;
 } else{
               datumOdlG.innerHTML="";
                                             if(datumDolaska>datumOdlaska){
datumDolG.innerHTML="Date of arrival cant be greater than date of departure!";
datumOdlG.innerHTML="Date of departure cant be less than date of a rrival!";
dobro=false;
               else{
datumDolG.innerHTML="";
datumOdlG.innerHTML="";
dobro=true:
  if(dobro){
        document.querySelector("#cenaPutovanja").innerHTML="Total cost of the trip:"+
izracunaj()+"$";
  function izracunaj(){
destinacija=document.querySelector("#destinationDDI").value;
brOdr=brojOdraslih;
                      var brDece=brojDece;
    var datumd=new Date(datumDolaska);
                                            var datumo=new Date(datumOdlaska);
var brojDana=datumo.getDate()-datumd.getDate();
destinacije=['Hawaii','London','Tokyo','Paris','Maldives','Sydney'
      var cenePoNocenjuZaOdrasle=[400,220,120,180,250,280];
cenePoNocenjuZaDecu=[180,100,80,95,140,190];
```

```
oNocenjuZaDecu[i]))
return cena:
} function proveraBukForme(){
  var fname, Iname, email, destination, date A, date D, captcha;
fnameG,lnameG,emailG,destinationG,dateAG,dateDG,captchaG;
dobro=true;
  fname=document.querySelector("#fName").value;
Iname=document.querySelector("#IName").value;
email=document.querySelector("#emailAdd").value;
destination=document.querySelector("#destDDL").value;
dateA=document.guerySelector("#dateAB").value;
dateD=document.querySelector("#dateDB").value;
  captcha=document.querySelector("#verification").value;
  fnameG=document.querySelector("#fNameGreska");
InameG=document.querySelector("#INameGreska");
emailG=document.querySelector("#emailAddGreska");
destinationG=document.querySelector("#destDDLGreska");
dateAG=document.querySelector("#dateABGreska");
dateDG=document.querySelector("#dateDBGreska");
  captchaG=document.guerySelector("#verificationGreska");
  reFnameLname=/^[A-ZŠĐŽČĆ][a-zšđžćč]{2,20}(\s[A-
ZŠĐŽČĆ][azšđžćč]{2,20})*$/; if(fname=="")
    fnameG.innerHTML="Required field";
                                            dobro=false;
  } else{
if(reFnameLname.test(fname)){
fnameG.innerHTML="";
       dobro=true;
```

fnameG.innerHTML="Invalid

dobro=false;

format";

```
} if(Iname==""){
InameG.innerHTML="Required field";
dobro=false;
 } else{
if(reFnameLname.test(Iname)){
InameG.innerHTML="";
                         dobro=true;
               InameG.innerHTML="Invalid
 } else{
format"; dobro=false;
 reEmail=/^[\w\-\.]+\@[a-z]{3,7}\.[a-z]{2,4}$/; if(email=="")
 { emailG.innerHTML="Required field";
dobro=false;
 } else{
if(reEmail.test(email)){
emailG.innerHTML="";
dobro=true;
```

```
else{
           emailG.innerHTML="Invalid format";
dobro=false:
    } if(destination=="Choose destination"){
destinationG.innerHTML="Required field";
                                          dobro=false;
 } else{
destinationG.innerHTML="";
dobro=true;
     } if(dateA==""){
dateAG.innerHTML="Required field";
dobro=false;
 } else{
       if(dateA>dateD)
                    dateAG.innerHTML=" Arrival date cant be > than date of departure!";
dobro=false;
         else{
dateAG.innerHTML="";
dobro=true;
    } if(dateD==""){
dateDG.innerHTML="Required field";
dobro=false;
} else{
if(dateD<dateA)
    dateDG.innerHTML=" Departure date cant be < than date of arrival!"
    dobro=false;
  } else{
dateDG.innerHTML="";
dobro=true;
} if(captcha==""){ captchaG.innerHTML="Verification is
required";
           dobro=false;
} else{ if(captcha==kapca){
captchaG.innerHTML="";
dobro=true;
 } else{ captchaG.innerHTML="Type correct
```

```
captcha";
              dobro=false;
                   document.querySelector("#uspesno h3").textContent="You have
successfully b ooked your trip!"
  document.guerySelector("#uspesno h3").textContent="";
function podesiDestinaciju(){ var
opcije=document.getElementById("destDDL");
     for(let i=0;i<opcije.length;i++)</pre>
   if(opcije.options[i].value.toLowerCase()==selektovanaDest){
opcije.options[i].selected=true;
 } var kapca
function generisiCaptachu(){ var nizMalihSlova=['a','b','c','d','e','f','g','h','i','j','k','l','m','n',
for(let i=0;i<nizMalihSlova.length;i++){
nizVelikihSlova[i]=nizMalihSlova[i].toUpperCase();
 } var rez=""; for(let i=0;i<2;i++){</pre>
slucBrojMslova=Math.floor(Math.random()*26+1);
                                                 var
slucBrojVslova=Math.floor(Math.random()*26+1);
slucBroj=Math.ceil(Math.random()*10);
     rez+=nizVelikihSlova[slucBrojVslova-1]+nizMalihSlova[slucBrojMslova-
1]+slucBroj;
 } document.getElementById("generisanaCaptcha").value=rez;
kapca=rez;
} function proveraKontaktForme(){
imePrezime,email,poruka;
imePrezimeG,emailG,porukaG;
  imePrezime=document.querySelector("#nameContact").value;
email=document.guerySelector("#emailContact").value;
poruka=document.querySelector("#taKontakt").value;
  imePrezimeG=document.querySelector("#nameContactError");
emailG=document.querySelector("#emailContactError");
  var relmePrezime=/^[A-ZŠĐŽĆČ][a-zšđžčć]{2,20}(\s[A-ZŠĐŽĆČ][azšđžčć]{2,20})*\s[A-
ZŠĐŽĆČ][a-zšđžčć]{2,30}(\s[A-ZŠĐŽĆČ][a-zšđžčć]{2,30})*$/; var reEmail=/^[\w\-\.]+\@[a-
                     if(imePrezime==""){
z]{3,7}\.[a-z]{2,4}$/;
    imePrezimeG.innerHTML="Required field";
```

```
} else{ if(reImePrezime.test(imePrezime)){
imePrezimeG.innerHTML="";
} else{
   imePrezimeG.innerHTML="";
} if(email==""){
emailG.innerHTML="Required field";
} else{ if(reEmail.test(email)){
emailG.innerHTML="";
} else{ emailG.innerHTML="Invalid
format";
}
}
```