

RUGGED LOG-PERIODIC ANTENNA

SKU: RLP-F-33-A

High Power Wideband Log-Periodic Antenna

High Performance solution for:

- 4G / 5G / LTE signal booster antenna
- Long Range Drone Communication
- Long Range Wi-Fi
- ISM
- General RF, nLOS, RF detection



PERFORMANCE FEATURES

- Log-periodic Antenna designed for outdoor environments
- Stable radiation patterns and constant high gain throughout the very wide operational bandwidth
- Single Linear Polarization
- Low VSWR
- 50W Power loading

DESIGN

- Robust Log-periodic Antenna
- Integrated pole mount
- Stainless Steel Hardware for excellent longevity and environmental resistance
- Dual layer UV resistant antenna radome
- High quality Coaxial N interface


ELECTRICAL DATA

Antenna Type	Log-periodic Antenna
Frequency Range	300 – 3000 MHZ
Polarization	Single linear, Vertical
Gain	9.5 dBi
Beamwidth E plane.	55/75/95 deg (-3/-6/-10 dB)
Beamwidth H plane.	80/100/130 deg (-3/-6/-10 dB)
VSWR	≤ 1.5
Nominal Impedance	50 ohm
Max Input Power	150W

MECHANICAL DATA


Dimensions (LxWxD)	1142 x 200 x 618 mm
Weight	6.7 kg
RF Connection	N female
Pole Mounting Diameter	60 – 120 mm
Material	Aluminium, ABS, ABS+PMMA
Wind Survival	180 km/h

DIMMENSIONS




ANTENNA GAIN


VSWR



ANTENNA BEAMWIDTH



RADIATION PATTERNS



PACKAGING

Single unit in carton Box.	Recyclable
HS Code:	8517710000
Country of Origin:	Slovakia, EU
Box Dimensions:	1218 x 728 x 284 mm
Box Weight:	n/a kg
What is in the Box:	Antenna
	Pole Mount (depend on version)

MANUFACTURER INFORMATION

NETQUI j.s.a.
Jasenovska 2528
Humenne 06601
Slovakia, EU

www.netqui.com
E-mail: sales@netqui.com

