


# DISH REFLECTOR ANTENNA

SKU: TWB-DQ45-26

## Inseparable Twin C-band Reflector Dish Antenna with Integrated Radome

High Performance solution for:

- UAV tracking systems (specifically optimized for AT-2 trackers)
- Long Range Tactical Drone Communication
- High-mobility field operations requiring extreme portability



### PERFORMANCE FEATURES

- **Twin Architecture:** Inseparable antenna pair designed as a single balanced unit to drastically reduce rotator motor stress.
- **Integrated Radome:** Aerodynamic, impact-resistant front cover that protects the subreflector and minimizes wind load.
- **Extreme Weight Optimization:** Manufactured from specialized, ultra-lightweight plastic to meet strict payload limits.
- **Rapid Deployment:** Quick-release slide-on bracket cuts field installation time by 90%.

### DESIGN

- Reflector:** Dual-shell design (internal parabolic reflector and outer radome) securely joined by plastic rivets. The structure is reinforced by a rigid internal aluminum skeleton.
- Mounting:** Custom integrated quick-release slide mount (for 80x40 mm profiles).
- RF Interface:** High-quality N-type female connectors positioned at the rear for stress-free cable routing.
- Color & Finish:**
- Metal parts:** Powder coated in **RAL 6031-F9**
  - Plastic parts:** Color-matched to **RAL 6031-F9**


### ELECTRICAL DATA

|                    |                                         |
|--------------------|-----------------------------------------|
| Antenna Type       | Twin Dish Reflector Antenna with Radome |
| Frequency Range    | 4400 – 5000 MHZ (C-band)                |
| Polarization       | Single linear, Vertical                 |
| Gain               | 26 dBi                                  |
| Beamwidth E plane. | 8° / 11° (-3 dB / -6 dB)                |
| Beamwidth H plane. | 7° / 10° (-3 dB / -6 dB)                |
| VSWR               | below 2                                 |
| Nominal Impedance  | 50 ohm                                  |
| Max Input Power    | 50 W                                    |


### MECHANICAL DATA

|                        |                                                                        |
|------------------------|------------------------------------------------------------------------|
| Dimensions (H x W x D) | 1100 mm x 595 mm x 212 mm (Complete paired unit)                       |
| Weight                 | ~4,2 kg (Total for the inseparable pair, including bracket and radome) |
| RF Connection          | 2x N-type Female (RP-SMA for prototypes)                               |
| Pole Mounting Diameter | Custom Quick-Release Slide Mount (for 80x40 mm profiles)               |
| Material               | Aluminium, ABS                                                         |


DIMENSIONS




ANTENNA GAIN




ANTENNA BEAMWIDTH




VSWR



## Radiation Pattern - Azimuth



## Radiation Pattern - Elevation



## PACKAGING

|                        |                                                                                                                  |
|------------------------|------------------------------------------------------------------------------------------------------------------|
| Double unit carton Box | Recyclable                                                                                                       |
| HS Code:               | 8517710000                                                                                                       |
| Country of Origin:     | Slovakia, EU                                                                                                     |
| Box Dimensions:        | TBA                                                                                                              |
| Box Weight:            | TBA                                                                                                              |
| What is in the Box:    | 1x TWINBOLA unit<br>(Inseparable pair of 2<br>antennas with integrated<br>radomes and<br>pre-assembled bracket ) |

## MANUFACTURER INFORMATION

Netqui j.s.a.  
Jasenovska 2528  
Humenne 06601  
Slovakia, EU  
  
[www.netqui.com](http://www.netqui.com)  
E-mail: [sales@netqui.com](mailto:sales@netqui.com)

