
# customer\_marketing id INT64 \_fivetran\_deleted BOOL \_fivetran\_synced TIMESTAMP customer\_id INT64 dc\_created TIMESTAMP

type STRING



### customer

id INT64

\_fivetran\_deleted BOOL

\_fivetran\_synced TIMESTAMP

active INT64

additional\_comments STRING

alias STRING

approved for content BOOL

billing\_addr\_id INT64

checkout\_seq INT64

corr\_email STRING

created\_date DATE

crm\_pending\_res INT64

customer\_mood INT64

dc\_created TIMESTAMP

dc\_status STRING

dc\_updated TIMESTAMP

deactivation\_date DATE

def\_bill\_addr INT64

def\_deliv\_addr INT64

default\_payment\_method INT64

delivery\_addr\_id INT64

dm\_id INT64

dm\_mer\_id STRING

dm\_source INT64

dob DATE

email STRING

fav\_buying\_group INT64

first\_order\_date DATE

fraud INT64

fraud\_mode INT64

fraud\_score INT64

gender\_assign STRING

interest\_modal BOOL

kube\_user\_id INT64

last\_checkin TIMESTAMP

last\_login TIMESTAMP

location STRING

## cust\_address

id INT64

\_fivetran\_deleted BOOL

\_fivetran\_synced TIMESTAMP

building STRING

city STRING

contact\_number STRING

country STRING

county STRING

customer\_id INT64

dc\_created TIMESTAMP

dc\_deleted BOOL

dc\_updated TIMESTAMP

default\_billing BOOL

default\_delivery BOOL

delivery\_instructions STRING

display STRING

dm\_rec\_id INT64

forename STRING

locality STRING

organisation STRING

postcode STRING

street STRING

surname STRING

sync\_pvx TIMESTAMP

udprn INT64

\_fivetran\_synced TIMESTAMP agent\_id INT64 anon\_proxy INT64 auto\_refund BOOL bil\_addr\_id INT64 calc STRING channel STRING currency STRING customer\_id INT64 dc\_created TIMESTAMP dc\_updated TIMESTAMP dm\_id STRING order\_accepted TIMESTAMP order\_disp STRING order\_type STRING payment\_verified DATETIME refuse\_return\_level STRING refuse\_return\_note STRING sale\_date DATE sale\_id INT64 status STRING store\_id INT64 sub\_total INT64 tax\_amount INT64 till\_operator\_id INT64 total INT64 type STRING vat\_exempt BOOL vcm\_sent DATETIME

event\_timest event\_name event\_param event\_previo event\_value\_ event\_bundle event\_server user\_id STR user\_pseudc privacy\_info user\_propert user\_first\_to user\_ltv STR device STRL geo STRUC app\_info STI traffic\_source stream\_id S1 platform STF event\_dimen ecommerce :

items ARRA

event date [

# sftp\_attentive

\_file STRING

\_line INT64

\_fivetran\_synced TIMESTAMP

modified TIMESTAMP

amount FLOAT64

creative\_id INT64

creative name STRING

# `rstore-com.analytics\_352960151.GA4\_Events\_Partitioned`

DATE

tamp INT64

STRING

ns ARRAY<STRUCT<key STRING, value STRUCT<string\_value STRING, int\_value INT64, float\_value FLOAT64, double string\_value STRING, int\_value INT64

\_in\_usd FLOAT64

e\_sequence\_id INT64

r\_timestamp\_offset INT64

ING

o\_id STRING

STRUCT<analytics\_storage STRING, ads\_storage STRING, uses\_transient\_token STRING>

ties ARRAY<STRUCT<key STRING, value STRUCT<string\_value STRING, int\_value INT64, float\_value FLOAT64, do uch timestamp INT64

RUCT<revenue FLOAT64, currency STRING>

JCT<category STRING, mobile\_brand\_name STRING, mobile\_model\_name STRING, mobile\_marketing\_name STRING

T<city STRING, country STRING, continent STRING, region STRING, sub\_continent STRING, metro STRING>

RUCT<id STRING, version STRING, install\_store STRING, firebase\_app\_id STRING, install\_source STRING>

e STRUCT<name STRING, medium STRING, source STRING>

TRING

RING

nsions STRUCT<hostname STRING>

STRUCT<total\_item\_quantity INT64, purchase\_revenue\_in\_usd FLOAT64, purchase\_revenue FLOAT64, refund\_value

Y<STRUCT<item\_id STRING, item\_name STRING, item\_brand STRING, item\_variant STRING, item\_category STRIN

mp\_email BOOL

mp\_mobile BOOL

mp\_post BOOL

phone1 STRING

pref\_store\_number INT64

public\_token STRING

rejection\_reason STRING

rvw\_count INT64

rvw\_rank STRING

source STRING

stripe\_client\_id STRING

supervisor\_callback BOOL

temp BOOL

title STRING

0.000.00\_...0...0 0 ......0

creative\_subtype STRING

creative\_type STRING

email STRING

external\_id STRING

has\_media STRING

join\_source STRING

message\_id INT64

message\_name STRING

 $message\_subtype\ STRING$ 

message\_text STRING

message\_type STRING

order\_id STRING

phone STRING

product\_skus STRING

quantity INT64

subscription\_channel STRING

subscription\_type STRING

timestamp TIMESTAMP

total FLOAT64

type STRING

uuid STRING