

Informatics Institute of Technology
University of Westminster

Development Diary
Portfolio Website Project

Module: Advanced Client-Side Development
Module Code: 5COSC026C

Name : M. Pawani Tharundi

UOW No : w2119802

IIT No : 20241212

E mail : pawani.20241212@iit.ac.lk

HTML Structure & Basic Setup

Created all HTML Files and Completed up to <head> section:

- Created four HTML files: index.html, about.html, blog.html, contact.html
- Inside each file, added metadata and linked external resources

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Pawani Tharundi | Portfolio</title>
    <link rel="stylesheet" href="style.css" />
    <link rel="icon" type="image/png" href="logo.jpg" />
    <!-- Google Fonts: Playfair Display + DM Sans -->
    <link
      href="https://fonts.googleapis.com/css2?family=Playfair+Display:wght@400;600;700&family=DM+Sans:wght@300;400;500&display=swap"
      rel="stylesheet"
    />
  </head>
```

Navigation Implementation:

```
<body>
  <!-- ____ HEADER / NAV ____ -->
  <header>
    <div class="nav-inner">
      <div class="logo">PT<span class="dot">.</span></div>
      <nav>
        <ul>
          <li><a href="index.html" class="active">Home</a></li>
          <li><a href="about.html">About</a></li>
          <li><a href="blog.html">Blog</a></li>
          <li><a href="contact.html">Contact</a></li>
        </ul>
      </nav>
    </div>
  </header>
```

Footer Implementation:

```
171 |
172 |   <!-- ____ FOOTER ____ -->
173 |   <footer>
174 |     <p>&copy; 2025 Medagamage Pawani Tharundi. All rights reserved.</p>
175 |     <p class="footer-sub">BSc Computer Science · University of Westminster</p>
176 |   </footer>
177 | </body>
178 | </html>
179 |
```

HTML Structure & Basic Setup

Home Page Content Implementation:

- Home hero section with personal introduction and name
- University of Westminster course tag badge
- Two call-to-action buttons: View My Work and Get In Touch
- 4 social media links (Email, GitHub, LinkedIn) in aside sidebar
- Email links: Used attribute selector `a[href^="mailto"]`
- Used `target="_blank"` to open links in a new browser tab
- Used `<span>` for social icons placeholders

```
41-- Hero Section -->
23 <section class="hero">
24   <div class="hero-content">
25     <p class="hero-tag">Computer Science Undergraduate @ University of Westminster</p>
26     <h1 class="hero-title">Medagamage<br>
27       <span class="accent-text">Pawani Tharundi</span></h1>
28     <p class="hero-sub">Full-Stack Web Developer & Machine Learning Enthusiast.</p>
29     <div class="hero-btns">
30       <a href="about.html" class="btn-primary">View My Work</a>
31       <a href="contact.html" class="btn-outline">Get In Touch</a>
32     </div>
33   </div>
34 </section>
35 <aside>
36   <div class="card sidebar-card">
37     <a href="mailto:pawanitharundi@gmail.com" target="_blank">
38       <span class="social-icon">✉</span> Email Me
39     </a>
40     <a href="https://github.com/PawaniTharundi" target="_blank">
41       <span class="social-icon">🐙</span> GitHub
42     </a>
43   </div>
44 </aside>
```

About Page Implementation:

Two main sections: (About/Professional Summary section, Skills & Education section)

- Used `<section>` tags for clear semantic structure
- Added personal professional summary paragraph
- Added Get In Touch button linking to `contact.html`

```
58 <!-- About Section -->
59 <main>
60   <section class="page-hero card">
61     <h1>About <span class="accent-text">Me</span></h1>
62     <p class="lead">A passionate Computer Science undergraduate...</p>
63   </section>
64   <section class="card about-section">
65     <h2>Professional Summary</h2>
66     <p>I am skilled in building modern web applications using React.js,
67       Next.js, Node.js, and MongoDB...</p>
68   </section>
69 </main>
```

Blog Page Implementation:

Project & Blog section:

- Used <article> tag for each self-contained blog post
- Used <section> tag for the 'Other Projects' listing

Time Element Usage:

```
<span class="post-category">Personal Project</span>
<time datetime="2025-08-20">Posted on <strong>20th August 2025</strong></time>
</div>
```

```
<span class="post-category">SDGP Project</span>
<time datetime="2026-03-15">Posted on <strong>15th March 2026</strong></time>
</div>
```

Read More / Expandable Content:

- Used <details> and <summary> tags for the 'Other Projects' collapsible items

```
01 <!-- Blog Section -->
02 <article class="card blog-post">
03   <div class="post-meta">
04     <span class="post-category">SDGP Project</span>
05     <time datetime="2026-03-15">Posted on <strong>15th March 2026</strong></time>
06   </div>
07   <h2>Building PetHub My Biggest Project Yet</h2>
08   ...
09 </article>
10 <article class="card blog-post">
11   <div class="post-meta">
12     <span class="post-category">Personal Project</span>
13     <time datetime="2025-08-20">Posted on <strong>20th August 2025</strong></time>
14   </div>
15   <h2>Life Below Water My First Full Website with HTML & CSS</h2>
16   ...
17 </article>
```

Contact Page Implementation:

```
140 <!-- Contact Section -->
141 <section id="contact" class="contact">
142   <h2>Contact Information</h2>
143   <form action="#" method="post" class="contact-form">
144     <div class="form-group">
145       <label for="name">Full Name <span class="required">*</span></label>
146       <input type="text" id="name" name="name"
147         | | | | | placeholder="Enter your full name" required minlength="2">
148     </div>
149     <div class="form-group">
150       <input type="email" id="email" placeholder="yourname@example.com" required>
151     </div>
152     <div class="form-group">
153       <input type="tel" id="phone" placeholder="+94 000 000 000">
154     </div>
155     <select id="subject" name="subject" required>
156       <option value="">-- Please select a subject --</option>
157       <option value="newsletter">Subscribe to Newsletter</option>
158       <option value="collaboration">Project Collaboration</option>
159       <option value="internship">Internship Opportunity</option>
160     </select>
161     <textarea id="message" name="message" rows="6" required></textarea>
162     <input type="checkbox" name="newsletter" value="yes">
163       Subscribe to my newsletter
164     <button type="submit" class="btn-primary">Send Message</button>
165   </form>
166 </section>
```

Started CSS File: style.css

1. Font Implementation

```
style.css > ...
1  /* --1. GOOGLE FONT (Spec: specify fonts using @font-face / google fonts)-- */
2  @import url("https://fonts.googleapis.com/css2?family=Playfair+Display:wght@400;600;700&family=DM+Sans:wght@300;400;500&display=swap");
3
4  /* 2. CSS VARIABLES-- */
5  :root {
6    --primary: #1a1a2e; /* deep navy */
7    --accent: #e94560; /* vivid rose-red */
8    --accent2: #0f3460; /* deep blue */
9    --light-bg: #f7f5f2; /* warm off-white */
10   --white: #ffffff;
11   --text: #2d2d2d;
12   --text-muted: #6b7280;
13   --card-shadow: rgba(26, 26, 46, 0.12);
14   --semi-trans: rgba(233, 69, 96, 0.12); /* semi-transparent accent */
15   --border: rgba(26, 26, 46, 0.1);
16 }
17
18 body {
19   /* Spec: specify font throughout site */
20   font-family: "DM Sans", sans-serif;
21   background-color: var(--light-bg);
22   color: var(--text);
23   line-height: 1.75;
24   font-size: 1rem;
25   font-weight: 300;
26 }
27
28 /* --4. TYPOGRAPHY-- */
29 h1,
30 h2,
31 h3 {
32   font-family: "Playfair Display", serif;
33   font-weight: 700;
34   line-height: 1.2;
35 }
```

2. Colours

```
root {
  --primary: #1a1a2e; /* deep navy */
  --accent: #e94560; /* vivid rose-red */
  --accent2: #0f3460; /* deep blue */
  --light-bg: #f7f5f2; /* warm off-white */
  --white: #ffffff;
  --text: #2d2d2d;
  --text-muted: #6b7280;
  --card-shadow: rgba(26, 26, 46, 0.12);
  --semi-trans: rgba(233, 69, 96, 0.12); /* semi-transparent accent */
  --border: rgba(26, 26, 46, 0.1);
}
```

```
/* Spec: user action pseudo class (:hover) */
nav ul li a:hover {
  background-color: var(--semi-trans); /* Spec: semi-transparent colour */
  border-color: var(--accent);
  color: var(--white);
  /* Spec: transforms */
  transform: translateY(-2px);
}

nav ul li a.active {
  background-color: var(--accent);
  border-color: var(--accent);
  color: var(--white);
  box-shadow: 0 4px 12px rgba(233, 69, 96, 0.4);
}
```

3. Shadows

```
.logo {
  text-shadow: 2px 2px 8px rgba(233, 69, 96, 0.5); /* Text shadow */
}
.card {
  box-shadow: 0 6px 24px var(--card-shadow); /* Box shadow */
}
```

4. Text effects

```
hero-title {
  text-shadow: 3px 3px 12px rgba(0, 0, 0, 0.3); /* Text effect */
  font-size: 3.4em;
}
.logo {
  letter-spacing: 2px; /* Text effect - letter spacing */
}
```

5. Attribute selectors

```
/* Attribute selector 1: links that open in new tab */
a[target="_blank"] {
  font-weight: 500;
}

/* Attribute selector 2: input by type */
input[type="text"],
input[type="email"],
input[type="tel"] {
  padding: 12px 16px;
  border: 2px solid #e0ddd9;
  border-radius: 10px;
}

/* Attribute selector 3: textarea by name */
textarea[name="message"] {
  width: 100%;
  resize: vertical;
}
```

6. Pseudo elements with generated content

```
/* Spec: pseudo elements with generated content */
h2::before {
  content: "- "; /* Generated content */
  color: var(--accent);
}

.blog-post::before {
  content: ""; /* Generated decorative bar */
  display: block;
  width: 50px;
  height: 4px;
  background: var(--accent);
}

.timeline::before {
  content: ""; /* Generated vertical timeline line */
  position: absolute;
  width: 2px;
  background: linear-gradient(to bottom, var(--accent), var(--accent2));
}
```

7. User action pseudo class

```
* Spec: user action pseudo class */
nav ul li a:hover {
  background-color: rgba(255,255,255,0.25);
  transform: translateY(-2px);
}
.btn-primary:hover {
  background: transparent;
  transform: translateY(-3px);
}
```

8. Child combinator (>)

```
/* Spec: child combinator */
header > .nav-inner { /* Direct child of header */
  gap: 20px;
}
.sidebar-card > h3 { /* Direct child of sidebar-card */
  text-transform: uppercase;
  letter-spacing: 1.5px;
}
```

9. Structural selectors

```
* Spec: structural selectors */
card:first-child {
  border-top: 4px solid var(--accent); /* First card */
}
skills-grid .skill-card:first-child {
  border-left: 4px solid var(--accent);
}
```

10. Negation pseudo class

```
* Spec: negation pseudo class */
.card:not(:last-child) {
  margin-bottom: 28px; /* All cards except last */
}
article:not(:first-child) {
  margin-top: 20px;
}
```

11. Nth pseudo class

```
/* Spec: nth pseudo class */
.card:nth-child(even) {
  background-color: #fafaf8; /* Alternating card backgrounds */
}
.card:nth-child(1) { animation-delay: 0.1s; }
.card:nth-child(2) { animation-delay: 0.2s; }
.card:nth-child(3) { animation-delay: 0.3s; }
```

12. Validity pseudo class

```
* Spec: validity pseudo class */
input:valid:not(:placeholder-shown) {
  border-color: #27ae60; /* Green for valid input */
  background: #f0fdf4;
}
input:invalid:not(:placeholder-shown) {
  border-color: #e74c3c; /* Red for invalid input */
  background: #fff5f5;
}
```

13. Relational selector

```
* Spec: validity pseudo class */
input:valid:not(:placeholder-shown) {
  border-color: #27ae60; /* Green for valid input */
  background: #f0fdf4;
}
input:invalid:not(:placeholder-shown) {
  border-color: #e74c3c; /* Red for invalid input */
  background: #fff5f5;
}
```

```
nav ul li a {
  border: 1px solid rgba(255, 255, 255, 0.2); /* Border */
}
.timeline-dot {
  border: 3px solid var(--white); /* Border */
}
```

15. Rounded corners

```
btn-primary {
  border-radius: 30px; /* Fully rounded button */
}
.card {
  border-radius: 16px; /* Card corners */
}
input[type="text"] {
  border-radius: 10px; /* Input corners */
}
```


16. Gradient

```
header {
  background: linear-gradient(135deg, var(--primary) 0%, var(--accent2) 100%);
}
.bar-fill {
  background: linear-gradient(90deg, var(--accent), var(--accent2));
}
```

17. Transforms

```
nav ul li a:hover {
  transform: translateY(-2px); /* Lifts nav link up */
}
.btn-primary:hover {
  transform: translateY(-3px); /* Lifts button up */
}
.tag:hover {
  transform: scale(1.05); /* Scales skill tag */
}
```

18. Transitions

```
nav ul li a {
  transition: all 0.3s ease; /* Nav link hover transition */
}
.btn-primary {
  transition: all 0.3s ease; /* Button hover transition */
}
input[type="text"] {
  transition: border-color 0.3s, box-shadow 0.3s;
}
```

19. Animations

```
@keyframes slideUp { /* Animation keyframes */
  from { opacity: 0; transform: translateY(30px); }
  to { opacity: 1; transform: translateY(0); }
}
@keyframes spin {
  from { transform: rotate(0deg); }
  to { transform: rotate(360deg); }
}
@keyframes pulse {
  0%, 100% { box-shadow: 0 0 0 0px rgba(233, 69, 96, 0.4); }
  50% { box-shadow: 0 0 0 8px rgba(233, 69, 96, 0); }
}
.hero-content { animation: slideUp 0.8s ease forwards; }
.card { animation: fadeIn 0.5s ease both; }
.deco-ring { animation: spin 25s linear infinite; }
.timeline-dot { animation: pulse 2s infinite; }
```

20. Specificity consideration

```
/* Shows understanding of specificity hierarchy */
p { /* Low specificity - 0,0,1 */
  color: var(--text);
}
.card p { /* Medium specificity - 0,1,1 */
  color: #3a3a3a;
}
.page-hero.card p { /* High specificity - 0,2,1 - overrides both above */
  color: rgba(255,255,255,0.85);
}
```

Figure 1: Home Page




Figure 2: About Page





Figure 4: Blog Page






Figure 5: Contact Page



The screenshot shows the lower portion of the web page, featuring a white card titled '— Send a Message / Subscribe'. The card contains a form with the following fields: 'Full Name *' with a placeholder 'Enter your full name'; 'Email Address *' with a placeholder 'yourname@example.com'; 'Phone Number (optional)' with a placeholder '+94 000 000 000'; 'Subject *' with a dropdown menu showing '-- Please select a subject --'; and 'Your Message *' with a text area containing the placeholder 'Write your message here...'. The navigation bar from the previous screenshot is visible at the top of this section.

Deployed Link: https://pawanitharundi.github.io/Pawani_Portfolio/

Responsive Media Queries

```
/* Spec: responsive for small screens */
/* Tablet - 900px */
@media (max-width: 900px) {
  .page-wrapper {
    flex-direction: column; /* Stack main + aside vertically */
  }
  aside {
    display: grid;
    grid-template-columns: repeat(2, 1fr);
  }
}

/* Mobile - 640px */
@media (max-width: 640px) {
  .hero-title { font-size: 2.2em; }
  h1 { font-size: 2em; }
  h2 { font-size: 1.5em; }
  .nav-inner { flex-direction: column; gap: 12px; }
  nav ul { flex-wrap: wrap; justify-content: center; }
  .hero { padding: 55px 20px 50px; text-align: center; }
  .skills-grid { grid-template-columns: 1fr; }
  aside { flex-direction: column; }
  .contact-info-grid { grid-template-columns: 1fr; }
}
```

Mobile View

