

Pizza Sales Analysis SQL Query

A. KPI's

1) Find Total Revenue.

```
SELECT
    SUM(TOTAL_PRICE) AS
TOTAL_REVENUE
FROM
    PIZZA_SALES;
```

	total_revenue numeric
1	817621.80

2) Total orders.

```
SELECT
    COUNT(DISTINCT ORDER_ID) AS
TOTAL_ORDERS
FROM
    PIZZA_SALES;
```

	total_orders bigint
1	21334

3) Average Order value.

```
SELECT
    CAST(
        CAST(SUM(TOTAL_PRICE) AS
DECIMAL(10, 2)) / CAST(COUNT(DISTINCT
ORDER_ID) AS DECIMAL(10, 2)) AS
DECIMAL(10, 2)
    ) AS AVG_ORDER_VALUE
FROM
    PIZZA_SALES;
```

	avg_order_value numeric (10,2)
1	38.32

4) Total Pizzas Sold.

```
SELECT
    SUM(QUANTITY) AS
TOTAL_PIZZA_SOLD
FROM
    PIZZA_SALES;
```

	total_pizza_sold bigint
1	49559

5) Average Pizzas Per Order.

```
SELECT
    SUM(QUANTITY) / COUNT(DISTINCT
ORDER_ID) AS AVG_PIZZA_PER_ORDER
FROM
    PIZZA_SALES;
```

	avg_pizza_per_order bigint
1	2

B. Visuals

1) Monthly Trend for total Revenue.

```
SELECT
    TO_CHAR(ORDER_DATE, 'MONTH') AS MONTH,
    SUM(TOTAL_PRICE) AS TOTAL_REVENUE
FROM
    PIZZA_SALES
GROUP BY
    TO_CHAR(ORDER_DATE, 'MONTH');
```

	month text	total_revenue numeric
1	MAY	71238.25
2	NOVEMB...	70374.60
3	MARCH	70397.10
4	OCTOBER	64027.60
5	SEPTEMB...	64180.05
6	FEBRUARY	65159.60
7	JULY	72557.90
8	AUGUST	68262.25
9	JUNE	68209.95
10	APRIL	68736.80
11	JANUARY	69776.55
12	DECEMBE...	64701.15

2) Daily Trend for Total Orders.

```
SELECT
    TO_CHAR(ORDER_DATE, 'DAY') AS DAY,
    COUNT(DISTINCT order_id) AS TOTAL_ORDER
FROM
    PIZZA_SALES
GROUP BY
    TO_CHAR(ORDER_DATE, 'DAY');
```

	day text	total_order bigint
1	FRIDAY	3158
2	MONDAY	2972
3	SATURDAY	2624
4	SUNDAY	2793
5	THURSDAY	3535
6	TUESDAY	3024
7	WEDNESD...	3238

3) Percentage of Sales by Pizza Category.

```
SELECT
    PIZZA_CATEGORY,
    SUM(TOTAL_PRICE) AS TOTAL_REVENUE,
    CAST(
        SUM(TOTAL_PRICE) * 100 / (
            SELECT
                SUM(TOTAL_PRICE)
```

	pizza_category character varying (50)	total_revenue numeric	pct numeric (10,2)
1	Supreme	208131.00	25.46
2	Chicken	195848.50	23.95
3	Veggie	193645.20	23.68
4	Classic	219997.10	26.91

```

FROM
    PIZZA_SALES
) AS DECIMAL(10, 2)
) AS PCT
FROM
    PIZZA_SALES
GROUP BY
    PIZZA_CATEGORY;

```

4) Percentage of Sales by Pizza Size.

```

SELECT
    PIZZA_SIZE,
    SUM(TOTAL_PRICE) AS TOTAL_REVENUE,
    CAST(
        SUM(TOTAL_PRICE) * 100 / (
            SELECT
                SUM(TOTAL_PRICE)
            FROM
                PIZZA_SALES
        ) AS DECIMAL(10, 2)
    ) AS PCT
FROM
    PIZZA_SALES
GROUP BY
    PIZZA_SIZE;

```

	pizza_size character varying (10) 	total_revenue numeric 	pct numeric (10,2) 
1	S	177990.25	21.77
2	XXL	1006.60	0.12
3	XL	14076.00	1.72
4	M	249333.50	30.49
5	L	375215.45	45.89

5) Total Pizza sold by pizza size and category.

```

SELECT
    PIZZA_SIZE,

```

SUM(QUANTITY) **AS** TOTAL_PIZZA_SOLD

FROM

PIZZA_SALES

GROUP BY

PIZZA_SIZE;

SELECT

PIZZA_CATEGORY,

SUM(QUANTITY) **AS** TOTAL_PIZZA_SOLD

FROM

PIZZA_SALES

GROUP BY

PIZZA_CATEGORY;

	pizza_size character varying (10) 🔒	total_pizza_sold bigint 🔒
1	S	14396
2	XXL	28
3	XL	552
4	M	15632
5	L	18951

	pizza_category character varying (50) 🔒	total_pizza_sold bigint 🔒
1	Supreme	11983
2	Chicken	11046
3	Veggie	11646
4	Classic	14884

6) Revenue by Pizza Name.

SELECT

PIZZA_NAME,

SUM(TOTAL_PRICE) **AS** TOTAL_REVENUE

FROM

PIZZA_SALES

GROUP BY

PIZZA_NAME

ORDER BY

TOTAL_REVENUE **DESC**

	pizza_name text 🔒	total_revenue numeric 🔒
1	The Thai Chicken Pizza	43434.25
2	The Barbecue Chicken Piz...	42730.50
3	The California Chicken Piz...	41388.75
4	The Classic Deluxe Pizza	38164.50
5	The Spicy Italian Pizza	34818.75

LIMIT 5;

7) Bottom 5 Pizzas by Revenue

SELECT

 pizza_name,

SUM(total_price) **AS** Total_Revenue

FROM

 pizza_sales

GROUP BY

 pizza_name

ORDER BY

Total_Revenue **ASC**

LIMIT 5;

	pizza_name text	total_revenue numeric
1	The Brie Carre Pizza	11588.50
2	The Green Garden Pizza	13943.75
3	The Spinach Supreme Piz...	15277.75
4	The Mediterranean Pizza	15360.50
5	The Spinach Pesto Pizza	15562.75

8) Top 5 Pizzas by Quantity

SELECT

 PIZZA_NAME,

SUM(QUANTITY) **AS** TOTAL_PIZZA_SOLD

FROM

 PIZZA_SALES

GROUP BY

 PIZZA_NAME

ORDER BY

TOTAL_PIZZA_SOLD **DESC**

LIMIT 5;

	pizza_name text	total_pizza_sold bigint
1	The Classic Deluxe Pizza	2452
2	The Barbecue Chicken Piz...	2430
3	The Hawaiian Pizza	2422
4	The Pepperoni Pizza	2418
5	The Thai Chicken Pizza	2371

9) Bottom 5 Pizzas by Quantity

```
SELECT
    PIZZA_NAME,
    SUM(QUANTITY) AS TOTAL_PIZZA_SOLD
FROM
    PIZZA_SALES
GROUP BY
    PIZZA_NAME
ORDER BY
    TOTAL_PIZZA_SOLD ASC
LIMIT 5;
```

	pizza_name text	total_pizza_sold bigint
1	The Brie Carre Pizza	490
2	The Mediterranean Pizza	934
3	The Calabrese Pizza	937
4	The Spinach Supreme Piz...	950
5	The Soppressata Pizza	960

10) Top 5 Pizzas by Total Orders

```
SELECT
    PIZZA_NAME,
    COUNT ( DISTINCT ORDER_ID) AS TOTAL_ORDERS
FROM
    PIZZA_SALES
GROUP BY
    PIZZA_NAME
ORDER BY
    TOTAL_ORDERS DESC
LIMIT 5;
```

	pizza_name text	total_orders bigint
1	The Classic Deluxe Pizza	2328
2	The Hawaiian Pizza	2280
3	The Pepperoni Pizza	2278
4	The Barbecue Chicken Piz...	2271
5	The Thai Chicken Pizza	2225

11) Bottom 5 Pizzas by Total Orders

```
SELECT
    PIZZA_NAME,
    COUNT(DISTINCT ORDER_ID) AS TOTAL_ORDERS
FROM
```

PIZZA_SALES

GROUP BY

PIZZA_NAME

ORDER BY

TOTAL_ORDERS ASC

LIMIT 5;

	pizza_name text 	total_orders bigint 
1	The Brie Carre Pizza	480
2	The Mediterranean Pizza	912
3	The Calabrese Pizza	918
4	The Spinach Supreme Piz...	918
5	The Chicken Pesto Pizza	938